OFFICIAL COPY

Feb 27 2015

Dominion Resources Services, Inc. Law Department 120 Tredegar St.- Riverside 2, Richmond, VA 23219

dom.com

Horace P. Payne, Jr. Senior Counsel Direct (804) 819-2682 Fax: (804) 819-2183 horace.p.payne@dom.com

VIA ELECTRONIC FILING

February 27, 2015

Ms. Gail L. Mount, Chief Clerk North Carolina Utilities Commission 430 North Salisbury Street Dobbs Building Raleigh, North Carolina 27611

Re: Docket No. E-100, Sub 136

Dear Ms. Mount:

Attached for filing in the above referenced docket are the contracts and amendments signed in 2014 between Virginia Electric and Power Company and qualifying facilities. This filing is in accordance with the Order dated May 7, 1987 in Docket No. E-100, Sub 53, which stated that negotiated contracts between a utility and a qualifying facility must be submitted.

Copies of the *confidential* contracts and amendments signed in 2014 between Virginia Electric and Power Company and qualifying facilities will be submitted under separate cover and should be filed *under seal and be protected from public disclosure*.

If you have any questions regarding this matter, please do not hesitate to contact me.

Sincerely,

Horace P. Pavne Senior Counsel

Attachments



AGREEMENT FOR THE SALE OF ELECTRICAL OUTPUT TO VIRGINIA ELECTRIC AND POWER COMPANY

THIS AGREEMENT, effective this 25 day of NOV, 2014, (the "Effective Date") by and between VIRGINIA ELECTRIC AND POWER COMPANY, a Virginia public service company with its principal office in Richmond, Virginia, doing business in Virginia as Dominion Virginia Power, and in North Carolina as Dominion North Carolina Power, hereinafter called "Dominion North Carolina Power" or "Company", and SoINCPower1, LLC, a North Carolina Limited Liability Company, with its principal office in Asheville, North Carolina, hereinafter called "Operator", operator of the Two Mile Desert Road Facility, hereinafter called the "Facility":

RECITALS

WHEREAS, the North Carolina Utilities Commission has adopted a rate schedule described in this Agreement below as <u>Schedule 19-FP</u> applicable to Qualifying Facilities (or "QF" as that term is defined in 18 C.F.R. § 292) which can provide Contracted Capacity (a) up to 5000 kW from a hydroelectric generating facility, (b) up to 5000 kW from a generating facility fueled by trash or methane derived from landfills, hog waste, poultry waste, solar, wind or non-animal forms of biomass, or (c) up to 3000 kW for all other QFs; and

WHEREAS, the parties hereto wish to contract for the sale of electrical output from such a QF to be operated by Operator,

NOW THEREFORE, in consideration of the mutual covenants and agreements herein contained, the parties hereto contract and agree with each other as follows:

Article 1: Parties' Purchase and Sale Obligations

Dominion North Carolina Power or its agent, assignee, or successor will purchase from Operator all of the electrical output (energy and Contracted Capacity) made available for sale from the Facility on a simultaneous purchase and sale arrangement. In addition, Operator has elected to contract under the FP Method for determining the Company's avoided cost as described more fully in Exhibit C. Operator elects to operate the Facility in the Mode of Operation as specified in Section IV.C Firm Mode of Operation of Schedule 19-FP. The Facility is located in Dominion North Carolina Power's retail service area in Winfall, Perquimans County, North Carolina.

Article 2: Term and Commercial Operations Date

This Agreement shall commence on the Effective Date and shall continue in effect for a period of 15 years from the Commercial Operations Date ("COD"). The COD shall be the first date that all of the following conditions have been satisfied:

- a) The Facility has been permanently constructed, synchronized with and has delivered electrical output to the Dominion North Carolina Power system and such action has been witnessed by an authorized Dominion North Carolina Power employee;
- b) After completion of item a) above, Dominion North Carolina Power has received written notice from Operator specifying the Commercial Operations Date and certifying that the Facility is ready to begin commercial operations as a Qualifying Facility;
- c) Operator and Dominion North Carolina Power (or the PJM Interconnection, LLC or other operator of the Dominion North Carolina Power transmission system, as applicable) have executed an Interconnection Agreement to be included herewith as Exhibit A;
- d) Operator has provided to Dominion North Carolina Power Qualifying Facility Certification to be included herewith as Exhibit E; and
- e) Operator either has received from the North Carolina Utilities Commission a Certificate of Public Convenience and Necessity or has filed the notice required by G.S. 62-110.1(g) and Commission Rule 8-65 and is not legally required to obtain such a certificate for the construction and operation of the Facility.

For contract terms of 10 years or more, this Agreement may be renewed at the option of Dominion North Carolina Power on substantially the same terms and conditions and at a rate either (1) mutually agreed upon by the parties negotiating in good faith and taking into consideration Dominion North Carolina Power's then avoided cost rates and other relevant factors or (2) set by arbitration.

Article 3: Contracted Capacity

The Facility, consisting of Solar panels will have a combined nameplate rating of approximately 6,500 kW dc. The Facility's Contracted Capacity shall be 5,000 kW net to Company (alternating current or ac).

Article 4: Attachments

The following documents are attached hereto and are made a part hereof:

- Exhibit A: Executed Interconnection Agreement (attached for information but not as a part of this Agreement)
- Exhibit B: General Terms and Conditions
- Exhibit C: Schedule 19-FP, Power Purchases from Cogeneration and Small Power Production Qualifying Facilities and applicable to the QF who chooses the FP Method (effective March 28, 2014, sometimes referred to as "Schedule 19-FP" herein)
- Exhibit D: Map and related written description identifying the specific location of the Facility in the City or County designated in ARTICLE 1
- Exhibit E: "Qualifying Facility" Certification (if Facility is less than 1 MW, Owner submission that the Facility qualifies as a Qualifying Facility (QF) under federal law)
- Exhibit F: Certificate of Public Convenience and Necessity or evidence that no such certificate was required under North Carolina law in the form of a report of proposed construction to the Commission pursuant to Commission Rule 8-65.

Article 5: Price

Payments for all energy and Contracted Capacity purchased hereunder shall be determined by the provisions for payments in Schedule 19-FP included herewith as Exhibit C and pursuant to Operator elections within such Schedule 19-FP, if any, as stated in Article 1 hereof. Payments for all energy and Contracted Capacity purchased hereunder shall be on a cents per kilowatt-hour basis.

Feb 27 2015

If Operator elects the Firm Mode of Operation, then for the term of this Agreement Operator shall be paid for firm energy, in accordance with Schedule 19 - FP, effective for usage on March 28, 2014, the 15-year Fixed Long-Term Rate as provided for at Section VI.B of Schedule 19-FP. Payments for firm energy will begin on the Commercial Operations Date. All energy delivered per hour above the Contracted Capacity up to 105% of the Contracted Capacity shall be considered non-firm and be paid for at the applicable non-firm rate pursuant to Section V of Schedule 19-FP. No payment shall be made for energy delivered above 105% of the Contracted Capacity. All energy delivered prior to the Commercial Operations Date shall be considered non-firm and paid at the non-firm energy rate. In all cases, such non-firm energy rates will be those in the Schedule 19-FP in effect at the time such energy is delivered.

If Operator elects the Firm Mode of Operation, specified in Section IV.C of Schedule 19-FP, Operator shall be paid for Contracted Capacity on a cents per kilowatt-hour basis as specified in Schedule 19-FP, Section VII. Note: Operator acknowledges that it has been notified of a typographical error in the hours indicated for capacity payments in the current capacity payment tables under Section VII of the NC Schedule 19 – FP tariff; Operator further acknowledges that, under Schedule 19-FP, capacity payments are not paid for any off-peak periods, and that capacity payments are paid *only for on-peak periods* as stated in the opening paragraph of Section VII of Schedule 19 - FP. Specifically, Operator acknowledges that the rates for capacity provided in Section VII of Schedule 19-FP apply only to on-peak summer hours and to *on-peak* non-summer hours, as those on-peak hours are defined at Section III of Schedule 19-FP. Operator shall not be paid for capacity above the Contracted Capacity level in any hour during which the generation exceeds the Contracted Capacity level specified in Article 3.

Article 6: Reserved

Article 7: Operator's Pre-COD Obligations

After execution of this Agreement and until the Commercial Operations Date, Operator shall prepare a quarterly status report for Dominion North Carolina Power showing the current progress on completing the project. This status report shall be delivered to Dominion North Carolina Power on or before the following dates each year, January 15, April 15, July 15, and October 15. Such status report shall discuss the progress of the project in a format which is acceptable to Dominion North Carolina Power.

The Facility will be considered to have commenced construction on the first day upon which all of the following have occurred: (1) the issuance by Operator to its construction contractor for the Facility of a written unconditional Notice-to-Proceed; (2) the mobilization of major construction equipment and construction facilities on the Facility site; and (3) the commencement of major structural excavation and structural concrete work relating to a major component of the Facility such as the power island consistent with having commenced a continuous process of construction relating to the Facility. Dominion North Carolina Power shall have no obligation to accept a declaration of Commercial Operations Date prior to March 1, 2015. The anticipated Commercial Operations Date is April 2015.

Feb 27 2015

Article 8: Default and Early Termination

Operator and Dominion North Carolina Power agree that any of the following will be a material breach by the Operator of this Agreement and shall result in Dominion North Carolina Power having the right to immediate cancellation, without a cure period, of this Agreement: (i) failure to commence construction of the Facility, as defined in Article 7 above, by April 1, 2015, and provide Dominion North Carolina Power with written notice thereof, (ii) failure to achieve Commercial Operations Date within thirty months of February 21, 2014; provided, however, an Operator may be allowed additional time to begin deliveries of power to the Company if the OF facilities in question are nearly complete at the end of such thirty month period and the QF is able to demonstrate that it is making a good faith effort to complete its project in a timely manner, (iii) failure to provide two (2) consecutive status reports pursuant to Article 7 above, (iv) delivery or supply of electrical output to any entity other than Dominion North Carolina Power or its agent, assignee or successor, (v) failure to meet those requirements necessary to maintain Qualifying Facility status, (vi) failure at any time following COD to have in effect a valid Interconnection Agreement with Dominion North Carolina Power (or its successor as operator of the Dominion North Carolina transmission system), (vii) failure to generate and deliver power from the Facility to Dominion North Carolina Power for more than 180 consecutive days, at any time after the Commercial Operations Date, or (viii) failure to maintain QF certification. In the event Operator fails to perform in any way, materially or non-materially, any other obligations not specifically listed above, Operator shall be given notice and thirty (30) days to cure such non-performance. Notwithstanding any cure period, Dominion North Carolina Power shall not be obligated to purchase any energy or Contract Capacity under this Agreement while any such breach remains uncured. If Operator fails to cure its non-performance within thirty (30) days of Dominion North Carolina Power's notice, Dominion North Carolina Power shall have the right to cancel this Agreement. Operator agrees that if this Agreement is canceled by Dominion North Carolina Power for Operator's non-performance prior to the end of the initial term of this Agreement, then, Dominion North Carolina Power shall have all rights and remedies available at law or in equity.

Article 9: Representations and Warranties

Operator represents and warrants that it has the right to operate the Facility in accordance with the terms of this Agreement. Operator further represents and warrants that all permits, approvals, and/or licenses necessary for the operation of the Facility will be obtained prior to the Commercial Operations Date and shall be maintained throughout the Term of this Agreement. Operator shall, provide such documentation and evidence of such right, permits, approvals and/or licenses as Dominion North Carolina Power may reasonably request, including without limitation air permits, leases and/or purchase agreements.

Article 10: Notices and Payments

All correspondence and payments concerning this Agreement shall be to the addresses below. Either Party may change the address by providing written notice to the other Party.

OPERATOR:

DOMINION NORTH CAROLINA POWER:

SoINCPower1, LLC C/o FLS Energy Inc. 130 Roberts Street Asheville, NC 28801 Virginia Electric and Power Company Power Contracts (3SE) 5000 Dominion Boulevard Glen Allen, Virginia 23060-6711

Article 11: Integration of Entirety of Agreement

This Agreement is intended by the Parties as the final expression of their Agreement and is intended also as a complete and exclusive statement of the terms of their Agreement with respect to the purchase and sale of electrical output generated by the Facility. All prior written or oral understandings, offers or other communications of every kind pertaining to this Agreement are hereby abrogated and withdrawn. IN WITNESS WHEREOF, the Parties hereto have caused their names to appear below, signed by authorized representatives as of the date first shown above.

 (Operator)
 SoINCPower1, LLC

 By:
 FLS 2014 B Manager, LLC, its Manager

 By:
 FLS Energy, Inc., it Manager

 Title:
 Dale Freudenberger, CEO

Date:

VIRGINIA ELECTRIC AND POWER COMPANY By: Michael S. Hupp, Jr. Title: Dir-Pur Gu Rig Dys Date: 11/25/2014 Feb 27 2015

EXHIBIT A GENERATOR INTERCONNECTION GUIDANCE AND AGREEMENT

Dominion North Carolina Power's procedures for generator interconnection are available through the Internet at the Company's website with draft interconnection agreements for non-FERC jurisdictional generators (as approved by the NCUC included as Attachments 1, 2 and 3 thereto). For FERC jurisdictional generators interconnection shall be in accordance with FERC and PJM requirements.

The specific Internet address for these procedures is <u>https://www.dom.com/dominion-north-</u> <u>carolina-power/customer-service/rates-and-tariffs/pdf/term24.pdf</u>. The Internet site contains links to the Generator Interconnection Procedures along with the Generator Interconnection Request Form. Once an Interconnection Agreement is executed it will be included herewith as part of this Exhibit A.

5° 2910, Sub 2

NORTH CAROLINA

INTERCONNECTION AGREEMENT

SoINCPower1, LLC

Two Mile NC13025

· · ·

NC Interconnection Agreement



TABLE OF CONTENTS

		Page No.
Article	1.	Scope and Limitations of Agreement1
x	1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9	Applicability1Purpose2No Agreement to Purchase or Deliver Power or RECs2Limitations2Responsibilities of the Parties2Parallel Operation Obligations3Metering3Reactive Power3Capitalized Terms4
Article	2.	Inspection, Testing, Authorization, and Right of Access4
	2.1 2.2 2.3	Equipment Testing and Inspection
Article	3.	Effective Date, Term, Termination, and Disconnection
	3.1 3.2 3.3 3.4	Effective Date
Atticle	4.	Cost Responsibility for Interconnection Facilities and Distribution Upgrades
	4.1 4.2	Interconnection Facilities
Article	б.	Cost Responsibility for Network Upgrades
	5.1 5.2	Applicability
Article		Billing, Payment, Milestones, and Financial Security9
	6.1 6.2 6.3	Billing and Payment Procedures and Final Accounting
Article	7.	Assignment, Liability, Indemnity, Force Majeure, Consequential Damages, and Default
	7.1 7.2 7.3 7.4 7.5	Assignment, Liability, Hoemnity, Force Majeure, Consequential Damages, and Default
	7.6 ·	Default

Dominion

: 1

1

OFFICIAL COPY

Form No. 729711(Jan 2004) ©2004 Dominion

.....

. .

an a	
	an a
	Page No.
Article 8.	Insurance
Article 9.	Confidentiality
Article 10.	Confidentiality
Article 11	Taxes
Article 12.	Miscellaneous
12.1 12.2 12.3 12.4 12.5 12.6 12.7 12.6 12.7 12.8 12.9 12.10 12.10 12.10 12.11 12.11 12.12 12.12	Governing Law, Regulatory Authority, and Rules16Amendment17No Third-Party Beneficiaries17Waiver17Entire Agreement17Multiple Counterparts18No Partnership18Severability18Security Arrangements18Environmental Releases18Subcontractors19Notices19
, 13.1 13.2 13.3	General
Appendix 1 -	Glossary of Terms
Appendix 2 –	Description and Costs of the Generating Facility, Interconnection Facilities, and Metering Equipment
Appendix 3	One-line Diagram Depicting the Generating Facility, Interconnection Facilities, Metering Equipment, and Upgrades
Appendix 4	Milestones
Appendix 5 –	Additional Operating Requirements for the Utility's System and Affected Systems Needed to Support the Interconnection Customer's Needs
Appendix 6 –	Utility's Description of its Upgrades and Best Estimate of Upgrade Costs

NC Interconnection Agreement

.

٠į

.

έ,

. . 1

.

· `.

.

li Dominion[•]

· : .

۰.

OFFICIAL COPY

Feb 27 2015

10

i v

• • • • •

ï

This Interconnection Agreement ("Agreement") is made and entered into this 22nd day of May, 2014, by Virginia Electric and Power Company, doing business as Dominion North Carolina Power ("Utility"), and Corporation ("Interconnection Customer") each hereinafter sometimes referred to individually as "Party" or both referred to collectively as the "Parties." OFFICIA

Utility Information

- Utility: Virginia Electric and Power Company
 - Attention: Mike Nester

ĸ.

3 Č.

1.5

Address: 701 East Cary Street, 8th Floor

Gity, State, Zip: Richmond, Virginia 23219

Phone: (804) 771-6239 Fax: (804) 771-4204

Interconnection Customer Information

- Interconnection Customer: SOLNCPOWER1, LLC
- Attention: Interconnection Administrator
- Address: 3840 S. Ralo Verde, Suite 205

City, State, Zip: Tueson, A2 85714

Phone (520) 807-1300 Fax (520) 807-4046

Interconnection Request ID No: <u>NC13025</u>

In consideration of the mutual covenants set forth herein, the Parties agree as follows:

.....

Form No. 729711 (Jan 2004) © 2004 Dominion

Article 1. Scope and Limitations of Agreement

.

1.1 Applicability

This Agreement shall be used for all Interconnection Requests submitted under the North Carolina Interconnection Procedures except for those submitted under the 10 kW Inverter Process in Section 2 of the Interconnection Procedures.

1.2 Purpose

NC Interconnection Agreement

This Agreement governs the terms and conditions under which the Interconnection Customer's Generating Facility will interconnect with, and operate in parallel with, the Utility's System.

Dominion

12 M 12 1 1 1 1 1 2 2 2 2

1.3 No Agreement to Purchase or Deliver Power or RECs

This Agreement does not constitute an agreement to purchase or deliver the Interconnection Customer's power or Renewable Energy Certificates (RECs). The purchase or delivery of power, RECs that might result from the operation of the Generating Facility, and other services that the Interconnection Customer may require will be covered under separate agreements, if any. The Interconnection Customer will be responsible for separately making all necessary arrangements (including scheduling) for delivery of electricity with the applicable Utility.

OFFICIAL COP

Feb 27 2015

1.4 Limitations

Ž. :

j:

Â.

Nothing in this Agreement is intended to affect any other agreement between the Utility and the Interconnection Customer.

1.5 <u>Responsibilities of the Parties</u>

1.5.1 The Parties shall perform all obligations of this Agreement in accordance with all Applicable Laws and Regulations, Operating requirements, and Good Utility Practice.

The Interconnection Customer shall construct, interconnect, operate and maintain its Generating Facility and construct, operate, and maintain its Interconnection Facilities in accordance with the applicable manufacturer's recommended maintenance schedule, and in accordance with this Agreement, and with Good Utility Practice.

1.5.3

1.5.2

The Utility shall construct, operate, and maintain its System and Interconnection Facilities in accordance with this Agreement, and with Good Utility Practice.

1.5.4 The Interconnection Customer agrees to construct its facilities or systems in accordance with applicable specifications that meet or exceed those provided by the National Electrical Safety Code, the American National Standards Institute, IEEE, Underwriters' Laboratories, and Operating Requirements in effect at the time of construction and other applicable national and state codes and standards. The Interconnection Customer agrees to design, install, maintain, and operate its Generating Facility so as to reasonably minimize the likelihood of a disturbance adversely affecting or impairing the System or equipment of the Utility and any Affected Systems.

1.5.5 Each Party shall operate, maintain, repair, and inspect, and shall be fully responsible for the facilities that it now or subsequently may own unless otherwise specified in the Appendices to this Agreement. Each

Form No. 729711 (Jan 2004) © 2004 Dominion

Dominion®

NC Interconnection Agreement

Party shall be responsible for the safe installation, maintenance, repair and condition of their respective lines and appurtenances on their respective sides of the point of change of ownership. The Utility and the Interconnection Customer, as appropriate, shall provide Interconnection Facilities that adequately protect the Utility's System, personnel, and other persons from damage and injury. The allocation of responsibility for the design, installation, operation; maintenance and ownership of Interconnection Facilities shall be delineated in the Appendices to this Agreement. OFFICIAL COPY

Feb 27 2015

The Utility shall coordinate with all Affected Systems to support the interconnection.

1.6 Parallel Operation Obligations

Once the Generating Facility has been authorized to commence parallel operation, the Interconnection Customer shall abide by all rules and procedures pertaining to the parallel operation of the Generating Facility in the applicable control area, including, but not limited to: 1) any rules and procedures concerning the operation of generation set forth in Commission-approved tariffs or by the applicable system operator(s) for the Utility's System and; 2) the Operating Requirements set forth in Appendix 5 of this Agreement.

1.7 <u>Metering</u>

1.5.6

٩.

2.

Č

5 R

7 8.

N. C. Sake

1. A.

The Interconnection Customer shall be responsible for the Utility's reasonable and necessary cost for the purchase, installation, operation, maintenance, testing, repair, and replacement of metering and data acquisition equipment specified in Appendices 2 and 3 of this Agreement. The Interconnection Customer's metering (and data acquisition, as required) equipment shall conform to applicable industry rules and Operating Requirements.

1.8 <u>Reactive Power</u>

1.8.1

The Interconnection Customer shall design its Generating Facility to maintain a composite power delivery at continuous rated power output at the Point of Interconnection at a power factor within the range of 0.95 leading to 0.95 lagging, unless the Utility has established different requirements that apply to all similarly situated generators in the control area on a comparable basis. The requirements of this paragraph shall not apply to wind generators.

The Utility is required to pay the Interconnection Customer for reactive power that the Interconnection Customer provides or absorbs from the Generating Facility when the Utility requests the Interconnection Customer to operate its Generating Facility outside the range specified

NC Interconnection Agreement

3 Dominion'

Form No. 729711(Jan 2004) ©2004 Dominion

b 27 2015 OFFICIAI

in Article 1.8.1. In addition, if the Utility pays its own or affiliated generators for reactive power service within the specified range, it must also pay the Interconnection Customer.

.1.8.3

Payments shall be in accordance with the Utility's applicable rate schedule then in effect unless the provision of such service(s) is subject to a regional transmission organization or independent system operator FERC-approved rate schedule. To the extent that no rate schedule is in effect at the time the Interconnection Customer is required to provide or absorb reactive power under this Agreement, the Parties agree to expeditiously file such rate schedule and agree to support any request for waiver of any prior notice requirement in order to compensate the Interconnection Customer from the time service commenced.

1.9 <u>Capitalized Terms</u>

2.1.1

 $h_{2}^{2} \rightarrow h_{2}^{2}$

1.24

2.1.2

1.1

ų,

<u>Зр</u>

Capitalized terms used herein shall have the meanings specified in the Glossary of Terms in Attachment 1 of the North Carolina Interconnection Procedures or the body of this Agreement.

Article 2. Inspection, Testing, Authorization, and Right of Access

2.1 Equipment Testing and Inspection

The Interconnection Customer shall test and inspect its Generating Facility and Interconnection Facilities prior to interconnection. The Interconnection Customer shall notify the Utility of such activities no fewer than five Business Days (or as may be agreed to by the Parties) prior to such testing and inspection. Testing and inspection shall occur on a Business Day, unless otherwise agreed to by the Parties. The Utility may, at its own expense, send qualified personnel to the Generating Facility site to inspect the interconnection and observe the testing. The Interconnection Customer shall provide the Utility a written test report when such festing and inspection is completed.

The Utility shall provide the Interconnection Customer written acknowledgment that it has received the Interconnection Customer's written test report. Such written acknowledgment shall not be deemed to be or construed as any representation, assurance, guarantee, or warranty by the Utility of the safety, durability, suitability, or reliability of the Generating Facility or any associated control, protective, and safety devices owned or controlled by the Interconnection Customer or the quality of power produced by the Generating Facility.

Dominion

••

· • • • •

· · · · ·

Form No. 729711 (Jan 2004) © 2004 Dominion

NC Interconnection Agreement.

Authorization Required Prior to Parallel Operation

2.2.1

The Utility shall use Reasonable Efforts to list applicable parallel operation requirements in Appendix 5 of this Agreement. Additionally, the Utility shall notify the Interconnection Customer of any changes to these requirements as soon as they are known. The Utility shall make Reasonable Efforts to cooperate with the Interconnection Customer in meeting requirements necessary for the Interconnection Customer to commence parallel operations by the in-service date.

OFFICIA

.

2.2.2

ŝr

÷.

2.2

The Interconnection Customer shall not operate its Generating Facility in parallel with the Utility's System without prior written authorization of the Utility. The Utility will provide such authorization once the Utility . . . receives notification that the Interconnection Customer has complied with all applicable parallel operation requirements. Such authorization shall not be unreasonably withheld, conditioned, or delayed.

2.3 Right of Access

. . .

3

1

2.3.1. Upon reasonable notice, the Utility may send a qualified person to the premises of the Interconnection Customer at or immediately before the time the Génerating Facility first produces energy to inspect the interconnection, and observe the commissioning of the Generating, Facility (including any required testing), startup, and operation for a period of up to three Business Days after initial start-up of the unit. In addition, the Interconnection Customer shall notify the Utility at least five Business Days prior to conducting any on-site verification testing of the Generating Facility. · · · · · · · · · · ·

2.3.2

Following the initial inspection process described above, at reasonable hours, and upon reasonable notice, or at any time without notice in the event of an emergency or hazardous condition, the Utility shall have access to the Interconnection Customer's premises for any reasonable purpose in connection with the performance of the obligations imposed on it by this Agreement or if necessary to meet its legal obligation to provide service to its customers.

and the second second

Form No. 729711(Jan 2004) @2004 Dominion

- Each Party shall be responsible for its own costs associated with 2.3.3 following this Article. .
- Effective Date, Term, Termination, and Disconnection Article 3.

·

3.1 Effective Date

This Agreement shall become effective upon execution by the Parties.

Dominion[®]

NC Interconnection Agreement

3

3.2 Term of Agreement

This Agreement shall be come effective on the Effective Date and shall remain in effect for a period of ten years from the Effective Date or such other longer period as the Interconnection Customer may request and shall be automatically renewed for each successive one-year period thereafter, unless terminated earlier in accordance with Article 3.3 of this Agreement.

L'a fifteen file and the

3.3 Termination

3.3.2

3.3.3

ş. .

3....

ţ,

被教 化合金

20

就卖

No termination shall become effective until the Parties have complied with all Applicable Laws and Regulations applicable to such termination.

3.3.1 The Interconnection Customer may terminate this Agreement at any time by giving the Utility 20 Business Days written notice and physically and permanently disconnecting the Generating Facility from the Utility's System.

Either Party may terminate this Agreement after Default pursuant to Article 7.6.

Upon termination of this Agreement, the Generating Facility will be disconnected from the Utility's System. All costs required to effectuate such disconnection shall be borne by the terminating Party, unless such termination resulted from the non-terminating Party's Default of this Agreement or such non-terminating Party otherwise is responsible for these costs under this Agreement.

3.3.4 The termination of this Agreement shall not relieve either Party of its liabilities and obligations, owed or continuing at the time of the termination.

3.3.5 The provisions of this article shall survive termination or expiration of this Agreement.

3.4 <u>Temporary Disconnection</u>

Temporary disconnection shall continue only for so long as reasonably necessary under Good Utility Practice.

3.4.1 Emergency Conditions

"Emergency Condition" shall mean a condition or situation: (1) that in the judgment of the Party making the claim is imminently likely to endanger life or property; or (2) that, in the case of the Utility, is imminently likely (as determined in a non-discriminatory manner) to

NC Interconnection Agreement -

Dominion'

n Berletan ing Politik proving tanèn Kabup

and the second second

cause a material adverse effect on the security of, or damage to the Utility's System, the Utility's Interconnection Facilities or the systems of others to which the Utility's System is directly connected; or (3) that, in the case of the Interconnection Customer, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Generating Facility or the Interconnection Customer's Interconnection Facilities. Under Emergency Conditions, the Utility may immediately suspend interconnection service and temporarily disconnect the Generating Facility. The Utility shall notify the Interconnection Customer promptly when it becomes aware of an Emergency Condition that may reasonably be expected to affect the Interconnection Customer's operation of the Generating Facility. The Interconnection Customer shall notify the Utility promptly when it becomes aware of an Emergency Condition that may reasonably be expected to affect the Utility's System or any Affected Systems. To the extent information is known, the notification shall describe the Emergency Condition, the extent of the damage or deficiency, the expected effect on the operation of both Parties' facilities and operations, its anticipated duration, and the necessary corrective action,

OFFICIAL COP

Feb 27 2015

1 . . 138 15 ÷., 1 X . . . 3 · · · · · 17. A.

(J. 3.4.2

A

1. 1. 1.

. . . .

1.00

Routine Maintenance, Construction, and Repair

The Utility may interrupt interconnection service or curtail the output of the Generating Facility and temporarily disconnect the Generating Facility from the Utility's System when necessary for routine maintenance, construction, and repairs on the Utility's System. The Utility shall provide the Interconnection Customer with five Business Days notice prior to such interruption. The Utility shall use Reasonable Efforts to coordinate such reduction or temporary disconnection with the Interconnection Customer.

3.4.3

Forced Outages

During any forced outage, the Utility may suspend interconnection service to effect immediate repairs on the Utility's System. The Utility shall use Reasonable Efforts to provide the Interconnection Customer with prior notice. If prior notice is not given, the Utility shall, upon request, provide the Interconnection Customer written documentation after the fact explaining the circumstances of the disconnection.

3.4.4 Adverse Operating Effects

The Utility shall notify the Interconnection Customer as soon as practicable if, based on Good Utility Practice, operation of the Generating Facility may cause disruption or deterioration of service to

Form No. 729711 (Jan 2004) © 2004 Domin

NC Interconnection Agreement

other customers served from the same electric system, or if operating the Generating Facility could cause damage to the Utility's System or Affected Systems. Supporting documentation used to reach the decision to disconnect shall be provided to the Interconnection Customer upon request. If, after notice, the Interconnection Customer fails to remedy the adverse operating effect within a reasonable time. the Utility may disconnect the Generating Facility. The Utility shall provide the Interconnection Customer with five Business Day notice of such disconnection, unless the provisions of Article 3.4.1 apply.

OFFICIA

2015

3.4.5 Modification of the Generating Facility

The Interconnection Customer must receive written authorization from the Utility before making any change to the Generating Facility that may have a material impact on the safety or reliability of the Utility's. System. Such authorization shall not be unreasonably withheld. Modifications shall be done in accordance with Good Utility Practice, If the Interconnection Customer makes such modification without the Utility's prior written authorization, the latter shall have the right to temporarily disconnect the Generating Facility.

3.4.6 Reconnection

> The Parties shall cooperate with each other to restore the Generating Facility, Interconnection Facilities, and the Utility's System to their normal operating state as soon as reasonably practicable following a temporary or emergency disconnection.

Article 4. Cost Responsibility for Interconnection Facilities and Distribution Upgrades ·

Dominion

Interconnection Facilities 4.1

1

 \mathcal{S}_{i}^{k}

Ċ+ 3

3

1.

Ų

2 ÷.

÷. W. Achie

> The Interconnection Customer shall pay for the cost of the 4.1.1 Interconnection Facilities itemized in Appendix 2 of this Agreement. The Utility shall provide a best estimate cost, including overheads, for the purchase and construction of its Interconnection Facilities and provide a detailed itemization of such costs. Costs associated with Interconnection Facilities may be shared with other entities that may benefit from such facilities by agreement of the Interconnection Customer, such other entities, and the Utility.

The Interconnection Customer shall be responsible for its share of all reasonable expenses, including overheads, associated with (1) owning, operating, maintaining, repairing, and replacing its own interconnection

Form No. 7297 11(Jan 2004) @2004 Dominion

4.1.2

Facilities, and (2) operating, maintaining, repairing, and replacing the Utility's Interconnection Facilities.

OFFICIAL COP

Feb 27 2015

4.2 Distribution Upgrades

The Utility shall design, procure, construct, install, and own the Distribution Upgrades described in Appendix 6 of this Agreement. If the Utility and the Interconnection Customer agree, the Interconnection Customer may construct Distribution Upgrades that are located on land owned by the Interconnection Customer. The actual cost of the Distribution Upgrades, including overheads, shall be directly assigned to the Interconnection Customer.

article 5. Cost Responsibility for Network Upgrades.

5.1 Applicability

1.4

 \sim

ġ.

÷.

No portion of this Article 5 shall apply unless the interconnection of the
 Generating Facility requires Network Upgrades.

3.4 5.2 Network Upgrades

6.1.1

6.1.2

The Utility shall design, procure, construct, install, and own the Network Upgrades described in Appendix 6 of this Agreement. If the Utility and the Interconnection Customer agree, the Interconnection Customer may construct Network Upgrades that are located on land owned by the Interconnection Customer. Unless the Utility elects to pay for Network Upgrades, the actual cost of the Network Upgrades, including overheads, shall be borne by the Interconnection Customer.

Article 6. Billing, Payment, Milestones, and Financial Security

6.1 Billing and Payment Procedures and Final Accounting.

The Utility shall bill the Interconnection Customer for the design, engineering, construction, and procurement costs of Interconnection Facilities and Upgrades contemplated by this Agreement on a monthly basis, or as otherwise agreed by the Parties. The Interconnection Customer shall pay each bill within 30 calendar days of receipt, or as otherwise agreed to by the Parties.

Within three months of completing the construction and installation of the Utility's Interconnection Facilities and/or Upgrades described in the Appendices to this Agreement, the Utility shall provide the Interconnection Customer with a final accounting report of any difference between (1) the Interconnection Customer's cost responsibility for the actual cost of such facilities or Upgrades, and

Dominion[°]

Form No. 729711 (Jan 2004) © 2004 Dominion

أبرا فالعلم والمراجع

(2) the Interconnection Customer's previous aggregate payments to the Utility for such facilities or Upgrades. If the Interconnection Customer's cost responsibility exceeds its previous aggregate payments, the Utility shall invoice the Interconnection Customer for the amount due and the Interconnection Customer shall make payment to the Utility within 30 calendar days. If the Interconnection Customer's previous aggregate payments exceed its cost responsibility under this Agreement, the Utility shall refund to the Interconnection Customer an amount equal to the difference within 30 calendar days of the final accounting report. OFFICIAL COP

Feb 27 2015

If the Interconnection Customer elects the payment procedures in Articles 6.1.1 and 6.1.2, the Utility may also bill the Interconnection Customer periodically for the costs associated with operating, maintaining, repairing and replacing the Utility's Interconnection Facilities, as set forth in Appendix 2 of this Agreement.

The Interconnection Customer may elect to be billed the costs in Anicles 6.1.1 and 6.1.2 and for on-going operations, maintenance, repair and replacement of the Utility's Interconnection Facilities under a Utility rate schedule, tariff, rider or service regulation providing for extra facilities charges, as set forth in Appendix 2 of this Agreement, such monthly charges to continue throughout the entire life of the interconnection.

6.2 <u>Milestones</u>

6.1.3

6.1.4

(Y)

1.3 2

Sti 📢

1

橋

10.

受訴

÷. .

The Partie's shall agree on milestones for which each Party is responsible and list them in Appendix 4 of this Agreement. A Party's obligations under this provision may be extended by agreement. If a Party anticipates that it will be unable to meet a milestone for any reason other than a Force Majeure Event, it shall immediately notify the other Party of the reason(s) for not meeting the milestone and (1) propose the earliest reasonable alternate date by which it can attain this and future milestones, and (2) request appropriate amendments to Appendix 4. The Party affected by the failure to meet a milestone shall not unreasonably withhold agreement to such an amendment unless (1) it will suffer significant uncompensated economic or operational harm from the delay, (2) attainment of the same milestone has previously been delayed, or (3) it has reason to believe that the delay in meeting the milestone is intentional or unwarranted notwithstanding the circumstances explained by the Party proposing the amendment.

6.3 Financial Security Arrangements

At least 20 Business Days prior to the commencement of the design, procurement, installation, or construction of a discrete portion of the Utility's

NC Interconnection Agreement-

10 Dominion

Form No. 729711 (Jan 2004) @2004 Dominion

Interconnection Facilities and Upgrades, the Interconnection Customer shall provide the Utility, at the Interconnection Customer's option, a guarantee, a surety bond, letter of credit or other form of security that is reasonably acceptable to the Utility and is consistent with the Uniform Commercial Code of North Carolina. Such security for payment shall be in an amount sufficient to cover the costs for constructing, designing, procuring, and installing the applicable portion of the Utility's Interconnection Facilities and Upgrades and shall be reduced on a dollar-for-dollar basis for payments made to the Utility under this Agreement during its term. In addition:

The guarantee must be made by an entity that meets the creditworthiness requirements of the Utility, and contain terms and conditions that guarantee payment of any amount that may be due from the Interconnection Customer, up to an agreed-to maximum amount.

OFFICIAL COP

Feb 27 2015

The letter of credit or surety bond must be issued by a financial institution or insurer reasonably acceptable to the Utility and must specify a reasonable expiration date.

The Utility may waive the security requirements if its credit policies show that the financial risks involved are de minimus, or if the Utility's policies allow the acceptance of an alternative showing of creditworthiness from the Interconnection Customer.

Article 7. Assignment, Liability, Indemnity, Force Majeure, Consequential Damages, and Default

7.1 Assignment

- -

7.1.2

· · · 7.1.1

6.3.1

6.3.2

6.3.3

1、浓馨

法合派

1. 24

Ż

and and a second se Second second

贮藏

This Agreement shall not survive the transfer of ownership of the Generating Facility to a new owner. The new owner must complete a new Interconnection Request and submit, it to the Utility within 20 Business Days of the transfer of ownership or the Utility's Interconnection Facilities shall be removed or disabled and the Generating Facility disconnected from the Utility's System. The Utility shall not study or inspect the Generating Facility unless the new owner's Interconnection Request indicates that a Material Modification has occurred or is proposed.

The Interconnection Customer shall have the right to assign this Agreement, without the consent of the Utility, for collateral security purposes to aid in providing financing for the Generating Facility, provided that the Interconnection Customer will promptly notify the Utility of any such assignment. Assignment shall not relieve a Party of its obligations, nor shall a Party's obligations be enlarged, in whole or in part, by reason thereof.

Dominion[•]

Form No. 729711 (Jan 2004) © 2004 Dominion

7.1.3 Any attempted assignment that violates this article is void and ineffective.

OFFICIAI

Feb 27 2015

7.2 Limitation of Liability

Each Party's liability to the other Party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either Party be liable to the other Party for any indirect, special, incidental, consequential, or punitive damages of any kind, except as authorized by this Agreement.

7.3 Indemnity

7.3.1

7.3.2

1.1 1.

7.3.3

7.3.5

÷

12

Ľ,

癝

٠į

1

2

1.11

S.S.

 $\frac{1}{2}$

3

This provision protects each Party from liability incurred to third parties as a result of carrying out the provisions of this Agreement. Liability under this provision is exempt from the general limitations on liability found in Article 7.2.

The Parties shall at all times indemnify, defend, and save the other Party harmless from, any and all damages, losses, claims, including claims and actions relating to injury to or death of any person or damage to property, demand, suits, recoveries, costs and expenses, court costs, attorney fees, and all other obligations by or to third parties, arising out of or resulting from the other Party's action or inaction of its obligations under this Agreement on behalf of the indemnifying Party, except in cases of gross negligence or intentional wrongdoing by the indemnified Party.

If, an indemnified Party is entitled to indemnification under this Article as a result of a claim by a third party, and the indemnifying Party fails, after notice and reasonable opportunity to proceed under this Article, to assume the defense of such claim, such indemnified Party may at the expense of the indemnifying Party contest, settle or consent to the entry of any judgment with respect to, or pay in full, such claim.

7.3.4 If an indemnifying Party is obligated to indemnify and hold any indemnified Party harmless under this Article, the amount owing to the indemnified Party shall be the amount of such indemnified Party's actual loss, net of any insurance or other recovery.

Promptly after receipt by an indemnified Party of any claim or notice of the commencement of any action or administrative or legal proceeding or investigation as to which the indemnity provided for in this Article may apply, the indemnified Party shall notify the indemnifying Party of such fact. Any failure of or delay in such notification shall not affect a

NC Interconnection Agreement

Dominion

Form No. 729711(Jan 2004) ©2004 Dominion

 Party's indemnification obligation unless such failure or delay is materially prejudicial to the indemnifying Party.

OFFICIAL COP

Feb 27 2015

ŝ.

v.

7.4 Conseguential Damages

Other than as expressly provided for in this Agreement, neither Party shall be liable under any provision of this Agreement for any losses, damages, costs or expenses for any special, indirect, incidental, consequential, or punitive damages, including but not limited to loss of profit or revenue, loss of the use of equipment, cost of capital, cost of temporary equipment or services, whether based in whole or in part in contract, in tort, including negligence, strict liability, or any other theory of liability; provided, however, that damages for which a Party may be liable to the other Party under another agreement will not be considered to be special, indirect, incidental, or consequential damages hereunder.

7.5 Force Majeure

7.5.1

έų.

1

As used in this article, a Force Majeure Event shall mean any act of God, labor disturbance, act of the public enemy, war, insurrection, riot, fire, storm or flood, explosion, breakage or accident to machinery or equipment, any order, regulation or restriction imposed by governmental, military or lawfully established civilian authorities, or any other cause beyond a Party's control. A Force Majeure Event does not include an act of negligence or intentional wrongdoing.

If a Force Majeure Event prevents a Party from fulfilling any obligations under this Agreement, the Party affected by the Force Majeure Event (Affected Party) shall promptly notify the other Party, either in writing or via the telephone, of the existence of the Force Majeure Event. The notification must specify in reasonable detail the circumstances of the Force Majeure Event, its expected duration, and the steps that the Affected Party is taking to mitigate the effects of the event on its performance. The Affected Party shall keep the other Party informed on a continuing basis of developments relating to the Force Majeure Event, until the event ends. The Affected Party will be entitled to suspend or modify its performance of obligations under this Agreement (other than the obligation to make payments) only to the extent that the effect of the Force Majeure Event cannot be mitigated by the use of Reasonable Efforts. The Affected Party will use Reasonable Efforts to resume its performance as soon as possible.

7.6 Default

7.6.1

No Default shall exist where such failure to discharge an obligation (other than the payment of money) is the result of a Force Majeure Event as defined in this Agreement or the result of an act or omission

• ;

Dominion

a such a grant ga a such a grant

Form No. 729711(Jan 2004) ©2004 Dominion

NC Interconnection Agreement

of the other Party. Upon a Default, the non-defaulting Party shall give written notice of such Default to the defaulting Party Except as provided in Article 7.6.2, the defaulting Party shall have 60 calendar days from receipt of the Default notice within which to cure such Default; provided however, if such Default is not capable of cure within 60 calendar days, the defaulting Party shall commence such cure within 20 calendar days after notice and continuously and diligently complete such cure within six months from receipt of the Default notice; and, if cured within such time, the Default specified in such notice shall cease to exist. OFFICIAL

27 2015

If a Default is not cured as provided in this Article, or if a Default is not capable of being cured within the period provided for herein, the non-defaulting Party shall have the right to terminate this Agreement by written notice at any time until cure occurs, and be relieved of any further obligation hereunder and, whether or not that Party terminates this Agreement, to recover from the defaulting Party all amounts due hereunder, plus all other damages and remedies to which it is entitled at law or in equity. The provisions of this article will survive termination of this Agreement.

•• Article 8. Insurance ^{**}

8.1.1

7.6.2

.

i S

5,

Ý

S)

A. Sec.

50

8.1 The Interconnection Customer shall obtain and retain, for as long as the Generating Facility is interconnected with the Utility's System, liability insurance which protects the Interconnection Customer from claims for bodily injury and/or property damage. The amount of such insurance shall be sufficient to insure against all reasonably foreseeable direct liabilities given the size and nature of the generating equipment being interconnected, the interconnection itself, and the characteristics of the system to which the interconnection Customer shall be primary for all purposes. The Interconnection Customer shall provide certificates evidencing this coverage as required by the Utility. Such insurance shall be obtained from an insurance provider authorized to do business in North Carolina. The Utility reserves the right to refuse to establish or continue the interconnection of the Generating Facility with the Utility's System, if such insurance is not in effect.

For an Interconnection Customer that is a residential customer of the Utility proposing to interconnect a Generating Facility no larger than 250 kW, the required coverage shall be a standard homeowner's insurance policy with liability coverage in the amount of at least \$100,000 per occurrence.

8.1.2 For an Interconnection Customer that is a non-residential customer of the Utility proposing to interconnect a Generating Facility no larger than 250 kW, the required coverage shall be comprehensive general

¹⁷ Dominion'

Form No. 729711(Jan 2004) ©2004 Dominion

liability insurance with coverage in the amount of at least \$300,000 per occurrence. . • :

OFFICIAL

2015

1000

An Interconnection Customer of sufficient credit-worthiness may propose to provide this insurance via a self-insurance program if it has a self-insurance program established in accordance with commercially acceptable risk management practices, and such a proposal shall not be unreasonably rejected.

The Utility agrees to maintain general liability insurance or self-insurance consistent with the Utility's commercial practice. Such insurance or self-insurance shall not exclude coverage for the Utility's liabilities undertaken pursuant to this Agreement.

The Parties further agree to notify each other whenever an accident or incident occurs resulting intany injuries or damages that are included within the scope of the states coverage of such insurance, whether or not such coverage is sought.

Article 9. ĥ Confidentiality

8.1.3

8:2

с[⁴

1²

ŕ

¥8.3

1

9.1

12 C 3

4 J.

\$. F.

. r

÷.,

.s.,

Confidential Information shall mean any confidential and/or proprietary such information provided by one Party to the other Party that is clearly marked or otherwise designated "Confidential." For purposes of this Agreement all design. which operating specifications, and metering data provided by the Interconnection Customer shall be deemed Confidential Information regardless of whether it is clearly marked or otherwise designated as such.

9.2 Confidential Information does not include information previously in the public domain, required to be publicly submitted or divulged by Governmental Authorities (after notice to the other Party and after exhausting any opportunity to oppose such publication or release), or necessary to be divulged in an action to enforce this Agreement. Each Party receiving Confidential Information shall hold such information in confidence and shall not disclose it to any third party nor to the public without the prior written authorization from the Party providing that information, except to fulfill obligations under this Agreement, or to fulfill legal or regulatory requirements.

> Each Party shall employ at least the same standard of care to protect Confidential Information obtained from the other Party as it employs to protect its own Confidential Information.

Each Party is entitled to equitable relief, by injunction or otherwise, to enforce its rights under this provision to prevent the release of Confidential Information without bond or proof of damages, and may seek other remedies available at law or in equity for breach of this provision.

NC Interconnection Agreement

9.1.1

9.1.2

Dominion[®]

15

Form No. 729711(Jan 2004) @2004 Dominion

9.3 ... If information is requested by the Commission from one of the Parties that is otherwise required to be maintained in confidence pursuant to this Agreement, the Party shall provide the requested information to the Commission within the time provided for in the request for information. In providing the information to the Commission, the Party may request that the information be treated as confidential and non-public in accordance with North Carolina law and that the information be withheld from public disclosure.

FFICIA

Article 10. Disputes

Ś

'n,

4

25

5

The Parties agree to attempt to resolve all disputes arising out of the 10.1 interconnection process according to the provisions of this Article. <u>, x</u>

10.2 In the event of a dispute, either Party shall provide the other Party with a written ží notice of dispute. Such notice shall describe in detail the nature of the dispute.

If the dispute has not been resolved within two Business Days after receipt of the **#10.3** notice, either Party may contact the Public Staff for assistance in informally resolving the dispute. If the Parties are unable to informally resolve the dispute, ΞŦ. either Party may then file a formal complaint with the Commission. 1284

Each Party agrees to conduct all negotiations in good faith. *** 10:4** s.

Article 11. Taxes

11.1 The Parties agree to follow all applicable tax laws and regulations, consistent with North Carolina and federal policy and revenue requirements.

11.2 Each Party shall cooperate with the other to maintain the other Party's tax status. . . . Nothing in this Agreement is intended to adversely affect the Utility's tax exempt status with respect to the issuance of bonds including, but not limited to, local furnishing bonds.

Article 12. Miscellaneous

Governing Law, Regulatory Authority, and Rules 12.1

> The validity, interpretation and enforcement of this Agreement and each of its provisions shall be governed by the laws of the State of North Carolina, without régard to its conflicts of law principles. This Agreement is subject to all Applicable Laws and Regulations. Each Party expressly reserves the right to seek changes in, appeal, or otherwise contest any laws, orders, or regulations of a Governmental Authority.

NC Interconnection Agreement



Form No. 729711(Jan 2004) @2004 Dominion

2

12.2 Amendment

The Parties may amend this Agreement by a written instrument duly executed by both Parties, or under Article 12.12 of this Agreement.

.

No Third-Party Beneficiaries 12.3

This Agreement is not intended to and does not create rights, remedies, or benefits of any character whatsoever in favor of any persons, corporations, associations, or entities other than the Parties, and the obligations herein * assumed are solely for the use and benefit of the Parties, their successors in interest and where permitted, their assigns. Carl Star Star

÷. 12.4 Waiver

۶.

. 🔨

60.18 6

. ÷Ľ,

· #

•

4

ξ.

Ex al Sec

· • . * ?

12.4.1 The failure of a Party to this Agreement to insist, on any occasion, upon strict performance of any provision of this Agreement will not be considered a waiver of any obligation, right, or duty of, or imposed upon, such Party.

12.4.2 Any waiver at any time by either Party of its rights with respect to this Agreement shall not be deemed a continuing waiver or a waiver with respect to any other failure to comply with any other obligation, right, duty of this Agreement. Termination or default of this Agreement for any reason by Interconnection Customer shall not constitute a waiver way of the Interconnection Customer's legal rights to obtain an interconnection from the Utility. Any waiver of this Agreement shall, if requested, be provided in writing.

12.5 Entire Agreement

This Agreement, including all Appendices, constitutes the entire agreement between the Parties with reference to the subject matter hereof, and supersedes all prior and contemporaneous understandings or agreements, oral or written, between the Parties with respect to the subject matter of this Agreement. There are no other agreements, representations; warranties, or covenants which constitute any part of the consideration for, or any condition to, either Party's compliance with its obligations under this Agreement.

1. . .

12.6 Multiple Counterparts

This Agreement may be executed in two or more counterparts, each of which is deemed an original but all constitute one and the same instrument.

NC Interconnection Agreement. · · · ·

sette da la

Dominion^{*}

: *1* .

Form No. 729711 (Jan 2004) ©2004 Dominion

5. . . .

12.7 No Partnership

This Agreement shall not be interpreted or construed to create an association, joint venture, agency relationship, or partnership between the Parties or to impose any partnership obligation or partnership liability upon either Party. Neither Party shall have any right, power or authority to enter into any agreement or undertaking for, or act on behalf of, or to act as or be an agent or representative of, or to otherwise bind, the other Party.

OFFICIAL

Feb 27 2015

Severability 12.8

190

126 20

8

à.

> à - 2

,i¢

(1,2,1,3)

1

If any provision or portion of this Agreement shall for any reason be held or adjudged to be invalid or illegal or unenforceable by any court of competent jurisdiction or other Governmental Authority, (1) such portion or provision shall be deemed separate and independent, (2) the Parties shall negotiate in good faith to parties restore insofar as practicable the benefits to each Party that were affected by such and an and a second se ruling, and (3) the remainder of this Agreement shall remain in full force and effect.

Security Arrangements ∄ @12.9

Infrastructure security of electric system equipment and operations and control. where hardware and software is essential to ensure day-to-day reliability and security. All Utilities are expected to meet basic standards for electric * www.system infrastructure and operational security, including physical, operational,* and cyber-security practices.

12.10 Environmental Releases

Each Party shall notify the other Party, first orally and then in writing, of the release of any hazardous substances, any asbestos or lead abatement activities, or any type of remediation activities related to the Generating Facility or the Interconnection Facilities, each of which may reasonably be expected to affect the other Party. The notifying Party shall (1) provide the notice as soon as practicable, provided such Party makes a good faith effort to provide the notice no later than 24 hours after such Party becomes aware of the occurrence, and (2) promptly furnish to the other Party copies of any publicly available reports filed with any Governmental Authorities addressing such events.

12.11 Subcontractors

Nothing in this Agreement shall prevent a Party from utilizing the services of any subcontractor as it deems appropriate to perform its obligations under this Agreement; provided, however, that each Party shall require its subcontractors to comply with all applicable terms and conditions of this Agreement in providing such services and each Party shall remain primarily liable to the other Party for the performance of such subcontractor.

NC Interconnection Agreement

• • • • • •

٠ţ

ent. 💦 18 Dominion' 2. ¹¹ - 1

Form No. 729711(Jan 2004) ©2004 Dominion

.

والمحافظ والمراجع والمحاجر والمحاج والمحاج والمحاج

The creation of any subcontract relationship shall not relieve the hiring Party of any of its obligations under this Agreement. The hiring Party shall be fully responsible to the other Party for the acts or omissions of any subcontractor the hiring Party hires as if no subcontract had been made; provided, however, that in no event shall the Utility be liable for the actions or inactions of the Interconnection. Customer or its subcontractors with respect to obligations of the Interconnection Customer under this Agreement. Any applicable obligation imposed by this Agreement upon the hiring Party shall be equally binding upon, and shall be construed as having application to, any subcontractor of such Party. OFFICIAL

12 11.2 The obligations under this article will not be limited in any way by any limitation of subcontractor's insurance.

12.12 Reservation of Rights

12:11.1

 \mathcal{X}

- 2

62

3. .

· ',

The Utility shall have the right to make a unilateral filing with the Commission to modify this Agreement with respect to any rates, terms and conditions, charges, or classifications of service, and the Interconnection Customer shall have the right to make a unilateral filing with the Commission to modify this Agreement; provided that each Party shall have the right to protest any such filing by the other Party and to participate fully in any proceeding before the Commission in which such modifications may be considered. Nothing in this Agreement shall limit the rights of the Parties except to the extent that the Parties otherwise agree as provided herein.

te da ante de la contra de la con

Form No. 729711 (Jan 2004) @2004 Dominion

Article 13. Notices

13.1 General

Ъ,

Unless otherwise provided in this Agreement, any written notice, demand, or request required or authorized in connection with this Agreement (Notice) shall be deemed properly given if delivered in person, delivered by recognized national courier service, or sent by first class mail, postage prepaid, to the person specified below:

If to the Interconnection Customer:

Interconnection Customer: <u>SOLNCPOWER1, LLC</u> Attention: <u>Interconnection Administrator</u>

Address: 1 3840 S. Palo Verde Suite# 205

City, State, Zip: Tueson AZ \$5714

Phone ((.520) 807-1300 Fax (520) 807-4046

Dominion

NC Interconnection Agreement

If to the Utility:				
Utility: Virginia Electric and	Power Company			_
Attention: Mike Nester			• • • • • • • • • •	
Address: 701 East Cary Stree	et, 8 th Floor	: ·		
City, State, Zip: Richmond, V		• • •	• · ·	
Phone: (804) 771-6239	•	rax: (804) 771-4204	4 · · · · · ·	
	an a		and the property of the party of the second state of the	-

13.2 Billing and Payment

10 30

2

Billings and payments shall be sent to the addresses set out below:

Interconnection Customer: SOLNCPOWER1, LLC

Attention: Interconnection Administrator

Address: 3840 S. Palo Verde, Suite # 205

City, State, Zip: Tueson, A 2 85714 Phone (520) 807-1300 Fax (520) 807-4046

If to the Utility:

Utility: Virginia Electric and Power Company

Attention: Remittance Processing Services

Address: P.O. Box 26543

City, State, Zip: Richmond, Virginia 23290

13.3 Alternative Forms of Notice

Any notice or request required or permitted to be given by either Party to the other and not required by this Agreement to be given in writing may be so given by telephone, facsimile or e-mail to the telephone numbers and e-mail addresses set out below:

If to the Interconnection Customer:

Interconnection Customer: SOLNCPOWER1, LLC

Attention: Heath Mchaughlin/Heath.McLaughlin@Solon.com Address: 176 Mine Lake Court, Suite # 100 City, State, Zip: Raleigh, NC 27615 Phone (321) 202-3600 Fax (321) 226-7000

NC Interconnection Agreement

7



Form No. 729711(Jan 2004) ©2004 Dominion

If to the Utility:

創行成合

Utility: Virginia Electric and Power Company Attention: Mike Nester Address: 701 East Cary Street, 8th Floor City, State, Zip: Richmond, Virginia 23219 Phone: (804) 771-6239 Fax: (804) 771-4204 FFICIAL

13.4 **Designated Operating Representative**

The Parties may also designate operating representatives to conduct the communications which may be necessary or convenient for the administration of this Agreement. This person will also serve as the point of contact with respect to operations and maintenance of the Party's facilities.

Interconnection Customer's Operating Representative:

Interconnection Customer: SOLNCPOWER1, LLC Attention: William Richardson / William, Richardson @ Solon, Com Address: 3840 S. Palo Verde, Suite 205 City, State, Zip: Tucson, A2 85714 Phone w) (520) 645: 8533 Fax (520) 807-4046

Utility's Operating Representative:

Utility: Virginia Electric and Power Company Attention: ROC Shift Supervisor Address: 2700 Cromwell Rd.

City, State, Zip: Norfolk, Virginia 23509 Phone: (757) 857-6702 Fax: (757) 857-2633

Dominion^{*}

Ξ.,

· ··· · 13.5 Changes to the Notice Information.

11

Either Party may change this information by giving five Business Days written notice prior to the effective date of the change. . . .

NC Interconnection Agreement

Form No. 729711(Jan 2004) ©2004 Dominion

IN WITNESS WHEREOF, the Parties have caused this Agreement to be executed by their respective duly authorized representatives. . . . For the Utility Name: Solutions mer Title: Date: といいは異 For the Interconnection Customer Name: Title: GENERA Date: June 15 ZOIY • • • • • • ·. · · · · :. ..[.] .

NC Interconnection Agreement

.



Form No. 729711(Jan 2004) ©2004 Dominion

000

OFFICIAL

Interconnection Agreement Appendix 1 OFFICIAL COPY

t ?

Feb 27 2015

Glossary of Terms

See Glossary of Terms, Attachment 1 to the North Carolina Interconnection Procedures.

NC Interconnection Agreement

ş



Interconnection Agreement Appendix 2

Description and Costs of the Generating Facility, Interconnection Facilities, and Metering Equipment

Generating Facility

à.,

S.

4

Generating facility will be 5 MW of ground mounted solar arrays.

Customer Interconnection Facilities

...Customer will be responsible for all associated solar panels, inverters, transformers and ţ. sunderground line built to Point of Interconnection with Utility. Customer will also provide ÷i, c terminations for the underground cable if necessary and all items listed л.

Installation of all conductors between the generating facility and POI: < 13

Installation of pad mounted transformers 14 Ŷ

1 Installation of a three phase interruption device

 Installation of all generator breakers and associated equipment.

 Communication lines for all metering 55

See Sommunication between customer breaker and Utility recloser if required

 If and when the aggregate generation interconnected to this circuit is greater than iş. 驗 10 MW, the Customer must provide generatory status and generator ÷ 🤆 . instantaneous MW output to PJM per Manual 14A of the PJM OATT via New St. communication links installed, owned, and maintained by the Customer.

Interconnection Facilities and Metering

- Install 4 new poles
 - Installation of Recloser and a standard standard standard standard (St.)
 - Installation of one terminal pole
 - 250 feet of 477 aluminum three phase conductor and neutral
- One Disconnect Switches and a standard stand Standard stand Standard stand Standard stand Standard stand Standard stand Standard stand Standard stand Standard standard standard sta
- All metering needed for interconnection of generation and auxiliary load
- POTS line for metering a second standard and the second standard standard standard standards

n de la servicie de la companya de la comp The estimated cost of the installation of the new attachment facilities to provide the interconnection is \$ 147,428.48,

The customer will be also be responsible for an ongoing monthly operation and maintenance cost of %0.44 percent of the estimated cost of the new facilities of \$147,428.48. The calculation will be; \$147,428.48 x %.44 = \$648.69 a.month.


- In the second sec
- Manager and the second sec second sec
- and the second second second second second
- the second s
- NC Interconnection Agreement Taken Person and fitter and taken and the assessment

Dominion

Form No. 729711(Jan 2004) @2004 Dominion

Interconnection Agreement Appendix 3

One-line Diagram Depicting the Generating Facility, Interconnection Facilities, Metering Equipment, and Upgrades



Form No. 729711 (Jan 2004) © 2004 Dominion

OFFICIA

Interconnection Agreement

OFFICIAL COPY

Feb 27 2015

		Append
	Milestones	
In-Ser	viçe Date: 12/15/2014	
Critica	I milestones and responsibility as agreed to by the	e Parties:
:	Milestone/Date	Responsible Party
(1)	Sub-station upgrades	Dominion
(2)	Interconnect pole set	Dominion
(3)	Final connection to grid	Dominion
(4)	Anti-islanding test if required	Dominion
(5)		
. (6)		
(7)		
(8)		
(9)		· • (
(10)		
•		
Agree	d tó by:	
1	e Utility	Date
	Interconnection Customer	
		· · · · · · · · · · · · · · · · · · ·
• .		··· · ··· · ··· · ····
· ·	· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • •

٠. 2

. 3

"<u>}</u>!

6- e -

NC Interconnection Agreement

ere de la seria **Dominion**^{*} 11. .

Form No. 729711(Jan 2004) © 2004 Dominion

.

1

OFFICIAL

Additional Operating Requirements for the Utility's System and Affected Systems Needed to Support the Interconnection Customer's Needs

<u>Technical Requirements for Customer 5 MW of Generation</u>

The Company has reviewed the Solon (NC13025) request for interconnection of 6.5 MW DC of Solar-Photovoltaic (PV) Generation units located just outside of the Dominion's Winfall Substation at Two Mile Desert Road, in Winfall, North Carolina 27948. The DG owner desires to export power into the Dominion North Carolina Power (DNCP) utility source and site generation power. This is typically an inverter (UL1741/IEEE 1547 certified) based interconnection which consists of a total of eight (8) - MSchneider Electric Conext Core XC630-NA inverters units rated 630 kVA and operating 🐲 🕱 at 350 V. The inverter system is installed in blocks of two (2) 630 kVA inverters and a connected to a three (3) phase 1,500 kVA step-up transformer for a total of four (4) PV Inverters-Transformer systems. All transformers will be rated 202/350V - 19.9/34.5 kV. * with a wye-ground (primary) / Delta-Delta (secondary) winding configuration. The DG owner should plan for the installation of a Grounding Resistor on the neutral of all the generator step-up transformers. The resulting protection requirements are based on the following information:

- No more than 6.5 MWdc of total generation will be in parallel with the DNCP system 1. A. at any one time.
- the DG owner generation facility will be paralleled with the DNCP system by the following connections:

> The DG owner generation facility will be connected to the Winfall Distribution Circuit 420 via a new installed Automatic Line Recloser (ALR) 420 RXXX. Circuit 420 is sourced by Winfall Transformer #1 and Line 247.

- . Winfall Circuit 420 feeder breaker has reclosing times at 10 seconds and 45 seconds after the first trip. 1. A. A.
- Transmission Line 247 has instantaneous reclosing (21 to 23 cycles after trip) applied on the Terminal Breakers. •
- The load data for the pertinent sectionalizing devices are as follows:
 - Winfall Circuit 420 (42022) has a typical "light" loading of 2.1 MVA
 - Winfall Transformer #1 has a typical "light" loading of 2.1 MVA -Winfall Bus #2 has a typical "light" loading of 5.4 MVA
 - Line 247 has a typical "light" loading of 10.03 MVA
- DG owner parallel operation will not be limited to any particular time or utility circuitloading condition (daylight is required for generation to be available).
- The DG owner will be contracted to export power into the DNCP distribution system.
- Based on the minimum loads given for the utility sectionalizing devices on the Winfall

a the large of the back of second

NC Interconnection Agreement'

主義

Dominion' Form No. 729711(Jan 2004) @2004 Dominion

 $F_{\rm eff} \in C^{-1} M_{\rm eff}$

OFFICIAL

Circuit 420, the following minimum "Local Load to DG owner Generation Capacity" ratios will apply for this installation:

	Utility Device	Minimum Ratio
•••	CB 42022	0.275
•• •	Transformer #1	0.275
	Bus #2	0.706
	Line 247	- 1.312 (see 19 the 11 of 11 for the

The minimum ratios applicable for this installation would normally require the DG owner to have Direct Pilot Wire Tripping (or Transfer Trip) function installed from the Transmission Line #247, Bus #2, Substation Transformer #1, utility device CB 42022 to the generation site's main breaker (main breaker trip coil and lockout) or potentially a new ALR 420 RXXX. Such direct tripping functions should sectionalize the DG owner generation for any opening of the respective device. The direct trip control feature is meant to ensure that a "prolonged" (or "permanent") islanding condition (with the DG owner generation supplying utility load in the absence of the utility source) will not be · · · · · · set up. . .

However, based on the size and location of the DG owner generation, the applicable sectors DNCP and Industry Standards (i.e. UL-1741, IEEE-1547) and the DG owner's equipment individually meeting this specification, DNCP will require the installation of a Dominion owned Automatic Line Recloser (ALR) at the point of common coupling with all required relaying (described in the table below) as well as the addition of Bus Potential and an upgrade to the existing circuit 420 relay to provide directionality at the DG owner expense. Such ALR should provide another isolation point by taking the DG owner off line during hot line work.

Additionally with the use of wye-ground (primary) / Delta-Delta (secondary) generator. step-up transformers, our analysis have shown an increase in total fault current. contribution as well as an increase in operating time during faults due to the relays not being designed to detect by-directional current flow. In order to reduce such fault contribution and maintain DNCP's protective relay's sensitivity, a 40 to 50 ohms grounding resistor (NGR) will be required on each of the DG owner's step-up transformer (i.e. transformer neutral path). Such addition is meant to limit 310 when the Electric Power System (EPS) protection device has operated and the PV-inverter system has not, while keeping the DNCP system grounded in the islanded situation.

Furthermore in order to coordinate with the ALR's relay (i.e. see settings outlined in Table 2) while maintaining adequate backup protection, the DG owner will be required to apply the trip settings described in Table 1 on all of the XC 630-NA inverters. If the DG owner is unable or unwilling to apply those functions and settings, Direct Pilot Wire (or Transfer Trip) will be required at the DG owner expense. · · ·

Zere to the web the protected grading on a constraint of the product device enclosed by a feature of สาขสุขครู้การขึ้นของผู้สิบข้างข้างข้างได้ และก็ได้ และไร่กับ และเป็นก็ส่วนคระสารของ บาง บางได้ เราะห์ หน ขางการของครามประวัติของการบำหนังสาของการการประวัติของและประวัติของครามประวัติของบางได้ เป็นการประวัติ

भारते के सार स्थाय है, से रेक्स के प्राप्त के संकृत के समय तथा है। विक्रस क्षेत्र के स्थाय के सामनेत्र प्राप्त के राजना से सार स्थान के सिंग्लिय के प्राप्त हो। तस्वीत प्राप्त क्षि सार सामनेत्र के सामनेत्र के सामनेत्र प्राप्त के राजना के सार सामनेत्र के सार सामनेत्र

the second states and

Interconnection Agreement

and the states

t in the tensor when the second second

· · · · · · ·

٠.,

海上が

ŷ.

-. . . .

Dominion

Form No. 729711 (Jan 2004) © 2004 Dominion

•

	- • 2• - •		Table 1	
	•	Function	Set Point	Duration to Generation Cleared (seconds / cycles)
	27	Under-voltage (Voltage phase low)	75 % (or more) of nominal operating voltage	0.25 0 :083 3/15.0
	59	Over-voltage (Voltage phase high)	110 % (or less) of nominal operating voltage	0, 25 0 ,0 833 /15.0
	81 U	Under-frequency (line frequency low)	59.5 Hz	0,25 0 :0 833 /(5.0
2.2	81 O	Over-frequency (line frequency high)	60.5 Hz.	0.25 0.083 3/(5.0
		Overall Anti-Islanding	Set for ≤ 5.0 Cycle disconnection / cleared or shut-down of inverter	<i>0</i> ,2 <i>5</i> 0,0833 /15.0

The required relay functions, (each sectionalizing all of the DG owner's generation and enabled all the time on the ALR regardless of the operating condition) and the corresponding setting ranges, applying for the designated utility feed, are listed in the following table:

•	Ta	Ы	0	2	•
		~	0	¦ani,	۰.

	Function	Set Point	Duration to Disconnection (seconds)
27	Undervoltage	75 % of nominal operating voltage	2.0
59.	Overvoltage	110% of nominal operating voltage	2.0
81U	Underfrequency	59.5 Hz	2.0
810	Overfrequency	60.5	2.0.
51	Phase Time-delay Overcurrent	Set for minimum, with adequate load allowance	Maintain proper coordination with DG owner high side fuse

. . . . Harmonics (voltage and current) if not controlled can be a source of problems on the DNCP network. Though it is definitive that small scale PV systems (i.e. about 5 kW or less) have little to no significant Harmonics effects on the system provided their. associated converter meet the IEEE standard 519 (Guideline for Harmonic Control and

Interconnection Agreement

ない 一部 一部 一部 一部 一部 一部 一部

÷,

ers s'

Dominion

Form No. 729711(Jan 2004) @2004 Dominion

4 ()

Reactive Compensation of Static Power Converter), the impacts of larger scale PV systems is far less certain. It is a general consensus that a concentration of small sources of harmonic or demand distortion - as little as they could be - can have a significant effect on the overall utility network's power quality as the effect of harmonics are cumulative thus making it imperative not to ignore the Harmonics in this particular 6,5 MW DC interconnection request.

In Summary, **Power Quality baseline readings** will be required at the point of common coupling (PCC) before and after the interconnection is completed in order to monitor the Harmonic effects of the Generation unit and will be obtained at the DG owner's expense. Also, if there is evidence that the Total Harmonic Distortion (THD) or Total Demand Distortion (TDD) is greater than or equal to 5% harmonic distortion for any single harmonic is greater than or equal to 3%, the DG owner would be required to add a filtering system to its installation to meet the requirements of IEEE 519.

In addition, in the advent of changes in IEEE guidelines for interconnection of Distributed Generation (DG) system and/or changes in system condition (i.e. penetration level of DG on that part of the system), DNCP reserves the right to reevaluate the protection application and require upgrade(s) as it deems necessary at the DNCP, and/or the DG owner end. Any upgrades necessary will be assigned according to how the changes impact the DG owners' generation and interconnection to the grid.

Moreover since the Winfall Circuit 420 relay upgrade and the installation of Bus Potential and the new ALR are provided at the DG owner expense and have associated engineering, equipment acquisition and installation lead-time, we would need to work out all of those details to coordinate with the planned interconnection. Please note that the DG owner will not be allowed to interconnect until the recloser and all the appropriate relaying is installed, tested and fully functional. Finally, please send us details concerning the DG owner's actual <u>NGR and interface</u> transformer specifications (i.e. NGR size, Transformer impedance, load losses, etc.); the applied inverter trip points as well as the high side fuse make, model and rating information as soon as possible for the ALR settings/coordination purpose.

· ·

.

•• • • ·. : . . · · · · · · · · . . n heli oran han on the source of the second source of the source of the source of the source of the source of t The source of

ien fer einen e Myter einen feren einen einen einen einen einen eine Mitter einen ei Mitter etre einen einen

Interconnection Agreement

en al tradición de la companya de la segunda de la companya de la companya de la companya de la companya de la



Form No. 729711(Jan 2004) ©2004 Dominion

.

Server and the server of the server

Utility's Description of its Upgrades

<u>א</u> ט

ŀ

Distribution Upgrades for 5 MW of Generation

Install three (3), 34.5kV, 175/300:1 Potential Transformers

- Install three (3), 14.4kV, SMD-20 fuses and three (3), 22kV, 12A current limiting fuses.
- All conductor, conduit, control cable, foundations and grounding material as per engineering standards
- One (1), 3 Phase Potential MU Box
- One (1), Single SEL 351S Circuit Panel
- Retire relay cabinet on CB

Total cost for all distribution upgrades equals \$ 118,390.00 to be included in Dominions Winfall conversion project.

These upgrades are being completed during the Dominion Winfall Substation conversion from 115 KV to 230 KV and it is anticipated they will be completed sometime late summer or early fall. Dominion will bear the cost for these unless for some unseen reason they are not completed before Solon wishes to export energy. This work must be completed before Solon can export energy.

Interconnection Agreement



· · · · ·

Form No. 729711(Jan 2004) ©2004 Dominion

I - Assignments

Operator agrees not to assign this Agreement without the prior written consent of Dominion North Carolina Power. Dominion North Carolina Power may withhold such consent if it determines, in its sole discretion, that such assignment would not be in the best interests of Dominion North Carolina Power or its customers. Any attempted assignment that Dominion North Carolina Power has not approved in writing shall be null and void and ineffective for all purposes. In the event of assignment by Operator, Operator shall pay Company within thirty (30) days of the effective date of the assignment up to a maximum amount of \$10,000 per assignment; provided, however, assignment of this Agreement by Operator in connection with an initial financing arrangement which is finalized and for which consent of Company is requested within nine months of the Effective Date of this Agreement shall not be subject to the payment requirement provided herein.

II - Indemnity

Operator shall indemnify and save harmless and, if requested by Dominion North Carolina Power, defend Dominion North Carolina Power, its officers, directors and employees from and against any and all losses and claims or demands for damages to real property or tangible personal property (including the property of Dominion North Carolina Power) and injury or death to persons arising out of, resulting from, or in any manner caused by the presence, operation or maintenance of any part of Operator's Facility; provided, however, that nothing herein shall be construed as requiring Operator to indemnify Dominion North Carolina Power for any injuries, deaths or damages caused by the sole negligence of Dominion North Carolina Power. Operator agrees to provide Dominion North Carolina Power written evidence of liability insurance coverage, which is specifically and solely for the Facility, prior to the operation of the Facility. Operator agrees to have Dominion North Carolina Power named as an additional insured, and shall keep such coverage current throughout the term of this Agreement.

III - QF Certification

Operator represents and warrants that its Facility meets the Qualifying Facility requirements established as of the Effective Date of this Agreement by the Federal Energy Regulatory Commission's rules (18 Code of Federal Regulations Part 292), and that it will continue to meet those requirements necessary to remain a Qualifying Facility throughout the term of this Agreement. [Dominion North Carolina Power may require "FERC" QF Certification by adding the following: "Operator agrees to obtain, at Operator's expense, a certification as a "QF" from the Federal Energy Regulatory Commission, in accordance with 18 C.F.R. § 292.207 (b)."] Operator agrees to provide copies, at the time of submittal, of all correspondence and filings with the Federal Energy Regulatory Commission relating to obtaining certification of the Facility as a "QF". Operator will submit prior to delivery of electrical output from the Facility to

Feb 27 2015

Dominion North Carolina Power evidence of Qualifying Facility certification. After the Commercial Operations Date, if requested by Dominion North Carolina Power prior to March 1 of any year, Operator agrees to provide July 1 of the same year to Dominion North Carolina Power for the preceding year sufficient for Dominion North Carolina Power to determine the Operator's continuing compliance with its QF requirements, including but not limited to:

(a) All information required by FERC Form 556.

(b) Copy of the Facility's QF Certification and any subsequent revisions or amendments,

(c) Provide a copy of any contract executed with a thermal host.

(d) Identification of the amount of each type of fuel used per month and average heating value for each type of fuel, which will be used to determine the Total Energy Input. These values should be verifiable by auditing supporting documentation.

(e) Identification of each of the QF's useful thermal output(s) for each month, including temperature, pressure, amount of thermal output delivered, temperature and amount of condensate returned (if applicable) and the conversion to Btus. These values should be verifiable by auditing supporting documentation.

(f) Identification of the QF's useful power output for each month. These values should be verifiable by auditing supporting documentation.

(g) Provide drawings, heat balance diagrams and a sufficiently detailed narrative describing the delivery of useful thermal output including the location, description, and calibration data for all metering equipment used for QF calculations.

(h) Provide any other information which the QF believes will facilitate Dominion North Carolina Power's monitoring of the QF requirements.

(i) Dominion North Carolina Power may request additional information, as needed, to monitor the QF requirements.

IV - Consequential Damages

In no event shall either Party be liable to the other for any special, indirect, incidental or consequential damages whatsoever, except that the foregoing shall not apply to any promises of indemnity or obligations to reimburse the Parties expressly set forth in this Agreement.

V - Amendments, Waivers, Severability and Headings

This Agreement, including the appendices thereto, can be amended only by agreement between the Parties in writing. The failure of either Party to insist in any one or more instances upon strict performance of any provisions of this Agreement, or to take advantage of any of its rights hereunder, shall not be construed as a waiver of any such provisions or the relinquishment of any such right or any other right hereunder. In the event any provision of this Agreement, or any part or portion thereof, shall be held to be invalid, void or otherwise unenforceable, the obligations of the Parties shall be deemed to be reduced only as much as may be required to remove the impediment. The headings contained in this Agreement are used solely for convenience and do not constitute a part of the Agreement between the Parties hereto, nor should they be used to aid in any manner in the construction of this Agreement.

VI - Compliance with Laws

Operator covenants that it shall comply with all applicable provisions of Executive Order 11246, as amended; § 503 of the Rehabilitation Act of 1973, as amended; § 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974, as amended; and implementing regulations set forth in 41 C.F.R. §§ 60.1, 60-250, and 60-741 and the applicable provisions relating to the utilization of small minority business concerns as set forth in 15 U.S.C. § 637, as amended. Operator agrees that the equal opportunity clause set forth in 41 C.F.R. § 60-1.4 and the equal opportunity clauses set forth in 41 C.F.R. § 250.5 and 41 C.F.R. 60-§741.5 and the clauses relating to the utilization of small and minority business concerns set forth in 15 U.S.C. § 637(d)(3) and 48 C.F.R. § 52-219.9 are hereby incorporated by reference and made a part of this Agreement. If this Agreement has a value of more than \$500,000, Operator shall adopt and comply with a small business and small disadvantaged business subcontracting plan which shall conform to the requirements set forth in 15 U.S.C. § 637(d)(6). The provisions of this section shall apply to Operator only to the extent that:

(a) such provisions are required of Operator under existing law,

(b) Operator is not otherwise exempt from said provisions and

(c) Compliance with said provisions is consistent with and not violative of 42 U.S.C. § 2000 et seq., 42 U.S.C. § 1981 et seq., or other acts of Congress.

VII - Interconnection and Operation

Operator shall be responsible for the design, installation, and operation of its Facility. Operator shall be responsible for obtaining an Interconnection Agreement. Interconnection guidelines and agreement requirements are set forth in Exhibit A of this Agreement.

Operator shall: (a) maintain the Facility and the Interconnection Facilities on Operator's side of the Interconnection Point, except Dominion North Carolina Power-owned Interconnection Facilities, in conformance with all applicable laws and regulations and in accordance with operating procedures; (b) obtain any governmental authorizations and permits required for the construction and operation thereof and keep all such permits and authorizations current and in effect; and (c) manage the Facility in a safe and prudent manner. If at any time

Feb 27 2015

Operator does not hold such authorizations and permits, Dominion North Carolina Power may refuse to accept deliveries of power hereunder.

Dominion North Carolina Power may enter Operator's premises (a) to inspect Operator's protective devices at any reasonable time; (b) to read or test meters and metering equipment; and (c) to disconnect, without notice, the Facility if, in Dominion North Carolina Power's opinion, a hazardous condition exists and such immediate action is necessary to protect persons, or Dominion North Carolina Power facilities or other customers' facilities from damage or interference caused by Operator's Facility or lack of properly operating protective devices. Dominion North Carolina Power will endeavor to notify Operator as quickly as practicable if disconnection occurs as provided in (c) above. Any inspection of Operator's protective devices shall not impose on Dominion North Carolina Power any liabilities with respect to the operation, safety or maintenance of such devices.

Operator shall not operate the Facility in parallel with Dominion North Carolina Power's system prior to (a) an inspection of the installed Interconnection Facilities by an authorized Dominion North Carolina Power representative and (b) receiving written authorization from an authorized Dominion North Carolina Power representative to begin parallel operation.

VIII - Metering

Dominion North Carolina Power will meter all electrical output delivered from the Facility on the high voltage side of the step up transformer.

Operator agrees to pay an administrative charge to Dominion North Carolina Power to reflect all reasonable costs incurred by Dominion North Carolina Power for meter reading and billing, also referred to as metering charges. The monthly meter reading and billing charge shall change from time to time when the NCUC approves a different charge in Schedule 19-FP.

In addition, Operator agrees to pay any fees required to provide and maintain leased telephone lines required for meter reading by Dominion North Carolina Power.

IX - Billing and Payment

Dominion North Carolina Power shall read the meter in accordance with its normal meter reading schedule. Within twenty-eight (28) days thereafter, Dominion North Carolina Power shall send Operator payment for energy and Contracted Capacity delivered. At Dominion North Carolina Power's option, (i) Dominion North Carolina Power may make such payments net of the monthly metering charges, Interconnection Facilities charges, and charges for sales of electricity to the Operator, or (ii) Dominion North Carolina Power may invoice Operator for such charges separately. Payment by Dominion North Carolina Power shall include verification showing the billing month's ending meter reading, on-peak and off-peak kWh, and the amount paid. If in any month the monthly metering and Interconnection Facilities charges are in excess of any payments due Operator, Dominion North Carolina Power shall bill Operator for the difference and Operator shall make such payment within 28 days of the invoice date. Failure by Operator to make such payments may result in disconnection of the Facility. In no event shall

such disconnection relieve Operator of its obligation to pay monthly metering charges and Interconnection Facilities charges under this Agreement.

In the event that any data required for billing purposes hereunder are unavailable when required for such billing, the unavailable data shall be estimated by Dominion North Carolina Power, based upon historical data. Such billing shall be subject to any required adjustment in a subsequent billing month.

Operator agrees that Dominion North Carolina Power shall be entitled to withhold sufficient amounts due pursuant to this Agreement to offset (a) any damages to Dominion North Carolina Power resulting from any breach of this Agreement by Operator, and (b) any other amounts Operator owes Dominion North Carolina Power, including amounts arising from sales of electricity by Dominion North Carolina Power to Operator, metering charges and Interconnection Facilities charges.

In no event shall Dominion North Carolina Power be liable to Operator for any Contracted Capacity payments in excess of the amounts contracted for herein, regardless of the ultimate length of this Agreement or revisions to Schedule 19-FP or successor schedules. Operator hereby agrees to accept the Contracted Capacity payments as set forth herein as its sole and complete compensation for delivery of Contracted Capacity to Dominion North Carolina Power.

X - Force Majeure

Neither Party shall be considered in default under this Agreement or responsible to the other Party in tort, strict liability, contract or other legal theory for damages of any description for any interruption or failure of service or deficiency in the quality or quantity of service or any other failure to perform any of its obligations hereunder to the extent such failure occurs without fault or negligence on the part of that Party and is caused by factors beyond that Party's reasonable control, which by the exercise of reasonable diligence that Party is unable to prevent, avoid, mitigate or overcome, including without limitation storm, flood, lightning, earthquake, explosion, equipment failure, civil disturbance, labor dispute, act of God or public enemy, action or inaction of a court or public authority, fire, sabotage, war, explosion, curtailments, unscheduled withdrawal of facilities from operation for maintenance or repair or any other cause of similar nature beyond the reasonable control of that Party (any such event, "Force Majeure"). Solely economic hardship of either Party shall not constitute Force Majeure under this Agreement, Nor shall anything contained in this paragraph or elsewhere in this Agreement excuse Operator or Dominion North Carolina Power from strict compliance with the obligation of the Parties to comply with the terms of Article IX of this Exhibit B relating to timely payments.

Each Party shall have the obligation to operate in accordance with Good Utility Practice (as defined below) at all times and to use due diligence to overcome and remove any cause of failure to perform.

If a Party relies on the occurrence of an event of Force Majeure described above as a basis for being excused from performance of its obligations under this Agreement, then the Party relying on the Force Majeure event shall:

a) Provide within forty-eight (48) hours written notice of such Force Majeure event or potential Force Majeure to the other Party, giving an estimate of its expected duration and the probable impact on the performance of its obligations hereunder;

b) Exercise all reasonable efforts to continue to perform its obligations under this Agreement;

c) Expeditiously take action to correct or cure the Force Majeure event excusing performance; provided, however, that settlement of strikes or other labor disputes will be completely within the sole discretion of the Party affected by such strike or labor dispute;

d) Exercise all reasonable efforts to mitigate or limit damages to the other Party; and

e) Provide prompt notice to the other Party of the cessation of the Force Majeure event giving rise to its excuse from performance. All performance obligations hereunder shall be extended by a period equal to the term of the resultant delay.

If a Party responding to a Force Majeure event has the ability to obtain, for additional expenditures, expedited material deliveries or labor production which would allow a response to the event in a manner that is above and beyond Good Utility Practice, and such a response could shorten the duration of the Force Majeure event, the Party responding to the event may, at its discretion, present the other Party with the option of funding the expenditures for expediting material deliveries or labor production in an effort to reduce the duration of the event and economic hardship. Each such opportunity will be negotiated on a case-by-case basis by the Parties.

For purposes of this Agreement, "Good Utility Practice" shall mean any of the applicable practices, methods, standards, guides or acts: required by any governmental authority, regional or national reliability council, or national trade organization, including NERC, SERC, or the successor of any of them, as they may be amended from time to time whether or not the Party whose conduct is at issue is a member thereof; otherwise engaged in or approved by a significant portion of the electric utility industry during the relevant time period which in the exercise of reasonable judgment in light of the facts known or that should have been known at the time a decision was made, could have been expected to accomplish the desired result in a manner consistent with law, regulation, good business practices, generation, transmission and distribution reliability, safety, environmental protection, economy and expediency. Good Utility Practice is intended to be acceptable practices, methods, or acts generally accepted in the region, or any other acts or practices as are reasonably necessary to maintain the reliability of the Transmission System (as defined in the Interconnection Agreement), or of the Facility, and is not intended to be limited to the optimum practices, methods, or acts to the exclusion of all others.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

I. APPLICABILITY AND AVAILABILITY

This schedule is applicable to any qualifying Cogenerator or Small Power Producer (Qualifying Facility) which desires to deliver all of its net electrical output to the Company, has either (1) generating facilities designated as new capacity as defined by 18 C.F.R. § 292.304(b)(1), or (2) hydroelectric generating facilities that meet the criteria of being owned or operated by a small power producer as defined in G.S. 62-3(27a), and enters into an agreement for the sale of net electrical output to the Company (Agreement).

Unless otherwise provided by a Commission order setting forth different availability dates, this schedule is available to any Qualifying Facility (otherwise eligible pursuant to the terms hereof) that by November 1, 2014 or the date upon which proposed rates are filed in Docket No. E-100 Sub 140, if later than November 1, 2014, (a) has obtained a certificate of public convenience and necessity for its facility from the Commission or filed a report of proposed construction with the Commission pursuant to Commission Rule 8-65, and (b) has indicated to the Company in writing that it is committed to selling the output of the facility to the Company pursuant to the terms of this schedule.

Where the Qualifying Facility (QF) elects to be compensated for firm deliveries in accordance with this schedule, the amount of capacity under contract and the initial term of contract shall be limited as follows:

- A. Where the QF operates hydroelectric generating facilities that meet the criteria of being owned or operated by a small power producer as defined in G.S. 62-3(27a), or where the QF operates non-hydroelectric QFs fueled by trash or methane derived from landfills, hog waste, poultry waste, solar, wind, and non-animal forms of biomass, the amount of capacity subject to compensation shall be no greater than 5,000 kW, and the amount of energy purchased during a given hour at rates applicable to firm deliveries shall be no greater than 5,000 kWh. The initial term of contract for such a QF shall be for a period of 5, 10, or 15 years, at the option of the QF.
- B. Where the QF is not defined under Paragraph I.A., the amount of capacity subject to compensation shall be no greater than 3,000 kW, and the amount of energy purchased during a given hour at rates applicable to firm deliveries shall be no greater than 3,000 kWh. The initial term of contract for such a QF shall be for a period of 5 years.

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

I. APPLICABILITY AND AVAILABILITY (Continued)

Where the QF elects to be compensated for firm or non-firm deliveries in accordance with this schedule, the QF must begin deliveries to the Company within thirty months of February 21, 2014 to retain eligibility for the rates contained in this schedule; provided, however, a QF may be allowed additional time to begin deliveries of power to the Company if the QF facilities in question are nearly complete at the end of such thirty month period and the QF is able to demonstrate that it is making a good faith effort to complete its project in a timely manner. Where the QF elects an initial contract term of 10 or more years, such contract may be renewed for subsequent term(s), at the Company's option, based on substantially the same terms and provisions and at a rate either (1) mutually agreed upon by the parties negotiating in good faith and taking into consideration the Company's then avoided cost rates and other relevant factors or (2) set by arbitration.

This schedule is not applicable to a QF owned by a developer, or affiliate of a developer, who sells power to the Company from another facility located within one-half mile unless: (1) each facility provides thermal energy to different, unaffiliated hosts; (2) each facility provides thermal energy to the same host, and the host has multiple operations with distinctly different or separate thermal needs; or (3) each facility utilizes a renewable resource which may be subject to geographic siting limitations, such as hydroelectric, solar, or wind power facilities.

II. MONTHLY BILLING TO THE QF

All sales to the QF will be in accordance with any applicable filed rate schedule. In addition, where the QF contracts for sales to the Company, the QF will be billed a monthly charge equal to one of the following to cover the cost of meter reading and processing:

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

II. MONTHLY BILLING TO THE QF (Continued)

Metering required	<u>Charge</u>
One non-time-differentiated meter	\$17.24
One time-differentiated meter	\$35.55
Two time-differentiated meters	\$41.16

III. DEFINITION OF ON- AND OFF-PEAK HOURS

A. For Option A Rates the On-Peak Hours are:

Summer

(i) For the periods beginning at 12:00 midnight March 31 and ending at 12:00 midnight September 30:

The on-peak hours are defined as the hours between 10:00 am and 10:00 pm., Monday through Friday, excluding holidays considered as off-peak.

Non-Summer

(ii) For the periods beginning at 12:00 midnight September 30 and ending at 12:00 midnight March 31:

The on-peak hours are defined as those hours between 6:00 am and 1:00 pm., plus 4:00 p.m. through 9:00 p.m., Monday through Friday, excluding holidays considered as off-peak.

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

III. DEFINITION OF ON- AND OFF-PEAK HOURS (Continued)

B. For Option B Rates the On-Peak Hours are:

Summer

(i) For the periods beginning at 12:00 midnight May 31 and ending at 12:00 midnight September 30:

The on-peak hours are defined as the hours between 1:00 pm and 9:00 pm., Monday through Friday, excluding holidays considered as off-peak.

Non-Summer

(ii) For the periods beginning at 12:00 midnight September 30 and ending at 12:00 midnight May 31:

The on-peak hours are defined as those hours between 6:00 am and 1:00 pm. Monday through Friday, excluding holidays considered as off-peak.

C. Off-Peak Hours:

The off-peak hours in any month are defined as all hours not specified above as on-peak hours. All hours for the following holidays will be considered as off-peak: New Year's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, the day after Thanksgiving, and Christmas Day. When one of the above holidays falls on a Saturday, the Friday before the holiday will be considered off-peak; when the holiday falls on a Sunday, the following Monday will be considered off-peak.

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

IV. CONTRACT OPTIONS FOR DESIGNATING MODE OF OPERATION

The QF shall designate under contract its Mode of Operation from the following options, each of which determines the Company's method of payment.

- A. The QF may contract for the delivery of energy to the Company without reimbursement, designated as the Non-reimbursement Mode of Operation; or,
- Β. The QF may contract for the delivery of non-firm energy to the Company (no payment for capacity). This option includes QFs that elect to contract to deliver non-firm energy to the Company on an as-available basis. Where the QF's generation facilities have an aggregate nameplate rating of less the OF may designate the Non-firm. 100 kW or Non-time-differentiated Mode of Operation. Regardless of nameplate rating the QF may designate the Non-firm, Time-differentiated Mode of Operation.
- C. The QF may contract for the delivery of firm energy and capacity to the Company. The level of capacity which the QF contracts to sell to the Company shall not exceed 5,000 kW, where the QF is defined under Paragraph I.A., or 3,000 kW otherwise. This capacity level, in kW, shall be referred to as the Contracted Capacity. When the QF elects to sell firm energy and capacity, the QF shall designate the Firm Mode of Operation.

V. PAYMENT FOR COMPANY PURCHASES OF NON-FIRM ENERGY

The QF may contract to receive payment for energy at rates to be determined with each revision of this schedule. These rates will be based upon the QF's Mode of Operation as described below. There are no capacity payments for the QFs that contract for non-firm energy.

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

OFFICIAL COPY

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

V. PAYMENT FOR COMPANY PURCHASES OF NON-FIRM ENERGY (Continued)

- A. Non-reimbursement Mode of Operation. Where the QF designates the Non-Reimbursement Mode of Operation, no payment will be made for energy delivered.
- B. Non-time-differentiated Mode of Operation. Where the QF's generation facilities have an aggregate nameplate rating of 100 kW or less and the QF designates the Non-Firm, Non-time-differentiated Mode of Operation, the following rates in cents per kWh are applicable:

3.843

C. Time-differentiated Mode of Operation. Where the QF designates the Time-differentiated Mode of Operation, the following On- and Off-peak rates in cents per kWh are applicable:

On-peak	4.541
Off-peak	3.455

All energy purchase rates will be further increased by 3.0% to account for line losses avoided by the Company, except that upon the effective date of any Schedule 19 that is subsequently amended and approved by the Commission, the line loss percentage applied shall be the percentage stated in the then-current Schedule 19. In lieu of 3.0% or the line loss percentage stated in the then-current Schedule 19, the QF may request that a site specific line loss percentage be determined with the QF bearing the cost of the study required.

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

VI. PAYMENT FOR COMPANY PURCHASES OF FIRM ENERGY

QFs designating the Firm Mode of Operation will be eligible to receive purchase payments for the delivery of firm energy by the QF to the Company. The QF may contract to receive payments for firm energy based on A or B, below. Contract terms for 10 or 15 years are available only where the QF is defined under Paragraph I.A.

The QF may contract to receive payment for firm time-differentiated energy at rates to be determined with each revision of this schedule (Variable Rate). These rates in cents per kWh, which reflect the Company's estimated avoided energy cost for delivery of firm energy during 2013 or 2014, are as shown in the price tables below:

A. Option A: The QF may contract to receive energy purchase payments for the delivery of firm energy based upon fixed prices, as shown below in cents per kWh:

Fixed Long-Term Rate

	Variable Rate	<u>5-Year</u>	<u>10-Year</u>	<u>15-Year</u>
On-Peak (¢/kWh)	4.541	5.055	5.526	5.813
Off-Peak (¢/kWh)	3.455	3.964	4.388	4.661

B. Option B: The QF may contract to receive energy purchase payments for the delivery of firm energy based upon fixed prices, as shown below in cents per kWh:

(Continued)

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

VI. PAYMENT FOR COMPANY PURCHASES OF FIRM ENERGY (Continued)

	Variable Rate	5-Year	<u>10-Year</u>	<u>15-Year</u>
On-Peak (¢/kWh)	4.663	5.194	5.675	5.962
Off-Peak (¢/kWh)	3.614	4.119	4.549	4.824

Fixed Long-Term Rate

Any energy delivered above 100% up to 105% of QF's Contracted Capacity in any hour will be purchased at the then applicable non-firm energy rates under Schedule 19-FP. There will be no reimbursement for any energy delivered above 105% of QF's Contracted Capacity.

All energy purchase rates will be further increased by 3.0% to account for line losses avoided by the Company, except upon the effective date of any Schedule 19 that is subsequently amended and approved by the Commission, the line loss percentage applied shall be the percentage stated in the then-current Schedule 19. In lieu of 3.0% or the line loss percentage stated in the then-current Schedule 19, the QF may request that a site specific line loss percentage be determined with the QF bearing the cost of the study required.

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY

Company purchases of capacity are applicable only where the QF elects the Firm Mode of Operation. Capacity payments are applicable during on-peak hours only. Such QFs shall receive capacity purchase payments based on the applicable levelized capacity purchase price below, in cents per kWh, corresponding to the contract length in years. Contract terms for 10 or 15 years are available only where the QF is defined under Paragraph I.A.

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY (Continued)

Option A:

For hydroelectric facilities with no storage capability and no other type of generation:

		Cuputity 2 1100	-
	5-Year	<u>10-Year 15-Year</u>	
On-Peak (¢/kWh) Summer	5,895	6.095 6.263	
On-Peak (¢/kWh) Non-summer	3.930	4.063 4.175	
For all other facilities:			
		Capacity Price	-
	5-Year	<u>10-Year</u> <u>15-Year</u>	
On-Peak (¢/kWh) Summer	3.537	3.657 3.758	
On-Peak (¢/kWh) Non-summer	2.358	2.438 2.505	

Option B:

For hydroelectric facilities with no storage capability and no other type of generation: Capacity Price

		Capacity Lines	
On-Peak (¢/kWh) Summer On-Peak (¢/kWh) Non-summer	<u>5-Year</u> 13.524 5.214	10-Year15-Year13.98214.3685.3905.539	
For all other facilities:		Capacity Price	
On-Peak (¢/kWh) Summer On-Peak (¢/kWh) Non-summer	<u>5-Year</u> 8.115 3.128	10-Year15-Year8.3898.6213.2343.323	

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Capacity Price

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY (Continued)

Payments will be made to the QF by applying the appropriate levelized capacity purchase price above to all kWh delivered to the Company during each on-peak hour, up to the 100% of the Contracted Capacity in such hour. There will be no compensation for capacity in excess of the QF's Contracted Capacity in an hour. This capacity price will be in accordance with the length of rate term for capacity sales so established in the contract.

VIII. PROVISIONS FOR COMPANY PURCHASE OF THE QF GENERATION

- A. The QF shall own and be fully responsible for the costs and performance of the QF's:
 - 1. Generating facility in accordance with all applicable laws and governmental agencies having jurisdiction;
 - 2. Control and protective devices as required by the Company on the QF's side of the meter.
- B. The sale of power to the Company by a QF at avoided cost rates pursuant to this Schedule 19-FP does not convey ownership to the Company of the renewable energy credits or green tags associated with the QF facility.
- C. Upon request by the Company, the Cogenerator or Small Power Producer must demonstrate that the facility is a Qualifying Facility as defined by PURPA.
- D. Interconnection procedures for the QF's generation interconnection are provided through the Internet at the Company's website; <u>http://www.dom.com/dominion-north-carolina-power/customer-service/rat</u> es-and-tariffs/pdf/term24.pdf.

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

Virginia Electric and Power Company

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

IX. MODIFICATION OF RATES AND OTHER PROVISIONS HEREUNDER

The provisions of this schedule, including the rates for purchase of energy and Contracted Capacity by the Company, are subject to modification at any time in the manner prescribed by law, and when so modified, shall supersede the rates and provisions hereof. However, payments to QFs with contracts for a specified term at payments established at the time the obligation is incurred shall remain at the payment levels established in their contract with the exception of the line loss percentage applied which shall be the percentage stated in the then-current Schedule 19.

If the QF terminates its contract to provide Contracted Capacity and energy to the Company prior to the expiration of the contract term, the QF shall, in addition to other liabilities, be liable to the Company for excess capacity and energy payments.

Such excess payments will be calculated by taking the difference between (1) the total capacity and energy payments already made by the Company to the QF and (2) capacity and energy payments calculated based on the levelized capacity and energy purchase price found in Paragraph VI and VII corresponding to the highest term option completed by the QF. These excess payments shall also include interest, from the time such excess payments were made, compounded annually at the rate equal to the Company's most current issue of long-term debt at the time of the contract's effective date.

X. TERM OF CONTRACT

The term of contract shall be such as may be mutually agreed upon but for not less than one year.

Filed 10-30-14 Electric-North Carolina Amending Filing Effective For Usage On and After 03-28-14. This Filing Effective For Usage On and After 03-28-14.

OFFICIAL COPY Feb 27 2015

EXHIBIT C


Exhibit C is a copy of Schedule 19-FP.

EXHIBIT D

Exhibit D is a map and written description identifying the specific location of the Facility and is provided by the Operator.

Two Mile:

The official address of the site is 157 2 Mile Desert Rd, Hertford, NC 27944. Starting at the local town of Hertford, North Carolina, proceed east on Main Street towards Catherine Street. Proceed by taking the second left onto 2 Mile Desert Road. The site will be located on the left hand side.



OFFICIAL COPY Feb 27 2015

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

	WASHINGT		Status for a	Expiration 5/31/2013		
Form 5	556 Certification of Quali Production or Cogen	eration Facility		Small Fower		
	licant (legal entity on whose behalf qu					
1b Applicant street 130 Roberts S						
1c City		1d State/provi	nce			
Asheville		North Car	olina			
1e Postal code 28787	1f Country (if not United States)	L	1g Telephon 828-350			
1h Has the instant fa	acility ever previously been certified as	a QF? Yes 🔀 N	lo 🗌			
	docket number of the last known QF t		is facility:	QF 13 - 625 - 000		
	fication process is the applicant makir					
Notice of self-c (see note below	ertification		mmission cert	tification (requires filing bage 3)		
QF status. A not notice of self-ce	elf-certification is a notice by the applic ice of self-certification does not establ rtification to verify compliance. See the 3 for more information.	ish a proceeding, and	d the Commis	sion does not review a		
1k What type(s) of C	ε ΣF status is the applicant seeking for its	facility? (check all th	at apply)			
🛛 Qualifying sma	ll power production facility status	Qualifying cogene	ration facility	status		
1 What is the purpo	ose and expected effective date(s) of th	nis filing?				
🔀 Original certific	ation; facility expected to be installed	by <u>3/14/15</u> an	nd to begin op	peration on 3/31/15		
<u> </u>	previously certified facility to be effect s) of change(s) below, and describe cha	• · · · · · · · · · · · · · · · · · · ·	aneous sectio	on starting on page 19)		
☐ Name change and/or other administrative change(s)						
🗌 Change in d	ownership					
🔲 Change(s) a	Change(s) affecting plant equipment, fuel use, power production capacity and/or cogeneration thermal output					
Supplement or	correction to a previous filing submitte	ed on				
(describe the su	upplement or correction in the Miscella	aneous section startin	ng on page 19))		
	owing three statements is true, check t ssible, explaining any special circumsta					
previously gr	acility complies with the Commission's anted by the Commission in an order of Miscellaneous section starting on page	dated		iver of certain regulations other relevant waiver		
	acility would comply with the Commiss with this application is granted	sion's QF requiremen	ts if a petition	for waiver submitted		
	The instant facility complies with the Commission's regulations, but has special circumstances, such as the employment of unique or innovative technologies not contemplated by the structure of this form, that make the demonstration of compliance via this form difficult or impossible (describe in Misc. section starting on p. 19)					

FEI	RC Form 556				Page 6 - All Facilities	
	2a Name of contact person			2b Telephone number		1
	Dale Freudenberger			828-350-3	993	
	2c Which of the following describes the contact person's relationship to the applicant? (check one)					
_	Applicant (self) Kenployee, owner or partner of applicant authorized to represent the applicant					
ion	Employee of a company affiliated with the applicant authorized to represent the applicant on this matter					
Contact Information	Lawyer, consultant, or other representative authorized to represent the applicant on this matter					
	2d Company or organization name (if applicant is an individual, check here and skip to line 2e)					
	SolNCPower1, LLC					
	2e Street address (if same as Applicant, check here and skip to line 3a)					
tac	2e Street address (if same as Applicant, check here and skip to line 3a) 2f City 2g State/province					
on						
U	2f City		2g State/provir	nce		
	,					
	2h Postal code	2i Country (if not United	States)			
	3a Facility name		unin and a second s			
n	Two Mile Desert Road Sol	ar Farm				
ati	3b Street address (if a street address	s does not exist for the fac	ility, check here ar	nd skip to line 3c		1
Ŭ O		3b Street address (if a street address does not exist for the facility, check here and skip to line 3c)				
ification and Location	3c Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional.					
Facility Identi	Longitude \square East (+) 76	6.276 degrees	Latitude	✓ North (+) ☐ South (-) —	36.132 degrees	
ч Х	3d City (if unincorporated, check he	re and enter nearest city)	State/pro	ovince		
ij	Winfall		North Car	colina		
ac	3f County (or check here for indepe	ndent city) 🗌 🛛 3	g Country (if not	United States)	•	
bookcon	Perquimans					
	Identify the electric utilities that are contemplated to transact with the facility.					
SS	4a Identify utility interconnecting with the facility					
ĨŤ	Dominion Power (DNCP)					
L E	4b Identify utilities providing wheeling service or check here if none 🔀					
ק	4b Identify utilities providing wheeling service or check here if none					
tin	4c Identify utilities purchasing the useful electric power output or check here if none					
sac	Dominion Power (DNCP)					- Minister
Transacting Utilities						{
Цĩ	4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service or check here if none					
	Dominion Power (DNCP)					

		ruge	7 - All I actitues
5a	Direct ownership as of effective date or operation date: Identify all direct owners of the percent equity interest. For each identified owner, also (1) indicate whether that own defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding company Act of 2005 (42 U.S.C. 16451(8)), and (2 utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the two direct owners with the largest equity interest in the facility.	ner is an electric u npany, as defined ?) for owners whic y held by that own required informat Electric utility c	tility, as in section th are electric ner. If no tion for the or If Yes,
	Full legal names of direct owners	holding company	% equity interest
1)	SolNCPower1, LLC	Yes 🗌 No 🛛	⊠%
2)		Yes 📃 No 🛛	⁹⁰
3)		Yes 🗌 No [۶ ۶
4)		Yes 🗌 No 🛛	^g
5)		Yes 📃 No [<u>ا</u>
6)		Yes 📃 No 🛛	<u>۶</u>
7)	·	Yes 🗌 No 🛛	§
8)		Yes 🗌 No 🛛	⁸
9)		Yes 📄 No 🛛	%
10))	Yes 📃 No [%
	Check here and continue in the Miscellaneous section starting on page 19 if add	itional space is ne	eded
5b	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all u of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2) defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comp 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist.	2) are electric utili banies, as defined provide the perce	ities, as in section ntage of
	Full legal names of electric utility or holding company upstream owned	ers	% equity interest
1))		
2)			
3)			 95
4)			8
5)			90
6)			90

	utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the re		
	two direct owners with the largest equity interest in the facility.	Electric u	utility or
		hold	
_	Full legal names of direct owners	comp	bany
1)	SolNCPower1, LLC	Yes 🗌	No 🛛 🔤
2)		Yes	No 🗌 🔤
3)		Yes 🗌	No 🗌 🔤
4)		Yes 🗌	No 🗌 🔤
5)		Yes 🗌	No 🗌 🔤
6)		Yes 🗌	No 🗌 🔤
7)		Yes 🗌	No 🗌 🔤
8)		Yes 🗌	No 🗌 🔤
9)		Yes 🗌	No 🗌 🔤
10)	Yes 🗌	No 🗌 🔤
	Check here and continue in the Miscellaneous section starting on page 19 if addit	ional spac	e is needeo:
	equity interest in the facility held by such owners. (Note that, because upstream owne another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. 🔀	irs may be	subsidiarie
-	Full legal names of electric utility or holding company upstream owner	ſS	
1)			<u> </u>
2)			
3)			<u>.</u>
4)			
5)			
6)			
7)			
8)			
9)			
10)		
	Check here and continue in the Miscellaneous section starting on page 19 if addition	onal space	is needed
5c	Identify the facility operator		
S	ColNCPower1, LLC		

FERC Form 556

Ownership and Operation

Feb 27 2015

OFFICIAL COPY

FEF	FERC Form 556 Page 8 - All Facilities							
	6a Describe the primary energy input: (che	one subcategory)						
	🔲 Biomass (specify)	🔀 Renewable resources (specify)	Geothermal					
nput	🔲 Landfill gas	Hydro power - river	Fossil fuel (specify)					
	Manure digester gas	🔲 Hydro power - tidal	🔲 Coal (not waste)					
	Municipal solid waste	Hydro power - wave	Fuel oil/diesel					
	Sewage digester gas	🔀 Solar - photovoltaic	Natural gas (not waste)					
	🗌 Wood	🔲 Solar - thermal	Other fossil fuel					
	Other biomass (describe on page 1)		(describe on page 19)					
	Waste (specify type below in line 6b)	Other renewable resource (describe on page 19)	Contraction of the terminal of ter					
	6b If you specified "waste" as the primary energy input in line 6a, indicate the type of waste fuel used: (check one)							
	Waste fuel listed in 18 C.F.R. § 292.202(b) (specify one of the following)							
	Anthracite culm produced prior to July 23, 1985							
	Anthracite refuse that has an average heat content of 6,000 Btu or less per pound and has an average ash content of 45 percent or more							
	 Bituminous coal refuse that has an average heat content of 9,500 Btu per pound or less and has an average ash content of 25 percent or more Top or bottom subbituminous coal produced on Federal lands or on Indian lands that has been determined to be waste by the United States Department of the Interior's Bureau of Land Management (BLM) or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided that the applicant shows that the latter coal is an extension of that determined by BLM to be waste 							
								Energy Input
Ш								
	 Gaseous fuels (except natural gas and synthetic gas from coal) (describe on page 19) Waste natural gas from gas or oil wells (describe on page 19 how the gas meets the requirements of 18 C.F.R. § 2.400 for waste natural gas; include with your filing any materials necessary to demonstrate compliance with 18 C.F.R. § 2.400) 							
	Materials that a government	bustion (describe on page 19)						
	Heat from exothermic reaction	ons (describe on page 19)	Residual heat (describe on page 19)					
	Used rubber tires	Plastic materials 🛛 🗌 Refinery o	ff-gas 🛛 Petroleum coke					
	Other waste energy input that has little or no commercial value and exists in the absence of the qua facility industry (describe in the Miscellaneous section starting on page 19; include a discussion of t lack of commercial value and existence in the absence of the qualifying facility industry)							
	6c Provide the average energy input, calculated on a calendar year basis, in terms of Btu/h for the following fossil fuel energy inputs, and provide the related percentage of the total average annual energy input to the facility (18 C.F.R. § 292.202(j)). For any oil or natural gas fuel, use lower heating value (18 C.F.R. § 292.202(m)).							
	Fuel	Annual average energy input for specified fuel	Percentage of total annual energy input					
	Natural gas	0 Btu/h	0 %					
	Oil-based fuels	0 Btu/h	0 %					
	Coal	0 Btu/h	0 %					

OFFICIAL COPY

OFFICIAL COP

Feb 27 2015

FERC Form 556 Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines. 7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions 6,498 kW 7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes nonpower production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power. 0 kW 7c Electrical losses in interconnection transformers 270 kW 7d Electrical losses in AC/DC conversion equipment, if any 172 **kW** 7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection 1,056 kW with the utility **7f** Total deductions from gross power production capacity = 7b + 7c + 7d + 7e1,498.0 kW 7g Maximum net power production capacity = 7a - 7f 5,000.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The proposed generating facility is a solar photovoltaic system comprised of approximately 21,660 solar panels installed on ground-mounted racking with 4 inverter/transformer stations for an approximate total of 6.5 MW(DC) and 5 MW(AC) peak power.

Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8e below (as applicable).

8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or their affiliates, holds at least a 5 percent equity interest.

e Ce	Check here if no such facilities exist. 🔀				
olian ons	Facility location (city or county, state)	Root docket # (if any)	Common owner(s)	Maximum net power production capacity	
mp	1)	QF		kW	
mit D	2)	QF		kW	
n of e Li	3)	QF		kW	
tification of Complial with Size Limitations	Check here and continue in the	Miscellaneous section	starting on page 19 if additional s	pace is needed	
Certification of Compliance with Size Limitations	 8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? Yes (continue at line 8c below) No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No 8d Did construction of the facility commence on or before December 31, 1999? Yes No 8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of 				
	the facility, taking into account all fac a brief narrative explanation in the M particular, describe why construction toward completion of the facility.	tors relevant to construints is construints to construints and the section states and the section states and the section states are set to be set	uction? Yes 🗌 No 🔲 If you a arting on page 19 of the construct	answered Yes, provide tion timeline (in	
Certification of Compliance with Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), qu amounts, for only the following purp prevention of unanticipated equipment the public health, safety, or welfare, w used for these purposes may not exc period beginning with the date the fa	oses: ignition; start-up ent outages; and allevia vhich would result fron eed 25 percent of the t	; testing; flame stabilization; cont ation or prevention of emergencie n electric power outages. The am otal energy input of the facility du	rol use; alleviation or es, directly affecting ount of fossil fuels uring the 12-month	
of C Re	9a Certification of compliance with 1	18 C.F.R. § 292.204(b) w	ith respect to uses of fossil fuel:		
ion (Use	Applicant certifies that the fa	cility will use fossil fuel	s exclusively for the purposes liste	d above.	
cati uel	9b Certification of compliance with	18 C.F.R. § 292.204(b) w	ith respect to amount of fossil fue	el used annually:	
Certifi with Fi		put of the facility durin	d at the facility will not, in aggreg ig the 12-month period beginning year thereafter.		

27 2015

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequentia use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a toppingcycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production. 10a What type(s) of cogeneration technology does the facility represent? (check all that apply) Topping-cycle cogeneration Bottoming-cycle cogeneration 10b To help demonstrate the sequential operation of the cogeneration process, and to support compliance with other requirements such as the operating and efficiency standards, include with your filing a mass and heat balance diagram depicting average annual operating conditions. This diagram must include certain items and meet certain requirements, as described below. You must check next to the description of each requirement below to certify that you have complied with these requirements. Check to certify compliance with indicated requirement Requirement Diagram must show orientation within system piping and/or ducts of all prime movers, General Cogeneration heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process. Information Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation. Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values. Diagram must specify average gross electric output in kW or MW for each generator. Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power \square generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output. At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is *liquid only* (no vapor at any \square point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/ (lb*R) or 4.195 kJ/(ka*K). Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine. Diagram must specify working fluid flow conditions at delivery to and return from each thermal application. Diagram must specify working fluid flow conditions at make-up water inputs.

OFFICIAL COPY

Feb 27 20

EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional reguirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements. **11a** Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No 11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below. 11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006? Yes (continue at line 11d below) No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be] subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11i. **11d** Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements? Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j. No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e. 11e Will electric energy from the facility be sold pursuant to section 210 of PURPA? Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below. No. Applicant certifies that energy will not be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) before selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j. 11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW? Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j. No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.

OFFICIAL COP

Feb 27 2015

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial, commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility	MWh
 11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility = 100 * 11g /(11g + 11h) 	0%

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first

that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. *See* Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use *in separate rows*.

	Name of entity (thermal host) taking thermal output	Thermal host's relationship to facility; Thermal host's use of thermal output	thermal output attributable to use (net of heat contained in process return or make-up water)
1)		Select thermal host's relationship to facility	
"	1	Select thermal host's use of thermal output	Btu/h
2)		Select thermal host's relationship to facility	_
2)		Select thermal host's use of thermal output	Btu/h
3)		Select thermal host's relationship to facility	
3)		Select thermal host's use of thermal output	Btu/h
4)		Select thermal host's relationship to facility	
4)		Select thermal host's use of thermal output	Btu/h
E)		Select thermal host's relationship to facility	
5)		Select thermal host's use of thermal output	Btu/h
6)		Select thermal host's relationship to facility	
6)		Select thermal host's use of thermal output	Btu/h

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Topping-Cycle Operating and Efficiency Value Calculation Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

13a Indicate the annual average rate of useful thermal energy output made available	
to the host(s), net of any heat contained in condensate return or make-up water	Btu/h
13b Indicate the annual average rate of net electrical energy output	kW
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	0 Btu/h
13d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	
13e Multiply line 13d by 2,544 to convert from hp to Btu/h	hp0_Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil	Btu/h
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	0 %
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	0 %
13i Compliance with operating standard: Is the operating value shown in line 13g gree Yes (complies with operating standard) No (does not comply with operating standard)	
 13j Did installation of the facility in its current form commence on or after March 13, 1 Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.20. compliance with the efficiency requirement by responding to line 13k or 13l, a No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l 	5(a)(2). Demonstrate s applicable, below.
13k Compliance with efficiency standard (for low operating value): If the operating value than 15%, then indicate below whether the efficiency value shown in line 13h greater Yes (complies with efficiency standard) No (does not comply with value)	than or equal to 45%:
13I Compliance with efficiency standard (for high operating value): If the operating value greater than or equal to 15%, then indicate below whether the efficiency value shown equal to 42.5%:	
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)

OFFICIAL COP

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a qualifying bottoming-cycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below.

14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows.
Has the energy input to

Name of entity (thermal host) performing the process from which at least some of the reject heat is used for power production

Thermal host's relationship to facility; Thermal host's process type

Select thermal host's relationship to facility

Select thermal host's relationship to facility

Select thermal host's relationship to facility

Select thermal host's process type

Select thermal host's process type

the thermal host been augmented for purposes of increasing power production capacity? (if Yes, describe on p. 19)

No

No 🗌

No 🗌

Yes

Yes

Yes 🗌

OFFICIAL COPY

1)

2)

3)

Select thermal host's process type

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

Hab Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process
identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your
facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you
must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or
additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have
previously received a Commission certification approving a specific bottoming-cycle process related to the instant
facility, then you need only provide a brief description of that process and a reference by date and docket number

facility, then you need only provide a brief description of that process and a reference by date and docket numb to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Bottoming-Cycle Operating and

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292,205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents both topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

15a Did installation of the facility in its current form commence on or after March 13, 1980?
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance

lati	15a Did installation of the facility in its current form commence on or after March 13, 1980?		
Calculation	Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.		
lue	No. Your facility is exempt from the efficiency standard. Skip the rest of page 1	7.	
y Va	15b Indicate the annual average rate of net electrical energy output	kW	
enc	15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h	
Efficiency Value	15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp	
	15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h	
	15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h	
	15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %	
	15h Compliance with efficiency standard: Indicate below whether the efficiency value than or equal to 45%:	shown in line 15g is greater	
	Yes (complies with efficiency standard) No (does not comply wit	h efficiency standard)	

Feb 27 2015

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

Signer identified below certifies the following: (check all items and applicable subitems)

He or she has read the filing, including any information contained in any attached documents, such as cogeneration mass and heat balance diagrams, and any information contained in the Miscellaneous section starting on page 19, and knows its contents.

He or she has provided all of the required information for certification, and the provided information is true as stated, to the best of his or her knowledge and belief.

He or she possess full power and authority to sign the filing; as required by Rule 2005(a)(3) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(a)(3)), he or she is one of the following: (check one)

☐ The person on whose behalf the filing is made

An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made

- An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made
- A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign
- He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 19.

He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the

facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.

Provide your signature, address and signature date below. Rule 2005(c) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(c)) provides that persons filing their documents electronically may use typed characters representing his or her name to sign the filed documents. A person filing this document electronically should sign (by typing his or her name) in the space provided below.

Your Signature	Your address	Date
	130 Roberts Street	
Dale Freudenberger	Asheville, NC 28801	11/6/2014

Audit Notes

 \Box

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

OFFICIAL COPY

OFFICIAL COPY Feb 27 2015

EXHIBIT E

Exhibit E is the "Qualifying Facility" Certification to be provided by the Operator.

OR

If Facility is less than 1MW, Owner may submit the following statement as Exhibit E that the Facility qualifies as a Qualifying Facility (QF) under federal law.

Federal law exempts small power production or cogeneration facilities with net power production capacities of 1 MW or less from certain certification requirements in order to qualify as a qualifying facility ("QF" or "Qualifying Facility"). Therefore, <u>[QF Name Here]</u> submits the Facility is exempt from the certification requirements, but submits that the Facility qualifies as a Qualifying Facility under federal law set forth in the Public Utility Regulatory Policies Act of 1978 ("PURPA") (codified at 16 U.S.C. § 824a-3).

Name

Title

EXHIBIT F

Exhibit F is the Certificate of Public Convenience and Necessity to be provided by the Operator_a or evidence that no such certificate is required under North Carolina law in the form of a report of proposed construction to the Commission pursuant to Commission Rule 8-65.

APPENDIX A

Feb 27 2015

STATE OF NORTH CAROLINA UTILITIES COMMISSION RALEIGH

DOCKET NO. SP-2910, SUB 2

SolNCPower1, LLC 130 Roberts Street Asheville, North Carolina 28801

is hereby issued this

CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY PURSUANT TO G.S. 62-110.1

for a 5-MW $_{\mbox{\scriptsize AC}}$ solar photovoltaic electric generating facility

located at

157 Two Mile Desert Road in Winfall, Perquimans County, North Carolina,

subject to all orders, rules, regulations and conditions as are now or may hereafter be lawfully made by the North Carolina Utilities Commission.

ISSUED BY ORDER OF THE COMMISSION.

This the <u>19th</u> day of September, 2014.

NORTH CAROLINA UTILITIES COMMISSION

Hail L. Mount

Gail L. Mount, Chief Clerk

Feb 27 2015

STATE OF NORTH CAROLINA UTILITIES COMMISSION RALEIGH

DOCKET NO. SP-2910, SUB 2

)

)

)

)

BEFORE THE NORTH CAROLINA UTILITIES COMMISSION

In the Matter of Application of SoINCPower1, LLC, for a Certificate of Public Convenience and Necessity to Construct a 5-MW Solar Facility in Perquimans County, North Carolina

ORDER AMENDING CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY AND REGISTRATION STATEMENT

BY THE CHAIRMAN: On October 31, 2013, the Commission issued a certificate of public convenience and necessity (CPCN) in the above-captioned docket to SoINCPower1, LLC (Applicant), for construction of a 5-MW solar photovoltaic electric generating facility to be located on Two Mile Desert Road in Winfall, Perquimans County, North Carolina and accepted registration of the facility as a new renewable energy facility.

On August 18, 2014, the Applicant filed an amended CPCN form with the Commission requesting that the CPCN and registration statement be amended to change the contact information for the Applicant to the address of FLS Energy, Inc., 130 Roberts Street, Asheville, North Carolina 28801, and providing an updated address for the facility at 157 Two Mile Desert Road in Winfall, Perquimans County, North Carolina.

Based upon the foregoing and the record, the Chairman finds good cause to amend the CPCN and registration statement to reflect the above changes. Further, Appendix A hereto shall constitute the amended certificate of public convenience and necessity.

IT IS, THEREFORE, SO ORDERED.

ISSUED BY ORDER OF THE COMMISSION.

This the <u>19th</u> day of September, 2014.

NORTH CAROLINA UTILITIES COMMISSION

Hail L. Mount

Gail L. Mount, Chief Clerk

AGREEMENT FOR THE SALE OF ELECTRICAL OUTPUT TO VIRGINIA ELECTRIC AND POWER COMPANY

THIS AGREEMENT, effective this 16th day of June, 2014, (the "Effective Date") by and between VIRGINIA ELECTRIC AND POWER COMPANY, a Virginia public service company with its principal office in Richmond, Virginia, doing business in Virginia as Dominion Virginia Power, and in North Carolina as Dominion North Carolina Power, hereinafter called "Dominion North Carolina Power" or "Company", and Williamston Solar LLC, a Delaware Limited Liability Company, with its principal office in Radnor, PA, hereinafter called "Operator", operator of the Williamston Solar Facility, hereinafter called the "Facility":

RECITALS

WHEREAS, the North Carolina Utilities Commission has adopted a rate schedule described in this Agreement below as <u>Schedule 19-FP</u> applicable to Qualifying Facilities (or "QF" as that term is defined in 18 C.F.R. § 292) which can provide Contracted Capacity (a) up to 5000 kW from a hydroelectric generating facility, (b) up to 5000 kW from a generating facility fueled by trash or methane derived from landfills, hog waste, poultry waste, solar, wind or non-animal forms of biomass, or (c) up to 3000 kW for all other QFs; and

WHEREAS, the parties hereto wish to contract for the sale of electrical output from such a QF to be operated by Operator,

NOW THEREFORE, in consideration of the mutual covenants and agreements herein contained, the parties hereto contract and agree with each other as follows:

Article 1: Parties' Purchase and Sale Obligations

Dominion North Carolina Power or its agent, assignee, or successor will purchase from Operator all of the electrical output (energy and Contracted Capacity) made available for sale from the Facility on a simultaneous purchase and sale arrangement. In addition, Operator has elected to contract under the FP Method for determining the Company's avoided cost as described more fully in Exhibit C. Operator elects to operate the Facility in the Mode of Operation as specified in Section IV.C (Firm Mode of Operation) of Schedule 19-FP. The Facility is located in Dominion North Carolina Power's retail service area in Williamston, Martin County, North Carolina.

Article 2: Term and Commercial Operations Date

This Agreement shall commence on the Effective Date and shall continue in effect for a period of 15 years from the Commercial Operations Date ("COD"). The COD shall be the first date that all of the following conditions have been satisfied:

a) The Facility has been permanently constructed, synchronized with and has delivered electrical output to the

Page 2 of 17

Dominion North Carolina Power system and such action has been witnessed by an authorized Dominion North Carolina Power employee;

- b) After completion of item a) above, Dominion North Carolina Power has received written notice from Operator specifying the Commercial Operations Date and certifying that the Facility is ready to begin commercial operations as a Qualifying Facility;
- c) Operator and Dominion North Carolina Power (or the PJM Interconnection, LLC or other operator of the Dominion North Carolina Power transmission system, as applicable) have executed an Interconnection Agreement to be included herewith as Exhibit A;
- d) Operator has provided to Dominion North Carolina Power Qualifying Facility Certification to be included herewith as Exhibit E; and
- e) Operator either has received from the North Carolina Utilities Commission a Certificate of Public Convenience and Necessity or has filed the notice required by G.S. 62-110.1(g) and Commission Rule 8-65 and is not legally required to obtain such a certificate for the construction and operation of the Facility.

For contract terms of 10 years or more, this Agreement may be renewed at the option of Dominion North Carolina Power on substantially the same terms and conditions and at a rate either (1) mutually agreed upon by the parties negotiating in good faith and taking into consideration Dominion North Carolina Power's then avoided cost rates and other relevant factors or (2) set by arbitration.

Article 3: Contracted Capacity

The Facility, consisting of solar panels and 6 inverters, will have a combined nameplate rating of approximately 6500 kW. The Facility's Contracted Capacity shall be 5000 kW.

Article 4: Attachments

The following documents are attached hereto and are made a part hereof:

Exhibit A: Executed Interconnection Agreement (attached for information but not as a part of this Agreement)

- Exhibit B: General Terms and Conditions
- Exhibit C: Schedule 19-FP, Power Purchases from Cogeneration and Small Power Production Qualifying Facilities and applicable to the QF who chooses the FP Method (effective March 28, 2014, sometimes referred to as "Schedule 19-FP" herein)
- Exhibit D: Map and related written description identifying the specific location of the Facility in the City or County designated in ARTICLE 1
- Exhibit E: "Qualifying Facility" Certification (if Facility is less than 1 MW, Owner submission that the Facility qualifies as a Qualifying Facility (QF) under federal law)
- Exhibit F: Certificate of Public Convenience and Necessity or evidence that no such certificate was required under North Carolina law in the form of a report of proposed construction to the Commission pursuant to Commission Rule 8-65.

Article 5: Price

Payments for all energy and Contracted Capacity purchased hereunder shall be determined by the provisions for payments in Schedule 19-FP included herewith as Exhibit C and pursuant to Operator elections within such Schedule 19-FP, if any, as stated in Article 1 hereof. Payments for all energy and Contracted Capacity purchased hereunder shall be on a cents per kilowatt-hour basis.

If Operator elects the Firm Mode of Operation, then for the term of this Agreement Operator shall be paid for firm energy, in accordance with Schedule 19 – FP, effective for usage on March 28, 2014, the 15-year Fixed Long Term Rate as provided for at Section VI.B of Schedule 19-FP. Payments for firm energy will begin on the Commercial Operations Date. All energy delivered per hour above the Contracted Capacity up to 105% of the Contracted Capacity shall be considered non-firm and be paid for at the applicable non-firm rate pursuant to Section V of Schedule 19-FP. No payment shall be made for energy delivered above 105% of the Contracted Capacity. All energy delivered prior to the Commercial Operations Date shall be considered non-firm and paid at the non-firm energy rate. In all cases, such non-firm energy rates will be those in the Schedule 19-FP in effect at the time such energy is delivered.

If Operator elects the Firm Mode of Operation, specified in Section IV.C of Schedule 19-FP, Operator shall be paid for Contracted Capacity on a cents per kilowatt-hour basis as specified in Schedule 19-FP, Section VII. Operator shall not be paid for capacity above the Contracted Capacity level in any hour during which the generation exceeds the Contracted Capacity level specified in Article 3.

Article 6: Reserved

Article 7: Operator's Pre-COD Obligations

After execution of this Agreement and until the Commercial Operations Date, Operator shall prepare a quarterly status report for Dominion North Carolina Power showing the current progress on completing the project. This status report shall be delivered to Dominion North Carolina Power on or before the following dates each year, January 15, April 15, July 15, and October 15. Such status report shall discuss the progress of the project in a format which is acceptable to Dominion North Carolina Power.

The Facility will be considered to have commenced construction on the first day upon which all of the following have occurred: (1) the issuance by Operator to its construction contractor for the Facility of a written unconditional Notice-to-Proceed; (2) the mobilization of major construction equipment and construction facilities on the Facility site; and (3) the commencement of major structural excavation and structural concrete work relating to a major component of the Facility such as the power island consistent with having commenced a continuous process of construction relating to the Facility. Dominion North Carolina Power shall have no obligation to accept a declaration of Commercial Operations prior to October 1, 2014. The anticipated Commercial Operations Date is November 5, 2014.

Article 8: Default and Early Termination

Operator and Dominion North Carolina Power agree that any of the following will be a material breach by the Operator of this Agreement and shall result in Dominion North Carolina Power having the right to immediate cancellation, without a cure period, of this Agreement: (i) failure to commence construction of the Facility, as defined in Article 7 above, and provide Dominion North Carolina Power with written notice thereof by February 21, 2016, (ii) failure to achieve Commercial Operations Date within thirty months of February 21, 2014; provided, however, an Operator may be allowed additional time to begin deliveries of power to the Company if the QF facilities in question are nearly complete at the end of such thirty month period and the QF is able to demonstrate that it is making a good faith effort to complete its project in a timely manner, (iii) failure to provide two (2) consecutive status reports pursuant to Article 7 above, (iv) delivery or supply of electrical output to any entity other than Dominion North Carolina Power or its agent, assignee or successor, (v) failure to meet those requirements necessary to maintain Qualifying Facility status, (vi) failure at any time to have in effect a valid Interconnection Agreement with Dominion North Carolina Power (or its successor as operator of the Dominion North Carolina transmission system), (vii) failure to generate and deliver power from the Facility to Dominion North Carolina Power for more than 180 consecutive days, at any time after the Commercial Operations Date, or (viii) failure to maintain QF certification. In the event Operator fails to perform in any way, materially or non-materially, any other obligations not specifically listed above, Operator shall be given notice and thirty (30) days to cure such non-performance. Notwithstanding any cure period, Dominion North Carolina Power shall not be obligated to

purchase any energy or Contract Capacity under this Agreement while any such breach remains uncured. If Operator fails to cure its non-performance within thirty (30) days of Dominion North Carolina Power's notice, Dominion North Carolina Power shall have the right to cancel this Agreement. Operator agrees that if this Agreement is canceled by Dominion North Carolina Power for Operator's non-performance prior to the end of the initial term of this Agreement, then, Dominion North Carolina Power shall have all rights and remedies available at law or in equity.

Article 9: Representations and Warranties

Operator represents and warrants that it has the right to operate the Facility in accordance with the terms of this Agreement. Operator further represents and warrants that all permits, approvals, and/or licenses necessary for the operation of the Facility will be obtained prior to the Commercial Operations Date and shall be maintained throughout the Term of this Agreement. Operator shall, provide such documentation and evidence of such right, permits, approvals and/or licenses as Dominion North Carolina Power may reasonably request, including without limitation air permits, leases and/or purchase agreements.

Article 10: Notices and Payments

All correspondence and payments concerning this Agreement shall be to the addresses below. Either Party may change the address by providing written notice to the other Party.

OPERATOR:	DOMINION NORTH CAROLINA POWER:
Williamston Solar LLC	Virginia Electric and Power Company
Three Radnor Corp. Ctr., Suite 300	Power Contracts (3SE)
100 Matsonford Rd.	5000 Dominion Boulevard
Radnor, PA 19087	Glen Allen, Virginia 23060-6711

Article 11: Integration of Entirety of Agreement

This Agreement is intended by the Parties as the final expression of their Agreement and is intended also as a complete and exclusive statement of the terms of their Agreement with respect to the purchase and sale of electrical output generated by the Facility. All prior written or oral understandings, offers or other communications of every kind pertaining to this Agreement are hereby abrogated and withdrawn.

Page 6 of 17

IN WITNESS WHEREOF, the Parties hereto have caused their names to appear below, signed by authorized representatives as of the date first shown above.

WILLIAMSTON SOLAR LLC

Sur Bench By: Manaper 6/3/14 Title: 18 14 14 Date:

VIRGINIA ELECTRIC AND POWER COMPANY

By: J. L. N.L. Title: Antonico Roma compilie Date: 6/16/14

EXHIBIT A GENERATOR INTERCONNECTION GUIDANCE AND AGREEMENT

Dominion North Carolina Power's procedures for generator interconnection are available through the Internet at the Company's website with draft interconnection agreements for non-FERC jurisdictional generators (as approved by the NCUC included as Attachments 1, 2 and 3 thereto). For FERC jurisdictional generators interconnection shall be in accordance with FERC and PJM requirements.

The specific Internet address for these procedures is <u>https://www.dom.com/dominion-north-carolina-power/customer-service/rates-and-tariffs/pdf/term24.pdf.</u> The Internet site contains links to the Generator Interconnection Procedures along with the Generator Interconnection Request Form. Once an Interconnection Agreement is executed it will be included herewith as part of this Exhibit A.

EXHIBIT B General Terms and Conditions

I - Assignments

Operator agrees not to assign this Agreement without the prior written consent of Dominion North Carolina Power. Dominion North Carolina Power may withhold such consent if it determines, in its sole discretion, that such assignment would not be in the best interests of Dominion North Carolina Power or its customers. Any attempted assignment that Dominion North Carolina Power has not approved in writing shall be null and void and ineffective for all purposes. In the event of assignment by Operator, Operator shall pay Company within thirty (30) days of the effective date of the assignment up to a maximum amount of \$10,000 per assignment; provided, however, assignment of this Agreement by Operator in connection with an initial financing arrangement which is finalized and for which consent of Company is requested within nine months of the Effective Date of this Agreement shall not be subject to the payment requirement provided herein.

II - Indemnity

Operator shall indemnify and save harmless and, if requested by Dominion North Carolina Power, defend Dominion North Carolina Power, its officers, directors and employees from and against any and all losses and claims or demands for damages to real property or tangible personal property (including the property of Dominion North Carolina Power) and injury or death to persons arising out of, resulting from, or in any manner caused by the presence, operation or maintenance of any part of Operator's Facility; provided, however, that nothing herein shall be construed as requiring Operator to indemnify Dominion North Carolina Power for any injuries, deaths or damages caused by the sole negligence of Dominion North Carolina Power. Operator agrees to provide Dominion North Carolina Power written evidence of liability insurance coverage, which is specifically and solely for the Facility, prior to the operation of the Facility. Operator agrees to have Dominion North Carolina Power named as an additional insured, and shall keep such coverage current throughout the term of this Agreement.

III - QF Certification

Operator represents and warrants that its Facility meets the Qualifying Facility requirements established as of the Effective Date of this Agreement by the Federal Energy Regulatory Commission's rules (18 Code of Federal Regulations Part 292), and that it will continue to meet those requirements necessary to remain a Qualifying Facility throughout the term of this Agreement. [Dominion North Carolina Power may require "FERC" QF Certification by adding the following: "Operator agrees to obtain, at Operator's expense, a certification as a "QF" from the Federal Energy Regulatory Commission, in accordance with 18 C.F.R. § 292.207 (b)."] Operator agrees to provide copies, at the time of submittal, of all correspondence and filings with the Federal Energy Regulatory Commission relating to obtaining certification of the Facility as a

"QF". Operator will submit prior to delivery of electrical output from the Facility to Dominion North Carolina Power evidence of Qualifying Facility certification. After the Commercial Operations Date, if requested by Dominion North Carolina Power prior to March 1 of any year, Operator agrees to provide July 1 of the same year to Dominion North Carolina Power for the preceding year sufficient for Dominion North Carolina Power to determine the Operator's continuing compliance with its QF requirements, including but not limited to:

(a) All information required by FERC Form 556.

(b) Copy of the Facility's QF Certification and any subsequent revisions or amendments,

(c) Provide a copy of any contract executed with a thermal host.

(d) Identification of the amount of each type of fuel used per month and average heating value for each type of fuel, which will be used to determine the Total Energy Input. These values should be verifiable by auditing supporting documentation.

(e) Identification of each of the QF's useful thermal output(s) for each month, including temperature, pressure, amount of thermal output delivered, temperature and amount of condensate returned (if applicable) and the conversion to Btus. These values should be verifiable by auditing supporting documentation.

(f) Identification of the QF's useful power output for each month. These values should be verifiable by auditing supporting documentation.

(g) Provide drawings, heat balance diagrams and a sufficiently detailed narrative describing the delivery of useful thermal output including the location, description, and calibration data for all metering equipment used for QF calculations.

(h) Provide any other information which the QF believes will facilitate Dominion North Carolina Power's monitoring of the QF requirements.

(i) Dominion North Carolina Power may request additional information, as needed, to monitor the QF requirements.

IV - Consequential Damages

In no event shall either Party be liable to the other for any special, indirect, incidental or consequential damages whatsoever, except that the foregoing shall not apply to any promises of indemnity or obligations to reimburse the Parties expressly set forth in this Agreement.

V - Amendments, Waivers, Severability and Headings

This Agreement, including the appendices thereto, can be amended only by agreement between the Parties in writing. The failure of either Party to insist in any one or more instances upon strict performance of any provisions of this Agreement, or to take advantage of any of its rights hereunder, shall not be construed as a waiver of any such provisions or the relinquishment of any such right or any other right hereunder. In the event any provision of this Agreement, or any part or portion thereof, shall be held to be invalid, void or otherwise unenforceable, the obligations of the Parties shall be deemed to be reduced only as much as may be required to remove the impediment. The headings contained in this Agreement are used solely for convenience and do not constitute a part of the Agreement between the Parties hereto, nor should they be used to aid in any manner in the construction of this Agreement.

VI - Compliance with Laws

Operator covenants that it shall comply with all applicable provisions of Executive Order 11246, as amended; § 503 of the Rehabilitation Act of 1973, as amended; § 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974, as amended; and implementing regulations set forth in 41 C.F.R. §§ 60.1, 60-250, and 60-741 and the applicable provisions relating to the utilization of small minority business concerns as set forth in 15 U.S.C. § 637, as amended. Operator agrees that the equal opportunity clause set forth in 41 C.F.R. § 60-1.4 and the equal opportunity clauses set forth in 41 C.F.R. § 250.5 and 41 C.F.R. 60-§741.5 and the clauses relating to the utilization of small and minority business concerns set forth in 15 U.S.C. § 637(d)(3) and 48 C.F.R. § 52-219.9 are hereby incorporated by reference and made a part of this Agreement. If this Agreement has a value of more than \$500,000, Operator shall adopt and comply with a small business and small disadvantaged business subcontracting plan which shall conform to the requirements set forth in 15 U.S.C. § 637(d)(6). The provisions of this section shall apply to Operator only to the extent that:

(a) such provisions are required of Operator under existing law,

(b) Operator is not otherwise exempt from said provisions and

(c) Compliance with said provisions is consistent with and not violative of 42 U.S.C. § 2000 et seq., 42 U.S.C. § 1981 et seq., or other acts of Congress.

VII - Interconnection and Operation

Operator shall be responsible for the design, installation, and operation of its Facility. Operator shall be responsible for obtaining an Interconnection Agreement. Interconnection guidelines and agreement requirements are set forth in Exhibit A of this Agreement.

Operator shall: (a) maintain the Facility and the Interconnection Facilities on Operator's side of the Interconnection Point, except Dominion North Carolina Power-owned Interconnection Facilities, in conformance with all applicable laws and regulations and in accordance with operating procedures; (b) obtain any governmental authorizations and permits required for the construction and operation thereof and keep all such permits and authorizations current and in

effect; and (c) manage the Facility in a safe and prudent manner. If at any time Operator does not hold such authorizations and permits, Dominion North Carolina Power may refuse to accept deliveries of power hereunder.

Dominion North Carolina Power may enter Operator's premises (a) to inspect Operator's protective devices at any reasonable time; (b) to read or test meters and metering equipment; and (c) to disconnect, without notice, the Facility if, in Dominion North Carolina Power's opinion, a hazardous condition exists and such immediate action is necessary to protect persons, or Dominion North Carolina Power facilities or other customers' facilities from damage or interference caused by Operator's Facility or lack of properly operating protective devices. Dominion North Carolina Power will endeavor to notify Operator as quickly as practicable if disconnection occurs as provided in (c) above. Any inspection of Operator's protective devices shall not impose on Dominion North Carolina Power any liabilities with respect to the operation, safety or maintenance of such devices.

Operator shall not operate the Facility in parallel with Dominion North Carolina Power's system prior to (a) an inspection of the installed Interconnection Facilities by an authorized Dominion North Carolina Power representative and (b) receiving written authorization from an authorized Dominion North Carolina Power representative to begin parallel operation.

VIII - Metering

Dominion North Carolina Power will meter all electrical output delivered from the Facility on the high voltage side of the step up transformer.

Operator agrees to pay an administrative charge to Dominion North Carolina Power to reflect all reasonable costs incurred by Dominion North Carolina Power for meter reading and billing, also referred to as metering charges. The monthly meter reading and billing charge shall change from time to time when the NCUC approves a different charge in Schedule 19-FP.

In addition, Operator agrees to pay any fees required to provide and maintain leased telephone lines required for meter reading by Dominion North Carolina Power.

IX - Billing and Payment

Dominion North Carolina Power shall read the meter in accordance with its normal meter reading schedule. Within twenty-eight (28) days thereafter, Dominion North Carolina Power shall send Operator payment for energy and Contracted Capacity delivered. At Dominion North Carolina Power's option, (i) Dominion North Carolina Power may make such payments net of the monthly metering charges, Interconnection Facilities charges, and charges for sales of electricity to the Operator, or (ii) Dominion North Carolina Power may invoice Operator for such charges separately. Payment by Dominion North Carolina Power shall include verification showing the billing month's ending meter reading, on-peak and off-peak kWh, and the amount paid. If in any month the monthly metering and Interconnection Facilities charges are in excess of any payments due Operator, Dominion North Carolina Power shall bill Operator for the difference and Operator shall make such payment within 28 days of the invoice date. Failure by Operator to make such

payments may result in disconnection of the Facility. In no event shall such disconnection relieve Operator of its obligation to pay monthly metering charges and Interconnection Facilities charges under this Agreement.

In the event that any data required for billing purposes hereunder are unavailable when required for such billing, the unavailable data shall be estimated by Dominion North Carolina Power, based upon historical data. Such billing shall be subject to any required adjustment in a subsequent billing month.

Operator agrees that Dominion North Carolina Power shall be entitled to withhold sufficient amounts due pursuant to this Agreement to offset (a) any damages to Dominion North Carolina Power resulting from any breach of this Agreement by Operator, and (b) any other amounts Operator owes Dominion North Carolina Power, including amounts arising from sales of electricity by Dominion North Carolina Power to Operator, metering charges and Interconnection Facilities charges.

In no event shall Dominion North Carolina Power be liable to Operator for any Contracted Capacity payments in excess of the amounts contracted for herein, regardless of the ultimate length of this Agreement or revisions to Schedule 19-FP or successor schedules. Operator hereby agrees to accept the Contracted Capacity payments as set forth herein as its sole and complete compensation for delivery of Contracted Capacity to Dominion North Carolina Power.

X - Force Majeure

Neither Party shall be considered in default under this Agreement or responsible to the other Party in tort, strict liability, contract or other legal theory for damages of any description for any interruption or failure of service or deficiency in the quality or quantity of service or any other failure to perform any of its obligations hereunder to the extent such failure occurs without fault or negligence on the part of that Party and is caused by factors beyond that Party's reasonable control, which by the exercise of reasonable diligence that Party is unable to prevent, avoid, mitigate or overcome, including without limitation storm, flood, lightning, earthquake, explosion, equipment failure, civil disturbance, labor dispute, act of God or public enemy, action or inaction of a court or public authority, fire, sabotage, war, explosion, curtailments, unscheduled withdrawal of facilities from operation for maintenance or repair or any other cause of similar nature beyond the reasonable control of that Party (any such event, "Force Majeure"). Solely economic hardship of either Party shall not constitute Force Majeure under this Agreement. Nor shall anything contained in this paragraph or elsewhere in this Agreement excuse Operator or Dominion North Carolina Power from strict compliance with the obligation of the Parties to comply with the terms of Article IX of this Exhibit B relating to timely payments.

Each Party shall have the obligation to operate in accordance with Good Utility Practice (as defined below) at all times and to use due diligence to overcome and remove any cause of failure to perform.

If a Party relies on the occurrence of an event of Force Majeure described above as a basis for being excused from performance of its obligations under this Agreement, then the Party relying on the Force Majeure event shall:

a) Provide within forty-eight (48) hours written notice of such Force Majeure event or potential Force Majeure to the other Party, giving an estimate of its expected duration and the probable impact on the performance of its obligations hereunder;

b) Exercise all reasonable efforts to continue to perform its obligations under this Agreement;

c) Expeditiously take action to correct or cure the Force Majeure event excusing performance; provided, however, that settlement of strikes or other labor disputes will be completely within the sole discretion of the Party affected by such strike or labor dispute;

d) Exercise all reasonable efforts to mitigate or limit damages to the other Party; and

e) Provide prompt notice to the other Party of the cessation of the Force Majeure event giving rise to its excuse from performance. All performance obligations hereunder shall be extended by a period equal to the term of the resultant delay.

If a Party responding to a Force Majeure event has the ability to obtain, for additional expenditures, expedited material deliveries or labor production which would allow a response to the event in a manner that is above and beyond Good Utility Practice, and such a response could shorten the duration of the Force Majeure event, the Party responding to the event may, at its discretion, present the other Party with the option of funding the expenditures for expediting material deliveries or labor production in an effort to reduce the duration of the event and economic hardship. Each such opportunity will be negotiated on a case-by-case basis by the Parties.

For purposes of this Agreement, "Good Utility Practice" shall mean any of the applicable practices, methods, standards, guides or acts: required by any governmental authority, regional or national reliability council, or national trade organization, including NERC, SERC, or the successor of any of them, as they may be amended from time to time whether or not the Party whose conduct is at issue is a member thereof; otherwise engaged in or approved by a significant portion of the electric utility industry during the relevant time period which in the exercise of reasonable judgment in light of the facts known or that should have been known at the time a decision was made, could have been expected to accomplish the desired result in a manner consistent with law, regulation, good business practices, generation, transmission and distribution reliability, safety, environmental protection, economy and expediency. Good Utility Practice is intended to be acceptable practices, methods, or acts generally accepted in the region, or any other acts or practices as are reasonably necessary to maintain the reliability of the Transmission System (as defined in the Interconnection Agreement), or of the Facility, and is not intended to be limited to the optimum practices, methods, or acts to the exclusion of all others.

Page 14 of 17

EXHIBIT C

Exhibit C is a copy of Schedule 19-FP

EXHIBIT D

Exhibit D is a map and written description identifying the specific location of the Facility and is provided by the Operator.

Facility address is: Hwy 17 South and Ranch Motel Rd., Williamston, NC 27892

Coordinates are: 35°48'3.58"N 77° 3'46.42"W



EXHIBIT E

Exhibit E is the "Qualifying Facility" Certification to be provided by the Operator.

OR

If Facility is less than 1MW, Owner may submit the following statement as Exhibit E that the Facility qualifies as a Qualifying Facility (QF) under federal law.

Federal law exempts small power production or cogeneration facilities with net power production capacities of 1 MW or less from certain certification requirements in order to qualify as a qualifying facility ("QF" or "Qualifying Facility"). Therefore, <u>[QF Name Here]</u> submits the Facility is exempt from the certification requirements, but submits that the Facility qualifies as a Qualifying Facility under federal law set forth in the Public Utility Regulatory Policies Act of 1978 ("PURPA") (codified at 16 U.S.C. § 824a-3).

Name

Title

See attached copy of FERC Form 556.

EXHIBIT F

Exhibit F is the Certificate of Public Convenience and Necessity to be provided by the Operator_{$\frac{1}{2}$} or evidence that no such certificate is required under North Carolina law in the form of a report of proposed construction to the Commission pursuant to Commission Rule 8-65.

See attached Order of the NC Utilities Commission.

Feb 27 2015

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

I. APPLICABILITY AND AVAILABILITY

This schedule is applicable to any qualifying Cogenerator or Small Power Producer (Qualifying Facility) which desires to deliver all of its net electrical output to the Company, has either (1) generating facilities designated as new capacity as defined by 18 C.F.R. § 292.304(b)(1), or (2) hydroelectric generating facilities that meet the criteria of being owned or operated by a small power producer as defined in G.S. 62-3(27a), and enters into an agreement for the sale of net electrical output to the Company (Agreement).

This schedule is available to any Qualifying Facility (otherwise eligible pursuant to the terms hereof) that by November 1, 2014 (a) has obtained a certificate of public convenience and necessity for its facility from the Commission or filed a report of proposed construction with the Commission pursuant to Commission Rule 8-65, and (b) has indicated to the Company in writing that it is committed to selling the output of the facility to the Company pursuant to the terms of this schedule.

Where the Qualifying Facility (QF) elects to be compensated for firm deliveries in accordance with this schedule, the amount of capacity under contract and the initial term of contract shall be limited as follows:

- A. Where the QF operates hydroelectric generating facilities that meet the criteria of being owned or operated by a small power producer as defined in G.S. 62-3(27a), or where the QF operates non-hydroelectric QFs fueled by trash or methane derived from landfills, hog waste, poultry waste, solar, wind, and non-animal forms of biomass, the amount of capacity subject to compensation shall be no greater than 5,000 kW, and the amount of energy purchased during a given hour at rates applicable to firm deliveries shall be no greater than 5,000 kWh. The initial term of contract for such a QF shall be for a period of 5, 10, or 15 years, at the option of the QF.
- B. Where the QF is not defined under Paragraph I.A., the amount of capacity subject to compensation shall be no greater than 3,000 kW, and the amount of energy purchased during a given hour at rates applicable to firm deliveries shall be no greater than 3,000 kWh. The initial term of contract for such a QF shall be for a period of 5 years.

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Docket No. E-100, Sub 136

Feb 27 2015

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

I. APPLICABILITY AND AVAILABILITY (Continued)

Where the QF elects to be compensated for firm or non-firm deliveries in accordance with this schedule, the QF must begin deliveries to the Company within thirty months of February 21, 2014 to retain eligibility for the rates contained in this schedule; provided, however, a QF may be allowed additional time to begin deliveries of power to the Company if the QF facilities in question are nearly complete at the end of such thirty month period and the QF is able to demonstrate that it is making a good faith effort to complete its project in a timely manner. Where the QF elects an initial contract term of 10 or more years, such contract may be renewed for subsequent term(s), at the Company's option, based on substantially the same terms and provisions and at a rate either (1) mutually agreed upon by the parties negotiating in good faith and taking into consideration the Company's then avoided cost rates and other relevant factors or (2) set by arbitration.

This schedule is not applicable to a QF owned by a developer, or affiliate of a developer, who sells power to the Company from another facility located within one-half mile unless: (1) each facility provides thermal energy to different, unaffiliated hosts; (2) each facility provides thermal energy to the same host, and the host has multiple operations with distinctly different or separate thermal needs; or (3) each facility utilizes a renewable resource which may be subject to geographic siting limitations, such as hydroelectric, solar, or wind power facilities.

II. MONTHLY BILLING TO THE QF

All sales to the QF will be in accordance with any applicable filed rate schedule. In addition, where the QF contracts for sales to the Company, the QF will be billed a monthly charge equal to one of the following to cover the cost of meter reading and processing:

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Docket No. E-100, Sub 136

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

II. MONTHLY BILLING TO THE QF (Continued)

Metering required	Charge
One non-time-differentiated meter	\$17.24
One time-differentiated meter	\$35.55
Two time-differentiated meters	\$41.16

III. DEFINITION OF ON- AND OFF-PEAK HOURS

A. For Option A Rates the On-Peak Hours are:

Summer

(i) For the periods beginning at 12:00 midnight March 31 and ending at 12:00 midnight September 30:

The on-peak hours are defined as the hours between 10:00 am and 10:00 pm., Monday through Friday, excluding holidays considered as off-peak.

Non-Summer

(ii) For the periods beginning at 12:00 midnight September 30 and ending at 12:00 midnight March 31:

The on-peak hours are defined as those hours between 6:00 am and 1:00 pm., plus 4:00 p.m. through 9:00 p.m., Monday through Friday, excluding holidays considered as off-peak.

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Docket No. E-100, Sub 136

Feb 27 2015

EXHIBIT C

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

III. DEFINITION OF ON- AND OFF-PEAK HOURS (Continued)

B. For Option B Rates the On-Peak Hours are:

Summer

(i) For the periods beginning at 12:00 midnight May 31 and ending at 12:00 midnight September 30:

The on-peak hours are defined as the hours between 1:00 pm and 9:00 pm., Monday through Friday, excluding holidays considered as off-peak.

Non-Summer

(ii) For the periods beginning at 12:00 midnight September 30 and ending at 12:00 midnight May 31:

The on-peak hours are defined as those hours between 6:00 am and 1:00 pm. Monday through Friday, excluding holidays considered as off-peak.

C. Off-Peak Hours:

The off-peak hours in any month are defined as all hours not specified above as on-peak hours. All hours for the following holidays will be considered as off-peak: New Year's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, the day after Thanksgiving, and Christmas Day. When one of the above holidays falls on a Saturday, the Friday before the holiday will be considered off-peak; when the holiday falls on a Sunday, the following Monday will be considered off-peak.

(Continued)

Filed 03-13-14 Electric-North Carolina

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

(Continued)

IV. CONTRACT OPTIONS FOR DESIGNATING MODE OF OPERATION

The QF shall designate under contract its Mode of Operation from the following options, each of which determines the Company's method of payment.

- A. The QF may contract for the delivery of energy to the Company without reimbursement, designated as the Non-reimbursement Mode of Operation; or,
- B. The QF may contract for the delivery of non-firm energy to the Company (no payment for capacity). This option includes QFs that elect to contract to deliver non-firm energy to the Company on an as-available basis. Where the QF's generation facilities have an aggregate nameplate rating of designate the 100 kW or less the OF may Non-firm, Non-time-differentiated Mode of Operation. Regardless of nameplate rating the QF may designate the Non-firm, Time-differentiated Mode of Operation.
- C. The QF may contract for the delivery of firm energy and capacity to the Company. The level of capacity which the QF contracts to sell to the Company shall not exceed 5,000 kW, where the QF is defined under Paragraph I.A., or 3,000 kW otherwise. This capacity level, in kW, shall be referred to as the Contracted Capacity. When the QF elects to sell firm energy and capacity, the QF shall designate the Firm Mode of Operation.

V. PAYMENT FOR COMPANY PURCHASES OF NON-FIRM ENERGY

The QF may contract to receive payment for energy at rates to be determined with each revision of this schedule. These rates will be based upon the QF's Mode of Operation as described below. There are no capacity payments for the QFs that contract for non-firm energy.

(Continued)

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Docket No. E-100, Sub 136

(Continued)

V. PAYMENT FOR COMPANY PURCHASES OF NON-FIRM ENERGY (Continued)

- A. Non-reimbursement Mode of Operation. Where the QF designates the Non-Reimbursement Mode of Operation, no payment will be made for energy delivered.
- B. Non-time-differentiated Mode of Operation. Where the QF's generation facilities have an aggregate nameplate rating of 100 kW or less and the QF designates the Non-Firm, Non-time-differentiated Mode of Operation, the following rates in cents per kWh are applicable:

3.843

C. Time-differentiated Mode of Operation. Where the QF designates the Time-differentiated Mode of Operation, the following On- and Off-peak rates in cents per kWh are applicable:

On-peak	4.541
Off-peak	3.455

All energy purchase rates will be further increased by 3.0% to account for line losses avoided by the Company, except that upon the effective date of any Schedule 19 that is subsequently amended and approved by the Commission, the line loss percentage applied shall be the percentage stated in the then-current Schedule 19. In lieu of 3.0% or the line loss percentage stated in the then-current Schedule 19, the QF may request that a site specific line loss percentage be determined with the QF bearing the cost of the study required.

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Docket No. E-100, Sub 136

(Continued)

VI. PAYMENT FOR COMPANY PURCHASES OF FIRM ENERGY

QFs designating the Firm Mode of Operation will be eligible to receive purchase payments for the delivery of firm energy by the QF to the Company. The QF may contract to receive payments for firm energy based on A or B, below. Contract terms for 10 or 15 years are available only where the QF is defined under Paragraph I.A.

The QF may contract to receive payment for firm time-differentiated energy at rates to be determined with each revision of this schedule (Variable Rate). These rates in cents per kWh, which reflect the Company's estimated avoided energy cost for delivery of firm energy during 2013 or 2014, are as shown in the price tables below:

A. Option A: The QF may contract to receive energy purchase payments for the delivery of firm energy based upon fixed prices, as shown below in cents per kWh:

		Fixed Long-Term Rate		
	Variable Rate	<u>5-Year</u>	<u>10-Year</u>	<u>15-Year</u>
On-Peak (¢/kWh)	4.541	5.055	5.526	5.813
Off-Peak (¢/kWh)	3.455	3.964	4.388	4.661

B. Option B: The QF may contract to receive energy purchase payments for the delivery of firm energy based upon fixed prices, as shown below in cents per kWh:

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Docket No. E-100, Sub 136

(Continued)

VI. PAYMENT FOR COMPANY PURCHASES OF FIRM ENERGY (Continued)

		1111	a Long-Tern	
	Variable Rate	5-Year	<u>10-Year</u>	15-Year
On-Peak (¢/kWh)	4.663	5.194	5.675	5.962
Off-Peak (¢/kWh)	3.614	4.119	4.549	4.824

Fixed Long-Term Rate

Any energy delivered above 100% up to 105% of QF's Contracted Capacity in any hour will be purchased at the then applicable non-firm energy rates under Schedule 19-FP. There will be no reimbursement for any energy delivered above 105% of QF's Contracted Capacity.

All energy purchase rates will be further increased by 3.0% to account for line losses avoided by the Company, except upon the effective date of any Schedule 19 that is subsequently amended and approved by the Commission, the line loss percentage applied shall be the percentage stated in the then-current Schedule 19. In lieu of 3.0% or the line loss percentage stated in the then-current Schedule 19, the QF may request that a site specific line loss percentage be determined with the QF bearing the cost of the study required.

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY

Company purchases of capacity are applicable only where the QF elects the Firm Mode of Operation. Capacity payments are applicable during on-peak hours only. Such QFs shall receive capacity purchase payments based on the applicable levelized capacity purchase price below, in cents per kWh, corresponding to the contract length in years. Contract terms for 10 or 15 years are available only where the QF is defined under Paragraph I.A.

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14. Feb 27 2015

(Continued)

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY (Continued)

Option A:

For hydroelectric facilities with no storage capability and no other type of generation:

	Capacity Price		
	<u>5-Year</u>	<u>10-Year 15-Year</u>	
On-Peak (¢/kWh) Summer	5.895	6.095 6.263	
Off-Peak (¢/kWh) Non-summer	3.930	4.063 4.175	
For all other facilities:			
		Capacity Price	
On-Peak (¢/kWh) Summer	<u>5-Year</u> 3.537	<u>10-Year</u> <u>15-Year</u> 3.657 3.758	

Option B:

Off-Peak (¢/kWh) Non-summer

For hydroelectric facilities with no storage capability and no other type of generation:

2.358

2.438

2.505

	Capacity Price			
On-Peak (¢/kWh) Summer Off-Peak (¢/kWh) Non-summer	<u>5-Year</u> 13.524 5.214	<u>10-Year</u> 13.982 5.390	<u>15-Year</u> 14.368 5.539	
For all other facilities:		Ca	pacity Price	
On-Peak (¢/kWh) Summer Off-Peak (¢/kWh) Non-summer	<u>5-Year</u> 8.115 3.128	<u>10-Year</u> 8.389 3.234	<u>15-Year</u> 8.621 3.323	

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY (Continued)

Payments will be made to the QF by applying the appropriate levelized capacity purchase price above to all kWh delivered to the Company during each on-peak hour, up to the 100% of the Contracted Capacity in such hour. There will be no compensation for capacity in excess of the QF's Contracted Capacity in an hour. This capacity price will be in accordance with the length of rate term for capacity sales so established in the contract.

VIII. PROVISIONS FOR COMPANY PURCHASE OF THE QF GENERATION

- A. The QF shall own and be fully responsible for the costs and performance of the QF's:
 - 1. Generating facility in accordance with all applicable laws and governmental agencies having jurisdiction;
 - 2. Control and protective devices as required by the Company on the QF's side of the meter.
- B. The sale of power to the Company by a QF at avoided cost rates pursuant to this Schedule 19-FP does not convey ownership to the Company of the renewable energy credits or green tags associated with the QF facility.
- C. Upon request by the Company, the Cogenerator or Small Power Producer must demonstrate that the facility is a Qualifying Facility as defined by PURPA.
- D. Interconnection procedures for the QF's generation interconnection are provided through the Internet at the Company's website; <u>http://www.dom.com/dominion-north-carolina-power/customer-service/rat</u> <u>es-and-tariffs/pdf/term24.pdf</u>.

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

EXHIBIT C

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

IX. MODIFICATION OF RATES AND OTHER PROVISIONS HEREUNDER

The provisions of this schedule, including the rates for purchase of energy and Contracted Capacity by the Company, are subject to modification at any time in the manner prescribed by law, and when so modified, shall supersede the rates and provisions hereof. However, payments to QFs with contracts for a specified term at payments established at the time the obligation is incurred shall remain at the payment levels established in their contract with the exception of the line loss percentage applied which shall be the percentage stated in the then-current Schedule 19.

If the QF terminates its contract to provide Contracted Capacity and energy to the Company prior to the expiration of the contract term, the QF shall, in addition to other liabilities, be liable to the Company for excess capacity and energy payments.

Such excess payments will be calculated by taking the difference between (1) the total capacity and energy payments already made by the Company to the QF and (2) capacity and energy payments calculated based on the levelized capacity and energy purchase price found in Paragraph VI and VII corresponding to the highest term option completed by the QF. These excess payments shall also include interest, from the time such excess payments were made, compounded annually at the rate equal to the Company's most current issue of long-term debt at the time of the contract's effective date.

X. TERM OF CONTRACT

The term of contract shall be such as may be mutually agreed upon but for not less than one year.

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, <u>www.ferc.gov/QF</u>. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. *See* 18 C.F.R. § 292.203.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button ()) for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget (OMB Control No. 1902-0075, expiration 05/31/2013). Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426; and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (<u>oira_submission@omb.eop.gov</u>). Include the Control No. 1902-0075 in any correspondence.

EXHIBIT

OMB Control # 1902-0075 Expiration 5/31/2013

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at <u>www.ferc.gov/QF</u> and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do <i>not</i> use this filing type to report new changes to a facility or its ownership; rather, use a self- recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

OFFICIAL COPY

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

(1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at <u>www.ferc.gov/QF</u> and clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification *by the applicant itself* that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification *if such requests are made simultaneously*.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at <u>www.ferc.gov/QF</u> and clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at <u>http://earth.google.com</u>), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See <u>www.ferc.gov/help/filing-guide/file-ceii.asp</u> for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.

Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data <u>except</u> for data from the lines indicated below, which has been redacted.

Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment

Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above <u>all</u> fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

EXHIBIT E

Page 4 - Instructions

	WASHINGTO	N, DC	Expiration 5/31/2013
Form	556 Certification of Qualifyin Production or Cogenera	ng Facility (QF) ation Facility	Status for a Small Power
	plicant (legal entity on whose behalf qualify		
1b Applicant stree Three Radnor 100 Matsonfc	Corporate Center, Suite 300		
1c City Radnor		1d State/provi	nce
1e Postal code 19087	1f Country (if not United States)		1g Telephone number (866) 946-3123
1h Has the instant	facility ever previously been certified as a C	QF? Yes 🗙 N	lo 🗌
1i If yes, provide th	e docket number of the last known QF filin	ng pertaining to th	nis facility: QF13 - 294 - 000
Notice of self- (see note below Note: a notice of QF status. A notice of self-c notice of self-c section on pag	rtification process is the applicant making the certification of formation of formation is a notice by the applicant process of self-certification does not establish the certification to verify compliance. See the "V the 3 for more information. QF status is the applicant seeking for its factors of the set	Application for Co fee; see "Filing Fee at itself that its faci a proceeding, and What to Expect Fro	d the Commission does not review a om the Commission After You File"
			eration facility status
1 What is the purp	oose and expected effective date(s) of this fi	iling?	
Original certif	ication; facility expected to be installed by	ar	nd to begin operation on
	a previously certified facility to be effective e(s) of change(s) below, and describe chang		aneous section starting on page 19)
🗌 Name cha	nge and/or other administrative change(s)		
	ownership		
Supplement o	affecting plant equipment, fuel use, power r correction to a previous filing submitted o supplement or correction in the Miscellane	on	
1m If any of the fo	lowing three statements is true, check the lossible, explaining any special circumstance	box(es) that descr	ribe your situation and complete the form
🗀 previously g	facility complies with the Commission's QF granted by the Commission in an order date e Miscellaneous section starting on page 19	ed	virtue of a waiver of certain regulations (specify any other relevant waiver
Concurrentl	facility would comply with the Commission y with this application is granted	·	
employmer	facility complies with the Commission's reg It of unique or innovative technologies not Itration of compliance via this form difficult	contemplated by	the structure of this form, that make

EXHIBIT E

OMB Control # 1902-0075 ration 5/31/2013

FEDERAL ENERGY REGULATORY COMMISSION

Application Information

Feb 27 2015

OFFICIAL COPY

FE	RC Form 556			EXHIBIT E Page 6 - All Facili	ties	
	2a Name of contact person			2b Telephone number		
	Eric Blank, Manager			(866) 946-3123		
	2c Which of the following describes	the contact person's relation	nship to the app	Dicant? (check one)		
_	🗌 Applicant (self) 🛛 🔀 Emplo	oyee, owner or partner of a	oplicant authori	zed to represent the applicant		
io	Employee of a company affiliat	ed with the applicant author	orized to represe	ent the applicant on this matter		
lat	Lawyer, consultant, or other re	presentative authorized to	represent the ap	oplicant on this matter		
nn	2d Company or organization name	(if applicant is an individual	, check here and	skip to line 2e)		
nfc	Williamston Solar LLC					
Contact Information	2e Street address (if same as Applica	ant, check here and skip to l	ine 3a) 🔀			
Ŭ	2f City		2g State/provi	nce		
	2h Postal code	2i Country (if not United S	itates)			
	3a Facility name					
on	Williamston Solar					
cati	3b Street address (if a street address does not exist for the facility, check here and skip to line 3c)					
ŏ	US Hwy 17 South and Ranch Motel Rd.					
р						
Facility Identification and Location	3c Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional.					
denti	Longitude East (+) 77	.063 degrees	Latitude	────────────────────────────────────		
2	3d City (if unincorporated, check he	re and enter nearest city) 🗌] 3e State/pr	ovince		
cilit	Williamston		NC			
Fac	3f County (or check here for indepen	ndent city) 3g	Country (if not	United States)		
	Martin					
	Identify the electric utilities that are c	ontemplated to transact w	ith the facility.			
ies	4a Identify utility interconnecting with the facility					
ilit	Virginia Electric and Power Company d/b/a Dominion North Carolina Power					
Transacting Utilities	4b Identify utilities providing wheeling service or check here if none					
ctir	4c Identify utilities purchasing the u	seful electric power output	or check here if	none		
sac	Virginia Electric and Po					
Tran	4d Identify utilities providing supple service or check here if none	ementary power, backup po	ower, maintenar	nce power, and/or interruptible power		
	Virginia Electric and Po	ower Company d/b/a I	Dominion No:	rth Carolina Power		

FERC Form 556	FERC	Form	556
---------------	------	------	-----

EXHIBIT E Page 7 - All Facilities

	5a Direct ownership as of effective date or operation date: Identify all direct owners of th percent equity interest. For each identified owner, also (1) indicate whether that own defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding com 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2 utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the results of the facility interest in the facility.	er is an electric utili pany, as defined in) for owners which a v held by that owne	ity, as section are electric r. If no
	two direct owners with the largest equity interest in the facility. Full legal names of direct owners	Electric utility or holding company	lf Yes, % equity interest
		· · _ ·	
	2)	Yes No 🖂	°
		Yes No	
	4)	Yes No	°
		Yes No	°
	5	Yes No	°
	7)	Yes No	0
	8)	Yes No	·
on	9)	Yes No	%
Operation	10)	Yes No	
Jec	Check here and continue in the Miscellaneous section starting on page 19 if addi		
Ownership and	defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comp 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also p equity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist.	rovide the percenta ers may be subsidia	age of aries of one % equity
	Full legal names of electric utility or holding company upstream owne	rs	interest
	1) 2)		
	3)		
	4)		· %
	5)		°
	6)		0
	7)		
	8)		 %
	9)		
	10)		%
	Check here and continue in the Miscellaneous section starting on page 19 if addit	ional space is need	ed
	5c Identify the facility operator Williamston Solar LLC		

OFFICIAL COPY

Feb 27 2015

Ð

FEF	FERC Form 556 Page 8 - All Facilities							
	6a	Describe t	he primary energy input: (ch	neck one ma	ain category and	d, if applicable,	one subcategory)	
		Biomas	ss (specify)	R	enewable resou	rces (specify)	Geothermal	
		🗌 L	andfill gas		Hydro pow	er - river	Fossil fuel (spec	ify)
			Manure digester gas		Hydro pow	er - tidal	🗌 Coal (not	waste)
			Aunicipal solid waste		Hydro pow	er - wave	Fuel oil/d	iesel
			Sewage digester gas		Solar - pho	tovoltaic	🗌 Natural g	as (not waste)
		□ \	Vood		Solar - ther	mal	Other fos	
			Other biomass (describe on	page 19)	□ Wind			on page 19)
		Waste	(specify type below in line 6	b)		wable resource on page 19)	e 🗌 Other (describe	on page 19)
	6b	If you spec	ified "waste" as the primary	energy inp	ut in line 6a, inc	licate the type	of waste fuel used: (cho	eck one)
		🗌 Wast	e fuel listed in 18 C.F.R. § 29	2.202(b) (sp	ecify one of the	following)		
			Anthracite culm produced	prior to Jul	y 23, 1985			
			Anthracite refuse that has a short of 45 percent		heat content of	6,000 Btu or le	ss per pound and has a	in average
			Bituminous coal refuse tha average ash content of 25			ent of 9,500 Btu	u per pound or less and	has an
nput		Top or bottom subbituminous coal produced on Federal lands or on Indian lands that has been determined to be waste by the United States Department of the Interior's Bureau of Land Management (BLM) or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided that the applicant shows that the latter coal is an extension of that determined by BLM to be waste						lanagement ovided that
Energy Input	Coal refuse produced on Federal lands or on Indian lands that has been determined to be waste by the BLM or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided the applicant shows that the latter is an extension of that determined by BLM to be waste Lignite produced in association with the production of montan wax and lignite that becomes expose as a result of such a mining operation							
ш							es exposed	
			Gaseous fuels (except natu	ıral gas and	synthetic gas fr	om coal) (desc	ribe on page 19)	
			Waste natural gas from gas C.F.R. § 2.400 for waste nat compliance with 18 C.F.R.	tural gas; in				
			Materials that a governme	nt agency h	as certified for o	disposal by con	nbustion (describe on	bage 19)
			Heat from exothermic read	tions (desc	ribe on page 19)	Residual heat (describ	e on page 19)
			Used rubber tires] Plastic m	aterials	Refinery o	off-gas 🗌 Petr	oleum coke
		🗌 facilit	r waste energy input that ha y industry (describe in the <i>l</i> of commercial value and exi	Miscellaneo	us section starti	ng on page 19	; include a discussion o	
 6c Provide the average energy input, calculated on a calendar year basis, in terms of Btu/h for the follo energy inputs, and provide the related percentage of the total average annual energy input to the 292.202(j)). For any oil or natural gas fuel, use lower heating value (18 C.F.R. § 292.202(m)). 						energy input to the faci		
			Fuel		nual average en out for specified		Percentage of total annual energy input	
			Natural gas			0 Btu/h	0 %	
			Oil-based fuels			0 Btu/h	0 %	
			Coal			0 Btu/h	0 %	

OFFICIAL COPY

Indicate the maximum gross and maximum net electric power production capacity of the facility at	the point(s) of
delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/ lines 7b through 7e are negligible, enter zero for those lines.	•
7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	4,999 kV
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	
	2 kV
7c Electrical losses in interconnection transformers	10 kV
7d Electrical losses in AC/DC conversion equipment, if any	0 kV
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection	
with the utility	0 kV
7f Total deductions from gross power production capacity = $7b + 7c + 7d + 7e$	12.0 kV
7g Maximum net power production capacity = 7a - 7f	12.0 10
	4,987.0 kV

EXHIBIT E

Page 9 - All Facilities

OFFICIAL COP

Feb 27 2015

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The generating system will be comprised of approximately 21,550 PV modules, attached to a ground-mounted single-axis tracking system. Each module will have a nominal power capacity of 290 Wp (DC). The entire system will have a nominal power capacity of 6,249,500 Wp (DC) with a DC/AC ratio of 1.25, yielding a maximum gross power production capacity of 4,999,600 Wp (AC). The system will utilize 10 pad-mounted inverters, each with a nominal power capacity of 500 kW (AC). The system will be interconnected to the electrical distribution network operated by Dominion North Carolina Power. The entire facility will be enclosed within a security fence.

FERC Form 556

Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8e below (as applicable). 8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or their affiliates, holds at least a 5 percent equity interest. Certification of Compliance Check here if no such facilities exist. Root docket # **Facility location** Maximum net power with Size Limitations (city or county, state) (if any) Common owner(s) production capacity 1) QF kW 2) QF kW 3) OF kW Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? Yes (continue at line 8c below) No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No 8d Did construction of the facility commence on or before December 31, 1999? Yes No 8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes 🗌 No 🗌 If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility. Pursuant to 18 C.F.R. § 292.204(b), gualifying small power production facilities may use fossil fuels, in minimal with Fuel Use Reguirements Certification of Compliance amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter. 9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel: Applicant certifies that the facility will use fossil fuels *exclusively* for the purposes listed above. 9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually: Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 $\left| \right\rangle$ percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

2015

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	energy (such as heat or s use of energy. Pursuant cycle cogeneration facili thermal application or p	92.202(c), a cogeneration facility produces electric energy and forms of useful thermal steam) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-ty, the use of reject heat from a power production process in sufficient amounts in a rocess to conform to the requirements of the operating standard contained in 18 C.F.R. § ottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal or power production.
	10a What type(s) of cog	eneration technology does the facility represent? (check all that apply)
	Topping-cycle	cogeneration Bottoming-cycle cogeneration
General Cogeneration Information	other requirements balance diagram de meet certain requir	te the sequential operation of the cogeneration process, and to support compliance with s such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and ements, as described below. You must check next to the description of each requirement it you have complied with these requirements.
	Check to certify compliance with	
	indicated requirement	Requirement
		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
		Diagram must specify average gross electric output in kW or MW for each generator.
		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/ (lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.

Feb 27 201

EXHIBIT E Page 12 - Cogeneration Facilities

OFFICIAL COPY

Feb 27 2015

EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.

11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No

11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No

If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.

11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?

Yes (continue at line 11d below)

No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.

11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?

Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.

No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.

11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?

Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.

No. Applicant certifies that energy will *not* be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of

18 C.F.R. § 292.205(d) before selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.

11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?

Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.

No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.

EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities

EXHIBIT E Page 13 - Cogeneration Facilities

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	
generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11 Is the response in line 11 i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use *in separate rows*. Average annual rate of

	Name of entity (thermal host) taking thermal output	Thermal host's relationship to facility; Thermal host's use of thermal output	thermal output attributable to use (net of heat contained in process return or make-up water)
1)		Select thermal host's relationship to facility	
1)		Select thermal host's use of thermal output	Btu/h
2)		Select thermal host's relationship to facility	
2)		Select thermal host's use of thermal output	Btu/h
3)		Select thermal host's relationship to facility	-
3)		Select thermal host's use of thermal output	Btu/h
1)		Select thermal host's relationship to facility	_
4)		Select thermal host's use of thermal output	Btu/h
5)		Select thermal host's relationship to facility	_
5)		Select thermal host's use of thermal output	Btu/h
6)		Select thermal host's relationship to facility	
0)		Select thermal host's use of thermal output	Btu/h

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Topping-Cycle Operating and Efficiency Value Calculation

EXHIBIT E Page 15 - Topping-Cycle Cogeneration Facilities

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

13a Indicate the annual average rate of useful thermal energy output made available		
to the host(s), net of any heat contained in condensate return or make-up water		Btu/h
13b Indicate the annual average rate of net electrical energy output		
		kW
I3c Multiply line 13b by 3,412 to convert from kW to Btu/h		
	0	Btu/h
3d Indicate the annual average rate of mechanical energy output taken directly off		
of the shaft of a prime mover for purposes not directly related to power production		
this value is usually zero)		hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h		
	0	Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil		
		Btu/h
I3g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)		
	0	%
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f		
	0	%
13i Compliance with operating standard: Is the operating value shown in line 13g gre	eater than or equal to 5	%?
Yes (complies with operating standard) No (does not comply w	ith operating standard))
13j Did installation of the facility in its current form commence on or after March 13, 1	1980?	
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.20	E(a)(2) Domonstrate	
compliance with the efficiency requirement by responding to line 13k or 13l, a		
compliance with the enciency requirement by responding to line 15k of 15i, a	is applicable, below.	
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13	l.	
13k Compliance with efficiency standard (for low operating value): If the operating value		is less
than 15%, then indicate below whether the efficiency value shown in line 13h greater	than or equal to 45%:	
Yes (complies with efficiency standard) No (does not comply w	ith efficiency standard)	
13I Compliance with efficiency standard (for high operating value): If the operating v	alue shown in line 13g	is
greater than or equal to 15%, then indicate below whether the efficiency value shown	in line 13h is greater th	nan or
equal to 42.5%:		
Yes (complies with efficiency standard) No (does not comply w	ith efficiency standard)	
	in energy standard)	

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a gualifying bottomingcycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below.

14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows. Has the energy input to

Name of entity (thermal host)

the thermal host been

	performing the process from which at least some of the reject heat is used for power production	Thermal host's relationship to facility; Thermal host's process type	augmented for purposes of increasing power production capacity? (if Yes, describe on p. 19)
1)		Select thermal host's relationship to facility	Yes No
		Select thermal host's process type	
2)		Select thermal host's relationship to facility	Yes No
		Select thermal host's process type	
3)		Select thermal host's relationship to facility	Yes No
		Select thermal host's process type	

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Feb 27 2015

Bottoming-Cycle Operating and

U U U

ue Calculation

EXHIBIT E

Page 17 - Bottoming-Cycle Cogeneration Facilities

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

15a	Did installation	of the facility	in its current form	commence on or af	ter March 13, 1980?

Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.

No. Your facility is exempt from the efficiency standard. Skip the rest of page 17.

	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	
	0 Btu/
15d Indicate the annual average rate of mechanical energy outpu	t taken directly off
of the shaft of a prime mover for purposes not directly related to p	ower production
(this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	
	0 Btu/
15f Indicate the annual average rate of supplementary energy inp	ut from natural gas
oroil	Btu/
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	
	0 %
15h Compliance with efficiency standard: Indicate below whethe than or equal to 45%:	r the efficiency value shown in line 15g is greate

Feb 27 2015

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

Signer identified below certifies the following: (check all items and applicable subitems)

He or she has read the filing, including any information contained in any attached documents, such as cogeneration mass and heat balance diagrams, and any information contained in the Miscellaneous section starting on page 19, and knows its contents.

He or she has provided all of the required information for certification, and the provided information is true as stated, to the best of his or her knowledge and belief.

He or she possess full power and authority to sign the filing; as required by Rule 2005(a)(3) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(a)(3)), he or she is one of the following: (check one)

□ The person on whose behalf the filing is made

An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made

- An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made
- A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign

He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 19.

He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.

Provide your signature, address and signature date below. Rule 2005(c) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(c)) provides that persons filing their documents electronically may use typed characters representing his or her name to sign the filed documents. A person filing this document electronically should sign (by typing his or her name) in the space provided below.

Your Signature	Your address	Date
	Three Radnor Corporate Center,	
Eric Blank	Suite 300 Radnor, PA 19087	9/30/2013

Audit Notes

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

The purpose of this filing is to report the proposed increase in the size of the generating facility from 1.99MW (AC) to 4.99MW (AC). The ownership and the location of the facility has not changed.

Feb 27 2015

STATE OF NORTH CAROLINA UTILITIES COMMISSION RALEIGH

DOCKET NO. SP-2515, SUB 0 DOCKET NO. SP-2515, SUB 1

)

)

)

)

BEFORE THE NORTH CAROLINA UTILITIES COMMISSION

In the Matter of Application by Williamston Solar, LLC, for a Certificate of Public Convenience and Necessity to Construct a 4.99-MW Solar Facility in Martin County, North Carolina

ORDER ISSUING CERTIFICATE AND ACCEPTING REGISTRATION OF NEW RENEWABLE ENERGY FACILITY

BY THE COMMISSION: On February 22, 2013 Williamston Solar, LLC (Applicant) filed a Report of Proposed Construction in Docket No. SP-2515, Sub 0, for a 1.99 MW solar photovoltaic electric generating facility to be located at Highway 17 South and Ranch Motel Road, Williamston, Martin County, North Carolina. On September 30, 2013, the Applicant filed an application with the Commission in Docket No. SP-2515, Sub 1, seeking a certificate of public convenience and necessity pursuant to G.S. 62-110.1 for construction of a 4.99-MW_{AC} solar photovoltaic electric generating facility at the same location. The increase in size of the originally proposed facility necessitates a certificate. The Applicant plans to sell the electricity generated by this facility to Dominion North Carolina Power (DNCP) and to participate in the PJM Generation Attribute Tracking System (GATS) for the issuance of renewable energy certificates (RECs).

Contemporaneously with the application, the Applicant filed a registration statement for a new renewable energy facility. The registration statement included certified attestations that (1) the facility is in substantial compliance with all federal and state laws, regulations, and rules for the protection of the environment and conservation of natural resources; (2) the facility will be operated as a new renewable energy facility; (3) the Applicant will not remarket or otherwise resell any renewable energy certificates (RECs) sold to an electric power supplier to comply with G.S. 62-133.8; and (4) the Applicant will consent to the auditing of its books and records by the Public Staff insofar as those records relate to transactions with North Carolina electric power suppliers.

On October 3, 2013, the Commission issued an Order Requiring Publication of Notice, which required the Applicant to (1) publish notice of the application as required by G.S. 62-82(a) and file an affidavit of publication with the Commission, (2) mail a copy of the application and notice, no later than the first date that such notice is published, to the electric utility to which the Applicant plans to sell and distribute the electricity, and (3) file a certificate of service of the mailing to the utility. The Order also specified that if a complaint was received within 10 days after the last date of the publication of the notice, the Commission would schedule a public hearing to determine whether a

certificate of public convenience and necessity should be awarded. The Order further specified that if the Commission received no complaints within the time specified above, and if the Commission did not order a hearing upon its own initiative, it would enter an order awarding the certificate of public convenience and necessity.

On November 14, 2013, the State Clearinghouse filed comments. Because of the nature of the comments, the cover letter indicated that no further State Clearinghouse review action by the Commission was required for compliance with the North Carolina Environmental Policy Act.

On November 20, 2013, the Applicant filed a certificate of service stating that the public notice and a copy of the application for a certificate of public convenience and necessity were provided to DNCP.

On January 7, 2014, the Applicant filed an affidavit of publication from the Martin County Enterprise and Weekly Herald stating that the publication of notice was completed on December 13, 2013. No complaints have been received.

The Public Staff presented this matter to the Commission at its Regular Staff Conference on January 21, 2014. The Public Staff recommended that the Commission approve the application, issue the requested certificate of public convenience and necessity, and accept the registration statement.

After careful consideration, the Commission finds good cause to approve the application and issue the attached certificate of public convenience and necessity for the proposed solar photovoltaic electric generating facility. The Commission further finds good cause, based upon the foregoing and the entire record in this proceeding, to accept registration of the facility as a new renewable energy facility. Further, the Commission finds good cause to cancel the Applicant's registration in Docket No. SP-2515, Sub 0, and close that docket. The Applicant shall annually file the information required by Commission Rule R8-66 on or before April 1 of each year. To the extent that the Applicant is not otherwise participating in a REC tracking system, the Applicant will be required to participate in the NC-RETS REC tracking system (www.ncrets.org) in order to facilitate the issuance of RECs.

IT IS, THEREFORE, ORDERED as follows:

1. That the application filed by Williamston Solar, LLC, for a certificate of public convenience and necessity shall be, and is hereby, approved.

2. That Appendix A shall constitute the certificate of public convenience and necessity issued to Williamston Solar, LLC, for the 4.99-MW_{AC} solar photovoltaic electric generating facility located at Highway 17 South and Ranch Motel Road, Williamston, Martin County, North Carolina.

3. That the registration statement filed by Williamston Solar, LLC, for its solar photovoltaic facility located in Wilson County, North Carolina, as a new renewable energy facility shall be, and is hereby, accepted.

4. That Williamston Solar, LLC, shall annually file the information required by Commission Rule R8-66 on or before April 1 of each year.

5. That the registration by Williamston Solar, LLC, in Docket No. SP-2515, Sub 0, as a new renewable energy facility shall be, and is hereby, cancelled.

6. That Docket No. SP-2515, Sub 0 shall be, and is hereby, closed.

ISSUED BY ORDER OF THE COMMISSION.

This the 22^{nd} day of January, 2014.

NORTH CAROLINA UTILITIES COMMISSION

Hail L. Mount

Gail L. Mount, Chief Clerk

DOCKET NO. SP-2515, SUB 1

Williamston Solar, LLC Three Radnor Corporate Center, Suite 300 100 Matsonford Road, Radnor, PA 19087

is hereby issued this

CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY PURSUANT TO G.S. 62-110.1

for a 4.99-MW_{AC} solar photovoltaic electric generating facility

located at

Highway 17 South and Ranch Motel Road, Williamston, Martin County, North Carolina,

subject to all orders, rules, regulations and conditions as are now or may hereafter be lawfully made by the North Carolina Utilities Commission.

ISSUED BY ORDER OF THE COMMISSION.

This the <u>22nd</u> day of January, 2014.

NORTH CAROLINA UTILITIES COMMISSION

Hail L. Mount

Gail L. Mount, Chief Clerk

Feb 27 2015

AGREEMENT FOR THE SALE OF ELECTRICAL OUTPUT TO VIRGINIA ELECTRIC AND POWER COMPANY

THIS AGREEMENT, effective this 16th day of June, 2014, (the "Effective Date") by and between VIRGINIA ELECTRIC AND POWER COMPANY, a Virginia public service company with its principal office in Richmond, Virginia, doing business in Virginia as Dominion Virginia Power, and in North Carolina as Dominion North Carolina Power, hereinafter called "Dominion North Carolina Power" or "Company", and Windsor Solar LLC, a Delaware Limited Liability Company, with its principal office in Radnor, PA, hereinafter called "Operator", operator of the Windsor Solar Facility, hereinafter called the "Facility":

RECITALS

WHEREAS, the North Carolina Utilities Commission has adopted a rate schedule described in this Agreement below as <u>Schedule 19-FP</u> applicable to Qualifying Facilities (or "QF" as that term is defined in 18 C.F.R. § 292) which can provide Contracted Capacity (a) up to 5000 kW from a hydroelectric generating facility, (b) up to 5000 kW from a generating facility fueled by trash or methane derived from landfills, hog waste, poultry waste, solar, wind or non-animal forms of biomass, or (c) up to 3000 kW for all other QFs; and

WHEREAS, the parties hereto wish to contract for the sale of electrical output from such a QF to be operated by Operator,

NOW THEREFORE, in consideration of the mutual covenants and agreements herein contained, the parties hereto contract and agree with each other as follows:

Article 1: Parties' Purchase and Sale Obligations

Dominion North Carolina Power or its agent, assignee, or successor will purchase from Operator all of the electrical output (energy and Contracted Capacity) made available for sale from the Facility on a simultaneous purchase and sale arrangement. In addition, Operator has elected to contract under the FP Method for determining the Company's avoided cost as described more fully in Exhibit C. Operator elects to operate the Facility in the Mode of Operation as specified in Section IV.C (Firm Mode of Operation) of Schedule 19-FP. The Facility is located in Dominion North Carolina Power's retail service area in Windsor, Bertie County, North Carolina.

Article 2: Term and Commercial Operations Date

This Agreement shall commence on the Effective Date and shall continue in effect for a period of 15 years from the Commercial Operations Date ("COD"). The COD shall be the first date that all of the following conditions have been satisfied:

a) The Facility has been permanently constructed, synchronized with and has delivered electrical output to the

Page 2 of 17

Dominion North Carolina Power system and such action has been witnessed by an authorized Dominion North Carolina Power employee;

- b) After completion of item a) above, Dominion North Carolina Power has received written notice from Operator specifying the Commercial Operations Date and certifying that the Facility is ready to begin commercial operations as a Qualifying Facility;
- c) Operator and Dominion North Carolina Power (or the PJM Interconnection, LLC or other operator of the Dominion North Carolina Power transmission system, as applicable) have executed an Interconnection Agreement to be included herewith as Exhibit A;
- d) Operator has provided to Dominion North Carolina Power Qualifying Facility Certification to be included herewith as Exhibit E; and
- e) Operator either has received from the North Carolina Utilities Commission a Certificate of Public Convenience and Necessity or has filed the notice required by G.S. 62-110.1(g) and Commission Rule 8-65 and is not legally required to obtain such a certificate for the construction and operation of the Facility.

For contract terms of 10 years or more, this Agreement may be renewed at the option of Dominion North Carolina Power on substantially the same terms and conditions and at a rate either (1) mutually agreed upon by the parties negotiating in good faith and taking into consideration Dominion North Carolina Power's then avoided cost rates and other relevant factors or (2) set by arbitration.

Article 3: Contracted Capacity

The Facility, consisting of solar panels and 6 inverters, will have a combined nameplate rating of approximately 6500 kW. The Facility's Contracted Capacity shall be 5000 kW.

Article 4: Attachments

The following documents are attached hereto and are made a part hereof:

Exhibit A: Executed Interconnection Agreement (attached for information but not as a part of this Agreement)

- Exhibit B: General Terms and Conditions
- Exhibit C: Schedule 19-FP, Power Purchases from Cogeneration and Small Power Production Qualifying Facilities and applicable to the QF who chooses the FP Method (effective March 28, 2014, sometimes referred to as "Schedule 19-FP" herein)
- Exhibit D: Map and related written description identifying the specific location of the Facility in the City or County designated in ARTICLE 1
- Exhibit E: "Qualifying Facility" Certification (if Facility is less than 1 MW, Owner submission that the Facility qualifies as a Qualifying Facility (QF) under federal law)
- Exhibit F: Certificate of Public Convenience and Necessity or evidence that no such certificate was required under North Carolina law in the form of a report of proposed construction to the Commission pursuant to Commission Rule 8-65.

Article 5: Price

Payments for all energy and Contracted Capacity purchased hereunder shall be determined by the provisions for payments in Schedule 19-FP included herewith as Exhibit C and pursuant to Operator elections within such Schedule 19-FP, if any, as stated in Article 1 hereof. Payments for all energy and Contracted Capacity purchased hereunder shall be on a cents per kilowatt-hour basis.

If Operator elects the Firm Mode of Operation, then for the term of this Agreement Operator shall be paid for firm energy, in accordance with Schedule 19 – FP, effective for usage on March 28, 2014, the 15-year Fixed Long Term Rate as provided for at Section VI.B of Schedule 19-FP. Payments for firm energy will begin on the Commercial Operations Date. All energy delivered per hour above the Contracted Capacity up to 105% of the Contracted Capacity shall be considered non-firm and be paid for at the applicable non-firm rate pursuant to Section V of Schedule 19-FP. No payment shall be made for energy delivered above 105% of the Contracted Capacity. All energy delivered prior to the Commercial Operations Date shall be considered non-firm and paid at the non-firm energy rate. In all cases, such non-firm energy rates will be those in the Schedule 19-FP in effect at the time such energy is delivered.

If Operator elects the Firm Mode of Operation, specified in Section IV.C of Schedule 19-FP, Operator shall be paid for Contracted Capacity on a cents per kilowatt-hour basis as specified in Schedule 19-FP, Section VII. Operator shall not be paid for capacity above the Contracted Capacity level in any hour during which the generation exceeds the Contracted Capacity level specified in Article 3.

Article 6: Reserved

Article 7: Operator's Pre-COD Obligations

After execution of this Agreement and until the Commercial Operations Date, Operator shall prepare a quarterly status report for Dominion North Carolina Power showing the current progress on completing the project. This status report shall be delivered to Dominion North Carolina Power on or before the following dates each year, January 15, April 15, July 15, and October 15. Such status report shall discuss the progress of the project in a format which is acceptable to Dominion North Carolina Power.

The Facility will be considered to have commenced construction on the first day upon which all of the following have occurred: (1) the issuance by Operator to its construction contractor for the Facility of a written unconditional Notice-to-Proceed; (2) the mobilization of major construction equipment and construction facilities on the Facility site; and (3) the commencement of major structural excavation and structural concrete work relating to a major component of the Facility such as the power island consistent with having commenced a continuous process of construction relating to the Facility. Dominion North Carolina Power shall have no obligation to accept a declaration of Commercial Operations prior to October 1, 2014. The anticipated Commercial Operations Date is November 19, 2014.

Article 8: Default and Early Termination

Operator and Dominion North Carolina Power agree that any of the following will be a material breach by the Operator of this Agreement and shall result in Dominion North Carolina Power having the right to immediate cancellation, without a cure period, of this Agreement: (i) failure to commence construction of the Facility, as defined in Article 7 above, and provide Dominion North Carolina Power with written notice thereof by February 21, 2016, (ii) failure to achieve Commercial Operations Date within thirty months of February 21, 2014; provided, however, an Operator may be allowed additional time to begin deliveries of power to the Company if the QF facilities in guestion are nearly complete at the end of such thirty month period and the QF is able to demonstrate that it is making a good faith effort to complete its project in a timely manner, (iii) failure to provide two (2) consecutive status reports pursuant to Article 7 above, (iv) delivery or supply of electrical output to any entity other than Dominion North Carolina Power or its agent, assignee or successor, (v) failure to meet those requirements necessary to maintain Qualifying Facility status, (vi) failure at any time to have in effect a valid Interconnection Agreement with Dominion North Carolina Power (or its successor as operator of the Dominion North Carolina transmission system), (vii) failure to generate and deliver power from the Facility to Dominion North Carolina Power for more than 180 consecutive days, at any time after the Commercial Operations Date, or (viii) failure to maintain QF certification. In the event Operator fails to perform in any way, materially or non-materially, any other obligations not specifically listed above. Operator shall be given notice and thirty (30) days to cure such non-performance. Notwithstanding any cure period, Dominion North Carolina Power shall not be obligated to

purchase any energy or Contract Capacity under this Agreement while any such breach remains uncured. If Operator fails to cure its non-performance within thirty (30) days of Dominion North Carolina Power's notice, Dominion North Carolina Power shall have the right to cancel this Agreement. Operator agrees that if this Agreement is canceled by Dominion North Carolina Power for Operator's non-performance prior to the end of the initial term of this Agreement, then, Dominion North Carolina Power shall have all rights and remedies available at law or in equity.

Article 9: Representations and Warranties

Operator represents and warrants that it has the right to operate the Facility in accordance with the terms of this Agreement. Operator further represents and warrants that all permits, approvals, and/or licenses necessary for the operation of the Facility will be obtained prior to the Commercial Operations Date and shall be maintained throughout the Term of this Agreement. Operator shall, provide such documentation and evidence of such right, permits, approvals and/or licenses as Dominion North Carolina Power may reasonably request, including without limitation air permits, leases and/or purchase agreements.

Article 10: Notices and Payments

All correspondence and payments concerning this Agreement shall be to the addresses below. Either Party may change the address by providing written notice to the other Party.

OPERATOR:	DOMINION NORTH CAROLINA POWER:
Windsor Solar LLC	Virginia Electric and Power Company
Three Radnor Corp. Ctr., Suite 300	Power Contracts (3SE)
100 Matsonford Rd.	5000 Dominion Boulevard
Radnor, PA 19087	Glen Allen, Virginia 23060-6711

Article 11: Integration of Entirety of Agreement

This Agreement is intended by the Parties as the final expression of their Agreement and is intended also as a complete and exclusive statement of the terms of their Agreement with respect to the purchase and sale of electrical output generated by the Facility. All prior written or oral understandings, offers or other communications of every kind pertaining to this Agreement are hereby abrogated and withdrawn.

Page 6 of 17

IN WITNESS WHEREOF, the Parties hereto have caused their names to appear below, signed by authorized representatives as of the date first shown above.

WINDSOR SOLAR LLC

Ein Bah Manager 6 [3]14 By: Title: Date:

VIRGINIA ELECTRIC AND POWER COMPANY

By: J. L. N.L. Title: ANNTOMERO REPASSON PATTIVE Date: 6/16/14

EXHIBIT A GENERATOR INTERCONNECTION GUIDANCE AND AGREEMENT

Dominion North Carolina Power's procedures for generator interconnection are available through the Internet at the Company's website with draft interconnection agreements for non-FERC jurisdictional generators (as approved by the NCUC included as Attachments 1, 2 and 3 thereto). For FERC jurisdictional generators interconnection shall be in accordance with FERC and PJM requirements.

The specific Internet address for these procedures is <u>https://www.dom.com/dominion-north-carolina-power/customer-service/rates-and-tariffs/pdf/term24.pdf.</u> The Internet site contains links to the Generator Interconnection Procedures along with the Generator Interconnection Request Form. Once an Interconnection Agreement is executed it will be included herewith as part of this Exhibit A.

EXHIBIT B General Terms and Conditions

I - Assignments

Operator agrees not to assign this Agreement without the prior written consent of Dominion North Carolina Power. Dominion North Carolina Power may withhold such consent if it determines, in its sole discretion, that such assignment would not be in the best interests of Dominion North Carolina Power or its customers. Any attempted assignment that Dominion North Carolina Power has not approved in writing shall be null and void and ineffective for all purposes. In the event of assignment by Operator, Operator shall pay Company within thirty (30) days of the effective date of the assignment up to a maximum amount of \$10,000 per assignment; provided, however, assignment of this Agreement by Operator in connection with an initial financing arrangement which is finalized and for which consent of Company is requested within nine months of the Effective Date of this Agreement shall not be subject to the payment requirement provided herein.

II - Indemnity

Operator shall indemnify and save harmless and, if requested by Dominion North Carolina Power, defend Dominion North Carolina Power, its officers, directors and employees from and against any and all losses and claims or demands for damages to real property or tangible personal property (including the property of Dominion North Carolina Power) and injury or death to persons arising out of, resulting from, or in any manner caused by the presence, operation or maintenance of any part of Operator's Facility; provided, however, that nothing herein shall be construed as requiring Operator to indemnify Dominion North Carolina Power for any injuries, deaths or damages caused by the sole negligence of Dominion North Carolina Power. Operator agrees to provide Dominion North Carolina Power written evidence of liability insurance coverage, which is specifically and solely for the Facility, prior to the operation of the Facility. Operator agrees to have Dominion North Carolina Power named as an additional insured, and shall keep such coverage current throughout the term of this Agreement.

III - QF Certification

Operator represents and warrants that its Facility meets the Qualifying Facility requirements established as of the Effective Date of this Agreement by the Federal Energy Regulatory Commission's rules (18 Code of Federal Regulations Part 292), and that it will continue to meet those requirements necessary to remain a Qualifying Facility throughout the term of this Agreement. [Dominion North Carolina Power may require "FERC" QF Certification by adding the following: "Operator agrees to obtain, at Operator's expense, a certification as a "QF" from the Federal Energy Regulatory Commission, in accordance with 18 C.F.R. § 292.207 (b)."] Operator agrees to provide copies, at the time of submittal, of all correspondence and filings with the Federal Energy Regulatory Commission relating to obtaining certification of the Facility as a

"QF". Operator will submit prior to delivery of electrical output from the Facility to Dominion North Carolina Power evidence of Qualifying Facility certification. After the Commercial Operations Date, if requested by Dominion North Carolina Power prior to March 1 of any year, Operator agrees to provide July 1 of the same year to Dominion North Carolina Power for the preceding year sufficient for Dominion North Carolina Power to determine the Operator's continuing compliance with its QF requirements, including but not limited to:

(a) All information required by FERC Form 556.

(b) Copy of the Facility's QF Certification and any subsequent revisions or amendments,

(c) Provide a copy of any contract executed with a thermal host.

(d) Identification of the amount of each type of fuel used per month and average heating value for each type of fuel, which will be used to determine the Total Energy Input. These values should be verifiable by auditing supporting documentation.

(e) Identification of each of the QF's useful thermal output(s) for each month, including temperature, pressure, amount of thermal output delivered, temperature and amount of condensate returned (if applicable) and the conversion to Btus. These values should be verifiable by auditing supporting documentation.

(f) Identification of the QF's useful power output for each month. These values should be verifiable by auditing supporting documentation.

(g) Provide drawings, heat balance diagrams and a sufficiently detailed narrative describing the delivery of useful thermal output including the location, description, and calibration data for all metering equipment used for QF calculations.

(h) Provide any other information which the QF believes will facilitate Dominion North Carolina Power's monitoring of the QF requirements.

(i) Dominion North Carolina Power may request additional information, as needed, to monitor the QF requirements.

IV - Consequential Damages

In no event shall either Party be liable to the other for any special, indirect, incidental or consequential damages whatsoever, except that the foregoing shall not apply to any promises of indemnity or obligations to reimburse the Parties expressly set forth in this Agreement.

V - Amendments, Waivers, Severability and Headings

This Agreement, including the appendices thereto, can be amended only by agreement between the Parties in writing. The failure of either Party to insist in any one or more instances upon strict performance of any provisions of this Agreement, or to take advantage of any of its rights hereunder, shall not be construed as a waiver of any such provisions or the relinquishment of any such right or any other right hereunder. In the event any provision of this Agreement, or any part or portion thereof, shall be held to be invalid, void or otherwise unenforceable, the obligations of the Parties shall be deemed to be reduced only as much as may be required to remove the impediment. The headings contained in this Agreement are used solely for convenience and do not constitute a part of the Agreement between the Parties hereto, nor should they be used to aid in any manner in the construction of this Agreement.

VI - Compliance with Laws

Operator covenants that it shall comply with all applicable provisions of Executive Order 11246, as amended; § 503 of the Rehabilitation Act of 1973, as amended; § 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974, as amended; and implementing regulations set forth in 41 C.F.R. §§ 60.1, 60-250, and 60-741 and the applicable provisions relating to the utilization of small minority business concerns as set forth in 15 U.S.C. § 637, as amended. Operator agrees that the equal opportunity clause set forth in 41 C.F.R. § 60-1.4 and the equal opportunity clauses set forth in 41 C.F.R. § 250.5 and 41 C.F.R. 60-§741.5 and the clauses relating to the utilization of small and minority business concerns set forth in 15 U.S.C. § 637(d)(3) and 48 C.F.R. § 52-219.9 are hereby incorporated by reference and made a part of this Agreement. If this Agreement has a value of more than \$500,000, Operator shall adopt and comply with a small business and small disadvantaged business subcontracting plan which shall conform to the requirements set forth in 15 U.S.C. § 637(d)(6). The provisions of this section shall apply to Operator only to the extent that:

(a) such provisions are required of Operator under existing law,

(b) Operator is not otherwise exempt from said provisions and

(c) Compliance with said provisions is consistent with and not violative of 42 U.S.C. § 2000 et seq., 42 U.S.C. § 1981 et seq., or other acts of Congress.

VII - Interconnection and Operation

Operator shall be responsible for the design, installation, and operation of its Facility. Operator shall be responsible for obtaining an Interconnection Agreement. Interconnection guidelines and agreement requirements are set forth in Exhibit A of this Agreement.

Operator shall: (a) maintain the Facility and the Interconnection Facilities on Operator's side of the Interconnection Point, except Dominion North Carolina Power-owned Interconnection Facilities, in conformance with all applicable laws and regulations and in accordance with operating procedures; (b) obtain any governmental authorizations and permits required for the construction and operation thereof and keep all such permits and authorizations current and in

effect; and (c) manage the Facility in a safe and prudent manner. If at any time Operator does not hold such authorizations and permits, Dominion North Carolina Power may refuse to accept deliveries of power hereunder.

Dominion North Carolina Power may enter Operator's premises (a) to inspect Operator's protective devices at any reasonable time; (b) to read or test meters and metering equipment; and (c) to disconnect, without notice, the Facility if, in Dominion North Carolina Power's opinion, a hazardous condition exists and such immediate action is necessary to protect persons, or Dominion North Carolina Power facilities or other customers' facilities from damage or interference caused by Operator's Facility or lack of properly operating protective devices. Dominion North Carolina Power will endeavor to notify Operator as quickly as practicable if disconnection occurs as provided in (c) above. Any inspection of Operator's protective devices shall not impose on Dominion North Carolina Power any liabilities with respect to the operation, safety or maintenance of such devices.

Operator shall not operate the Facility in parallel with Dominion North Carolina Power's system prior to (a) an inspection of the installed Interconnection Facilities by an authorized Dominion North Carolina Power representative and (b) receiving written authorization from an authorized Dominion North Carolina Power representative to begin parallel operation.

VIII - Metering

Dominion North Carolina Power will meter all electrical output delivered from the Facility on the high voltage side of the step up transformer.

Operator agrees to pay an administrative charge to Dominion North Carolina Power to reflect all reasonable costs incurred by Dominion North Carolina Power for meter reading and billing, also referred to as metering charges. The monthly meter reading and billing charge shall change from time to time when the NCUC approves a different charge in Schedule 19-FP.

In addition, Operator agrees to pay any fees required to provide and maintain leased telephone lines required for meter reading by Dominion North Carolina Power.

IX - Billing and Payment

Dominion North Carolina Power shall read the meter in accordance with its normal meter reading schedule. Within twenty-eight (28) days thereafter, Dominion North Carolina Power shall send Operator payment for energy and Contracted Capacity delivered. At Dominion North Carolina Power's option, (i) Dominion North Carolina Power may make such payments net of the monthly metering charges, Interconnection Facilities charges, and charges for sales of electricity to the Operator, or (ii) Dominion North Carolina Power may invoice Operator for such charges separately. Payment by Dominion North Carolina Power shall include verification showing the billing month's ending meter reading, on-peak and off-peak kWh, and the amount paid. If in any month the monthly metering and Interconnection Facilities charges are in excess of any payments due Operator, Dominion North Carolina Power shall bill Operator for the difference and Operator shall make such payment within 28 days of the invoice date. Failure by Operator to make such

payments may result in disconnection of the Facility. In no event shall such disconnection relieve Operator of its obligation to pay monthly metering charges and Interconnection Facilities charges under this Agreement.

In the event that any data required for billing purposes hereunder are unavailable when required for such billing, the unavailable data shall be estimated by Dominion North Carolina Power, based upon historical data. Such billing shall be subject to any required adjustment in a subsequent billing month.

Operator agrees that Dominion North Carolina Power shall be entitled to withhold sufficient amounts due pursuant to this Agreement to offset (a) any damages to Dominion North Carolina Power resulting from any breach of this Agreement by Operator, and (b) any other amounts Operator owes Dominion North Carolina Power, including amounts arising from sales of electricity by Dominion North Carolina Power to Operator, metering charges and Interconnection Facilities charges.

In no event shall Dominion North Carolina Power be liable to Operator for any Contracted Capacity payments in excess of the amounts contracted for herein, regardless of the ultimate length of this Agreement or revisions to Schedule 19-FP or successor schedules. Operator hereby agrees to accept the Contracted Capacity payments as set forth herein as its sole and complete compensation for delivery of Contracted Capacity to Dominion North Carolina Power.

X - Force Majeure

Neither Party shall be considered in default under this Agreement or responsible to the other Party in tort, strict liability, contract or other legal theory for damages of any description for any interruption or failure of service or deficiency in the quality or quantity of service or any other failure to perform any of its obligations hereunder to the extent such failure occurs without fault or negligence on the part of that Party and is caused by factors beyond that Party's reasonable control, which by the exercise of reasonable diligence that Party is unable to prevent, avoid, mitigate or overcome, including without limitation storm, flood, lightning, earthquake, explosion, equipment failure, civil disturbance, labor dispute, act of God or public enemy, action or inaction of a court or public authority, fire, sabotage, war, explosion, curtailments, unscheduled withdrawal of facilities from operation for maintenance or repair or any other cause of similar nature beyond the reasonable control of that Party (any such event, "Force Majeure"). Solely economic hardship of either Party shall not constitute Force Majeure under this Agreement. Nor shall anything contained in this paragraph or elsewhere in this Agreement excuse Operator or Dominion North Carolina Power from strict compliance with the obligation of the Parties to comply with the terms of Article IX of this Exhibit B relating to timely payments.

Each Party shall have the obligation to operate in accordance with Good Utility Practice (as defined below) at all times and to use due diligence to overcome and remove any cause of failure to perform.

If a Party relies on the occurrence of an event of Force Majeure described above as a basis for being excused from performance of its obligations under this Agreement, then the Party relying on the Force Majeure event shall:

a) Provide within forty-eight (48) hours written notice of such Force Majeure event or potential Force Majeure to the other Party, giving an estimate of its expected duration and the probable impact on the performance of its obligations hereunder;

b) Exercise all reasonable efforts to continue to perform its obligations under this Agreement;

c) Expeditiously take action to correct or cure the Force Majeure event excusing performance; provided, however, that settlement of strikes or other labor disputes will be completely within the sole discretion of the Party affected by such strike or labor dispute;

d) Exercise all reasonable efforts to mitigate or limit damages to the other Party; and

e) Provide prompt notice to the other Party of the cessation of the Force Majeure event giving rise to its excuse from performance. All performance obligations hereunder shall be extended by a period equal to the term of the resultant delay.

If a Party responding to a Force Majeure event has the ability to obtain, for additional expenditures, expedited material deliveries or labor production which would allow a response to the event in a manner that is above and beyond Good Utility Practice, and such a response could shorten the duration of the Force Majeure event, the Party responding to the event may, at its discretion, present the other Party with the option of funding the expenditures for expediting material deliveries or labor production in an effort to reduce the duration of the event and economic hardship. Each such opportunity will be negotiated on a case-by-case basis by the Parties.

For purposes of this Agreement, "Good Utility Practice" shall mean any of the applicable practices, methods, standards, guides or acts: required by any governmental authority, regional or national reliability council, or national trade organization, including NERC, SERC, or the successor of any of them, as they may be amended from time to time whether or not the Party whose conduct is at issue is a member thereof; otherwise engaged in or approved by a significant portion of the electric utility industry during the relevant time period which in the exercise of reasonable judgment in light of the facts known or that should have been known at the time a decision was made, could have been expected to accomplish the desired result in a manner consistent with law, regulation, good business practices, generation, transmission and distribution reliability, safety, environmental protection, economy and expediency. Good Utility Practice is intended to be acceptable practices, methods, or acts generally accepted in the region, or any other acts or practices as are reasonably necessary to maintain the reliability of the Transmission System (as defined in the Interconnection Agreement), or of the Facility, and is not intended to be limited to the optimum practices, methods, or acts to the exclusion of all others.

Page 14 of 17

EXHIBIT C

Exhibit C is a copy of Schedule 19-FP

EXHIBIT D

Exhibit D is a map and written description identifying the specific location of the Facility and is provided by the Operator.

Facility address is: Off 516 Old US 17 North, Windsor, NC 27983

Coordinates are: 36° 1'0.87"N 76°53'0.56"W



EXHIBIT E

Exhibit E is the "Qualifying Facility" Certification to be provided by the Operator.

OR

If Facility is less than 1MW, Owner may submit the following statement as Exhibit E that the Facility qualifies as a Qualifying Facility (QF) under federal law.

Federal law exempts small power production or cogeneration facilities with net power production capacities of 1 MW or less from certain certification requirements in order to qualify as a qualifying facility ("QF" or "Qualifying Facility"). Therefore, <u>[QF Name Here]</u> submits the Facility is exempt from the certification requirements, but submits that the Facility qualifies as a Qualifying Facility under federal law set forth in the Public Utility Regulatory Policies Act of 1978 ("PURPA") (codified at 16 U.S.C. § 824a-3).

Name

Title

See attached copy of FERC Form 556.

EXHIBIT F

Exhibit F is the Certificate of Public Convenience and Necessity to be provided by the Operator_{$\frac{1}{2}$} or evidence that no such certificate is required under North Carolina law in the form of a report of proposed construction to the Commission pursuant to Commission Rule 8-65.

See attached Order of the NC Utilities Commission.

I. APPLICABILITY AND AVAILABILITY

This schedule is applicable to any qualifying Cogenerator or Small Power Producer (Qualifying Facility) which desires to deliver all of its net electrical output to the Company, has either (1) generating facilities designated as new capacity as defined by 18 C.F.R. § 292.304(b)(1), or (2) hydroelectric generating facilities that meet the criteria of being owned or operated by a small power producer as defined in G.S. 62-3(27a), and enters into an agreement for the sale of net electrical output to the Company (Agreement).

This schedule is available to any Qualifying Facility (otherwise eligible pursuant to the terms hereof) that by November 1, 2014 (a) has obtained a certificate of public convenience and necessity for its facility from the Commission or filed a report of proposed construction with the Commission pursuant to Commission Rule 8-65, and (b) has indicated to the Company in writing that it is committed to selling the output of the facility to the Company pursuant to the terms of this schedule.

Where the Qualifying Facility (QF) elects to be compensated for firm deliveries in accordance with this schedule, the amount of capacity under contract and the initial term of contract shall be limited as follows:

- A. Where the QF operates hydroelectric generating facilities that meet the criteria of being owned or operated by a small power producer as defined in G.S. 62-3(27a), or where the QF operates non-hydroelectric QFs fueled by trash or methane derived from landfills, hog waste, poultry waste, solar, wind, and non-animal forms of biomass, the amount of capacity subject to compensation shall be no greater than 5,000 kW, and the amount of energy purchased during a given hour at rates applicable to firm deliveries shall be no greater than 5,000 kWh. The initial term of contract for such a QF shall be for a period of 5, 10, or 15 years, at the option of the QF.
- B. Where the QF is not defined under Paragraph I.A., the amount of capacity subject to compensation shall be no greater than 3,000 kW, and the amount of energy purchased during a given hour at rates applicable to firm deliveries shall be no greater than 3,000 kWh. The initial term of contract for such a QF shall be for a period of 5 years.

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Docket No. E-100, Sub 136

(Continued)

I. APPLICABILITY AND AVAILABILITY (Continued)

Where the QF elects to be compensated for firm or non-firm deliveries in accordance with this schedule, the QF must begin deliveries to the Company within thirty months of February 21, 2014 to retain eligibility for the rates contained in this schedule; provided, however, a QF may be allowed additional time to begin deliveries of power to the Company if the QF facilities in question are nearly complete at the end of such thirty month period and the QF is able to demonstrate that it is making a good faith effort to complete its project in a timely manner. Where the QF elects an initial contract term of 10 or more years, such contract may be renewed for subsequent term(s), at the Company's option, based on substantially the same terms and provisions and at a rate either (1) mutually agreed upon by the parties negotiating in good faith and taking into consideration the Company's then avoided cost rates and other relevant factors or (2) set by arbitration.

This schedule is not applicable to a QF owned by a developer, or affiliate of a developer, who sells power to the Company from another facility located within one-half mile unless: (1) each facility provides thermal energy to different, unaffiliated hosts; (2) each facility provides thermal energy to the same host, and the host has multiple operations with distinctly different or separate thermal needs; or (3) each facility utilizes a renewable resource which may be subject to geographic siting limitations, such as hydroelectric, solar, or wind power facilities.

II. MONTHLY BILLING TO THE QF

All sales to the QF will be in accordance with any applicable filed rate schedule. In addition, where the QF contracts for sales to the Company, the QF will be billed a monthly charge equal to one of the following to cover the cost of meter reading and processing:

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

(Continued)

II. MONTHLY BILLING TO THE QF (Continued)

Metering required	Charge
One non-time-differentiated meter	\$17.24
One time-differentiated meter	\$35.55
Two time-differentiated meters	\$41.16

III. DEFINITION OF ON- AND OFF-PEAK HOURS

A. For Option A Rates the On-Peak Hours are:

Summer

(i) For the periods beginning at 12:00 midnight March 31 and ending at 12:00 midnight September 30:

The on-peak hours are defined as the hours between 10:00 am and 10:00 pm., Monday through Friday, excluding holidays considered as off-peak.

Non-Summer

(ii) For the periods beginning at 12:00 midnight September 30 and ending at 12:00 midnight March 31:

The on-peak hours are defined as those hours between 6:00 am and 1:00 pm., plus 4:00 p.m. through 9:00 p.m., Monday through Friday, excluding holidays considered as off-peak.

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

Feb 27 2015

EXHIBIT C

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

III. DEFINITION OF ON- AND OFF-PEAK HOURS (Continued)

B. For Option B Rates the On-Peak Hours are:

Summer

(i) For the periods beginning at 12:00 midnight May 31 and ending at 12:00 midnight September 30:

The on-peak hours are defined as the hours between 1:00 pm and 9:00 pm., Monday through Friday, excluding holidays considered as off-peak.

Non-Summer

(ii) For the periods beginning at 12:00 midnight September 30 and ending at 12:00 midnight May 31:

The on-peak hours are defined as those hours between 6:00 am and 1:00 pm. Monday through Friday, excluding holidays considered as off-peak.

C. Off-Peak Hours:

The off-peak hours in any month are defined as all hours not specified above as on-peak hours. All hours for the following holidays will be considered as off-peak: New Year's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, the day after Thanksgiving, and Christmas Day. When one of the above holidays falls on a Saturday, the Friday before the holiday will be considered off-peak; when the holiday falls on a Sunday, the following Monday will be considered off-peak.

(Continued)

Filed 03-13-14 Electric-North Carolina

(Continued)

IV. CONTRACT OPTIONS FOR DESIGNATING MODE OF OPERATION

The QF shall designate under contract its Mode of Operation from the following options, each of which determines the Company's method of payment.

- A. The QF may contract for the delivery of energy to the Company without reimbursement, designated as the Non-reimbursement Mode of Operation; or,
- B. The QF may contract for the delivery of non-firm energy to the Company (no payment for capacity). This option includes QFs that elect to contract to deliver non-firm energy to the Company on an as-available basis. Where the QF's generation facilities have an aggregate nameplate rating of designate the 100 kW or less the OF may Non-firm, Non-time-differentiated Mode of Operation. Regardless of nameplate rating the QF may designate the Non-firm, Time-differentiated Mode of Operation.
- C. The QF may contract for the delivery of firm energy and capacity to the Company. The level of capacity which the QF contracts to sell to the Company shall not exceed 5,000 kW, where the QF is defined under Paragraph I.A., or 3,000 kW otherwise. This capacity level, in kW, shall be referred to as the Contracted Capacity. When the QF elects to sell firm energy and capacity, the QF shall designate the Firm Mode of Operation.

V. PAYMENT FOR COMPANY PURCHASES OF NON-FIRM ENERGY

The QF may contract to receive payment for energy at rates to be determined with each revision of this schedule. These rates will be based upon the QF's Mode of Operation as described below. There are no capacity payments for the QFs that contract for non-firm energy.

(Continued)

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

(Continued)

V. PAYMENT FOR COMPANY PURCHASES OF NON-FIRM ENERGY (Continued)

- A. Non-reimbursement Mode of Operation. Where the QF designates the Non-Reimbursement Mode of Operation, no payment will be made for energy delivered.
- B. Non-time-differentiated Mode of Operation. Where the QF's generation facilities have an aggregate nameplate rating of 100 kW or less and the QF designates the Non-Firm, Non-time-differentiated Mode of Operation, the following rates in cents per kWh are applicable:

3.843

C. Time-differentiated Mode of Operation. Where the QF designates the Time-differentiated Mode of Operation, the following On- and Off-peak rates in cents per kWh are applicable:

On-peak	4.541
Off-peak	3.455

All energy purchase rates will be further increased by 3.0% to account for line losses avoided by the Company, except that upon the effective date of any Schedule 19 that is subsequently amended and approved by the Commission, the line loss percentage applied shall be the percentage stated in the then-current Schedule 19. In lieu of 3.0% or the line loss percentage stated in the then-current Schedule 19, the QF may request that a site specific line loss percentage be determined with the QF bearing the cost of the study required.

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

(Continued)

VI. PAYMENT FOR COMPANY PURCHASES OF FIRM ENERGY

QFs designating the Firm Mode of Operation will be eligible to receive purchase payments for the delivery of firm energy by the QF to the Company. The QF may contract to receive payments for firm energy based on A or B, below. Contract terms for 10 or 15 years are available only where the QF is defined under Paragraph I.A.

The QF may contract to receive payment for firm time-differentiated energy at rates to be determined with each revision of this schedule (Variable Rate). These rates in cents per kWh, which reflect the Company's estimated avoided energy cost for delivery of firm energy during 2013 or 2014, are as shown in the price tables below:

A. Option A: The QF may contract to receive energy purchase payments for the delivery of firm energy based upon fixed prices, as shown below in cents per kWh:

		Fix	ed Long-Ter	m Rate
	Variable Rate	<u>5-Year</u>	<u>10-Year</u>	<u>15-Year</u>
On-Peak (¢/kWh)	4.541	5.055	5.526	5.813
Off-Peak (¢/kWh)	3.455	3.964	4.388	4.661

B. Option B: The QF may contract to receive energy purchase payments for the delivery of firm energy based upon fixed prices, as shown below in cents per kWh:

(Continued)

Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

Filed 03-13-14 Electric-North Carolina

(Continued)

VI. PAYMENT FOR COMPANY PURCHASES OF FIRM ENERGY (Continued)

		1111	a Long-Tern	
	Variable Rate	5-Year	<u>10-Year</u>	15-Year
On-Peak (¢/kWh)	4.663	5.194	5.675	5.962
Off-Peak (¢/kWh)	3.614	4.119	4.549	4.824

Fixed Long-Term Rate

Any energy delivered above 100% up to 105% of QF's Contracted Capacity in any hour will be purchased at the then applicable non-firm energy rates under Schedule 19-FP. There will be no reimbursement for any energy delivered above 105% of QF's Contracted Capacity.

All energy purchase rates will be further increased by 3.0% to account for line losses avoided by the Company, except upon the effective date of any Schedule 19 that is subsequently amended and approved by the Commission, the line loss percentage applied shall be the percentage stated in the then-current Schedule 19. In lieu of 3.0% or the line loss percentage stated in the then-current Schedule 19, the QF may request that a site specific line loss percentage be determined with the QF bearing the cost of the study required.

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY

Company purchases of capacity are applicable only where the QF elects the Firm Mode of Operation. Capacity payments are applicable during on-peak hours only. Such QFs shall receive capacity purchase payments based on the applicable levelized capacity purchase price below, in cents per kWh, corresponding to the contract length in years. Contract terms for 10 or 15 years are available only where the QF is defined under Paragraph I.A.

Filed 03-13-14 Electric-North Carolina Superseding Filing Effective For Usage On and After 05-14-13 On an Interim Basis Pending Final Commission Order In This Docket. This Filing Effective For Usage On and After 03-28-14.

(Continued)

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY (Continued)

Option A:

For hydroelectric facilities with no storage capability and no other type of generation:

		Capacity Price	_
	<u>5-Year</u>	<u>10-Year 15-Year</u>	
On-Peak (¢/kWh) Summer	5.895	6.095 6.263	
Off-Peak (¢/kWh) Non-summer	3.930	4.063 4.175	
For all other facilities:			
		Capacity Price	
On-Peak (¢/kWh) Summer	<u>5-Year</u> 3.537	<u>10-Year</u> <u>15-Year</u> 3.657 3.758	

Option B:

Off-Peak (¢/kWh) Non-summer

For hydroelectric facilities with no storage capability and no other type of generation:

2.358

2.438

2.505

		Ca	pacity Price
On-Peak (¢/kWh) Summer Off-Peak (¢/kWh) Non-summer	<u>5-Year</u> 13.524 5.214	<u>10-Year</u> 13.982 5.390	<u>15-Year</u> 14.368 5.539
For all other facilities:		Ca	pacity Price
On-Peak (¢/kWh) Summer Off-Peak (¢/kWh) Non-summer	<u>5-Year</u> 8.115 3.128	<u>10-Year</u> 8.389 3.234	<u>15-Year</u> 8.621 3.323

Filed 03-13-14 Electric-North Carolina

Feb 27 2015

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

VII. PAYMENT FOR COMPANY PURCHASES OF CAPACITY (Continued)

Payments will be made to the QF by applying the appropriate levelized capacity purchase price above to all kWh delivered to the Company during each on-peak hour, up to the 100% of the Contracted Capacity in such hour. There will be no compensation for capacity in excess of the QF's Contracted Capacity in an hour. This capacity price will be in accordance with the length of rate term for capacity sales so established in the contract.

VIII. PROVISIONS FOR COMPANY PURCHASE OF THE QF GENERATION

- A. The QF shall own and be fully responsible for the costs and performance of the QF's:
 - 1. Generating facility in accordance with all applicable laws and governmental agencies having jurisdiction;
 - 2. Control and protective devices as required by the Company on the QF's side of the meter.
- B. The sale of power to the Company by a QF at avoided cost rates pursuant to this Schedule 19-FP does not convey ownership to the Company of the renewable energy credits or green tags associated with the QF facility.
- C. Upon request by the Company, the Cogenerator or Small Power Producer must demonstrate that the facility is a Qualifying Facility as defined by PURPA.
- D. Interconnection procedures for the QF's generation interconnection are provided through the Internet at the Company's website; <u>http://www.dom.com/dominion-north-carolina-power/customer-service/rat</u> <u>es-and-tariffs/pdf/term24.pdf</u>.

Filed 03-13-14 Electric-North Carolina

Feb 27 2015

EXHIBIT C

Schedule 19 - FP POWER PURCHASES FROM COGENERATION AND SMALL POWER PRODUCTION QUALIFYING FACILITIES

(Continued)

IX. MODIFICATION OF RATES AND OTHER PROVISIONS HEREUNDER

The provisions of this schedule, including the rates for purchase of energy and Contracted Capacity by the Company, are subject to modification at any time in the manner prescribed by law, and when so modified, shall supersede the rates and provisions hereof. However, payments to QFs with contracts for a specified term at payments established at the time the obligation is incurred shall remain at the payment levels established in their contract with the exception of the line loss percentage applied which shall be the percentage stated in the then-current Schedule 19.

If the QF terminates its contract to provide Contracted Capacity and energy to the Company prior to the expiration of the contract term, the QF shall, in addition to other liabilities, be liable to the Company for excess capacity and energy payments.

Such excess payments will be calculated by taking the difference between (1) the total capacity and energy payments already made by the Company to the QF and (2) capacity and energy payments calculated based on the levelized capacity and energy purchase price found in Paragraph VI and VII corresponding to the highest term option completed by the QF. These excess payments shall also include interest, from the time such excess payments were made, compounded annually at the rate equal to the Company's most current issue of long-term debt at the time of the contract's effective date.

X. TERM OF CONTRACT

The term of contract shall be such as may be mutually agreed upon but for not less than one year.

Filed 03-13-14 Electric-North Carolina

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, <u>www.ferc.gov/QF</u>. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. *See* 18 C.F.R. § 292.203.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button ()) for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget (OMB Control No. 1902-0075, expiration 05/31/2013). Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426; and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (<u>oira_submission@omb.eop.gov</u>). Include the Control No. 1902-0075 in any correspondence.

EXHIBIT

OMB Control # 1902-0075 Expiration 5/31/2013

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at <u>www.ferc.gov/QF</u> and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do <i>not</i> use this filing type to report new changes to a facility or its ownership; rather, use a self- recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

OFFICIAL COPY

Feb 27 2015

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

(1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at <u>www.ferc.gov/QF</u> and clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification *by the applicant itself* that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification *if such requests are made simultaneously*.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at <u>www.ferc.gov/QF</u> and clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at <u>http://earth.google.com</u>), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See <u>www.ferc.gov/help/filing-guide/file-ceii.asp</u> for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.

Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data <u>except</u> for data from the lines indicated below, which has been redacted.

Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment

Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above <u>all</u> fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

EXHIBIT E

Page 4 - Instructions

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street Three Radnor 100 Matsonfo	Corporate Center, Suite	300	
1c City Radnor		1d State/prov	ince
1e Postal code 19087	1f Country (if not United Stat	res)	1g Telephone number (866) 946-3123
1h Has the instant	facility ever previously been certified	d as a QF? Yes 🔀 🛚 1	No 🗌
1i If yes, provide th	e docket number of the last known	QF filing pertaining to tl	his facility: QF <u>13</u> - <u>279</u> - <u>000</u>
1j Under which cer	tification process is the applicant ma	aking this filing?	
Notice of self- (see note belo		Application for Co	ommission certification (requires filing e" section on page 3)
QF status. A no notice of self-co		ablish a proceeding, an	ility complies with the requirements for d the Commission does not review a om the Commission After You File"
	QF status is the applicant seeking fo	r its facility? (check all th	nat apply)
🔀 Qualifying sm	all power production facility status	Qualifying cogene	eration facility status
1I What is the purp	ose and expected effective date(s) o	of this filing?	
Original certif	ication; facility expected to be instal	led bya	nd to begin operation on
	a previously certified facility to be eff		1
	-	-	laneous section starting on page 19)
Name cha	nge and/or other administrative cha	nge(s)	
		power production capa	acity and/or cogeneration thermal output
	correction to a previous filing subm		
	supplement or correction in the Mise		ng on page 19)
· ·	lowing three statements is true, che ossible, explaining any special circun		ribe your situation and complete the forn neous section starting on page 19.
previously g	facility complies with the Commissic ranted by the Commission in an orc e Miscellaneous section starting on p	ler dated	virtue of a waiver of certain regulations (specify any other relevant waiver
	facility would comply with the Comr y with this application is granted	nission's QF requiremer	nts if a petition for waiver submitted
employmen	facility complies with the Commissic t of unique or innovative technolog tration of compliance via this form c	ies not contemplated by	the structure of this form, that make

FE	RC Form 556			EXHIBIT E Page 6 - All Faciliti
	2a Name of contact person			2b Telephone number
	Eric Blank, Manager			(866) 946-3123
	2c Which of the following describes t	the contact person's relati	onship to the ap	plicant? (check one)
_	Applicant (self)	oyee, owner or partner of a	pplicant authori	zed to represent the applicant
lo	Employee of a company affiliate	ed with the applicant auth	orized to repres	ent the applicant on this matter
lati	Lawyer, consultant, or other rep	presentative authorized to	represent the ap	oplicant on this matter
ru	2d Company or organization name ((if applicant is an individua	ll, check here and	d skip to line 2e)
ntc	Windsor Solar LLC			
Contact Information	2e Street address (if same as Applica	int, check here and skip to	line 3a) 🔀	
Ŭ	2f City		2g State/provi	nce
	2h Postal code	2i Country (if not United	States)	
			Statesy	
	3a Facility name			
uc	Windsor Solar			
atik	3b Street address (if a street address	does not exist for the faci	lity, check here a	nd skip to line 3c)
Ŭ O	Off 516 Old US 17 North		,,	
Facility Identification and Location	then you must specify the latitud the following formula to convert degrees + (minutes/60) + (second	le and longitude coordina to decimal degrees from o ds/3600). See the "Geogr	tes of the facility degrees, minutes aphic Coordinate	our facility by checking the box in line 3k in degrees (to three decimal places). Us and seconds: decimal degrees = es" section on page 4 for help. If you graphic coordinates below is optional.
dent	Longitude East (+) 76	.883 degrees	Latitude	\square North (+) 36.017 degrees
<u> </u>	3d City (if unincorporated, check her	re and enter nearest city) [rovince
	Windsor		NC	
ra(3f County (or check here for indeper	ndent city) 3g	Country (if not	United States)
	Bertie			
	Identify the electric utilities that are c	ontemplated to transact v	vith the facility.	
les	4a Identify utility interconnecting wi	ith the facility		
	Virginia Electric and Po	wer Company d/b/a	Dominion No:	rth Carolina Power
ID OL	4b Identify utilities providing wheeli	ing service or check here if	none 🔀	
E L	4c Identify utilities purchasing the us	seful electric power outpu	t or check here if	none
sac	Virginia Electric and Po			
Transacting Utilities				nce power, and/or interruptible power
1	Virginia Electric and Po	wer Company d/b/a	Dominion No:	rth Carolina Power

EXHIBIT E Page 7 - All Facilities

, i	wo direct owners with the largest equity interest in the facility.	Electric	utility or	n for the If Yes,
	Full legal names of direct owners	holo com	ding pany	% equity interest
1)	Windsor Solar LLC	Yes	No 🖂	
2)		Yes	No 🗌	
3)		Yes 🗌	No 🗌	
4)		Yes	No 🗌	
5)		Yes	No 🗌	
6)		Yes	No 🗌	
7)		Yes	No 🗌	
8)		Yes	No	
9)		Yes	No	
10)		Yes	No 🗌	
c c 1	Check here and continue in the Miscellaneous section starting on page 19 if add Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comp 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also equity interest in the facility held by such owners. (Note that, because upstream own	upstream ((2) are elect panies, as d provide the	tric utilitie efined in e percenta	s, as section ige of
c c 1 e a	Jpstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comp 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also	upstream ((2) are elect panies, as d provide the	tric utilitie efined in e percenta	s, as section ige of
c c 1 e a	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section ige of
c c 1 e a	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
c c 1 e a C	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
с с а с С С 1)	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
c c 1 e a C C 1) 2) 3) 4)	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
 c c 1 e a c a c a d <lid< li=""> d d d d<!--</td--><td>Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)</td><td>upstream ((2) are elect panies, as d provide the ners may be</td><td>tric utilitie efined in e percenta</td><td>s, as section age of ries of one % equity</td></lid<>	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
 c c 1 e a c a a<	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
 c c 1 e a c a d d<	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
 c c 1 e a C 1) 1) 2) 3) 4) 5) 6) 7) 8) 	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding complete (1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also requity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity
 c c 1 e a c a d d<	Jpstream (i.e., indirect) ownership as of effective date or operation date: Identify all of the facility that both (1) hold at least 10 percent equity interest in the facility, and (defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compare 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also require interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. ⊠ Full legal names of electric utility or holding company upstream own	upstream ((2) are elect panies, as d provide the ners may be	tric utilitie efined in e percenta	s, as section age of ries of one % equity

FEF	FERC Form 556 Page 8 - All Facilities							
	6a	Describe t	he primary energy input: (ch	neck one ma	ain category and	d, if applicable,	one subcategory)	
		Biomas	ss (specify)	R	enewable resou	rces (specify)	Geothermal	
		🗌 L	andfill gas		Hydro pow	er - river	Fossil fuel (spec	ify)
			Manure digester gas		Hydro pow	er - tidal	🗌 Coal (not	waste)
			Aunicipal solid waste		Hydro pow	er - wave	Fuel oil/d	iesel
			Sewage digester gas		Solar - pho	tovoltaic	🗌 Natural g	as (not waste)
		□ \	Vood		Solar - ther	mal	Other fos	
			Other biomass (describe on	page 19)	□ Wind			on page 19)
	[Waste	(specify type below in line 6	b)		wable resource on page 19)	e 🗌 Other (describe	on page 19)
	6b	If you spec	ified "waste" as the primary	energy inp	ut in line 6a, inc	licate the type	of waste fuel used: (cho	eck one)
		🗌 Wast	e fuel listed in 18 C.F.R. § 29	2.202(b) (sp	ecify one of the	following)		
			Anthracite culm produced	prior to Jul	y 23, 1985			
			Anthracite refuse that has a short of 45 percent		heat content of	6,000 Btu or le	ss per pound and has a	in average
			Bituminous coal refuse tha average ash content of 25			ent of 9,500 Btu	u per pound or less and	has an
nput			Top or bottom subbitumin determined to be waste by (BLM) or that is located on the applicant shows that th	v the United non-Federa	l States Departm al or non-Indian	nent of the Inte lands outside o	erior's Bureau of Land M of BLM's jurisdiction, pr	lanagement ovided that
Energy Input			Coal refuse produced on F BLM or that is located on n applicant shows that the la	on- Federa	or non-Indian l	ands outside o	f BLM's jurisdiction, pro	
ш			Lignite produced in associates as a result of such a mining		he production c	of montan wax	and lignite that becom	es exposed
			Gaseous fuels (except natu	ıral gas and	synthetic gas fr	om coal) (desc	ribe on page 19)	
	Waste natural gas from gas or oil wells (describe on page 19 how the gas meets the requirements of 18 C.F.R. § 2.400 for waste natural gas; include with your filing any materials necessary to demonstrate compliance with 18 C.F.R. § 2.400)							
			Materials that a governme	nt agency h	as certified for o	disposal by con	nbustion (describe on	bage 19)
			Heat from exothermic read	tions (desc	ribe on page 19)	Residual heat (describ	e on page 19)
			Used rubber tires] Plastic m	aterials	Refinery o	off-gas 🗌 Petr	oleum coke
		🗌 facilit	r waste energy input that ha y industry (describe in the <i>l</i> of commercial value and exi	Miscellaneo	us section starti	ng on page 19	; include a discussion o	
	 lack of commercial value and existence in the absence of the qualifying facility industry) 6c Provide the average energy input, calculated on a calendar year basis, in terms of Btu/h for the following foss energy inputs, and provide the related percentage of the total average annual energy input to the facility (18 292.202(j)). For any oil or natural gas fuel, use lower heating value (18 C.F.R. § 292.202(m)). 							
			Fuel		nual average en out for specified		Percentage of total annual energy input	
			Natural gas			0 Btu/h	0 %	
			Oil-based fuels			0 Btu/h	0 %	
			Coal			0 Btu/h	0 %	

Feb 27 2015

OFFICIAL COPY

Indicate the maximum gross and maximum net electric power production capacity of the facility at	the point(s) of
delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and, lines 7b through 7e are negligible, enter zero for those lines.	
7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	4,999 kW
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	
	2 kW
7c Electrical losses in interconnection transformers	10 kW
7d Electrical losses in AC/DC conversion equipment, if any	0 kW
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection	
with the utility	0 kV
7f Total deductions from gross power production capacity = $7b + 7c + 7d + 7e$	12.0 kW
	12.0 KV
7g Maximum net power production capacity = 7a - 7f	4,987.0 kW
	±,207.0 KV

EXHIBIT E

Page 9 - All Facilities

OFFICIAL COP

Feb 27 2015

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The generating system will be comprised of approximately 21,550 PV modules, attached to a ground-mounted single-axis tracking system. Each module will have a nominal power capacity of 290 Wp (DC). The entire system will have a nominal power capacity of 6,249,500 Wp (DC) with a DC/AC ratio of 1.25, yielding a maximum gross power production capacity of 4,999,600 Wp (AC). The system will utilize 10 pad-mounted inverters, each with a nominal power capacity of 500 kW (AC). The system will be interconnected to the electrical distribution network operated by Dominion North Carolina Power. The entire facility will be enclosed within a security fence.

FERC Form 556

Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8e below (as applicable). 8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or their affiliates, holds at least a 5 percent equity interest. Certification of Compliance Check here if no such facilities exist. Root docket # **Facility location** Maximum net power with Size Limitations (city or county, state) (if any) Common owner(s) production capacity 1) QF kW 2) QF kW 3) OF kW Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? Yes (continue at line 8c below) No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No 8d Did construction of the facility commence on or before December 31, 1999? Yes No 8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes 🗌 No 🗌 If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility. Pursuant to 18 C.F.R. § 292.204(b), gualifying small power production facilities may use fossil fuels, in minimal with Fuel Use Reguirements Certification of Compliance amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter. 9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel: Applicant certifies that the facility will use fossil fuels *exclusively* for the purposes listed above. 9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually: Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 $\left| \right\rangle$ percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

2015

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	energy (such as heat or s use of energy. Pursuant cycle cogeneration facili thermal application or p	92.202(c), a cogeneration facility produces electric energy and forms of useful thermal steam) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-ty, the use of reject heat from a power production process in sufficient amounts in a rocess to conform to the requirements of the operating standard contained in 18 C.F.R. § ottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal or power production.
	10a What type(s) of cog	eneration technology does the facility represent? (check all that apply)
	Topping-cycle	cogeneration Bottoming-cycle cogeneration
	other requirements balance diagram de meet certain requir	te the sequential operation of the cogeneration process, and to support compliance with s such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and ements, as described below. You must check next to the description of each requirement it you have complied with these requirements.
	Check to certify compliance with	
General Cogeneration Information	indicated requirement	Requirement
		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
eral Cogener Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
iene		Diagram must specify average gross electric output in kW or MW for each generator.
U		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/ (lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.

EXHIBIT E Page 12 - Cogeneration Facilities

OFFICIAL COPY

Feb 27 2015

EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.

11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No

11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No

If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.

11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?

Yes (continue at line 11d below)

No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.

11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?

Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.

No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.

11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?

Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.

No. Applicant certifies that energy will *not* be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of

18 C.F.R. § 292.205(d) before selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.

11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?

Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.

No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.

EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities

EXHIBIT E Page 13 - Cogeneration Facilities

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	
generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11 Is the response in line 11 i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use *in separate rows*. Average annual rate of

	Name of entity (thermal host) taking thermal output	Thermal host's relationship to facility; Thermal host's use of thermal output	thermal output attributable to use (net of heat contained in process return or make-up water)
1)		Select thermal host's relationship to facility	
1)		Select thermal host's use of thermal output	Btu/h
2)		Select thermal host's relationship to facility	
2)		Select thermal host's use of thermal output	Btu/h
3)		Select thermal host's relationship to facility	-
5)		Select thermal host's use of thermal output	Btu/h
1)		Select thermal host's relationship to facility	_
4)		Select thermal host's use of thermal output	Btu/h
5)		Select thermal host's relationship to facility	_
5)		Select thermal host's use of thermal output	Btu/h
6)		Select thermal host's relationship to facility	
6)		Select thermal host's use of thermal output	Btu/h

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Topping-Cycle Operating and Efficiency Value Calculation

EXHIBIT E Page 15 - Topping-Cycle Cogeneration Facilities

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

13a Indicate the annual average rate of useful thermal energy output made available		
to the host(s), net of any heat contained in condensate return or make-up water		Btu/h
13b Indicate the annual average rate of net electrical energy output		
		kW
I3c Multiply line 13b by 3,412 to convert from kW to Btu/h		Dr /l
3d Indicate the annual average rate of mechanical energy output taken directly off	0	Btu/h
of the shaft of a prime mover for purposes not directly related to power production		
this value is usually zero)		hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h		пр
	0	Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil		
		Btu/h
3g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)		
	0	%
I3h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f		
	0	%
13i Compliance with operating standard: Is the operating value shown in line 13g gre	eater than or equal to 5	%?
Yes (complies with operating standard) No (does not comply w	ith operating standard)	
13j Did installation of the facility in its current form commence on or after March 13, 1	980?	
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.20	5(a)(2) Demonstrate	
compliance with the efficiency requirement by responding to line 13k or 13l, a		
	••	
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13		
13k Compliance with efficiency standard (for low operating value): If the operating value	alue shown in line 13a i	is less
than 15%, then indicate below whether the efficiency value shown in line 13h greater		
Yes (complies with efficiency standard) No (does not comply w	ith efficiency standard)	
13I Compliance with efficiency standard (for high operating value): If the operating v	alue shown in line 13g	is
greater than or equal to 15%, then indicate below whether the efficiency value shown		
equal to 42.5%:	-	
Yes (complies with efficiency standard) No (does not comply w	ith efficiency standard)	
	in encicity standard)	

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a gualifying bottomingcycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below.

14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows. Has the energy input to

Name of entity (thermal host) performing the process from

the thermal host been augmented for purposes

	which at least some of the reject heat is used for power production	Thermal host's relationship to facility; Thermal host's process type	of increasing power production capacity? (if Yes, describe on p. 19)
1)		Select thermal host's relationship to facility	Yes No
1)		Select thermal host's process type	
2)		Select thermal host's relationship to facility	Yes No
2)		Select thermal host's process type	
2)		Select thermal host's relationship to facility	Yes No
3)		Select thermal host's process type	

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

Bottoming-Cycle Operating and

U U U

ue Calculation

EXHIBIT E

Page 17 - Bottoming-Cycle Cogeneration Facilities

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

15a Did installation of the facility in its current form commence on or after March 13, 1980?	
--	--

Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.

No. Your facility is exempt from the efficiency standard. Skip the rest of page 17.

	output kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	
	0 Btu/
15d Indicate the annual average rate of mechanical energy of	output taken directly off
of the shaft of a prime mover for purposes not directly related	d to power production
(this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	
	0 Btu/
15f Indicate the annual average rate of supplementary energy	gy input from natural gas
oroil	Btu/
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15	5f
	0 %
15h Compliance with efficiency standard: Indicate below wh than or equal to 45%:	nether the efficiency value shown in line 15g is greate

Feb 27 2015

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

Signer identified below certifies the following: (check all items and applicable subitems)

He or she has read the filing, including any information contained in any attached documents, such as cogeneration mass and heat balance diagrams, and any information contained in the Miscellaneous section starting on page 19, and knows its contents.

He or she has provided all of the required information for certification, and the provided information is true as stated, to the best of his or her knowledge and belief.

He or she possess full power and authority to sign the filing; as required by Rule 2005(a)(3) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(a)(3)), he or she is one of the following: (check one)

□ The person on whose behalf the filing is made

An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made

- An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made
- A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign

He or she has reviewed all automatic calculations and agrees with their results, unless otherwise noted in the Miscellaneous section starting on page 19.

He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.

Provide your signature, address and signature date below. Rule 2005(c) of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2005(c)) provides that persons filing their documents electronically may use typed characters representing his or her name to sign the filed documents. A person filing this document electronically should sign (by typing his or her name) in the space provided below.

Your Signature	Your address	Date
	Three Radnor Corporate Center,	
Eric Blank	Suite 300 Radnor, PA 19087	10/7/2013

Audit Notes

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

The purpose of this filing is to report the proposed increase in the size of the generating facility from 1.99MW (AC) to 4.99MW (AC). The ownership and the location of the facility has not changed.

Feb 27 2015

STATE OF NORTH CAROLINA UTILITIES COMMISSION RALEIGH

DOCKET NO. SP-2500, SUB 0 DOCKET NO. SP-2500, SUB 1

)

)

)

)

BEFORE THE NORTH CAROLINA UTILITIES COMMISSION

In the Matter of Application by Windsor Solar LLC for a Certificate of Public Convenience and Necessity to Construct a 4.99-MW Solar Facility in Bertie County, North Carolina

ORDER ISSUING CERTIFICATE AND ACCEPTING REGISTRATION OF NEW RENEWABLE ENERGY FACILITY

BY THE COMMISSION: On February 11, 2013, Windsor Solar LLC (Applicant) filed a report of proposed construction (ROPC) in Docket No. SP-2500, Sub 0, for a 1.99-MW_{AC} solar photovoltaic electric generating facility to be located at 516 Old U.S. Highway 17 North, Windsor, Bertie County, North Carolina. Contemporaneously with the filing of the ROPC, the Applicant filed a registration statement for a new renewable energy facility. The Commission issued an order accepting the registration statement on June 5, 2013.

On October 7, 2013, the Applicant filed an application with the Commission in Docket No. SP-2500, Sub 1, seeking a certificate of public convenience and necessity pursuant to G.S. 62-110.1 for construction of a 4.99-MW_{AC} solar photovoltaic electric generating facility to be located at the same location. The Applicant seeks to increase the size of the originally proposed facility which necessitates a new certificate application. The Applicant plans to sell the electricity generated by this facility to Dominion North Carolina Power (DNCP).

Contemporaneously with the application, the Applicant filed a revised registration statement for a new renewable energy facility. The registration statement included certified attestations that (1) the facility is in substantial compliance with all federal and state laws, regulations, and rules for the protection of the environment and conservation of natural resources; (2) the facility will be operated as a new renewable energy facility; (3) the Applicant will not remarket or otherwise resell any renewable energy certificates (RECs) sold to an electric power supplier to comply with G.S. 62-133.8; and (4) the Applicant will consent to the auditing of its books and records by the Public Staff insofar as those records relate to transactions with North Carolina electric power suppliers. The Applicant plans to participate in the PJM Generation Attribute Tracking System for the issuance of RECs.

On October 8, 2013, the Commission issued an Order Requiring Publication of Notice, which required the Applicant to (1) publish notice of the application as required by G.S. 62-82(a) and file an affidavit of publication with the Commission, (2) mail a copy

of the application and notice, no later than the first date that such notice is published, to the electric utility to which the Applicant plans to sell and distribute the electricity, and (3) file a certificate of service of the mailing to the utility. The Order also specified that if a complaint was received within 10 days after the last date of the publication of the notice, the Commission would schedule a public hearing to determine whether a certificate of public convenience and necessity should be awarded. The Order further specified that if the Commission received no complaints within the time specified above, and if the Commission did not order a hearing upon its own initiative, it would enter an order awarding the certificate of public convenience and necessity.

On November 18, 2013, the State Clearinghouse filed comments. Because of the nature of the comments, the cover letter indicated that no further State Clearinghouse review action by the Commission was required for compliance with the North Carolina Environmental Policy Act.

On November 20, 2013, the Applicant filed a certificate of service stating that the public notice and a copy of the application for a certificate of public convenience and necessity were provided to DNCP.

On January 8, 2014, the Applicant filed a site diagram of the facility at the request of the Public Staff providing more detailed information on the projected layout of the facility.

On January 17, 2014, the Applicant filed an affidavit of publication from the Bertie Ledger-Advance stating that the publication of notice was completed on December 18, 2013. No complaints have been received.

The Public Staff presented this matter to the Commission at its Regular Staff Conference on February 3, 2014. The Public Staff recommended that the Commission cancel the Applicant's registration in Docket No. SP-2500, Sub 0, and close that docket, approve the application, issue the requested certificate of public convenience and necessity, and accept the registration statement.

After careful consideration, the Commission finds good cause to approve the application and issue the attached certificate of public convenience and necessity for the proposed solar photovoltaic electric generating facility. The Commission further finds good cause, based upon the foregoing and the entire record in this proceeding, to accept registration of the facility as a new renewable energy facility. Further, the Commission finds good cause to cancel the Applicant's registration in Docket No. SP-2500, Sub 0, and close that docket.

The Applicant shall annually file the information required by Commission Rule R8-66 on or before April 1 of each year. To the extent that the Applicant is not otherwise participating in a REC tracking system, the Applicant will be required to participate in the NC-RETS REC tracking system in order to facilitate the issuance of RECs.

IT IS, THEREFORE, ORDERED as follows:

1. That the application filed by Windsor Solar LLC for a certificate of public convenience and necessity shall be, and is hereby, approved.

2. That Appendix A shall constitute the certificate of public convenience and necessity issued to Windsor Solar LLC for the 4.99-MW_{AC} solar photovoltaic electric generating facility located at 516 Old U.S. Highway 17 North, Windsor, Bertie County, North Carolina.

3. That the registration statement filed by Windsor Solar LLC for its solar photovoltaic facility located in Bertie County, North Carolina, as a new renewable energy facility shall be, and is hereby, accepted.

4. That Windsor Solar LLC shall annually file the information required by Commission Rule R8-66 on or before April 1 of each year.


5. That the registration by Windsor Solar LLC in Docket No. SP-2500, Sub 0, as a new renewable energy facility shall be, and is hereby, cancelled.

6. That Docket No. SP-2500, Sub 0, shall be, and is hereby, closed.

ISSUED BY ORDER OF THE COMMISSION.

This the $\underline{5^{\text{th}}}$ day of February, 2014.

NORTH CAROLINA UTILITIES COMMISSION



Gail L. Mount, Chief Clerk

DOCKET NO. SP-2500, SUB 1

Windsor Solar LLC Three Radnor Corporate Center, Suite 300 100 Matsonford Road Radnor, Pennsylvania 19087

is hereby issued this

CERTIFICATE OF PUBLIC CONVENIENCE AND NECESSITY PURSUANT TO G.S. 62-110.1

for a 4.99-MW_{AC} solar photovoltaic electric generating facility

located at

516 Old U.S. Highway 17 North, Windsor, Bertie County, North Carolina,

subject to all orders, rules, regulations and conditions as are now or may hereafter be lawfully made by the North Carolina Utilities Commission.

ISSUED BY ORDER OF THE COMMISSION.

This the <u>5th</u> day of February, 2014.

NORTH CAROLINA UTILITIES COMMISSION

Hail L. Mount

Gail L. Mount, Chief Clerk