

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/20/1993	FIELD BLANK	pH	FALSE	8.2		0		0 S.U.			0
12/20/1993	FIELD BLANK	Specific Conductance	FALSE	16		0		0 umhos/cm			0
12/20/1993	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/20/1993	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/20/1993	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/20/1993	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/20/1993	FIELD BLANK	Temperature	FALSE	10		0		0 Degrees C			0
12/20/1993	PW-1	pH	FALSE	7.1		0		0 S.U.			0
12/20/1993	PW-1	Specific Conductance	FALSE	182		0		0 umhos/cm			0
12/20/1993	PW-1	Total Dissolved Solids (TDS)	FALSE	177		10		50 mg/L			0
12/20/1993	PW-1	Sulfate	FALSE	6.56		0.5		0.5 mg/L			0
12/20/1993	PW-1	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
12/20/1993	PW-1	Dissolved Manganese	FALSE	0.07 J		0.02		0.1 mg/L			0
12/20/1993	PW-1	Temperature	FALSE	14		0		0 Degrees C			0
12/20/1993	PW-1	Sample Time	FALSE	1300		0		0 hours			0
12/20/1993	PW-1 DUP	pH	FALSE	7.1		0		0 S.U.			0
12/20/1993	PW-1 DUP	Specific Conductance	FALSE	183		0		0 umhos/cm			0
12/20/1993	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	180.5		10		50 mg/L			0
12/20/1993	PW-1 DUP	Sulfate	FALSE	6.4		0.5		0.5 mg/L			0
12/20/1993	PW-1 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
12/20/1993	PW-1 DUP	Dissolved Manganese	FALSE	0.08 J		0.02		0.1 mg/L			0
12/20/1993	PW-1 DUP	Temperature	FALSE	14		0		0 Degrees C			0
12/20/1993	PW-1 DUP	Sample Time	FALSE	1302		0		0 hours			0
12/20/1993	PW-6	pH	FALSE	6.9		0		0 S.U.			0
12/20/1993	PW-6	Specific Conductance	FALSE	148		0		0 umhos/cm			0
12/20/1993	PW-6	Total Dissolved Solids (TDS)	FALSE	157.5		10		50 mg/L			0
12/20/1993	PW-6	Sulfate	FALSE	3.11		0.5		0.5 mg/L			0
12/20/1993	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
12/20/1993	PW-6	Dissolved Manganese	FALSE	0.11		0.02		0.1 mg/L			0
12/20/1993	PW-6	Temperature	FALSE	12.7		0		0 Degrees C			0
12/20/1993	PW-6	Sample Time	FALSE	1500		0		0 hours			0
12/20/1993	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/20/1993	TRIP BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/20/1993	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/20/1993	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/23/1994	FIELD BLANK	pH	FALSE	7.8		0		0 S.U.			0
3/23/1994	FIELD BLANK	Specific Conductance	FALSE	23		0		0 umhos/cm			0
3/23/1994	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/23/1994	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/23/1994	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/23/1994	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/23/1994	FIELD BLANK	Temperature	FALSE	20.7		0		0 Degrees C			0
3/23/1994	PW-1	Static Water Level	FALSE	349.46		0		0 feet msl			0
3/23/1994	PW-1	pH	FALSE	7.4		0		0 S.U.			0
3/23/1994	PW-1	Specific Conductance	FALSE	196		0		0 umhos/cm			0
3/23/1994	PW-1	Total Dissolved Solids (TDS)	FALSE	148		10		50 mg/L			0
3/23/1994	PW-1	Sulfate	FALSE	6.39		0.5		0.5 mg/L			0
3/23/1994	PW-1	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/23/1994	PW-1	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/23/1994	PW-1	Temperature	FALSE	16.3		0	0	Degrees C			0
3/23/1994	PW-1	Sample Time	FALSE	1058		0	0	hours			0
3/23/1994	PW-2	Static Water Level	FALSE	359.52		0	0	feet msl			0
3/23/1994	PW-2	pH	FALSE	6.7		0	0	S.U.			0
3/23/1994	PW-2	Specific Conductance	FALSE	180		0	0	umhos/cm			0
3/23/1994	PW-2	Total Dissolved Solids (TDS)	FALSE	186.5		10	50	mg/L			0
3/23/1994	PW-2	Sulfate	TRUE	0		0.5	0.5	mg/L			0
3/23/1994	PW-2	Dissolved Chromium	FALSE	0.001 J		0.001	0.005	mg/L			0
3/23/1994	PW-2	Dissolved Manganese	FALSE	0.97		0.02	0.1	mg/L			0
3/23/1994	PW-2	Temperature	FALSE	16.5		0	0	Degrees C			0
3/23/1994	PW-2	Sample Time	FALSE	1620		0	0	hours			0
3/23/1994	PW-3	Static Water Level	FALSE	353.23		0	0	feet msl			0
3/23/1994	PW-3	pH	FALSE	6.7		0	0	S.U.			0
3/23/1994	PW-3	Specific Conductance	FALSE	100		0	0	umhos/cm			0
3/23/1994	PW-3	Total Dissolved Solids (TDS)	FALSE	100.5		10	50	mg/L			0
3/23/1994	PW-3	Sulfate	FALSE	2.71		0.5	0.5	mg/L			0
3/23/1994	PW-3	Dissolved Chromium	FALSE	0.002 J		0.001	0.005	mg/L			0
3/23/1994	PW-3	Dissolved Manganese	FALSE	0.21		0.02	0.1	mg/L			0
3/23/1994	PW-3	Temperature	FALSE	17.3		0	0	Degrees C			0
3/23/1994	PW-3	Sample Time	FALSE	1600		0	0	hours			0
3/23/1994	PW-4	Static Water Level	FALSE	347.32		0	0	feet msl			0
3/23/1994	PW-4	pH	FALSE	6.3		0	0	S.U.			0
3/23/1994	PW-4	Specific Conductance	FALSE	322		0	0	umhos/cm			0
3/23/1994	PW-4	Total Dissolved Solids (TDS)	FALSE	284.5		10	50	mg/L			0
3/23/1994	PW-4	Sulfate	FALSE	9.87		0.5	0.5	mg/L			0
3/23/1994	PW-4	Dissolved Chromium	FALSE	0.004 J		0.001	0.005	mg/L			0
3/23/1994	PW-4	Dissolved Manganese	FALSE	0.34		0.02	0.1	mg/L			0
3/23/1994	PW-4	Temperature	FALSE	16.4		0	0	Degrees C			0
3/23/1994	PW-4	Sample Time	FALSE	1515		0	0	hours			0
3/23/1994	PW-5	Static Water Level	FALSE	345.54		0	0	feet msl			0
3/23/1994	PW-5	pH	FALSE	7.3		0	0	S.U.			0
3/23/1994	PW-5	Specific Conductance	FALSE	201		0	0	umhos/cm			0
3/23/1994	PW-5	Total Dissolved Solids (TDS)	FALSE	215		10	50	mg/L			0
3/23/1994	PW-5	Sulfate	FALSE	6.37		0.5	0.5	mg/L			0
3/23/1994	PW-5	Dissolved Chromium	FALSE	0.002 J		0.001	0.005	mg/L			0
3/23/1994	PW-5	Dissolved Manganese	FALSE	0.02 J		0.02	0.1	mg/L			0
3/23/1994	PW-5	Temperature	FALSE	17.2		0	0	Degrees C			0
3/23/1994	PW-5	Sample Time	FALSE	1424		0	0	hours			0
3/23/1994	PW-5 DUP	pH	FALSE	7.2		0	0	S.U.			0
3/23/1994	PW-5 DUP	Specific Conductance	FALSE	199		0	0	umhos/cm			0
3/23/1994	PW-5 DUP	Total Dissolved Solids (TDS)	FALSE	202		10	50	mg/L			0
3/23/1994	PW-5 DUP	Sulfate	FALSE	6.15		0.5	0.5	mg/L			0
3/23/1994	PW-5 DUP	Dissolved Chromium	FALSE	0.002 J		0.001	0.005	mg/L			0
3/23/1994	PW-5 DUP	Dissolved Manganese	FALSE	0.03 J		0.02	0.1	mg/L			0
3/23/1994	PW-5 DUP	Temperature	FALSE	17.2		0	0	Degrees C			0
3/23/1994	PW-5 DUP	Sample Time	FALSE	1430		0	0	hours			0
3/23/1994	PW-6	Static Water Level	FALSE	345.55		0	0	feet msl			0
3/23/1994	PW-6	pH	FALSE	7.6		0	0	S.U.			0
3/23/1994	PW-6	Specific Conductance	FALSE	156		0	0	umhos/cm			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/23/1994	PW-6	Total Dissolved Solids (TDS)	FALSE	143.5		10		50 mg/L			0
3/23/1994	PW-6	Sulfate	FALSE	2.3		0.5		0.5 mg/L			0
3/23/1994	PW-6	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/23/1994	PW-6	Dissolved Manganese	FALSE	0.17		0.02		0.1 mg/L			0
3/23/1994	PW-6	Temperature	FALSE	16.1		0		0 Degrees C			0
3/23/1994	PW-6	Sample Time	FALSE	1115		0		0 hours			0
3/23/1994	PW-7	Static Water Level	FALSE	345.47		0		0 feet msl			0
3/23/1994	PW-7	pH	FALSE	7.6		0		0 S.U.			0
3/23/1994	PW-7	Specific Conductance	FALSE	133		0		0 umhos/cm			0
3/23/1994	PW-7	Total Dissolved Solids (TDS)	FALSE	127.5		10		50 mg/L			0
3/23/1994	PW-7	Sulfate	FALSE	3.42		0.5		0.5 mg/L			0
3/23/1994	PW-7	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
3/23/1994	PW-7	Dissolved Manganese	FALSE	0.04	J	0.02		0.1 mg/L			0
3/23/1994	PW-7	Temperature	FALSE	16.8		0		0 Degrees C			0
3/23/1994	PW-7	Sample Time	FALSE	1216		0		0 hours			0
3/23/1994	PW-8	Static Water Level	FALSE	345.52		0		0 feet msl			0
3/23/1994	PW-8	pH	FALSE	7.3		0		0 S.U.			0
3/23/1994	PW-8	Specific Conductance	FALSE	147		0		0 umhos/cm			0
3/23/1994	PW-8	Total Dissolved Solids (TDS)	FALSE	125		10		50 mg/L			0
3/23/1994	PW-8	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/23/1994	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
3/23/1994	PW-8	Dissolved Manganese	FALSE	0.04	J	0.02		0.1 mg/L			0
3/23/1994	PW-8	Temperature	FALSE	17.1		0		0 Degrees C			0
3/23/1994	PW-8	Sample Time	FALSE	1303		0		0 hours			0
3/23/1994	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/23/1994	TRIP BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/23/1994	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/23/1994	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/13/1994	FIELD BLANK	pH	FALSE	7.9		0		0 S.U.			0
6/13/1994	FIELD BLANK	Specific Conductance	FALSE	6		0		0 umhos/cm			0
6/13/1994	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/13/1994	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/13/1994	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/13/1994	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/13/1994	FIELD BLANK	Temperature	FALSE	26.1		0		0 Degrees C			0
6/13/1994	FIELD BLANK	Sample Time	FALSE	1145		0		0 hours			0
6/13/1994	PW-1	Static Water Level	FALSE	349.51		0		0 feet msl			0
6/13/1994	PW-1	pH	FALSE	7.3		0		0 S.U.			0
6/13/1994	PW-1	Specific Conductance	FALSE	219		0		0 umhos/cm			0
6/13/1994	PW-1	Total Dissolved Solids (TDS)	FALSE	223		10		50 mg/L			0
6/13/1994	PW-1	Sulfate	FALSE	7.93		0.5		0.5 mg/L			0
6/13/1994	PW-1	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/13/1994	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/13/1994	PW-1	Temperature	FALSE	17.9		0		0 Degrees C			0
6/13/1994	PW-2	Static Water Level	FALSE	347.18		0		0 feet msl			0
6/13/1994	PW-2	pH	FALSE	6.4		0		0 S.U.			0
6/13/1994	PW-2	Specific Conductance	FALSE	141		0		0 umhos/cm			0
6/13/1994	PW-2	Total Dissolved Solids (TDS)	FALSE	200.5		10		50 mg/L			0
6/13/1994	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/13/1994	PW-2	Dissolved Chromium	FALSE	0.001	J	0.001	0.005	mg/L			0
6/13/1994	PW-2	Dissolved Manganese	FALSE	1.1		0.02	0.1	mg/L			0
6/13/1994	PW-2	Temperature	FALSE	18.1		0	0	Degrees C			0
6/13/1994	PW-2	Sample Time	FALSE	1645		0	0	hours			0
6/13/1994	PW-3	Static Water Level	FALSE	351.76		0	0	feet msl			0
6/13/1994	PW-3	pH	FALSE	6.3		0	0	S.U.			0
6/13/1994	PW-3	Specific Conductance	FALSE	88		0	0	umhos/cm			0
6/13/1994	PW-3	Total Dissolved Solids (TDS)	FALSE	156.5		10	50	mg/L			0
6/13/1994	PW-3	Sulfate	FALSE	2.53		0.5	0.5	mg/L			0
6/13/1994	PW-3	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L			0
6/13/1994	PW-3	Dissolved Manganese	FALSE	0.21		0.02	0.1	mg/L			0
6/13/1994	PW-3	Temperature	FALSE	17.8		0	0	Degrees C			0
6/13/1994	PW-3	Sample Time	FALSE	1655		0	0	hours			0
6/13/1994	PW-4	Static Water Level	FALSE	345.52		0	0	feet msl			0
6/13/1994	PW-4	pH	FALSE	6.4		0	0	S.U.			0
6/13/1994	PW-4	Specific Conductance	FALSE	340		0	0	umhos/cm			0
6/13/1994	PW-4	Total Dissolved Solids (TDS)	FALSE	402.5		10	50	mg/L			0
6/13/1994	PW-4	Sulfate	FALSE	10.02		0.5	0.5	mg/L			0
6/13/1994	PW-4	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L			0
6/13/1994	PW-4	Dissolved Manganese	FALSE	0.24		0.02	0.1	mg/L			0
6/13/1994	PW-4	Temperature	FALSE	19		0	0	Degrees C			0
6/13/1994	PW-4	Sample Time	FALSE	1609		0	0	hours			0
6/13/1994	PW-5	Static Water Level	FALSE	343.84		0	0	feet msl			0
6/13/1994	PW-5	pH	FALSE	6.7		0	0	S.U.			0
6/13/1994	PW-5	Specific Conductance	FALSE	196		0	0	umhos/cm			0
6/13/1994	PW-5	Total Dissolved Solids (TDS)	FALSE	218.5		10	50	mg/L			0
6/13/1994	PW-5	Sulfate	FALSE	6.77		0.5	0.5	mg/L			0
6/13/1994	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001	0.005	mg/L			0
6/13/1994	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/13/1994	PW-5	Temperature	FALSE	19.1		0	0	Degrees C			0
6/13/1994	PW-5	Sample Time	FALSE	1430		0	0	hours			0
6/13/1994	PW-6	Static Water Level	FALSE	344.73		0	0	feet msl			0
6/13/1994	PW-6	pH	FALSE	6.7		0	0	S.U.			0
6/13/1994	PW-6	Specific Conductance	FALSE	148		0	0	umhos/cm			0
6/13/1994	PW-6	Total Dissolved Solids (TDS)	FALSE	204		10	50	mg/L			0
6/13/1994	PW-6	Sulfate	FALSE	2.69		0.5	0.5	mg/L			0
6/13/1994	PW-6	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L			0
6/13/1994	PW-6	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L			0
6/13/1994	PW-6	Temperature	FALSE	17.6		0	0	Degrees C			0
6/13/1994	PW-6	Sample Time	FALSE	1310		0	0	hours			0
6/13/1994	PW-7	Static Water Level	FALSE	344.06		0	0	feet msl			0
6/13/1994	PW-7	pH	FALSE	6.8		0	0	S.U.			0
6/13/1994	PW-7	Specific Conductance	FALSE	122		0	0	umhos/cm			0
6/13/1994	PW-7	Total Dissolved Solids (TDS)	FALSE	153.5		10	50	mg/L			0
6/13/1994	PW-7	Sulfate	FALSE	4.52		0.5	0.5	mg/L			0
6/13/1994	PW-7	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L			0
6/13/1994	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/13/1994	PW-7	Temperature	FALSE	17.8		0	0	Degrees C			0
6/13/1994	PW-7	Sample Time	FALSE	1236		0	0	hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/13/1994	PW-8	Static Water Level	FALSE	344.5		0		0 feet msl			0
6/13/1994	PW-8	pH	FALSE	6.9		0		0 S.U.			0
6/13/1994	PW-8	Specific Conductance	FALSE	122		0		0 umhos/cm			0
6/13/1994	PW-8	Total Dissolved Solids (TDS)	FALSE	164.5		10		50 mg/L			0
6/13/1994	PW-8	Sulfate	FALSE	4.92		0.5		0.5 mg/L			0
6/13/1994	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/13/1994	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/13/1994	PW-8	Temperature	FALSE	17.6		0		0 Degrees C			0
6/13/1994	PW-8	Sample Time	FALSE	1200		0		0 hours			0
6/13/1994	PW-8 DUP	pH	FALSE	6.8		0		0 S.U.			0
6/13/1994	PW-8 DUP	Specific Conductance	FALSE	136		0		0 umhos/cm			0
6/13/1994	PW-8 DUP	Total Dissolved Solids (TDS)	FALSE	155		10		50 mg/L			0
6/13/1994	PW-8 DUP	Sulfate	FALSE	4.79		0.5		0.5 mg/L			0
6/13/1994	PW-8 DUP	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/13/1994	PW-8 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/13/1994	PW-8 DUP	Temperature	FALSE	17.1		0		0 Degrees C			0
6/13/1994	PW-8 DUP	Sample Time	FALSE	1200		0		0 hours			0
9/12/1994	FIELD BLANK	pH	FALSE	7.5		0		0 S.U.			0
9/12/1994	FIELD BLANK	Specific Conductance	FALSE	7		0		0 umhos/cm			0
9/12/1994	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/12/1994	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/12/1994	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/12/1994	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/12/1994	FIELD BLANK	Temperature	FALSE	25.7		0		0 Degrees C			0
9/12/1994	FIELD BLANK	Sample Time	FALSE	1300		0		0 hours			0
9/12/1994	PW-1	Static Water Level	FALSE	348.27		0		0 feet msl			0
9/12/1994	PW-1	pH	FALSE	6.8		0		0 S.U.			0
9/12/1994	PW-1	Specific Conductance	FALSE	243		0		0 umhos/cm			0
9/12/1994	PW-1	Total Dissolved Solids (TDS)	FALSE	177.5		10		50 mg/L			0
9/12/1994	PW-1	Sulfate	FALSE	8.51		0.5		0.5 mg/L			0
9/12/1994	PW-1	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/12/1994	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/12/1994	PW-1	Temperature	FALSE	17.7		0		0 Degrees C			0
9/12/1994	PW-1	Sample Time	FALSE	1200		0		0 hours			0
9/12/1994	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	174.5		10		50 mg/L			0
9/12/1994	PW-1 DUP	Sulfate	FALSE	8.8		0.5		0.5 mg/L			0
9/12/1994	PW-1 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/12/1994	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/12/1994	PW-2	Static Water Level	FALSE	354.99		0		0 feet msl			0
9/12/1994	PW-2	pH	FALSE	6.2		0		0 S.U.			0
9/12/1994	PW-2	Specific Conductance	FALSE	169		0		0 umhos/cm			0
9/12/1994	PW-2	Total Dissolved Solids (TDS)	FALSE	150		10		50 mg/L			0
9/12/1994	PW-2	Sulfate	FALSE	2.85		0.5		0.5 mg/L			0
9/12/1994	PW-2	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/12/1994	PW-2	Dissolved Manganese	FALSE	1.17		0.02		0.1 mg/L			0
9/12/1994	PW-2	Temperature	FALSE	16.7		0		0 Degrees C			0
9/12/1994	PW-2	Sample Time	FALSE	1635		0		0 hours			0
9/12/1994	PW-3	Static Water Level	FALSE	349.06		0		0 feet msl			0
9/12/1994	PW-3	pH	FALSE	6.4		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/12/1994	PW-3	Specific Conductance	FALSE	92		0		0 umhos/cm			0
9/12/1994	PW-3	Total Dissolved Solids (TDS)	FALSE	111		10		50 mg/L			0
9/12/1994	PW-3	Sulfate	FALSE	1.74		0.5		0.5 mg/L			0
9/12/1994	PW-3	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
9/12/1994	PW-3	Dissolved Manganese	FALSE	0.14		0.02		0.1 mg/L			0
9/12/1994	PW-3	Temperature	FALSE	18.2		0		0 Degrees C			0
9/12/1994	PW-3	Sample Time	FALSE	1620		0		0 hours			0
9/12/1994	PW-4	Static Water Level	FALSE	342.72		0		0 feet msl			0
9/12/1994	PW-4	pH	FALSE	6.5		0		0 S.U.			0
9/12/1994	PW-4	Specific Conductance	FALSE	340		0		0 umhos/cm			0
9/12/1994	PW-4	Total Dissolved Solids (TDS)	FALSE	273.5		10		50 mg/L			0
9/12/1994	PW-4	Sulfate	FALSE	8.91		0.5		0.5 mg/L			0
9/12/1994	PW-4	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/12/1994	PW-4	Dissolved Manganese	FALSE	0.27		0.02		0.1 mg/L			0
9/12/1994	PW-4	Temperature	FALSE	17.8		0		0 Degrees C			0
9/12/1994	PW-4	Sample Time	FALSE	1520		0		0 hours			0
9/12/1994	PW-5	Static Water Level	FALSE	342.02		0		0 feet msl			0
9/12/1994	PW-5	pH	FALSE	6.7		0		0 S.U.			0
9/12/1994	PW-5	Specific Conductance	FALSE	191		0		0 umhos/cm			0
9/12/1994	PW-5	Total Dissolved Solids (TDS)	FALSE	169		10		50 mg/L			0
9/12/1994	PW-5	Sulfate	FALSE	0.6		0.5		0.5 mg/L			0
9/12/1994	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
9/12/1994	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/12/1994	PW-5	Temperature	FALSE	18		0		0 Degrees C			0
9/12/1994	PW-5	Sample Time	FALSE	1500		0		0 hours			0
9/12/1994	PW-6	Static Water Level	FALSE	342.08		0		0 feet msl			0
9/12/1994	PW-6	pH	FALSE	6.2		0		0 S.U.			0
9/12/1994	PW-6	Specific Conductance	FALSE	144		0		0 umhos/cm			0
9/12/1994	PW-6	Total Dissolved Solids (TDS)	FALSE	135.5		10		50 mg/L			0
9/12/1994	PW-6	Sulfate	FALSE	2.7		0.5		0.5 mg/L			0
9/12/1994	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/12/1994	PW-6	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
9/12/1994	PW-6	Temperature	FALSE	18		0		0 Degrees C			0
9/12/1994	PW-6	Sample Time	FALSE	1340		0		0 hours			0
9/12/1994	PW-7	Static Water Level	FALSE	342.14		0		0 feet msl			0
9/12/1994	PW-7	pH	FALSE	6.3		0		0 S.U.			0
9/12/1994	PW-7	Specific Conductance	FALSE	119		0		0 umhos/cm			0
9/12/1994	PW-7	Total Dissolved Solids (TDS)	FALSE	115		10		50 mg/L			0
9/12/1994	PW-7	Sulfate	FALSE	4.27		0.5		0.5 mg/L			0
9/12/1994	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
9/12/1994	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/12/1994	PW-7	Temperature	FALSE	17.8		0		0 Degrees C			0
9/12/1994	PW-7	Sample Time	FALSE	1300		0		0 hours			0
9/12/1994	PW-8	Static Water Level	FALSE	342.55		0		0 feet msl			0
9/12/1994	PW-8	pH	FALSE	6.6		0		0 S.U.			0
9/12/1994	PW-8	Specific Conductance	FALSE	132		0		0 umhos/cm			0
9/12/1994	PW-8	Total Dissolved Solids (TDS)	FALSE	123.5		10		50 mg/L			0
9/12/1994	PW-8	Sulfate	FALSE	2.22		0.5		0.5 mg/L			0
9/12/1994	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/12/1994	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/12/1994	PW-8	Temperature	FALSE	17.3		0		0 Degrees C			0
9/12/1994	PW-8	Sample Time	FALSE	1320		0		0 hours			0
12/13/1994	FIELD BLANK	pH	FALSE	9.7		0		0 S.U.			0
12/13/1994	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm			0
12/13/1994	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/13/1994	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/13/1994	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/13/1994	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/13/1994	FIELD BLANK	Temperature	FALSE	7		0		0 Degrees C			0
12/13/1994	FIELD BLANK	Sample Time	FALSE	1020		0		0 hours			0
12/13/1994	PW-1	Static Water Level	FALSE	347.14		0		0 feet msl			0
12/13/1994	PW-1	pH	FALSE	7.6		0		0 S.U.			0
12/13/1994	PW-1	Specific Conductance	FALSE	249		0		0 umhos/cm			0
12/13/1994	PW-1	Total Dissolved Solids (TDS)	FALSE	193.5		10		50 mg/L			0
12/13/1994	PW-1	Sulfate	FALSE	6.98		0.5		0.5 mg/L			0
12/13/1994	PW-1	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
12/13/1994	PW-1	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
12/13/1994	PW-1	Temperature	FALSE	14.5		0		0 Degrees C			0
12/13/1994	PW-1	Sample Time	FALSE	1235		0		0 hours			0
12/13/1994	PW-2	Static Water Level	FALSE	353.44		0		0 feet msl			0
12/13/1994	PW-2	pH	FALSE	6.4		0		0 S.U.			0
12/13/1994	PW-2	Specific Conductance	FALSE	134		0		0 umhos/cm			0
12/13/1994	PW-2	Total Dissolved Solids (TDS)	FALSE	151.5		10		50 mg/L			0
12/13/1994	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/13/1994	PW-2	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L			0
12/13/1994	PW-2	Dissolved Manganese	FALSE	0.55		0.02		0.1 mg/L			0
12/13/1994	PW-2	Temperature	FALSE	13.4		0		0 Degrees C			0
12/13/1994	PW-2	Sample Time	FALSE	1540		0		0 hours			0
12/13/1994	PW-3	Static Water Level	FALSE	349.56		0		0 feet msl			0
12/13/1994	PW-3	pH	FALSE	6.4		0		0 S.U.			0
12/13/1994	PW-3	Specific Conductance	FALSE	82		0		0 umhos/cm			0
12/13/1994	PW-3	Total Dissolved Solids (TDS)	FALSE	130.5		10		50 mg/L			0
12/13/1994	PW-3	Sulfate	FALSE	1.33		0.5		0.5 mg/L			0
12/13/1994	PW-3	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
12/13/1994	PW-3	Dissolved Manganese	FALSE	0.14		0.02		0.1 mg/L			0
12/13/1994	PW-3	Temperature	FALSE	13.8		0		0 Degrees C			0
12/13/1994	PW-3	Sample Time	FALSE	1525		0		0 hours			0
12/13/1994	PW-4	Static Water Level	FALSE	342.6		0		0 feet msl			0
12/13/1994	PW-4	pH	FALSE	6.7		0		0 S.U.			0
12/13/1994	PW-4	Specific Conductance	FALSE	345		0		0 umhos/cm			0
12/13/1994	PW-4	Total Dissolved Solids (TDS)	FALSE	260		10		50 mg/L			0
12/13/1994	PW-4	Sulfate	FALSE	8.06		0.5		0.5 mg/L			0
12/13/1994	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
12/13/1994	PW-4	Dissolved Manganese	FALSE	0.29		0.02		0.1 mg/L			0
12/13/1994	PW-4	Temperature	FALSE	13.3		0		0 Degrees C			0
12/13/1994	PW-4	Sample Time	FALSE	1450		0		0 hours			0
12/13/1994	PW-5	Static Water Level	FALSE	342.34		0		0 feet msl			0
12/13/1994	PW-5	pH	FALSE	7		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/13/1994	PW-5	Specific Conductance	FALSE	197		0		0 umhos/cm			0
12/13/1994	PW-5	Total Dissolved Solids (TDS)	FALSE	174		10		50 mg/L			0
12/13/1994	PW-5	Sulfate	FALSE	7.17		0.5		0.5 mg/L			0
12/13/1994	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
12/13/1994	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/13/1994	PW-5	Temperature	FALSE	13.2		0		0 Degrees C			0
12/13/1994	PW-5	Sample Time	FALSE	1420		0		0 hours			0
12/13/1994	PW-6	Static Water Level	FALSE	341.7		0		0 feet msl			0
12/13/1994	PW-6	pH	FALSE	7		0		0 S.U.			0
12/13/1994	PW-6	Specific Conductance	FALSE	136		0		0 umhos/cm			0
12/13/1994	PW-6	Total Dissolved Solids (TDS)	FALSE	150		10		50 mg/L			0
12/13/1994	PW-6	Sulfate	FALSE	2.45		0.5		0.5 mg/L			0
12/13/1994	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
12/13/1994	PW-6	Dissolved Manganese	FALSE	0.02	J	0.02		0.1 mg/L			0
12/13/1994	PW-6	Temperature	FALSE	14.4		0		0 Degrees C			0
12/13/1994	PW-6	Sample Time	FALSE	1350		0		0 hours			0
12/13/1994	PW-7	Static Water Level	FALSE	341.6		0		0 feet msl			0
12/13/1994	PW-7	pH	FALSE	6.8		0		0 S.U.			0
12/13/1994	PW-7	Specific Conductance	FALSE	117		0		0 umhos/cm			0
12/13/1994	PW-7	Total Dissolved Solids (TDS)	FALSE	132		10		50 mg/L			0
12/13/1994	PW-7	Sulfate	FALSE	3.65		0.5		0.5 mg/L			0
12/13/1994	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/13/1994	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/13/1994	PW-7	Temperature	FALSE	14.1		0		0 Degrees C			0
12/13/1994	PW-7	Sample Time	FALSE	1320		0		0 hours			0
12/13/1994	PW-7 DUP	pH	FALSE	6.9		0		0 S.U.			0
12/13/1994	PW-7 DUP	Specific Conductance	FALSE	117		0		0 umhos/cm			0
12/13/1994	PW-7 DUP	Total Dissolved Solids (TDS)	FALSE	117.5		10		50 mg/L			0
12/13/1994	PW-7 DUP	Sulfate	FALSE	3.92		0.5		0.5 mg/L			0
12/13/1994	PW-7 DUP	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/13/1994	PW-7 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/13/1994	PW-7 DUP	Temperature	FALSE	14		0		0 Degrees C			0
12/13/1994	PW-7 DUP	Sample Time	FALSE	1325		0		0 hours			0
12/13/1994	PW-8	Static Water Level	FALSE	341.74		0		0 feet msl			0
12/13/1994	PW-8	pH	FALSE	6.9		0		0 S.U.			0
12/13/1994	PW-8	Specific Conductance	FALSE	128		0		0 umhos/cm			0
12/13/1994	PW-8	Total Dissolved Solids (TDS)	FALSE	145		10		50 mg/L			0
12/13/1994	PW-8	Sulfate	FALSE	4.93		0.5		0.5 mg/L			0
12/13/1994	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
12/13/1994	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/13/1994	PW-8	Temperature	FALSE	15.2		0		0 Degrees C			0
12/13/1994	PW-8	Sample Time	FALSE	1245		0		0 hours			0
3/14/1995	FIELD BLANK	pH	FALSE	7.7		0		0 S.U.			0
3/14/1995	FIELD BLANK	Specific Conductance	FALSE	5		0		0 umhos/cm			0
3/14/1995	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/14/1995	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/14/1995	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/14/1995	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	FIELD BLANK	Temperature	FALSE	20.8		0		0 Degrees C			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/14/1995	FIELD BLANK	Sample Time	FALSE	1330		0		0 hours			0
3/14/1995	PW-1	Static Water Level	FALSE	348.02		0		0 feet msl			0
3/14/1995	PW-1	pH	FALSE	6.7		0		0 S.U.			0
3/14/1995	PW-1	Specific Conductance	FALSE	239		0		0 umhos/cm			0
3/14/1995	PW-1	Total Dissolved Solids (TDS)	FALSE	194		10		50 mg/L			0
3/14/1995	PW-1	Sulfate	FALSE	8.59		0.5		0.5 mg/L			0
3/14/1995	PW-1	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/14/1995	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	PW-1	Temperature	FALSE	17		0		0 Degrees C			0
3/14/1995	PW-1	Sample Time	FALSE	1335		0		0 hours			0
3/14/1995	PW-1 DUP	pH	FALSE	6.7		0		0 S.U.			0
3/14/1995	PW-1 DUP	Specific Conductance	FALSE	238		0		0 umhos/cm			0
3/14/1995	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	195		10		50 mg/L			0
3/14/1995	PW-1 DUP	Sulfate	FALSE	7.35		0.5		0.5 mg/L			0
3/14/1995	PW-1 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
3/14/1995	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	PW-1 DUP	Temperature	FALSE	17.3		0		0 Degrees C			0
3/14/1995	PW-1 DUP	Sample Time	FALSE	1340		0		0 hours			0
3/14/1995	PW-2	Static Water Level	FALSE	353.18		0		0 feet msl			0
3/14/1995	PW-2	pH	FALSE	6.4		0		0 S.U.			0
3/14/1995	PW-2	Specific Conductance	FALSE	124		0		0 umhos/cm			0
3/14/1995	PW-2	Total Dissolved Solids (TDS)	FALSE	135.5		10		50 mg/L			0
3/14/1995	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/14/1995	PW-2	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/14/1995	PW-2	Dissolved Manganese	FALSE	0.3		0.02		0.1 mg/L			0
3/14/1995	PW-2	Temperature	FALSE	16.6		0		0 Degrees C			0
3/14/1995	PW-2	Sample Time	FALSE	1635		0		0 hours			0
3/14/1995	PW-3	Static Water Level	FALSE	346.25		0		0 feet msl			0
3/14/1995	PW-3	pH	FALSE	5.9		0		0 S.U.			0
3/14/1995	PW-3	Specific Conductance	FALSE	77		0		0 umhos/cm			0
3/14/1995	PW-3	Total Dissolved Solids (TDS)	FALSE	122.5		10		50 mg/L			0
3/14/1995	PW-3	Sulfate	FALSE	1.58		0.5		0.5 mg/L			0
3/14/1995	PW-3	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L			0
3/14/1995	PW-3	Dissolved Manganese	FALSE	0.08 J		0.02		0.1 mg/L			0
3/14/1995	PW-3	Temperature	FALSE	19		0		0 Degrees C			0
3/14/1995	PW-3	Sample Time	FALSE	1610		0		0 hours			0
3/14/1995	PW-4	Static Water Level	FALSE	344.92		0		0 feet msl			0
3/14/1995	PW-4	pH	FALSE	6.3		0		0 S.U.			0
3/14/1995	PW-4	Specific Conductance	FALSE	329		0		0 umhos/cm			0
3/14/1995	PW-4	Total Dissolved Solids (TDS)	FALSE	278.5		10		50 mg/L			0
3/14/1995	PW-4	Sulfate	FALSE	8.26		0.5		0.5 mg/L			0
3/14/1995	PW-4	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
3/14/1995	PW-4	Dissolved Manganese	FALSE	0.18		0.02		0.1 mg/L			0
3/14/1995	PW-4	Temperature	FALSE	17.4		0		0 Degrees C			0
3/14/1995	PW-4	Sample Time	FALSE	1530		0		0 hours			0
3/14/1995	PW-5	Static Water Level	FALSE	344.43		0		0 feet msl			0
3/14/1995	PW-5	pH	FALSE	6.7		0		0 S.U.			0
3/14/1995	PW-5	Specific Conductance	FALSE	193		0		0 umhos/cm			0
3/14/1995	PW-5	Total Dissolved Solids (TDS)	FALSE	170		10		50 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/14/1995	PW-5	Sulfate	FALSE	8.82		0.5		0.5 mg/L			0
3/14/1995	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
3/14/1995	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	PW-5	Temperature	FALSE	19.9		0		0 Degrees C			0
3/14/1995	PW-5	Sample Time	FALSE	1525		0		0 hours			0
3/14/1995	PW-6	Static Water Level	FALSE	344.37		0		0 feet msl			0
3/14/1995	PW-6	pH	FALSE	7		0		0 S.U.			0
3/14/1995	PW-6	Specific Conductance	FALSE	140		0		0 umhos/cm			0
3/14/1995	PW-6	Total Dissolved Solids (TDS)	FALSE	149.5		10		50 mg/L			0
3/14/1995	PW-6	Sulfate	FALSE	2.5		0.5		0.5 mg/L			0
3/14/1995	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
3/14/1995	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	PW-6	Temperature	FALSE	17.6		0		0 Degrees C			0
3/14/1995	PW-6	Sample Time	FALSE	1515		0		0 hours			0
3/14/1995	PW-7	Static Water Level	FALSE	344.35		0		0 feet msl			0
3/14/1995	PW-7	pH	FALSE	6.9		0		0 S.U.			0
3/14/1995	PW-7	Specific Conductance	FALSE	109		0		0 umhos/cm			0
3/14/1995	PW-7	Total Dissolved Solids (TDS)	FALSE	132.5		10		50 mg/L			0
3/14/1995	PW-7	Sulfate	FALSE	3.17		0.5		0.5 mg/L			0
3/14/1995	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
3/14/1995	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	PW-7	Temperature	FALSE	17		0		0 Degrees C			0
3/14/1995	PW-7	Sample Time	FALSE	1433		0		0 hours			0
3/14/1995	PW-8	Static Water Level	FALSE	344.48		0		0 feet msl			0
3/14/1995	PW-8	pH	FALSE	6.9		0		0 S.U.			0
3/14/1995	PW-8	Specific Conductance	FALSE	123		0		0 umhos/cm			0
3/14/1995	PW-8	Total Dissolved Solids (TDS)	FALSE	130		10		50 mg/L			0
3/14/1995	PW-8	Sulfate	FALSE	4.64		0.5		0.5 mg/L			0
3/14/1995	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/14/1995	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/14/1995	PW-8	Temperature	FALSE	18.2		0		0 Degrees C			0
3/14/1995	PW-8	Sample Time	FALSE	1400		0		0 hours			0
7/5/1995	FIELD BLANK	pH	FALSE	6.7		0		0 S.U.			0
7/5/1995	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm			0
7/5/1995	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
7/5/1995	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
7/5/1995	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
7/5/1995	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	FIELD BLANK	Temperature	FALSE	27		0		0 Degrees C			0
7/5/1995	FIELD BLANK	Sample Time	FALSE	1205		0		0 hours			0
7/5/1995	PW-1	Static Water Level	FALSE	348.93		0		0 feet msl			0
7/5/1995	PW-1	pH	FALSE	6.2		0		0 S.U.			0
7/5/1995	PW-1	Specific Conductance	FALSE	275		0		0 umhos/cm			0
7/5/1995	PW-1	Total Dissolved Solids (TDS)	FALSE	204		10		50 mg/L			0
7/5/1995	PW-1	Sulfate	FALSE	11.63		0.5		0.5 mg/L			0
7/5/1995	PW-1	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
7/5/1995	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	PW-1	Temperature	FALSE	19.5		0		0 Degrees C			0
7/5/1995	PW-1	Sample Time	FALSE	1150		0		0 hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/5/1995	PW-2	Static Water Level	FALSE	353.56		0		0 feet msl			0
7/5/1995	PW-2	pH	FALSE	6.7		0		0 S.U.			0
7/5/1995	PW-2	Specific Conductance	FALSE	129		0		0 umhos/cm			0
7/5/1995	PW-2	Total Dissolved Solids (TDS)	FALSE	150		10		50 mg/L			0
7/5/1995	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
7/5/1995	PW-2	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
7/5/1995	PW-2	Dissolved Manganese	FALSE	0.16		0.02		0.1 mg/L			0
7/5/1995	PW-2	Temperature	FALSE	19.1		0		0 Degrees C			0
7/5/1995	PW-2	Sample Time	FALSE	1440		0		0 hours			0
7/5/1995	PW-3	Static Water Level	FALSE	346.28		0		0 feet msl			0
7/5/1995	PW-3	pH	FALSE	5.8		0		0 S.U.			0
7/5/1995	PW-3	Specific Conductance	FALSE	87		0		0 umhos/cm			0
7/5/1995	PW-3	Total Dissolved Solids (TDS)	FALSE	124		10		50 mg/L			0
7/5/1995	PW-3	Sulfate	FALSE	1.08		0.5		0.5 mg/L			0
7/5/1995	PW-3	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L			0
7/5/1995	PW-3	Dissolved Manganese	FALSE	0.08 J		0.02		0.1 mg/L			0
7/5/1995	PW-3	Temperature	FALSE	19.8		0		0 Degrees C			0
7/5/1995	PW-3	Sample Time	FALSE	1430		0		0 hours			0
7/5/1995	PW-4	Static Water Level	FALSE	344.06		0		0 feet msl			0
7/5/1995	PW-4	pH	FALSE	6.16		0		0 S.U.			0
7/5/1995	PW-4	Specific Conductance	FALSE	297		0		0 umhos/cm			0
7/5/1995	PW-4	Total Dissolved Solids (TDS)	FALSE	378.5		10		50 mg/L			0
7/5/1995	PW-4	Sulfate	FALSE	6.74		0.5		0.5 mg/L			0
7/5/1995	PW-4	Dissolved Chromium	FALSE	0.067		0.001		0.005 mg/L			0
7/5/1995	PW-4	Dissolved Manganese	FALSE	0.26		0.02		0.1 mg/L			0
7/5/1995	PW-4	Temperature	FALSE	19.9		0		0 Degrees C			0
7/5/1995	PW-4	Sample Time	FALSE	1415		0		0 hours			0
7/5/1995	PW-5	Static Water Level	FALSE	345.19		0		0 feet msl			0
7/5/1995	PW-5	pH	FALSE	6.6		0		0 S.U.			0
7/5/1995	PW-5	Specific Conductance	FALSE	204		0		0 umhos/cm			0
7/5/1995	PW-5	Total Dissolved Solids (TDS)	FALSE	203.5		10		50 mg/L			0
7/5/1995	PW-5	Sulfate	FALSE	6.17		0.5		0.5 mg/L			0
7/5/1995	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
7/5/1995	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	PW-5	Temperature	FALSE	19.1		0		0 Degrees C			0
7/5/1995	PW-5	Sample Time	FALSE	1338		0		0 hours			0
7/5/1995	PW-6	Static Water Level	FALSE	342.8		0		0 feet msl			0
7/5/1995	PW-6	pH	FALSE	6.35		0		0 S.U.			0
7/5/1995	PW-6	Specific Conductance	FALSE	147		0		0 umhos/cm			0
7/5/1995	PW-6	Total Dissolved Solids (TDS)	FALSE	152.5		10		50 mg/L			0
7/5/1995	PW-6	Sulfate	FALSE	2.12		0.5		0.5 mg/L			0
7/5/1995	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
7/5/1995	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	PW-6	Temperature	FALSE	17.66		0		0 Degrees C			0
7/5/1995	PW-6	Sample Time	FALSE	1218		0		0 hours			0
7/5/1995	PW-7	Static Water Level	FALSE	345.23		0		0 feet msl			0
7/5/1995	PW-7	pH	FALSE	6.3		0		0 S.U.			0
7/5/1995	PW-7	Specific Conductance	FALSE	119		0		0 umhos/cm			0
7/5/1995	PW-7	Total Dissolved Solids (TDS)	FALSE	124		10		50 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/5/1995	PW-7	Sulfate	FALSE	2.82		0.5		0.5 mg/L			0
7/5/1995	PW-7	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
7/5/1995	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	PW-7	Temperature	FALSE	18.5		0		0 Degrees C			0
7/5/1995	PW-7	Sample Time	FALSE	1225		0		0 hours			0
7/5/1995	PW-7 DUP	pH	FALSE	6.4		0		0 S.U.			0
7/5/1995	PW-7 DUP	Specific Conductance	FALSE	117		0		0 umhos/cm			0
7/5/1995	PW-7 DUP	Total Dissolved Solids (TDS)	FALSE	125.5		10		50 mg/L			0
7/5/1995	PW-7 DUP	Sulfate	FALSE	2.72		0.5		0.5 mg/L			0
7/5/1995	PW-7 DUP	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
7/5/1995	PW-7 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	PW-7 DUP	Temperature	FALSE	18.2		0		0 Degrees C			0
7/5/1995	PW-7 DUP	Sample Time	FALSE	1225		0		0 hours			0
7/5/1995	PW-8	Static Water Level	FALSE	345.53		0		0 feet msl			0
7/5/1995	PW-8	pH	FALSE	6.42		0		0 S.U.			0
7/5/1995	PW-8	Specific Conductance	FALSE	153		0		0 umhos/cm			0
7/5/1995	PW-8	Total Dissolved Solids (TDS)	FALSE	137		10		50 mg/L			0
7/5/1995	PW-8	Sulfate	FALSE	4.3		0.5		0.5 mg/L			0
7/5/1995	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
7/5/1995	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
7/5/1995	PW-8	Temperature	FALSE	17.95		0		0 Degrees C			0
7/5/1995	PW-8	Sample Time	FALSE	1145		0		0 hours			0
9/11/1995	FIELD BLANK	pH	FALSE	8.6		0		0 S.U.			0
9/11/1995	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm			0
9/11/1995	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/11/1995	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/11/1995	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/11/1995	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/11/1995	FIELD BLANK	Temperature	FALSE	21.8		0		0 Degrees C			0
9/11/1995	FIELD BLANK	Sample Time	FALSE	1158		0		0 hours			0
9/11/1995	PW-1	Static Water Level	FALSE	348.49		0		0 feet msl			0
9/11/1995	PW-1	pH	FALSE	6.5		0		0 S.U.			0
9/11/1995	PW-1	Specific Conductance	FALSE	272		0		0 umhos/cm			0
9/11/1995	PW-1	Total Dissolved Solids (TDS)	FALSE	231		10		50 mg/L			0
9/11/1995	PW-1	Sulfate	FALSE	8.71		0.5		0.5 mg/L			0
9/11/1995	PW-1	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/11/1995	PW-1	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
9/11/1995	PW-1	Temperature	FALSE	16.7		0		0 Degrees C			0
9/11/1995	PW-1	Sample Time	FALSE	1200		0		0 hours			0
9/11/1995	PW-2	Static Water Level	FALSE	352.69		0		0 feet msl			0
9/11/1995	PW-2	pH	FALSE	6.2		0		0 S.U.			0
9/11/1995	PW-2	Specific Conductance	FALSE	121		0		0 umhos/cm			0
9/11/1995	PW-2	Total Dissolved Solids (TDS)	FALSE	175		10		50 mg/L			0
9/11/1995	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/11/1995	PW-2	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
9/11/1995	PW-2	Dissolved Manganese	FALSE	0.17		0.02		0.1 mg/L			0
9/11/1995	PW-2	Temperature	FALSE	16.5		0		0 Degrees C			0
9/11/1995	PW-2	Sample Time	FALSE	1635		0		0 hours			0
9/11/1995	PW-3	pH	FALSE	6.4		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/11/1995	PW-3	Specific Conductance	FALSE	80		0		0 umhos/cm			0
9/11/1995	PW-3	Total Dissolved Solids (TDS)	FALSE	128.5		10		50 mg/L			0
9/11/1995	PW-3	Sulfate	FALSE	1.18		0.5		0.5 mg/L			0
9/11/1995	PW-3	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L			0
9/11/1995	PW-3	Dissolved Manganese	FALSE	0.07 J		0.02		0.1 mg/L			0
9/11/1995	PW-3	Temperature	FALSE	18.4		0		0 Degrees C			0
9/11/1995	PW-3	Sample Time	FALSE	1637		0		0 hours			0
9/11/1995	PW-4	Static Water Level	FALSE	342.63		0		0 feet msl			0
9/11/1995	PW-4	pH	FALSE	6.3		0		0 S.U.			0
9/11/1995	PW-4	Specific Conductance	FALSE	344		0		0 umhos/cm			0
9/11/1995	PW-4	Total Dissolved Solids (TDS)	FALSE	321		10		50 mg/L			0
9/11/1995	PW-4	Sulfate	FALSE	6.68		0.5		0.5 mg/L			0
9/11/1995	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
9/11/1995	PW-4	Dissolved Manganese	FALSE	0.16		0.02		0.1 mg/L			0
9/11/1995	PW-4	Temperature	FALSE	16.8		0		0 Degrees C			0
9/11/1995	PW-4	Sample Time	FALSE	1420		0		0 hours			0
9/11/1995	PW-5	Static Water Level	FALSE	342.18		0		0 feet msl			0
9/11/1995	PW-5	pH	FALSE	6.9		0		0 S.U.			0
9/11/1995	PW-5	Specific Conductance	FALSE	183		0		0 umhos/cm			0
9/11/1995	PW-5	Total Dissolved Solids (TDS)	FALSE	168		10		50 mg/L			0
9/11/1995	PW-5	Sulfate	FALSE	5.48		0.5		0.5 mg/L			0
9/11/1995	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
9/11/1995	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/11/1995	PW-5	Temperature	FALSE	17.2		0		0 Degrees C			0
9/11/1995	PW-5	Sample Time	FALSE	1400		0		0 hours			0
9/11/1995	PW-6	Static Water Level	FALSE	339.88		0		0 feet msl			0
9/11/1995	PW-6	pH	FALSE	6.9		0		0 S.U.			0
9/11/1995	PW-6	Specific Conductance	FALSE	140		0		0 umhos/cm			0
9/11/1995	PW-6	Total Dissolved Solids (TDS)	FALSE	162.5		10		50 mg/L			0
9/11/1995	PW-6	Sulfate	FALSE	2.11		0.5		0.5 mg/L			0
9/11/1995	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/11/1995	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/11/1995	PW-6	Temperature	FALSE	16.7		0		0 Degrees C			0
9/11/1995	PW-6	Sample Time	FALSE	1245		0		0 hours			0
9/11/1995	PW-7	Static Water Level	FALSE	343.13		0		0 feet msl			0
9/11/1995	PW-7	pH	FALSE	6.9		0		0 S.U.			0
9/11/1995	PW-7	Specific Conductance	FALSE	111		0		0 umhos/cm			0
9/11/1995	PW-7	Total Dissolved Solids (TDS)	FALSE	143		10		50 mg/L			0
9/11/1995	PW-7	Sulfate	FALSE	2.55		0.5		0.5 mg/L			0
9/11/1995	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
9/11/1995	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/11/1995	PW-7	Temperature	FALSE	16.7		0		0 Degrees C			0
9/11/1995	PW-7	Sample Time	FALSE	1230		0		0 hours			0
9/11/1995	PW-8	Static Water Level	FALSE	342.43		0		0 feet msl			0
9/11/1995	PW-8	pH	FALSE	7.3		0		0 S.U.			0
9/11/1995	PW-8	Specific Conductance	FALSE	128		0		0 umhos/cm			0
9/11/1995	PW-8	Total Dissolved Solids (TDS)	FALSE	129		10		50 mg/L			0
9/11/1995	PW-8	Sulfate	FALSE	4.2		0.5		0.5 mg/L			0
9/11/1995	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/11/1995	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/11/1995	PW-8	Temperature	FALSE	16.6		0		0 Degrees C			0
9/11/1995	PW-8	Sample Time	FALSE	1220		0		0 hours			0
9/11/1995	PW-8 DUP	pH	FALSE	7.4		0		0 S.U.			0
9/11/1995	PW-8 DUP	Specific Conductance	FALSE	129		0		0 umhos/cm			0
9/11/1995	PW-8 DUP	Total Dissolved Solids (TDS)	FALSE	130.5		10		50 mg/L			0
9/11/1995	PW-8 DUP	Sulfate	FALSE	4.23		0.5		0.5 mg/L			0
9/11/1995	PW-8 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/11/1995	PW-8 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/11/1995	PW-8 DUP	Temperature	FALSE	17		0		0 Degrees C			0
9/11/1995	PW-8 DUP	Sample Time	FALSE	1220		0		0 hours			0
12/12/1995	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/12/1995	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/12/1995	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/12/1995	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/1995	PW-1	Static Water Level	FALSE	349.49		0		0 feet msl			0
12/12/1995	PW-1	pH	FALSE	6.2		0		0 S.U.			0
12/12/1995	PW-1	Specific Conductance	FALSE	282		0		0 umhos/cm			0
12/12/1995	PW-1	Total Dissolved Solids (TDS)	FALSE	220		10		50 mg/L			0
12/12/1995	PW-1	Sulfate	FALSE	9.57		0.5		0.5 mg/L			0
12/12/1995	PW-1	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/12/1995	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/1995	PW-1	Temperature	FALSE	14.2		0		0 Degrees C			0
12/12/1995	PW-1	Sample Time	FALSE	1145		0		0 hours			0
12/12/1995	PW-1 DUP	pH	FALSE	6.2		0		0 S.U.			0
12/12/1995	PW-1 DUP	Specific Conductance	FALSE	282		0		0 umhos/cm			0
12/12/1995	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	224		10		50 mg/L			0
12/12/1995	PW-1 DUP	Sulfate	FALSE	9.19		0.5		0.5 mg/L			0
12/12/1995	PW-1 DUP	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/12/1995	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/1995	PW-1 DUP	Temperature	FALSE	14.2		0		0 Degrees C			0
12/12/1995	PW-1 DUP	Sample Time	FALSE	1150		0		0 hours			0
12/12/1995	PW-2	Static Water Level	FALSE	352.91		0		0 feet msl			0
12/12/1995	PW-2	pH	FALSE	6.5		0		0 S.U.			0
12/12/1995	PW-2	Specific Conductance	FALSE	129		0		0 umhos/cm			0
12/12/1995	PW-2	Total Dissolved Solids (TDS)	FALSE	350.5		10		50 mg/L			0
12/12/1995	PW-2	Sulfate	FALSE	0.51		0.5		0.5 mg/L			0
12/12/1995	PW-2	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L			0
12/12/1995	PW-2	Dissolved Manganese	FALSE	0.34		0.02		0.1 mg/L			0
12/12/1995	PW-2	Temperature	FALSE	13.9		0		0 Degrees C			0
12/12/1995	PW-2	Sample Time	FALSE	1430		0		0 hours			0
12/12/1995	PW-3	Static Water Level	FALSE	351.22		0		0 feet msl			0
12/12/1995	PW-3	pH	FALSE	6.2		0		0 S.U.			0
12/12/1995	PW-3	Specific Conductance	FALSE	90		0		0 umhos/cm			0
12/12/1995	PW-3	Total Dissolved Solids (TDS)	FALSE	132.5		10		50 mg/L			0
12/12/1995	PW-3	Sulfate	FALSE	1.58		0.5		0.5 mg/L			0
12/12/1995	PW-3	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L			0
12/12/1995	PW-3	Dissolved Manganese	FALSE	0.17		0.02		0.1 mg/L			0
12/12/1995	PW-3	Temperature	FALSE	14.5		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/12/1995	PW-3	Sample Time	FALSE	1420		0		0 hours			0
12/12/1995	PW-4	Static Water Level	FALSE	342.75		0		0 feet msl			0
12/12/1995	PW-4	pH	FALSE	7		0		0 S.U.			0
12/12/1995	PW-4	Specific Conductance	FALSE	334		0		0 umhos/cm			0
12/12/1995	PW-4	Total Dissolved Solids (TDS)	FALSE	318		10		50 mg/L			0
12/12/1995	PW-4	Sulfate	FALSE	6.59		0.5		0.5 mg/L			0
12/12/1995	PW-4	Dissolved Chromium	FALSE	0.034		0.001		0.005 mg/L			0
12/12/1995	PW-4	Dissolved Manganese	FALSE	0.19		0.02		0.1 mg/L			0
12/12/1995	PW-4	Temperature	FALSE	12.6		0		0 Degrees C			0
12/12/1995	PW-4	Sample Time	FALSE	1300		0		0 hours			0
12/12/1995	PW-5	Static Water Level	FALSE	343.54		0		0 feet msl			0
12/12/1995	PW-5	pH	FALSE	6.7		0		0 S.U.			0
12/12/1995	PW-5	Specific Conductance	FALSE	213		0		0 umhos/cm			0
12/12/1995	PW-5	Total Dissolved Solids (TDS)	FALSE	190.5		10		50 mg/L			0
12/12/1995	PW-5	Sulfate	FALSE	6.6		0.5		0.5 mg/L			0
12/12/1995	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/12/1995	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/1995	PW-5	Temperature	FALSE	14.6		0		0 Degrees C			0
12/12/1995	PW-5	Sample Time	FALSE	1345		0		0 hours			0
12/12/1995	PW-6	Static Water Level	FALSE	341.08		0		0 feet msl			0
12/12/1995	PW-6	pH	FALSE	6.9		0		0 S.U.			0
12/12/1995	PW-6	Specific Conductance	FALSE	151		0		0 umhos/cm			0
12/12/1995	PW-6	Total Dissolved Solids (TDS)	FALSE	153		10		50 mg/L			0
12/12/1995	PW-6	Sulfate	FALSE	3.1		0.5		0.5 mg/L			0
12/12/1995	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
12/12/1995	PW-6	Dissolved Manganese	FALSE	0.04 J		0.02		0.1 mg/L			0
12/12/1995	PW-6	Temperature	FALSE	14.6		0		0 Degrees C			0
12/12/1995	PW-6	Sample Time	FALSE	1245		0		0 hours			0
12/12/1995	PW-7	Static Water Level	FALSE	343.51		0		0 feet msl			0
12/12/1995	PW-7	pH	FALSE	7.5		0		0 S.U.			0
12/12/1995	PW-7	Specific Conductance	FALSE	116		0		0 umhos/cm			0
12/12/1995	PW-7	Total Dissolved Solids (TDS)	FALSE	128		10		50 mg/L			0
12/12/1995	PW-7	Sulfate	FALSE	2.56		0.5		0.5 mg/L			0
12/12/1995	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/12/1995	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/1995	PW-7	Temperature	FALSE	14		0		0 Degrees C			0
12/12/1995	PW-7	Sample Time	FALSE	1220		0		0 hours			0
12/12/1995	PW-8	Static Water Level	FALSE	343.8		0		0 feet msl			0
12/12/1995	PW-8	pH	FALSE	6.6		0		0 S.U.			0
12/12/1995	PW-8	Specific Conductance	FALSE	132		0		0 umhos/cm			0
12/12/1995	PW-8	Total Dissolved Solids (TDS)	FALSE	134		10		50 mg/L			0
12/12/1995	PW-8	Sulfate	FALSE	4.28		0.5		0.5 mg/L			0
12/12/1995	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
12/12/1995	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/1995	PW-8	Temperature	FALSE	14.7		0		0 Degrees C			0
12/12/1995	PW-8	Sample Time	FALSE	1135		0		0 hours			0
3/13/1996	FIELD BLANK	pH	FALSE	8.1		0		0 S.U.			0
3/13/1996	FIELD BLANK	Specific Conductance	FALSE	6		0		0 umhos/cm			0
3/13/1996	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/13/1996	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/13/1996	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/13/1996	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	FIELD BLANK	Temperature	FALSE	17.4		0		0 Degrees C			0
3/13/1996	FIELD BLANK	Sample Time	FALSE	1115		0		0 hours			0
3/13/1996	PW-1	Static Water Level	FALSE	352.08		0		0 feet msl			0
3/13/1996	PW-1	pH	FALSE	6.6		0		0 S.U.			0
3/13/1996	PW-1	Specific Conductance	FALSE	302		0		0 umhos/cm			0
3/13/1996	PW-1	Total Dissolved Solids (TDS)	FALSE	205.5		10		50 mg/L			0
3/13/1996	PW-1	Sulfate	FALSE	10.68		0.5		0.5 mg/L			0
3/13/1996	PW-1	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/13/1996	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	PW-1	Temperature	FALSE	16.3		0		0 Degrees C			0
3/13/1996	PW-1	Sample Time	FALSE	1220		0		0 hours			0
3/13/1996	PW-1 DUP	pH	FALSE	6.6		0		0 S.U.			0
3/13/1996	PW-1 DUP	Specific Conductance	FALSE	302		0		0 umhos/cm			0
3/13/1996	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	227.5		10		50 mg/L			0
3/13/1996	PW-1 DUP	Sulfate	FALSE	10.66		0.5		0.5 mg/L			0
3/13/1996	PW-1 DUP	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/13/1996	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	PW-1 DUP	Temperature	FALSE	16		0		0 Degrees C			0
3/13/1996	PW-1 DUP	Sample Time	FALSE	1225		0		0 hours			0
3/13/1996	PW-2	Static Water Level	FALSE	354.81		0		0 feet msl			0
3/13/1996	PW-2	pH	FALSE	6.6		0		0 S.U.			0
3/13/1996	PW-2	Specific Conductance	FALSE	122		0		0 umhos/cm			0
3/13/1996	PW-2	Total Dissolved Solids (TDS)	FALSE	121.5		10		50 mg/L			0
3/13/1996	PW-2	Sulfate	FALSE	0.51		0.5		0.5 mg/L			0
3/13/1996	PW-2	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/13/1996	PW-2	Dissolved Manganese	FALSE	0.05 J		0.02		0.1 mg/L			0
3/13/1996	PW-2	Temperature	FALSE	16.1		0		0 Degrees C			0
3/13/1996	PW-2	Sample Time	FALSE	1330		0		0 hours			0
3/13/1996	PW-3	Static Water Level	FALSE	349.54		0		0 feet msl			0
3/13/1996	PW-3	pH	FALSE	6.1		0		0 S.U.			0
3/13/1996	PW-3	Specific Conductance	FALSE	86		0		0 umhos/cm			0
3/13/1996	PW-3	Total Dissolved Solids (TDS)	FALSE	115		10		50 mg/L			0
3/13/1996	PW-3	Sulfate	FALSE	2.35		0.5		0.5 mg/L			0
3/13/1996	PW-3	Dissolved Chromium	FALSE	0.021		0.001		0.005 mg/L			0
3/13/1996	PW-3	Dissolved Manganese	FALSE	0.04 J		0.02		0.1 mg/L			0
3/13/1996	PW-3	Temperature	FALSE	16.3		0		0 Degrees C			0
3/13/1996	PW-3	Sample Time	FALSE	1400		0		0 hours			0
3/13/1996	PW-4	Static Water Level	FALSE	344.57		0		0 feet msl			0
3/13/1996	PW-4	pH	FALSE	6.5		0		0 S.U.			0
3/13/1996	PW-4	Specific Conductance	FALSE	322		0		0 umhos/cm			0
3/13/1996	PW-4	Total Dissolved Solids (TDS)	FALSE	136.5		10		50 mg/L			0
3/13/1996	PW-4	Sulfate	FALSE	7.01		0.5		0.5 mg/L			0
3/13/1996	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/13/1996	PW-4	Dissolved Manganese	FALSE	0.11		0.02		0.1 mg/L			0
3/13/1996	PW-4	Temperature	FALSE	16.2		0		0 Degrees C			0
3/13/1996	PW-4	Sample Time	FALSE	1415		0		0 hours			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/13/1996	PW-5	Static Water Level	FALSE	345.71		0		0 feet msl			0
3/13/1996	PW-5	pH	FALSE	6.6		0		0 S.U.			0
3/13/1996	PW-5	Specific Conductance	FALSE	228		0		0 umhos/cm			0
3/13/1996	PW-5	Total Dissolved Solids (TDS)	FALSE	180.5		10		50 mg/L			0
3/13/1996	PW-5	Sulfate	FALSE	11.24		0.5		0.5 mg/L			0
3/13/1996	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/13/1996	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	PW-5	Temperature	FALSE	16		0		0 Degrees C			0
3/13/1996	PW-5	Sample Time	FALSE	1230		0		0 hours			0
3/13/1996	PW-6	Static Water Level	FALSE	343.37		0		0 feet msl			0
3/13/1996	PW-6	pH	FALSE	6.5		0		0 S.U.			0
3/13/1996	PW-6	Specific Conductance	FALSE	143		0		0 umhos/cm			0
3/13/1996	PW-6	Total Dissolved Solids (TDS)	FALSE	136.5		10		50 mg/L			0
3/13/1996	PW-6	Sulfate	FALSE	4.28		0.5		0.5 mg/L			0
3/13/1996	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
3/13/1996	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	PW-6	Temperature	FALSE	16.6		0		0 Degrees C			0
3/13/1996	PW-6	Sample Time	FALSE	1255		0		0 hours			0
3/13/1996	PW-7	Static Water Level	FALSE	345.89		0		0 feet msl			0
3/13/1996	PW-7	pH	FALSE	6.7		0		0 S.U.			0
3/13/1996	PW-7	Specific Conductance	FALSE	116		0		0 umhos/cm			0
3/13/1996	PW-7	Total Dissolved Solids (TDS)	FALSE	122		10		50 mg/L			0
3/13/1996	PW-7	Sulfate	FALSE	3.25		0.5		0.5 mg/L			0
3/13/1996	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
3/13/1996	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	PW-7	Temperature	FALSE	16.4		0		0 Degrees C			0
3/13/1996	PW-7	Sample Time	FALSE	1305		0		0 hours			0
3/13/1996	PW-8	Static Water Level	FALSE	347.2		0		0 feet msl			0
3/13/1996	PW-8	pH	FALSE	6.9		0		0 S.U.			0
3/13/1996	PW-8	Specific Conductance	FALSE	135		0		0 umhos/cm			0
3/13/1996	PW-8	Total Dissolved Solids (TDS)	FALSE	128.5		10		50 mg/L			0
3/13/1996	PW-8	Sulfate	FALSE	5.32		0.5		0.5 mg/L			0
3/13/1996	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
3/13/1996	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/13/1996	PW-8	Temperature	FALSE	16.7		0		0 Degrees C			0
3/13/1996	PW-8	Sample Time	FALSE	1155		0		0 hours			0
6/4/1996	FIELD BLANK	pH	FALSE	6.4		0		0 S.U.			0
6/4/1996	FIELD BLANK	Specific Conductance	FALSE	7		0		0 umhos/cm			0
6/4/1996	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/4/1996	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/4/1996	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/4/1996	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	FIELD BLANK	Temperature	FALSE	25.7		0		0 Degrees C			0
6/4/1996	FIELD BLANK	Sample Time	FALSE	1200		0		0 hours			0
6/4/1996	PW-1	Static Water Level	FALSE	351.78		0		0 feet msl			0
6/4/1996	PW-1	pH	FALSE	7		0		0 S.U.			0
6/4/1996	PW-1	Specific Conductance	FALSE	377		0		0 umhos/cm			0
6/4/1996	PW-1	Total Dissolved Solids (TDS)	FALSE	265		10		50 mg/L			0
6/4/1996	PW-1	Sulfate	FALSE	14.87		0.5		0.5 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/1996	PW-1	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/4/1996	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	PW-1	Temperature	FALSE	17.4		0		0 Degrees C			0
6/4/1996	PW-1	Sample Time	FALSE	1215		0		0 hours			0
6/4/1996	PW-1 DUP	pH	FALSE	6.9		0		0 S.U.			0
6/4/1996	PW-1 DUP	Specific Conductance	FALSE	366		0		0 umhos/cm			0
6/4/1996	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	261		10		50 mg/L			0
6/4/1996	PW-1 DUP	Sulfate	FALSE	14.55		0.5		0.5 mg/L			0
6/4/1996	PW-1 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/4/1996	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	PW-1 DUP	Temperature	FALSE	17.5		0		0 Degrees C			0
6/4/1996	PW-1 DUP	Sample Time	FALSE	1220		0		0 hours			0
6/4/1996	PW-2	Static Water Level	FALSE	355.33		0		0 feet msl			0
6/4/1996	PW-2	pH	FALSE	6.2		0		0 S.U.			0
6/4/1996	PW-2	Specific Conductance	FALSE	140		0		0 umhos/cm			0
6/4/1996	PW-2	Total Dissolved Solids (TDS)	FALSE	203		10		50 mg/L			0
6/4/1996	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/4/1996	PW-2	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/4/1996	PW-2	Dissolved Manganese	FALSE	0.04 J		0.02		0.1 mg/L			0
6/4/1996	PW-2	Temperature	FALSE	17.4		0		0 Degrees C			0
6/4/1996	PW-2	Sample Time	FALSE	1415		0		0 hours			0
6/4/1996	PW-3	Static Water Level	FALSE	349.71		0		0 feet msl			0
6/4/1996	PW-3	pH	FALSE	6		0		0 S.U.			0
6/4/1996	PW-3	Specific Conductance	FALSE	103		0		0 umhos/cm			0
6/4/1996	PW-3	Total Dissolved Solids (TDS)	FALSE	137.5		10		50 mg/L			0
6/4/1996	PW-3	Sulfate	FALSE	1.91		0.5		0.5 mg/L			0
6/4/1996	PW-3	Dissolved Chromium	FALSE	0.016		0.001		0.005 mg/L			0
6/4/1996	PW-3	Dissolved Manganese	FALSE	0.05 J		0.02		0.1 mg/L			0
6/4/1996	PW-3	Temperature	FALSE	19		0		0 Degrees C			0
6/4/1996	PW-3	Sample Time	FALSE	1350		0		0 hours			0
6/4/1996	PW-4	Static Water Level	FALSE	343.44		0		0 feet msl			0
6/4/1996	PW-4	pH	FALSE	6.2		0		0 S.U.			0
6/4/1996	PW-4	Specific Conductance	FALSE	354		0		0 umhos/cm			0
6/4/1996	PW-4	Total Dissolved Solids (TDS)	FALSE	315		10		50 mg/L			0
6/4/1996	PW-4	Sulfate	FALSE	5.57		0.5		0.5 mg/L			0
6/4/1996	PW-4	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
6/4/1996	PW-4	Dissolved Manganese	FALSE	0.08 J		0.02		0.1 mg/L			0
6/4/1996	PW-4	Temperature	FALSE	19.1		0		0 Degrees C			0
6/4/1996	PW-4	Sample Time	FALSE	1330		0		0 hours			0
6/4/1996	PW-5	Static Water Level	FALSE	344.21		0		0 feet msl			0
6/4/1996	PW-5	pH	FALSE	6.7		0		0 S.U.			0
6/4/1996	PW-5	Specific Conductance	FALSE	221		0		0 umhos/cm			0
6/4/1996	PW-5	Total Dissolved Solids (TDS)	FALSE	200		10		50 mg/L			0
6/4/1996	PW-5	Sulfate	FALSE	7.41		0.5		0.5 mg/L			0
6/4/1996	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/4/1996	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	PW-5	Temperature	FALSE	18.6		0		0 Degrees C			0
6/4/1996	PW-5	Sample Time	FALSE	1320		0		0 hours			0
6/4/1996	PW-6	Static Water Level	FALSE	342.6		0		0 feet msl			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/1996	PW-6	pH	FALSE	6.8		0		0 S.U.			0
6/4/1996	PW-6	Specific Conductance	FALSE	137		0		0 umhos/cm			0
6/4/1996	PW-6	Total Dissolved Solids (TDS)	FALSE	156		10		50 mg/L			0
6/4/1996	PW-6	Sulfate	FALSE	6.66		0.5		0.5 mg/L			0
6/4/1996	PW-6	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L			0
6/4/1996	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	PW-6	Temperature	FALSE	19.7		0		0 Degrees C			0
6/4/1996	PW-6	Sample Time	FALSE	1250		0		0 hours			0
6/4/1996	PW-7	Static Water Level	FALSE	344.53		0		0 feet msl			0
6/4/1996	PW-7	pH	FALSE	6.8		0		0 S.U.			0
6/4/1996	PW-7	Specific Conductance	FALSE	130		0		0 umhos/cm			0
6/4/1996	PW-7	Total Dissolved Solids (TDS)	FALSE	136.5		10		50 mg/L			0
6/4/1996	PW-7	Sulfate	FALSE	2.58		0.5		0.5 mg/L			0
6/4/1996	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
6/4/1996	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	PW-7	Temperature	FALSE	17.8		0		0 Degrees C			0
6/4/1996	PW-7	Sample Time	FALSE	1250		0		0 hours			0
6/4/1996	PW-8	Static Water Level	FALSE	345.38		0		0 feet msl			0
6/4/1996	PW-8	pH	FALSE	6.6		0		0 S.U.			0
6/4/1996	PW-8	Specific Conductance	FALSE	157		0		0 umhos/cm			0
6/4/1996	PW-8	Total Dissolved Solids (TDS)	FALSE	134		10		50 mg/L			0
6/4/1996	PW-8	Sulfate	FALSE	4.16		0.5		0.5 mg/L			0
6/4/1996	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/4/1996	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/1996	PW-8	Temperature	FALSE	19.4		0		0 Degrees C			0
6/4/1996	PW-8	Sample Time	FALSE	1215		0		0 hours			0
9/24/1996	FIELD BLANK	pH	FALSE	6.01		0		0 S.U.			0
9/24/1996	FIELD BLANK	Specific Conductance	FALSE	1		0		0 umhos/cm			0
9/24/1996	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/24/1996	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/24/1996	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/24/1996	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/24/1996	FIELD BLANK	Temperature	FALSE	24.8		0		0 Degrees C			0
9/24/1996	FIELD BLANK	Sample Time	FALSE	1020		0		0 hours			0
9/24/1996	PW-1	Static Water Level	FALSE	351.74		0		0 feet msl			0
9/24/1996	PW-1	pH	FALSE	6.48		0		0 S.U.			0
9/24/1996	PW-1	Specific Conductance	FALSE	317		0		0 umhos/cm			0
9/24/1996	PW-1	Total Dissolved Solids (TDS)	FALSE	291		10		50 mg/L			0
9/24/1996	PW-1	Sulfate	FALSE	16.67		0.5		0.5 mg/L			0
9/24/1996	PW-1	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/24/1996	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/24/1996	PW-1	Temperature	FALSE	19.3		0		0 Degrees C			0
9/24/1996	PW-1	Sample Time	FALSE	1045		0		0 hours			0
9/24/1996	PW-1 DUP	pH	FALSE	6.51		0		0 S.U.			0
9/24/1996	PW-1 DUP	Specific Conductance	FALSE	323		0		0 umhos/cm			0
9/24/1996	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	293.5		10		50 mg/L			0
9/24/1996	PW-1 DUP	Sulfate	FALSE	16.29		0.5		0.5 mg/L			0
9/24/1996	PW-1 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/24/1996	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/24/1996	PW-1 DUP	Temperature	FALSE	18.6		0	0	Degrees C			0
9/24/1996	PW-1 DUP	Sample Time	FALSE	1046		0	0	hours			0
9/24/1996	PW-2	Static Water Level	FALSE	355.05		0	0	feet msl			0
9/24/1996	PW-2	pH	FALSE	5.96		0	0	S.U.			0
9/24/1996	PW-2	Specific Conductance	FALSE	109		0	0	umhos/cm			0
9/24/1996	PW-2	Total Dissolved Solids (TDS)	FALSE	157.5		10	50	mg/L			0
9/24/1996	PW-2	Sulfate	TRUE	0		0.5	0.5	mg/L			0
9/24/1996	PW-2	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L			0
9/24/1996	PW-2	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L			0
9/24/1996	PW-2	Temperature	FALSE	17.9		0	0	Degrees C			0
9/24/1996	PW-2	Sample Time	FALSE	1340		0	0	hours			0
9/24/1996	PW-3	Static Water Level	FALSE	349.26		0	0	feet msl			0
9/24/1996	PW-3	pH	FALSE	5.72		0	0	S.U.			0
9/24/1996	PW-3	Specific Conductance	FALSE	87		0	0	umhos/cm			0
9/24/1996	PW-3	Total Dissolved Solids (TDS)	FALSE	134		10	50	mg/L			0
9/24/1996	PW-3	Sulfate	FALSE	2.17		0.5	0.5	mg/L			0
9/24/1996	PW-3	Dissolved Chromium	FALSE	0.03		0.001	0.005	mg/L			0
9/24/1996	PW-3	Dissolved Manganese	FALSE	0.03	J	0.02	0.1	mg/L			0
9/24/1996	PW-3	Temperature	FALSE	17.8		0	0	Degrees C			0
9/24/1996	PW-3	Sample Time	FALSE	1330		0	0	hours			0
9/24/1996	PW-4	Static Water Level	FALSE	343.74		0	0	feet msl			0
9/24/1996	PW-4	pH	FALSE	6.16		0	0	S.U.			0
9/24/1996	PW-4	Specific Conductance	FALSE	313		0	0	umhos/cm			0
9/24/1996	PW-4	Total Dissolved Solids (TDS)	FALSE	296		10	50	mg/L			0
9/24/1996	PW-4	Sulfate	FALSE	5		0.5	0.5	mg/L			0
9/24/1996	PW-4	Dissolved Chromium	FALSE	0.011		0.001	0.005	mg/L			0
9/24/1996	PW-4	Dissolved Manganese	FALSE	0.09	J	0.02	0.1	mg/L			0
9/24/1996	PW-4	Temperature	FALSE	18.6		0	0	Degrees C			0
9/24/1996	PW-4	Sample Time	FALSE	1336		0	0	hours			0
9/24/1996	PW-5	Static Water Level	FALSE	344.54		0	0	feet msl			0
9/24/1996	PW-5	pH	FALSE	6.58		0	0	S.U.			0
9/24/1996	PW-5	Specific Conductance	FALSE	196		0	0	umhos/cm			0
9/24/1996	PW-5	Total Dissolved Solids (TDS)	FALSE	175		10	50	mg/L			0
9/24/1996	PW-5	Sulfate	FALSE	7.25		0.5	0.5	mg/L			0
9/24/1996	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L			0
9/24/1996	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
9/24/1996	PW-5	Temperature	FALSE	19.3		0	0	Degrees C			0
9/24/1996	PW-5	Sample Time	FALSE	1322		0	0	hours			0
9/24/1996	PW-6	Static Water Level	FALSE	342.19		0	0	feet msl			0
9/24/1996	PW-6	pH	FALSE	6.34		0	0	S.U.			0
9/24/1996	PW-6	Specific Conductance	FALSE	182		0	0	umhos/cm			0
9/24/1996	PW-6	Total Dissolved Solids (TDS)	FALSE	152.5		10	50	mg/L			0
9/24/1996	PW-6	Sulfate	FALSE	15.94		0.5	0.5	mg/L			0
9/24/1996	PW-6	Dissolved Chromium	FALSE	0.011		0.001	0.005	mg/L			0
9/24/1996	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
9/24/1996	PW-6	Temperature	FALSE	19.3		0	0	Degrees C			0
9/24/1996	PW-6	Sample Time	FALSE	1127		0	0	hours			0
9/24/1996	PW-7	Static Water Level	FALSE	344.67		0	0	feet msl			0
9/24/1996	PW-7	pH	FALSE	6.33		0	0	S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/24/1996	PW-7	Specific Conductance	FALSE	114		0		0 umhos/cm			0
9/24/1996	PW-7	Total Dissolved Solids (TDS)	FALSE	135		10		50 mg/L			0
9/24/1996	PW-7	Sulfate	FALSE	2.54		0.5		0.5 mg/L			0
9/24/1996	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
9/24/1996	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/24/1996	PW-7	Temperature	FALSE	17.7		0		0 Degrees C			0
9/24/1996	PW-7	Sample Time	FALSE	1137		0		0 hours			0
9/24/1996	PW-8	Static Water Level	FALSE	345.25		0		0 feet msl			0
9/24/1996	PW-8	pH	FALSE	6.52		0		0 S.U.			0
9/24/1996	PW-8	Specific Conductance	FALSE	136		0		0 umhos/cm			0
9/24/1996	PW-8	Total Dissolved Solids (TDS)	FALSE	150		10		50 mg/L			0
9/24/1996	PW-8	Sulfate	FALSE	4.37		0.5		0.5 mg/L			0
9/24/1996	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
9/24/1996	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/24/1996	PW-8	Temperature	FALSE	17.9		0		0 Degrees C			0
9/24/1996	PW-8	Sample Time	FALSE	1045		0		0 hours			0
12/10/1996	FIELD BLANK	pH	FALSE	5.39		0		0 S.U.			0
12/10/1996	FIELD BLANK	Specific Conductance	FALSE	0.1		0		0 umhos/cm			0
12/10/1996	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/10/1996	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/10/1996	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/10/1996	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/10/1996	FIELD BLANK	Temperature	FALSE	9.7		0		0 Degrees C			0
12/10/1996	FIELD BLANK	Sample Time	FALSE	1145		0		0 hours			0
12/10/1996	PW-1	Static Water Level	FALSE	352.68		0		0 feet msl			0
12/10/1996	PW-1	pH	FALSE	6.45		0		0 S.U.			0
12/10/1996	PW-1	Specific Conductance	FALSE	343		0		0 umhos/cm			0
12/10/1996	PW-1	Total Dissolved Solids (TDS)	FALSE	289		10		50 mg/L			0
12/10/1996	PW-1	Sulfate	FALSE	22		0.5		0.5 mg/L			0
12/10/1996	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
12/10/1996	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/10/1996	PW-1	Temperature	FALSE	15		0		0 Degrees C			0
12/10/1996	PW-1	Sample Time	FALSE	1140		0		0 hours			0
12/10/1996	PW-1 DUP	pH	FALSE	6.47		0		0 S.U.			0
12/10/1996	PW-1 DUP	Specific Conductance	FALSE	343		0		0 umhos/cm			0
12/10/1996	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	287.5		10		50 mg/L			0
12/10/1996	PW-1 DUP	Sulfate	FALSE	21.69		0.5		0.5 mg/L			0
12/10/1996	PW-1 DUP	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
12/10/1996	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/10/1996	PW-1 DUP	Temperature	FALSE	14.9		0		0 Degrees C			0
12/10/1996	PW-1 DUP	Sample Time	FALSE	1142		0		0 hours			0
12/10/1996	PW-2	Static Water Level	FALSE	355.55		0		0 feet msl			0
12/10/1996	PW-2	pH	FALSE	6.2		0		0 S.U.			0
12/10/1996	PW-2	Specific Conductance	FALSE	125		0		0 umhos/cm			0
12/10/1996	PW-2	Total Dissolved Solids (TDS)	FALSE	111		10		50 mg/L			0
12/10/1996	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/10/1996	PW-2	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
12/10/1996	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/10/1996	PW-2	Temperature	FALSE	15.1		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/10/1996	PW-2	Sample Time	FALSE	1400		0	0	hours			0
12/10/1996	PW-3	Static Water Level	FALSE	349.48		0	0	feet msl			0
12/10/1996	PW-3	pH	FALSE	6.18		0	0	S.U.			0
12/10/1996	PW-3	Specific Conductance	FALSE	85		0	0	umhos/cm			0
12/10/1996	PW-3	Total Dissolved Solids (TDS)	FALSE	119.5		10	50	mg/L			0
12/10/1996	PW-3	Sulfate	FALSE	2.61		0.5	0.5	mg/L			0
12/10/1996	PW-3	Dissolved Chromium	FALSE	0.02		0.001	0.005	mg/L			0
12/10/1996	PW-3	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L			0
12/10/1996	PW-3	Temperature	FALSE	15.3		0	0	Degrees C			0
12/10/1996	PW-3	Sample Time	FALSE	1415		0	0	hours			0
12/10/1996	PW-4	Static Water Level	FALSE	344.49		0	0	feet msl			0
12/10/1996	PW-4	pH	FALSE	6.44		0	0	S.U.			0
12/10/1996	PW-4	Specific Conductance	FALSE	291		0	0	umhos/cm			0
12/10/1996	PW-4	Total Dissolved Solids (TDS)	FALSE	242.5		10	50	mg/L			0
12/10/1996	PW-4	Sulfate	FALSE	5.02		0.5	0.5	mg/L			0
12/10/1996	PW-4	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L			0
12/10/1996	PW-4	Dissolved Manganese	FALSE	0.05	J	0.02	0.1	mg/L			0
12/10/1996	PW-4	Temperature	FALSE	14.9		0	0	Degrees C			0
12/10/1996	PW-4	Sample Time	FALSE	1400		0	0	hours			0
12/10/1996	PW-5	Static Water Level	FALSE	345.84		0	0	feet msl			0
12/10/1996	PW-5	pH	FALSE	6.63		0	0	S.U.			0
12/10/1996	PW-5	Specific Conductance	FALSE	217		0	0	umhos/cm			0
12/10/1996	PW-5	Total Dissolved Solids (TDS)	FALSE	188.5		10	50	mg/L			0
12/10/1996	PW-5	Sulfate	FALSE	11.23		0.5	0.5	mg/L			0
12/10/1996	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001	0.005	mg/L			0
12/10/1996	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/10/1996	PW-5	Temperature	FALSE	15.3		0	0	Degrees C			0
12/10/1996	PW-5	Sample Time	FALSE	1315		0	0	hours			0
12/10/1996	PW-6	Static Water Level	FALSE	343.51		0	0	feet msl			0
12/10/1996	PW-6	pH	FALSE	6.56		0	0	S.U.			0
12/10/1996	PW-6	Specific Conductance	FALSE	186		0	0	umhos/cm			0
12/10/1996	PW-6	Total Dissolved Solids (TDS)	FALSE	200.5		10	50	mg/L			0
12/10/1996	PW-6	Sulfate	FALSE	19.95		0.5	0.5	mg/L			0
12/10/1996	PW-6	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L			0
12/10/1996	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/10/1996	PW-6	Temperature	FALSE	16.1		0	0	Degrees C			0
12/10/1996	PW-6	Sample Time	FALSE	1340		0	0	hours			0
12/10/1996	PW-7	Static Water Level	FALSE	345.98		0	0	feet msl			0
12/10/1996	PW-7	pH	FALSE	6.12		0	0	S.U.			0
12/10/1996	PW-7	Specific Conductance	FALSE	115		0	0	umhos/cm			0
12/10/1996	PW-7	Total Dissolved Solids (TDS)	FALSE	138		10	50	mg/L			0
12/10/1996	PW-7	Sulfate	FALSE	2.81		0.5	0.5	mg/L			0
12/10/1996	PW-7	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L			0
12/10/1996	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/10/1996	PW-7	Temperature	FALSE	15.3		0	0	Degrees C			0
12/10/1996	PW-7	Sample Time	FALSE	1142		0	0	hours			0
12/10/1996	PW-8	Static Water Level	FALSE	346.7		0	0	feet msl			0
12/10/1996	PW-8	pH	FALSE	6.9		0	0	S.U.			0
12/10/1996	PW-8	Specific Conductance	FALSE	135		0	0	umhos/cm			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/10/1996	PW-8	Total Dissolved Solids (TDS)	FALSE	141		10		50 mg/L			0
12/10/1996	PW-8	Sulfate	FALSE	4.97		0.5		0.5 mg/L			0
12/10/1996	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
12/10/1996	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/10/1996	PW-8	Temperature	FALSE	14.9		0		0 Degrees C			0
12/10/1996	PW-8	Sample Time	FALSE	1311		0		0 hours			0
3/25/1997	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/25/1997	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/25/1997	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/25/1997	FIELD BLANK	Dissolved Manganese	FALSE	0.02	J	0.02		0.1 mg/L			0
3/25/1997	PW-1	Static Water Level	FALSE	353.62		0		0 feet msl			0
3/25/1997	PW-1	pH	FALSE	6.39		0		0 S.U.			0
3/25/1997	PW-1	Specific Conductance	FALSE	378		0		0 umhos/cm			0
3/25/1997	PW-1	Total Dissolved Solids (TDS)	FALSE	240		10		50 mg/L			0
3/25/1997	PW-1	Sulfate	FALSE	34.92		0.5		0.5 mg/L			0
3/25/1997	PW-1	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
3/25/1997	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-1	Temperature	FALSE	15		0		0 Degrees C			0
3/25/1997	PW-1	Sample Time	FALSE	1110		0		0 hours			0
3/25/1997	PW-1 DUP	pH	FALSE	6.33		0		0 S.U.			0
3/25/1997	PW-1 DUP	Specific Conductance	FALSE	378		0		0 umhos/cm			0
3/25/1997	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	244		10		50 mg/L			0
3/25/1997	PW-1 DUP	Sulfate	FALSE	34.56		0.5		0.5 mg/L			0
3/25/1997	PW-1 DUP	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
3/25/1997	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-1 DUP	Temperature	FALSE	13.1		0		0 Degrees C			0
3/25/1997	PW-1 DUP	Sample Time	FALSE	1110		0		0 hours			0
3/25/1997	PW-2	Static Water Level	FALSE	357.15		0		0 feet msl			0
3/25/1997	PW-2	pH	FALSE	6.17		0		0 S.U.			0
3/25/1997	PW-2	Specific Conductance	FALSE	142		0		0 umhos/cm			0
3/25/1997	PW-2	Total Dissolved Solids (TDS)	FALSE	437.5		10		50 mg/L			0
3/25/1997	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/25/1997	PW-2	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/25/1997	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-2	Temperature	FALSE	14.9		0		0 Degrees C			0
3/25/1997	PW-2	Sample Time	FALSE	1400		0		0 hours			0
3/25/1997	PW-3	Static Water Level	FALSE	350.63		0		0 feet msl			0
3/25/1997	PW-3	pH	FALSE	5.62		0		0 S.U.			0
3/25/1997	PW-3	Specific Conductance	FALSE	92		0		0 umhos/cm			0
3/25/1997	PW-3	Total Dissolved Solids (TDS)	FALSE	105		10		50 mg/L			0
3/25/1997	PW-3	Sulfate	FALSE	3.76		0.5		0.5 mg/L			0
3/25/1997	PW-3	Dissolved Chromium	FALSE	0.021		0.001		0.005 mg/L			0
3/25/1997	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-3	Temperature	FALSE	14.1		0		0 Degrees C			0
3/25/1997	PW-3	Sample Time	FALSE	1320		0		0 hours			0
3/25/1997	PW-4	Static Water Level	FALSE	345.33		0		0 feet msl			0
3/25/1997	PW-4	pH	FALSE	6.16		0		0 S.U.			0
3/25/1997	PW-4	Specific Conductance	FALSE	285		0		0 umhos/cm			0
3/25/1997	PW-4	Total Dissolved Solids (TDS)	FALSE	231.5		10		50 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/25/1997	PW-4	Sulfate	FALSE	5.22		0.5		0.5 mg/L			0
3/25/1997	PW-4	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
3/25/1997	PW-4	Dissolved Manganese	FALSE	0.03	J	0.02		0.1 mg/L			0
3/25/1997	PW-4	Temperature	FALSE	14.9		0		0 Degrees C			0
3/25/1997	PW-4	Sample Time	FALSE	1338		0		0 hours			0
3/25/1997	PW-5	Static Water Level	FALSE	346.45		0		0 feet msl			0
3/25/1997	PW-5	pH	FALSE	6.55		0		0 S.U.			0
3/25/1997	PW-5	Specific Conductance	FALSE	236		0		0 umhos/cm			0
3/25/1997	PW-5	Total Dissolved Solids (TDS)	FALSE	170.5		10		50 mg/L			0
3/25/1997	PW-5	Sulfate	FALSE	14.66		0.5		0.5 mg/L			0
3/25/1997	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
3/25/1997	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-5	Temperature	FALSE	13.8		0		0 Degrees C			0
3/25/1997	PW-5	Sample Time	FALSE	1320		0		0 hours			0
3/25/1997	PW-6	Static Water Level	FALSE	344.2		0		0 feet msl			0
3/25/1997	PW-6	pH	FALSE	6.45		0		0 S.U.			0
3/25/1997	PW-6	Specific Conductance	FALSE	218		0		0 umhos/cm			0
3/25/1997	PW-6	Total Dissolved Solids (TDS)	FALSE	164.5		10		50 mg/L			0
3/25/1997	PW-6	Sulfate	FALSE	32.46		0.5		0.5 mg/L			0
3/25/1997	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
3/25/1997	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-6	Temperature	FALSE	15.1		0		0 Degrees C			0
3/25/1997	PW-6	Sample Time	FALSE	1200		0		0 hours			0
3/25/1997	PW-7	Static Water Level	FALSE	346.62		0		0 feet msl			0
3/25/1997	PW-7	pH	FALSE	6.55		0		0 S.U.			0
3/25/1997	PW-7	Specific Conductance	FALSE	120		0		0 umhos/cm			0
3/25/1997	PW-7	Total Dissolved Solids (TDS)	FALSE	61		10		50 mg/L			0
3/25/1997	PW-7	Sulfate	FALSE	3.17		0.5		0.5 mg/L			0
3/25/1997	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
3/25/1997	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-7	Temperature	FALSE	13		0		0 Degrees C			0
3/25/1997	PW-7	Sample Time	FALSE	1215		0		0 hours			0
3/25/1997	PW-8	Static Water Level	FALSE	347.51		0		0 feet msl			0
3/25/1997	PW-8	pH	FALSE	6.51		0		0 S.U.			0
3/25/1997	PW-8	Specific Conductance	FALSE	143		0		0 umhos/cm			0
3/25/1997	PW-8	Total Dissolved Solids (TDS)	FALSE	115.5		10		50 mg/L			0
3/25/1997	PW-8	Sulfate	FALSE	6		0.5		0.5 mg/L			0
3/25/1997	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/25/1997	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/25/1997	PW-8	Temperature	FALSE	13.8		0		0 Degrees C			0
3/25/1997	PW-8	Sample Time	FALSE	1125		0		0 hours			0
6/10/1997	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/10/1997	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/10/1997	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/10/1997	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-1	Static Water Level	FALSE	353.62		0		0 feet msl			0
6/10/1997	PW-1	pH	FALSE	7		0		0 S.U.			0
6/10/1997	PW-1	Specific Conductance	FALSE	375		0		0 umhos/cm			0
6/10/1997	PW-1	Total Dissolved Solids (TDS)	FALSE	327.5		10		50 mg/L			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/10/1997	PW-1	Sulfate	FALSE	36.33		0.5		0.5 mg/L			0
6/10/1997	PW-1	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/10/1997	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-1	Temperature	FALSE	18.3		0		0 Degrees C			0
6/10/1997	PW-1	Sample Time	FALSE	1115		0		0 hours			0
6/10/1997	PW-1 DUP	pH	FALSE	6.9		0		0 S.U.			0
6/10/1997	PW-1 DUP	Specific Conductance	FALSE	368		0		0 umhos/cm			0
6/10/1997	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	330.5		10		50 mg/L			0
6/10/1997	PW-1 DUP	Sulfate	FALSE	36.51		0.5		0.5 mg/L			0
6/10/1997	PW-1 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/10/1997	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-1 DUP	Temperature	FALSE	18.1		0		0 Degrees C			0
6/10/1997	PW-1 DUP	Sample Time	FALSE	1120		0		0 hours			0
6/10/1997	PW-2	Static Water Level	FALSE	355.13		0		0 feet msl			0
6/10/1997	PW-2	pH	FALSE	6.4		0		0 S.U.			0
6/10/1997	PW-2	Specific Conductance	FALSE	146		0		0 umhos/cm			0
6/10/1997	PW-2	Total Dissolved Solids (TDS)	FALSE	180		10		50 mg/L			0
6/10/1997	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/10/1997	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
6/10/1997	PW-2	Dissolved Manganese	FALSE	0.03 J		0.02		0.1 mg/L			0
6/10/1997	PW-2	Temperature	FALSE	20		0		0 Degrees C			0
6/10/1997	PW-2	Sample Time	FALSE	1355		0		0 hours			0
6/10/1997	PW-3	Static Water Level	FALSE	354.06		0		0 feet msl			0
6/10/1997	PW-3	pH	FALSE	6.7		0		0 S.U.			0
6/10/1997	PW-3	Specific Conductance	FALSE	107		0		0 umhos/cm			0
6/10/1997	PW-3	Total Dissolved Solids (TDS)	FALSE	131		10		50 mg/L			0
6/10/1997	PW-3	Sulfate	FALSE	4.5		0.5		0.5 mg/L			0
6/10/1997	PW-3	Dissolved Chromium	FALSE	0.051		0.001		0.005 mg/L			0
6/10/1997	PW-3	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
6/10/1997	PW-3	Temperature	FALSE	17.9		0		0 Degrees C			0
6/10/1997	PW-3	Sample Time	FALSE	1317		0		0 hours			0
6/10/1997	PW-4	Static Water Level	FALSE	344.19		0		0 feet msl			0
6/10/1997	PW-4	pH	FALSE	6.3		0		0 S.U.			0
6/10/1997	PW-4	Specific Conductance	FALSE	287		0		0 umhos/cm			0
6/10/1997	PW-4	Total Dissolved Solids (TDS)	FALSE	216		10		50 mg/L			0
6/10/1997	PW-4	Sulfate	FALSE	4.68		0.5		0.5 mg/L			0
6/10/1997	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/10/1997	PW-4	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
6/10/1997	PW-4	Temperature	FALSE	17.8		0		0 Degrees C			0
6/10/1997	PW-4	Sample Time	FALSE	1320		0		0 hours			0
6/10/1997	PW-5	Static Water Level	FALSE	345.06		0		0 feet msl			0
6/10/1997	PW-5	pH	FALSE	6.8		0		0 S.U.			0
6/10/1997	PW-5	Specific Conductance	FALSE	208		0		0 umhos/cm			0
6/10/1997	PW-5	Total Dissolved Solids (TDS)	FALSE	176.5		10		50 mg/L			0
6/10/1997	PW-5	Sulfate	FALSE	8.29		0.5		0.5 mg/L			0
6/10/1997	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
6/10/1997	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-5	Temperature	FALSE	18.2		0		0 Degrees C			0
6/10/1997	PW-5	Sample Time	FALSE	1315		0		0 hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/10/1997	PW-6	Static Water Level	FALSE	342.67		0		0 feet msl			0
6/10/1997	PW-6	pH	FALSE	6.5		0		0 S.U.			0
6/10/1997	PW-6	Specific Conductance	FALSE	253		0		0 umhos/cm			0
6/10/1997	PW-6	Total Dissolved Solids (TDS)	FALSE	258.5		10		50 mg/L			0
6/10/1997	PW-6	Sulfate	FALSE	54.07		0.5		0.5 mg/L			0
6/10/1997	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
6/10/1997	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-6	Temperature	FALSE	16.7		0		0 Degrees C			0
6/10/1997	PW-6	Sample Time	FALSE	1134		0		0 hours			0
6/10/1997	PW-7	Static Water Level	FALSE	344.07		0		0 feet msl			0
6/10/1997	PW-7	pH	FALSE	6.7		0		0 S.U.			0
6/10/1997	PW-7	Specific Conductance	FALSE	124		0		0 umhos/cm			0
6/10/1997	PW-7	Total Dissolved Solids (TDS)	FALSE	117.5		10		50 mg/L			0
6/10/1997	PW-7	Sulfate	FALSE	3.34		0.5		0.5 mg/L			0
6/10/1997	PW-7	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L			0
6/10/1997	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-7	Temperature	FALSE	17.6		0		0 Degrees C			0
6/10/1997	PW-7	Sample Time	FALSE	1215		0		0 hours			0
6/10/1997	PW-8	Static Water Level	FALSE	346.35		0		0 feet msl			0
6/10/1997	PW-8	pH	FALSE	6.6		0		0 S.U.			0
6/10/1997	PW-8	Specific Conductance	FALSE	159		0		0 umhos/cm			0
6/10/1997	PW-8	Total Dissolved Solids (TDS)	FALSE	152		10		50 mg/L			0
6/10/1997	PW-8	Sulfate	FALSE	6.7		0.5		0.5 mg/L			0
6/10/1997	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/10/1997	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/10/1997	PW-8	Temperature	FALSE	18.8		0		0 Degrees C			0
6/10/1997	PW-8	Sample Time	FALSE	1130		0		0 hours			0
9/15/1997	FIELD BLANK	pH	FALSE	6.28		0		0 S.U.			0
9/15/1997	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/15/1997	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/15/1997	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/15/1997	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/15/1997	FIELD BLANK	Temperature	FALSE	20.6		0		0 Degrees C			0
9/15/1997	FIELD BLANK	Sample Time	FALSE	1200		0		0 hours			0
9/15/1997	PW-1	Static Water Level	FALSE	351.74		0		0 feet msl			0
9/15/1997	PW-1	pH	FALSE	6.4919		0		0 S.U.			0
9/15/1997	PW-1	Specific Conductance	FALSE	519		0		0 umhos/cm			0
9/15/1997	PW-1	Total Dissolved Solids (TDS)	FALSE	528		10		50 mg/L			0
9/15/1997	PW-1	Sulfate	FALSE	65.49		0.5		0.5 mg/L			0
9/15/1997	PW-1	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
9/15/1997	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/15/1997	PW-1	Temperature	FALSE	16.2		0		0 Degrees C			0
9/15/1997	PW-1	Sample Time	FALSE	1210		0		0 hours			0
9/15/1997	PW-1 DUP	pH	FALSE	6.51		0		0 S.U.			0
9/15/1997	PW-1 DUP	Specific Conductance	FALSE	521		0		0 umhos/cm			0
9/15/1997	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	525		10		50 mg/L			0
9/15/1997	PW-1 DUP	Sulfate	FALSE	65.79		0.5		0.5 mg/L			0
9/15/1997	PW-1 DUP	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
9/15/1997	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/15/1997	PW-1 DUP	Temperature	FALSE	16.2		0		0 Degrees C			0
9/15/1997	PW-1 DUP	Sample Time	FALSE	1215		0		0 hours			0
9/15/1997	PW-2	Static Water Level	FALSE	356.85		0		0 feet msl			0
9/15/1997	PW-2	pH	FALSE	7.1		0		0 S.U.			0
9/15/1997	PW-2	Specific Conductance	FALSE	127		0		0 umhos/cm			0
9/15/1997	PW-2	Total Dissolved Solids (TDS)	FALSE	157		10		50 mg/L			0
9/15/1997	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/15/1997	PW-2	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L			0
9/15/1997	PW-2	Dissolved Manganese	FALSE	0.07 J		0.02		0.1 mg/L			0
9/15/1997	PW-2	Temperature	FALSE	16.8		0		0 Degrees C			0
9/15/1997	PW-2	Sample Time	FALSE	1440		0		0 hours			0
9/15/1997	PW-3	Static Water Level	FALSE	350.1		0		0 feet msl			0
9/15/1997	PW-3	pH	FALSE	5.68		0		0 S.U.			0
9/15/1997	PW-3	Specific Conductance	FALSE	91		0		0 umhos/cm			0
9/15/1997	PW-3	Total Dissolved Solids (TDS)	FALSE	232		10		50 mg/L			0
9/15/1997	PW-3	Sulfate	FALSE	4.54		0.5		0.5 mg/L			0
9/15/1997	PW-3	Dissolved Chromium	FALSE	0.027		0.001		0.005 mg/L			0
9/15/1997	PW-3	Dissolved Manganese	FALSE	0.05 J		0.02		0.1 mg/L			0
9/15/1997	PW-3	Temperature	FALSE	17		0		0 Degrees C			0
9/15/1997	PW-3	Sample Time	FALSE	1430		0		0 hours			0
9/15/1997	PW-4	Static Water Level	FALSE	343.92		0		0 feet msl			0
9/15/1997	PW-4	pH	FALSE	6.04		0		0 S.U.			0
9/15/1997	PW-4	Specific Conductance	FALSE	264		0		0 umhos/cm			0
9/15/1997	PW-4	Total Dissolved Solids (TDS)	FALSE	291		10		50 mg/L			0
9/15/1997	PW-4	Sulfate	FALSE	4.29		0.5		0.5 mg/L			0
9/15/1997	PW-4	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L			0
9/15/1997	PW-4	Dissolved Manganese	FALSE	0.07 J		0.02		0.1 mg/L			0
9/15/1997	PW-4	Temperature	FALSE	17.1		0		0 Degrees C			0
9/15/1997	PW-4	Sample Time	FALSE	1445		0		0 hours			0
9/15/1997	PW-5	Static Water Level	FALSE	344.69		0		0 feet msl			0
9/15/1997	PW-5	pH	FALSE	6.72		0		0 S.U.			0
9/15/1997	PW-5	Specific Conductance	FALSE	196		0		0 umhos/cm			0
9/15/1997	PW-5	Total Dissolved Solids (TDS)	FALSE	183.5		10		50 mg/L			0
9/15/1997	PW-5	Sulfate	FALSE	7.43		0.5		0.5 mg/L			0
9/15/1997	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/15/1997	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/15/1997	PW-5	Temperature	FALSE	17		0		0 Degrees C			0
9/15/1997	PW-5	Sample Time	FALSE	1345		0		0 hours			0
9/15/1997	PW-6	Static Water Level	FALSE	342.33		0		0 feet msl			0
9/15/1997	PW-6	pH	FALSE	6.34		0		0 S.U.			0
9/15/1997	PW-6	Specific Conductance	FALSE	307		0		0 umhos/cm			0
9/15/1997	PW-6	Total Dissolved Solids (TDS)	FALSE	300		10		50 mg/L			0
9/15/1997	PW-6	Sulfate	FALSE	69.22		0.5		0.5 mg/L			0
9/15/1997	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
9/15/1997	PW-6	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
9/15/1997	PW-6	Temperature	FALSE	17		0		0 Degrees C			0
9/15/1997	PW-6	Sample Time	FALSE	1230		0		0 hours			0
9/15/1997	PW-7	Static Water Level	FALSE	344.7		0		0 feet msl			0
9/15/1997	PW-7	pH	FALSE	7.3		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/15/1997	PW-7	Specific Conductance	FALSE	123		0		0 umhos/cm			0
9/15/1997	PW-7	Total Dissolved Solids (TDS)	FALSE	185		10		50 mg/L			0
9/15/1997	PW-7	Sulfate	FALSE	4.5		0.5		0.5 mg/L			0
9/15/1997	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
9/15/1997	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/15/1997	PW-7	Temperature	FALSE	17.9		0		0 Degrees C			0
9/15/1997	PW-7	Sample Time	FALSE	1345		0		0 hours			0
9/15/1997	PW-8	Static Water Level	FALSE	345.08		0		0 feet msl			0
9/15/1997	PW-8	pH	FALSE	6.5		0		0 S.U.			0
9/15/1997	PW-8	Specific Conductance	FALSE	140		0		0 umhos/cm			0
9/15/1997	PW-8	Total Dissolved Solids (TDS)	FALSE	175		10		50 mg/L			0
9/15/1997	PW-8	Sulfate	FALSE	7.45		0.5		0.5 mg/L			0
9/15/1997	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
9/15/1997	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/15/1997	PW-8	Temperature	FALSE	17.7		0		0 Degrees C			0
9/15/1997	PW-8	Sample Time	FALSE	1220		0		0 hours			0
12/9/1997	FIELD BLANK	pH	FALSE	5.49		0		0 S.U.			0
12/9/1997	FIELD BLANK	Specific Conductance	FALSE	5		0		0 umhos/cm			0
12/9/1997	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/9/1997	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/9/1997	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/9/1997	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	FIELD BLANK	Temperature	FALSE	6.91		0		0 Degrees C			0
12/9/1997	FIELD BLANK	Sample Time	FALSE	1140		0		0 hours			0
12/9/1997	PW-1	Static Water Level	FALSE	352.23		0		0 feet msl			0
12/9/1997	PW-1	pH	FALSE	6.52		0		0 S.U.			0
12/9/1997	PW-1	Specific Conductance	FALSE	622		0		0 umhos/cm			0
12/9/1997	PW-1	Total Dissolved Solids (TDS)	FALSE	496		10		50 mg/L			0
12/9/1997	PW-1	Sulfate	FALSE	106.56		0.5		0.5 mg/L			0
12/9/1997	PW-1	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
12/9/1997	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-1	Temperature	FALSE	14.85		0		0 Degrees C			0
12/9/1997	PW-1	Sample Time	FALSE	1152		0		0 hours			0
12/9/1997	PW-1 DUP	pH	FALSE	6.5		0		0 S.U.			0
12/9/1997	PW-1 DUP	Specific Conductance	FALSE	613		0		0 umhos/cm			0
12/9/1997	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	504		10		50 mg/L			0
12/9/1997	PW-1 DUP	Sulfate	FALSE	108.22		0.5		0.5 mg/L			0
12/9/1997	PW-1 DUP	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/9/1997	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-1 DUP	Temperature	FALSE	15.06		0		0 Degrees C			0
12/9/1997	PW-1 DUP	Sample Time	FALSE	1153		0		0 hours			0
12/9/1997	PW-2	Static Water Level	FALSE	356.44		0		0 feet msl			0
12/9/1997	PW-2	pH	FALSE	6.01		0		0 S.U.			0
12/9/1997	PW-2	Specific Conductance	FALSE	118		0		0 umhos/cm			0
12/9/1997	PW-2	Total Dissolved Solids (TDS)	FALSE	179.5		10		50 mg/L			0
12/9/1997	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/9/1997	PW-2	Dissolved Chromium	FALSE	0.043		0.001		0.005 mg/L			0
12/9/1997	PW-2	Dissolved Manganese	FALSE	0.16		0.02		0.1 mg/L			0
12/9/1997	PW-2	Temperature	FALSE	15.95		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/9/1997	PW-2	Sample Time	FALSE	1400		0		0 hours			0
12/9/1997	PW-3	Static Water Level	FALSE	350.31		0		0 feet msl			0
12/9/1997	PW-3	pH	FALSE	6.1		0		0 S.U.			0
12/9/1997	PW-3	Specific Conductance	FALSE	93		0		0 umhos/cm			0
12/9/1997	PW-3	Total Dissolved Solids (TDS)	FALSE	100.5		10		50 mg/L			0
12/9/1997	PW-3	Sulfate	FALSE	4.09		0.5		0.5 mg/L			0
12/9/1997	PW-3	Dissolved Chromium	FALSE	0.027		0.001		0.005 mg/L			0
12/9/1997	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-3	Temperature	FALSE	13.9		0		0 Degrees C			0
12/9/1997	PW-3	Sample Time	FALSE	1315		0		0 hours			0
12/9/1997	PW-4	Static Water Level	FALSE	344.48		0		0 feet msl			0
12/9/1997	PW-4	pH	FALSE	6.17		0		0 S.U.			0
12/9/1997	PW-4	Specific Conductance	FALSE	242		0		0 umhos/cm			0
12/9/1997	PW-4	Total Dissolved Solids (TDS)	FALSE	239		10		50 mg/L			0
12/9/1997	PW-4	Sulfate	FALSE	3.56		0.5		0.5 mg/L			0
12/9/1997	PW-4	Dissolved Chromium	FALSE	0.028		0.001		0.005 mg/L			0
12/9/1997	PW-4	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
12/9/1997	PW-4	Temperature	FALSE	15.35		0		0 Degrees C			0
12/9/1997	PW-4	Sample Time	FALSE	1315		0		0 hours			0
12/9/1997	PW-5	Static Water Level	FALSE	345.43		0		0 feet msl			0
12/9/1997	PW-5	pH	FALSE	6.56		0		0 S.U.			0
12/9/1997	PW-5	Specific Conductance	FALSE	205		0		0 umhos/cm			0
12/9/1997	PW-5	Total Dissolved Solids (TDS)	FALSE	176.5		10		50 mg/L			0
12/9/1997	PW-5	Sulfate	FALSE	9.88		0.5		0.5 mg/L			0
12/9/1997	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/9/1997	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-5	Temperature	FALSE	14.23		0		0 Degrees C			0
12/9/1997	PW-5	Sample Time	FALSE	1250		0		0 hours			0
12/9/1997	PW-6	Static Water Level	FALSE	342.05		0		0 feet msl			0
12/9/1997	PW-6	pH	FALSE	6.35		0		0 S.U.			0
12/9/1997	PW-6	Specific Conductance	FALSE	288		0		0 umhos/cm			0
12/9/1997	PW-6	Total Dissolved Solids (TDS)	FALSE	230		10		50 mg/L			0
12/9/1997	PW-6	Sulfate	FALSE	67.93		0.5		0.5 mg/L			0
12/9/1997	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/9/1997	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-6	Temperature	FALSE	14.76		0		0 Degrees C			0
12/9/1997	PW-6	Sample Time	FALSE	1233		0		0 hours			0
12/9/1997	PW-7	Static Water Level	FALSE	345.18		0		0 feet msl			0
12/9/1997	PW-7	pH	FALSE	6.5		0		0 S.U.			0
12/9/1997	PW-7	Specific Conductance	FALSE	121		0		0 umhos/cm			0
12/9/1997	PW-7	Total Dissolved Solids (TDS)	FALSE	117.5		10		50 mg/L			0
12/9/1997	PW-7	Sulfate	FALSE	5.41		0.5		0.5 mg/L			0
12/9/1997	PW-7	Dissolved Chromium	FALSE	0.013		0.001		0.005 mg/L			0
12/9/1997	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-7	Temperature	FALSE	14		0		0 Degrees C			0
12/9/1997	PW-7	Sample Time	FALSE	1250		0		0 hours			0
12/9/1997	PW-8	Static Water Level	FALSE	345.95		0		0 feet msl			0
12/9/1997	PW-8	pH	FALSE	6		0		0 S.U.			0
12/9/1997	PW-8	Specific Conductance	FALSE	146		0		0 umhos/cm			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/9/1997	PW-8	Total Dissolved Solids (TDS)	FALSE	138.5		10		50 mg/L			0
12/9/1997	PW-8	Sulfate	FALSE	8.88		0.5		0.5 mg/L			0
12/9/1997	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
12/9/1997	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/9/1997	PW-8	Temperature	FALSE	14.1		0		0 Degrees C			0
12/9/1997	PW-8	Sample Time	FALSE	1230		0		0 hours			0
12/29/1997	FIELD BLANK	pH	FALSE	9.19		0		0 S.U.			0
12/29/1997	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/29/1997	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/29/1997	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/29/1997	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/29/1997	FIELD BLANK	Temperature	FALSE	8.89		0		0 Degrees C			0
12/29/1997	FIELD BLANK	Sample Time	FALSE	1105		0		0 hours			0
12/29/1997	PW-1	Static Water Level	FALSE	352.44		0		0 feet msl			0
12/29/1997	PW-1	pH	FALSE	6.5		0		0 S.U.			0
12/29/1997	PW-1	Specific Conductance	FALSE	521		0		0 umhos/cm			0
12/29/1997	PW-1	Total Dissolved Solids (TDS)	FALSE	480		10		50 mg/L			0
12/29/1997	PW-1	Sulfate	FALSE	119.68		0.5		0.5 mg/L			0
12/29/1997	PW-1	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
12/29/1997	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/29/1997	PW-1	Temperature	FALSE	14.14		0		0 Degrees C			0
12/29/1997	PW-1	Sample Time	FALSE	1225		0		0 hours			0
12/29/1997	PW-6	Static Water Level	FALSE	343.68		0		0 feet msl			0
12/29/1997	PW-6	pH	FALSE	6.65		0		0 S.U.			0
12/29/1997	PW-6	Specific Conductance	FALSE	218		0		0 umhos/cm			0
12/29/1997	PW-6	Total Dissolved Solids (TDS)	FALSE	229.5		10		50 mg/L			0
12/29/1997	PW-6	Sulfate	FALSE	63.27		0.5		0.5 mg/L			0
12/29/1997	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
12/29/1997	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/29/1997	PW-6	Temperature	FALSE	14.23		0		0 Degrees C			0
12/29/1997	PW-6	Sample Time	FALSE	1215		0		0 hours			0
12/29/1997	PW-7	Static Water Level	FALSE	346.03		0		0 feet msl			0
12/29/1997	PW-7	pH	FALSE	6.91		0		0 S.U.			0
12/29/1997	PW-7	Specific Conductance	FALSE	89		0		0 umhos/cm			0
12/29/1997	PW-7	Total Dissolved Solids (TDS)	FALSE	110.5		10		50 mg/L			0
12/29/1997	PW-7	Sulfate	FALSE	6.15		0.5		0.5 mg/L			0
12/29/1997	PW-7	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L			0
12/29/1997	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/29/1997	PW-7	Temperature	FALSE	15.27		0		0 Degrees C			0
12/29/1997	PW-7	Sample Time	FALSE	1130		0		0 hours			0
12/29/1997	PW-8	Static Water Level	FALSE	346.6		0		0 feet msl			0
12/29/1997	PW-8	pH	FALSE	7.43		0		0 S.U.			0
12/29/1997	PW-8	Specific Conductance	FALSE	103		0		0 umhos/cm			0
12/29/1997	PW-8	Total Dissolved Solids (TDS)	FALSE	150		10		50 mg/L			0
12/29/1997	PW-8	Sulfate	FALSE	8.85		0.5		0.5 mg/L			0
12/29/1997	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
12/29/1997	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/29/1997	PW-8	Temperature	FALSE	13.53		0		0 Degrees C			0
12/29/1997	PW-8	Sample Time	FALSE	1115		0		0 hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/1997	PW-8 DUP	pH	FALSE	7.39		0		0 S.U.			0
12/29/1997	PW-8 DUP	Specific Conductance	FALSE	104		0		0 umhos/cm			0
12/29/1997	PW-8 DUP	Total Dissolved Solids (TDS)	FALSE	149		10		50 mg/L			0
12/29/1997	PW-8 DUP	Sulfate	FALSE	9.29		0.5		0.5 mg/L			0
12/29/1997	PW-8 DUP	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
12/29/1997	PW-8 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/29/1997	PW-8 DUP	Temperature	FALSE	13.43		0		0 Degrees C			0
12/29/1997	PW-8 DUP	Sample Time	FALSE	1115		0		0 hours			0
1/14/1998	FIELD BLANK	pH	FALSE	7.57		0		0 S.U.			0
1/14/1998	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
1/14/1998	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
1/14/1998	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
1/14/1998	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
1/14/1998	FIELD BLANK	Temperature	FALSE	8.73		0		0 Degrees C			0
1/14/1998	FIELD BLANK	Sample Time	FALSE	1145		0		0 hours			0
1/14/1998	PW-1	Static Water Level	FALSE	352.46		0		0 feet msl			0
1/14/1998	PW-1	pH	FALSE	6.53		0		0 S.U.			0
1/14/1998	PW-1	Specific Conductance	FALSE	697		0		0 umhos/cm			0
1/14/1998	PW-1	Total Dissolved Solids (TDS)	FALSE	525.5		10		50 mg/L			0
1/14/1998	PW-1	Sulfate	FALSE	124.79		0.5		0.5 mg/L			0
1/14/1998	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
1/14/1998	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
1/14/1998	PW-1	Temperature	FALSE	14.22		0		0 Degrees C			0
1/14/1998	PW-1	Sample Time	FALSE	1250		0		0 hours			0
1/14/1998	PW-6	Static Water Level	FALSE	343.8		0		0 feet msl			0
1/14/1998	PW-6	pH	FALSE	6.25		0		0 S.U.			0
1/14/1998	PW-6	Specific Conductance	FALSE	293		0		0 umhos/cm			0
1/14/1998	PW-6	Total Dissolved Solids (TDS)	FALSE	225		10		50 mg/L			0
1/14/1998	PW-6	Sulfate	FALSE	66.86		0.5		0.5 mg/L			0
1/14/1998	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
1/14/1998	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
1/14/1998	PW-6	Temperature	FALSE	12.32		0		0 Degrees C			0
1/14/1998	PW-6	Sample Time	FALSE	1210		0		0 hours			0
1/14/1998	PW-6 DUP	pH	FALSE	6.25		0		0 S.U.			0
1/14/1998	PW-6 DUP	Specific Conductance	FALSE	292		0		0 umhos/cm			0
1/14/1998	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	223.5		10		50 mg/L			0
1/14/1998	PW-6 DUP	Sulfate	FALSE	65.58		0.5		0.5 mg/L			0
1/14/1998	PW-6 DUP	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
1/14/1998	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
1/14/1998	PW-6 DUP	Temperature	FALSE	12.54		0		0 Degrees C			0
1/14/1998	PW-6 DUP	Sample Time	FALSE	1215		0		0 hours			0
1/14/1998	PW-7	Static Water Level	FALSE	346.24		0		0 feet msl			0
1/14/1998	PW-7	pH	FALSE	6.26		0		0 S.U.			0
1/14/1998	PW-7	Specific Conductance	FALSE	108		0		0 umhos/cm			0
1/14/1998	PW-7	Total Dissolved Solids (TDS)	FALSE	118		10		50 mg/L			0
1/14/1998	PW-7	Sulfate	FALSE	5.92		0.5		0.5 mg/L			0
1/14/1998	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
1/14/1998	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
1/14/1998	PW-7	Temperature	FALSE	13.28		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
1/14/1998	PW-7	Sample Time	FALSE	1225		0		0 hours			0
1/14/1998	PW-8	Static Water Level	FALSE	346.72		0		0 feet msl			0
1/14/1998	PW-8	pH	FALSE	6.8		0		0 S.U.			0
1/14/1998	PW-8	Specific Conductance	FALSE	133		0		0 umhos/cm			0
1/14/1998	PW-8	Total Dissolved Solids (TDS)	FALSE	116.5		10		50 mg/L			0
1/14/1998	PW-8	Sulfate	FALSE	10.61		0.5		0.5 mg/L			0
1/14/1998	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
1/14/1998	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
1/14/1998	PW-8	Temperature	FALSE	14.55		0		0 Degrees C			0
1/14/1998	PW-8	Sample Time	FALSE	1310		0		0 hours			0
3/10/1998	FIELD BLANK	pH	FALSE	8.14		0		0 S.U.			0
3/10/1998	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm			0
3/10/1998	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/10/1998	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/10/1998	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/10/1998	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	FIELD BLANK	Temperature	FALSE	11.48		0		0 Degrees C			0
3/10/1998	FIELD BLANK	Sample Time	FALSE	1122		0		0 hours			0
3/10/1998	PW-1	Static Water Level	FALSE	355		0		0 feet msl			0
3/10/1998	PW-1	pH	FALSE	6.2		0		0 S.U.			0
3/10/1998	PW-1	Specific Conductance	FALSE	817		0		0 umhos/cm			0
3/10/1998	PW-1	Total Dissolved Solids (TDS)	FALSE	620		10		50 mg/L			0
3/10/1998	PW-1	Sulfate	FALSE	182.66		0.5		0.5 mg/L			0
3/10/1998	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/10/1998	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-1	Temperature	FALSE	15.06		0		0 Degrees C			0
3/10/1998	PW-1	Sample Time	FALSE	1236		0		0 hours			0
3/10/1998	PW-1 DUP	pH	FALSE	6.17		0		0 S.U.			0
3/10/1998	PW-1 DUP	Specific Conductance	FALSE	814		0		0 umhos/cm			0
3/10/1998	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	611.5		10		50 mg/L			0
3/10/1998	PW-1 DUP	Sulfate	FALSE	180.24		0.5		0.5 mg/L			0
3/10/1998	PW-1 DUP	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/10/1998	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-1 DUP	Temperature	FALSE	15.38		0		0 Degrees C			0
3/10/1998	PW-1 DUP	Sample Time	FALSE	1237		0		0 hours			0
3/10/1998	PW-2	Static Water Level	FALSE	357.43		0		0 feet msl			0
3/10/1998	PW-2	pH	FALSE	6.16		0		0 S.U.			0
3/10/1998	PW-2	Specific Conductance	FALSE	130		0		0 umhos/cm			0
3/10/1998	PW-2	Total Dissolved Solids (TDS)	FALSE	131.5		10		50 mg/L			0
3/10/1998	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/10/1998	PW-2	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/10/1998	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-2	Temperature	FALSE	14.52		0		0 Degrees C			0
3/10/1998	PW-2	Sample Time	FALSE	1330		0		0 hours			0
3/10/1998	PW-3	Static Water Level	FALSE	351.52		0		0 feet msl			0
3/10/1998	PW-3	pH	FALSE	5.94		0		0 S.U.			0
3/10/1998	PW-3	Specific Conductance	FALSE	96		0		0 umhos/cm			0
3/10/1998	PW-3	Total Dissolved Solids (TDS)	FALSE	123.5		10		50 mg/L			0
3/10/1998	PW-3	Sulfate	FALSE	5.16		0.5		0.5 mg/L			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/10/1998	PW-3	Dissolved Chromium	FALSE	0.03		0.001		0.005 mg/L			0
3/10/1998	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-3	Temperature	FALSE	15.06		0		0 Degrees C			0
3/10/1998	PW-3	Sample Time	FALSE	1340		0		0 hours			0
3/10/1998	PW-4	Static Water Level	FALSE	346.59		0		0 feet msl			0
3/10/1998	PW-4	pH	FALSE	5.78		0		0 S.U.			0
3/10/1998	PW-4	Specific Conductance	FALSE	250		0		0 umhos/cm			0
3/10/1998	PW-4	Total Dissolved Solids (TDS)	FALSE	211.5		10		50 mg/L			0
3/10/1998	PW-4	Sulfate	FALSE	3.78		0.5		0.5 mg/L			0
3/10/1998	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/10/1998	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-4	Temperature	FALSE	14.5		0		0 Degrees C			0
3/10/1998	PW-4	Sample Time	FALSE	1340		0		0 hours			0
3/10/1998	PW-5	pH	FALSE	6.87		0		0 S.U.			0
3/10/1998	PW-5	Specific Conductance	FALSE	246		0		0 umhos/cm			0
3/10/1998	PW-5	Total Dissolved Solids (TDS)	FALSE	183.5		10		50 mg/L			0
3/10/1998	PW-5	Sulfate	FALSE	16.34		0.5		0.5 mg/L			0
3/10/1998	PW-5	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/10/1998	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-5	Temperature	FALSE	14.1		0		0 Degrees C			0
3/10/1998	PW-5	Sample Time	FALSE	1200		0		0 hours			0
3/10/1998	PW-6	Static Water Level	FALSE	346.25		0		0 feet msl			0
3/10/1998	PW-6	pH	FALSE	6.03		0		0 S.U.			0
3/10/1998	PW-6	Specific Conductance	FALSE	307		0		0 umhos/cm			0
3/10/1998	PW-6	Total Dissolved Solids (TDS)	FALSE	227.5		10		50 mg/L			0
3/10/1998	PW-6	Sulfate	FALSE	61.22		0.5		0.5 mg/L			0
3/10/1998	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
3/10/1998	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-6	Temperature	FALSE	13.7		0		0 Degrees C			0
3/10/1998	PW-6	Sample Time	FALSE	1300		0		0 hours			0
3/10/1998	PW-7	Static Water Level	FALSE	348.96		0		0 feet msl			0
3/10/1998	PW-7	pH	FALSE	6.46		0		0 S.U.			0
3/10/1998	PW-7	Specific Conductance	FALSE	124		0		0 umhos/cm			0
3/10/1998	PW-7	Total Dissolved Solids (TDS)	FALSE	111		10		50 mg/L			0
3/10/1998	PW-7	Sulfate	FALSE	4.81		0.5		0.5 mg/L			0
3/10/1998	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
3/10/1998	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-7	Temperature	FALSE	13.7		0		0 Degrees C			0
3/10/1998	PW-7	Sample Time	FALSE	1220		0		0 hours			0
3/10/1998	PW-8	Static Water Level	FALSE	350.29		0		0 feet msl			0
3/10/1998	PW-8	pH	FALSE	5.94		0		0 S.U.			0
3/10/1998	PW-8	Specific Conductance	FALSE	166		0		0 umhos/cm			0
3/10/1998	PW-8	Total Dissolved Solids (TDS)	FALSE	135.5		10		50 mg/L			0
3/10/1998	PW-8	Sulfate	FALSE	11.61		0.5		0.5 mg/L			0
3/10/1998	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/10/1998	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/10/1998	PW-8	Temperature	FALSE	13.5		0		0 Degrees C			0
3/10/1998	PW-8	Sample Time	FALSE	1145		0		0 hours			0
6/30/1998	FIELD BLANK	pH	FALSE	7.29		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/30/1998	FIELD BLANK	Specific Conductance	FALSE	1		0		0 umhos/cm			0
6/30/1998	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/30/1998	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/30/1998	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/30/1998	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	FIELD BLANK	Temperature	FALSE	34.16		0		0 Degrees C			0
6/30/1998	FIELD BLANK	Sample Time	FALSE	1305		0		0 hours			0
6/30/1998	PW-1	Static Water Level	FALSE	354.93		0		0 feet msl			0
6/30/1998	PW-1	pH	FALSE	6		0		0 S.U.			0
6/30/1998	PW-1	Specific Conductance	FALSE	860		0		0 umhos/cm			0
6/30/1998	PW-1	Total Dissolved Solids (TDS)	FALSE	882.5		10		50 mg/L			0
6/30/1998	PW-1	Sulfate	FALSE	201.02		0.5		0.5 mg/L			0
6/30/1998	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
6/30/1998	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-1	Temperature	FALSE	18.5		0		0 Degrees C			0
6/30/1998	PW-1	Sample Time	FALSE	1320		0		0 hours			0
6/30/1998	PW-1 DUP	pH	FALSE	5.9		0		0 S.U.			0
6/30/1998	PW-1 DUP	Specific Conductance	FALSE	871		0		0 umhos/cm			0
6/30/1998	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	890		10		50 mg/L			0
6/30/1998	PW-1 DUP	Sulfate	FALSE	195.7		0.5		0.5 mg/L			0
6/30/1998	PW-1 DUP	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
6/30/1998	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-1 DUP	Temperature	FALSE	21.3		0		0 Degrees C			0
6/30/1998	PW-1 DUP	Sample Time	FALSE	1322		0		0 hours			0
6/30/1998	PW-2	Static Water Level	FALSE	358.15		0		0 feet msl			0
6/30/1998	PW-2	pH	FALSE	6.3		0		0 S.U.			0
6/30/1998	PW-2	Specific Conductance	FALSE	119		0		0 umhos/cm			0
6/30/1998	PW-2	Total Dissolved Solids (TDS)	FALSE	159.5		10		50 mg/L			0
6/30/1998	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/30/1998	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
6/30/1998	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-2	Temperature	FALSE	18.2		0		0 Degrees C			0
6/30/1998	PW-2	Sample Time	FALSE	1455		0		0 hours			0
6/30/1998	PW-3	Static Water Level	FALSE	351.34		0		0 feet msl			0
6/30/1998	PW-3	pH	FALSE	5.94		0		0 S.U.			0
6/30/1998	PW-3	Specific Conductance	FALSE	93		0		0 umhos/cm			0
6/30/1998	PW-3	Total Dissolved Solids (TDS)	FALSE	190.5		10		50 mg/L			0
6/30/1998	PW-3	Sulfate	FALSE	6.02		0.5		0.5 mg/L			0
6/30/1998	PW-3	Dissolved Chromium	FALSE	0.036		0.001		0.005 mg/L			0
6/30/1998	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-3	Temperature	FALSE	19.61		0		0 Degrees C			0
6/30/1998	PW-3	Sample Time	FALSE	1500		0		0 hours			0
6/30/1998	PW-4	Static Water Level	FALSE	344.66		0		0 feet msl			0
6/30/1998	PW-4	pH	FALSE	6.4		0		0 S.U.			0
6/30/1998	PW-4	Specific Conductance	FALSE	248		0		0 umhos/cm			0
6/30/1998	PW-4	Total Dissolved Solids (TDS)	FALSE	263.5		10		50 mg/L			0
6/30/1998	PW-4	Sulfate	FALSE	3.29		0.5		0.5 mg/L			0
6/30/1998	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/30/1998	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/30/1998	PW-4	Temperature	FALSE	18.08		0		0 Degrees C			0
6/30/1998	PW-4	Sample Time	FALSE	1445		0		0 hours			0
6/30/1998	PW-5	Static Water Level	FALSE	345.74		0		0 feet msl			0
6/30/1998	PW-5	pH	FALSE	6.4		0		0 S.U.			0
6/30/1998	PW-5	Specific Conductance	FALSE	262		0		0 umhos/cm			0
6/30/1998	PW-5	Total Dissolved Solids (TDS)	FALSE	268.5		10		50 mg/L			0
6/30/1998	PW-5	Sulfate	FALSE	17.65		0.5		0.5 mg/L			0
6/30/1998	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/30/1998	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-5	Temperature	FALSE	19.2		0		0 Degrees C			0
6/30/1998	PW-5	Sample Time	FALSE	1355		0		0 hours			0
6/30/1998	PW-6	Static Water Level	FALSE	343.51		0		0 feet msl			0
6/30/1998	PW-6	pH	FALSE	6.7		0		0 S.U.			0
6/30/1998	PW-6	Specific Conductance	FALSE	332		0		0 umhos/cm			0
6/30/1998	PW-6	Total Dissolved Solids (TDS)	FALSE	317		10		50 mg/L			0
6/30/1998	PW-6	Sulfate	FALSE	77.52		0.5		0.5 mg/L			0
6/30/1998	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
6/30/1998	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-6	Temperature	FALSE	19.4		0		0 Degrees C			0
6/30/1998	PW-6	Sample Time	FALSE	1415		0		0 hours			0
6/30/1998	PW-7	Static Water Level	FALSE	346.19		0		0 feet msl			0
6/30/1998	PW-7	pH	FALSE	6.33		0		0 S.U.			0
6/30/1998	PW-7	Specific Conductance	FALSE	120		0		0 umhos/cm			0
6/30/1998	PW-7	Total Dissolved Solids (TDS)	FALSE	145		10		50 mg/L			0
6/30/1998	PW-7	Sulfate	FALSE	6.42		0.5		0.5 mg/L			0
6/30/1998	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
6/30/1998	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-7	Temperature	FALSE	18.16		0		0 Degrees C			0
6/30/1998	PW-7	Sample Time	FALSE	1400		0		0 hours			0
6/30/1998	PW-8	Static Water Level	FALSE	347.4		0		0 feet msl			0
6/30/1998	PW-8	pH	FALSE	6.22		0		0 S.U.			0
6/30/1998	PW-8	Specific Conductance	FALSE	168		0		0 umhos/cm			0
6/30/1998	PW-8	Total Dissolved Solids (TDS)	FALSE	162.5		10		50 mg/L			0
6/30/1998	PW-8	Sulfate	FALSE	15.42		0.5		0.5 mg/L			0
6/30/1998	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/30/1998	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/30/1998	PW-8	Temperature	FALSE	18.22		0		0 Degrees C			0
6/30/1998	PW-8	Sample Time	FALSE	1315		0		0 hours			0
9/21/1998	FIELD BLANK	pH	FALSE	5.2		0		0 S.U.			0
9/21/1998	FIELD BLANK	Specific Conductance	FALSE	8		0		0 umhos/cm			0
9/21/1998	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/21/1998	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/21/1998	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/21/1998	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/21/1998	FIELD BLANK	Temperature	FALSE	32.7		0		0 Degrees C			0
9/21/1998	FIELD BLANK	Sample Time	FALSE	1300		0		0 hours			0
9/21/1998	PW-1	Static Water Level	FALSE	352.49		0		0 feet msl			0
9/21/1998	PW-1	pH	FALSE	5.9		0		0 S.U.			0
9/21/1998	PW-1	Specific Conductance	FALSE	831		0		0 umhos/cm			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/1998	PW-1	Total Dissolved Solids (TDS)	FALSE	665		10		50 mg/L			0
9/21/1998	PW-1	Sulfate	FALSE	190.78		0.5		0.5 mg/L			0
9/21/1998	PW-1	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
9/21/1998	PW-1	Dissolved Manganese	FALSE	0.02	J	0.02		0.1 mg/L			0
9/21/1998	PW-1	Temperature	FALSE	19.4		0		0 Degrees C			0
9/21/1998	PW-1	Sample Time	FALSE	1305		0		0 hours			0
9/21/1998	PW-1 DUP	pH	FALSE	5.9		0		0 S.U.			0
9/21/1998	PW-1 DUP	Specific Conductance	FALSE	831		0		0 umhos/cm			0
9/21/1998	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	653		10		50 mg/L			0
9/21/1998	PW-1 DUP	Sulfate	FALSE	189.1		0.5		0.5 mg/L			0
9/21/1998	PW-1 DUP	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
9/21/1998	PW-1 DUP	Dissolved Manganese	FALSE	0.02	J	0.02		0.1 mg/L			0
9/21/1998	PW-1 DUP	Temperature	FALSE	19.4		0		0 Degrees C			0
9/21/1998	PW-1 DUP	Sample Time	FALSE	1310		0		0 hours			0
9/21/1998	PW-2	Static Water Level	FALSE	357.25		0		0 feet msl			0
9/21/1998	PW-2	pH	FALSE	5.93		0		0 S.U.			0
9/21/1998	PW-2	Specific Conductance	FALSE	102		0		0 umhos/cm			0
9/21/1998	PW-2	Total Dissolved Solids (TDS)	FALSE	154.5		10		50 mg/L			0
9/21/1998	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/21/1998	PW-2	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L			0
9/21/1998	PW-2	Dissolved Manganese	FALSE	0.05	J	0.02		0.1 mg/L			0
9/21/1998	PW-2	Temperature	FALSE	20.66		0		0 Degrees C			0
9/21/1998	PW-2	Sample Time	FALSE	1440		0		0 hours			0
9/21/1998	PW-3	Static Water Level	FALSE	349.84		0		0 feet msl			0
9/21/1998	PW-3	pH	FALSE	5.43		0		0 S.U.			0
9/21/1998	PW-3	Specific Conductance	FALSE	101		0		0 umhos/cm			0
9/21/1998	PW-3	Total Dissolved Solids (TDS)	FALSE	100		10		50 mg/L			0
9/21/1998	PW-3	Sulfate	FALSE	5.81		0.5		0.5 mg/L			0
9/21/1998	PW-3	Dissolved Chromium	FALSE	0.03		0.001		0.005 mg/L			0
9/21/1998	PW-3	Dissolved Manganese	FALSE	0.03	J	0.02		0.1 mg/L			0
9/21/1998	PW-3	Temperature	FALSE	19.4		0		0 Degrees C			0
9/21/1998	PW-3	Sample Time	FALSE	1420		0		0 hours			0
9/21/1998	PW-4	Static Water Level	FALSE	342.62		0		0 feet msl			0
9/21/1998	PW-4	pH	FALSE	5.67		0		0 S.U.			0
9/21/1998	PW-4	Specific Conductance	FALSE	255		0		0 umhos/cm			0
9/21/1998	PW-4	Total Dissolved Solids (TDS)	FALSE	192.5		10		50 mg/L			0
9/21/1998	PW-4	Sulfate	FALSE	3.3		0.5		0.5 mg/L			0
9/21/1998	PW-4	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
9/21/1998	PW-4	Dissolved Manganese	FALSE	0.06	J	0.02		0.1 mg/L			0
9/21/1998	PW-4	Temperature	FALSE	19.5		0		0 Degrees C			0
9/21/1998	PW-4	Sample Time	FALSE	1440		0		0 hours			0
9/21/1998	PW-5	Static Water Level	FALSE	343.58		0		0 feet msl			0
9/21/1998	PW-5	pH	FALSE	5.8		0		0 S.U.			0
9/21/1998	PW-5	Specific Conductance	FALSE	279		0		0 umhos/cm			0
9/21/1998	PW-5	Total Dissolved Solids (TDS)	FALSE	240		10		50 mg/L			0
9/21/1998	PW-5	Sulfate	FALSE	21.81		0.5		0.5 mg/L			0
9/21/1998	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
9/21/1998	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/21/1998	PW-5	Temperature	FALSE	19.1		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/1998	PW-5	Sample Time	FALSE	1400			0	0 hours			0
9/21/1998	PW-6	Static Water Level	FALSE	341.31			0	0 feet msl			0
9/21/1998	PW-6	pH	FALSE	5.7			0	0 S.U.			0
9/21/1998	PW-6	Specific Conductance	FALSE	336			0	0 umhos/cm			0
9/21/1998	PW-6	Total Dissolved Solids (TDS)	FALSE	287.5		10		50 mg/L			0
9/21/1998	PW-6	Sulfate	FALSE	88.57		0.5		0.5 mg/L			0
9/21/1998	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
9/21/1998	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/21/1998	PW-6	Temperature	FALSE	20.74			0	0 Degrees C			0
9/21/1998	PW-6	Sample Time	FALSE	1330			0	0 hours			0
9/21/1998	PW-7	Static Water Level	FALSE	343.92			0	0 feet msl			0
9/21/1998	PW-7	pH	FALSE	6.32			0	0 S.U.			0
9/21/1998	PW-7	Specific Conductance	FALSE	122			0	0 umhos/cm			0
9/21/1998	PW-7	Total Dissolved Solids (TDS)	FALSE	135		10		50 mg/L			0
9/21/1998	PW-7	Sulfate	FALSE	10.21		0.5		0.5 mg/L			0
9/21/1998	PW-7	Dissolved Chromium	FALSE	0.013		0.001		0.005 mg/L			0
9/21/1998	PW-7	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
9/21/1998	PW-7	Temperature	FALSE	18.61			0	0 Degrees C			0
9/21/1998	PW-7	Sample Time	FALSE	1400			0	0 hours			0
9/21/1998	PW-8	Static Water Level	FALSE	344.87			0	0 feet msl			0
9/21/1998	PW-8	pH	FALSE	6.3			0	0 S.U.			0
9/21/1998	PW-8	Specific Conductance	FALSE	161			0	0 umhos/cm			0
9/21/1998	PW-8	Total Dissolved Solids (TDS)	FALSE	140		10		50 mg/L			0
9/21/1998	PW-8	Sulfate	FALSE	18.95		0.5		0.5 mg/L			0
9/21/1998	PW-8	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/21/1998	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/21/1998	PW-8	Temperature	FALSE	18.72			0	0 Degrees C			0
9/21/1998	PW-8	Sample Time	FALSE	1330			0	0 hours			0
12/8/1998	FIELD BLANK	pH	FALSE	6.07			0	0 S.U.			0
12/8/1998	FIELD BLANK	Specific Conductance	FALSE	4			0	0 umhos/cm			0
12/8/1998	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/8/1998	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/8/1998	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/8/1998	FIELD BLANK	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
12/8/1998	FIELD BLANK	Temperature	FALSE	19.89			0	0 Degrees C			0
12/8/1998	FIELD BLANK	Sample Time	FALSE	1125			0	0 hours			0
12/8/1998	PW-1	Static Water Level	FALSE	350.74			0	0 feet msl			0
12/8/1998	PW-1	pH	FALSE	5.73			0	0 S.U.			0
12/8/1998	PW-1	Specific Conductance	FALSE	811			0	0 umhos/cm			0
12/8/1998	PW-1	Total Dissolved Solids (TDS)	FALSE	646		10		50 mg/L			0
12/8/1998	PW-1	Sulfate	FALSE	191.59		0.5		0.5 mg/L			0
12/8/1998	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L			0
12/8/1998	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1998	PW-1	Temperature	FALSE	17.93			0	0 Degrees C			0
12/8/1998	PW-1	Sample Time	FALSE	1153			0	0 hours			0
12/8/1998	PW-1 DUP	pH	FALSE	5.84			0	0 S.U.			0
12/8/1998	PW-1 DUP	Specific Conductance	FALSE	826			0	0 umhos/cm			0
12/8/1998	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	651.5		10		50 mg/L			0
12/8/1998	PW-1 DUP	Sulfate	FALSE	177.08		0.5		0.5 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/8/1998	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L			0
12/8/1998	PW-1 DUP	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L			0
12/8/1998	PW-1 DUP	Temperature	FALSE	16.94		0	0	Degrees C			0
12/8/1998	PW-1 DUP	Sample Time	FALSE	1154		0	0	hours			0
12/8/1998	PW-2	Static Water Level	FALSE	355.23		0	0	feet msl			0
12/8/1998	PW-2	pH	FALSE	5.97		0	0	S.U.			0
12/8/1998	PW-2	Specific Conductance	FALSE	78		0	0	umhos/cm			0
12/8/1998	PW-2	Total Dissolved Solids (TDS)	FALSE	161.5		10	50	mg/L			0
12/8/1998	PW-2	Sulfate	TRUE	0		0.5	0.5	mg/L			0
12/8/1998	PW-2	Dissolved Chromium	FALSE	0.021		0.001	0.005	mg/L			0
12/8/1998	PW-2	Dissolved Manganese	FALSE	0.23		0.02	0.1	mg/L			0
12/8/1998	PW-2	Temperature	FALSE	18.93		0	0	Degrees C			0
12/8/1998	PW-2	Sample Time	FALSE	1322		0	0	hours			0
12/8/1998	PW-3	Static Water Level	FALSE	348.44		0	0	feet msl			0
12/8/1998	PW-3	pH	FALSE	5.53		0	0	S.U.			0
12/8/1998	PW-3	Specific Conductance	FALSE	115		0	0	umhos/cm			0
12/8/1998	PW-3	Total Dissolved Solids (TDS)	FALSE	135		10	50	mg/L			0
12/8/1998	PW-3	Sulfate	FALSE	6.06		0.5	0.5	mg/L			0
12/8/1998	PW-3	Dissolved Chromium	FALSE	0.018		0.001	0.005	mg/L			0
12/8/1998	PW-3	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L			0
12/8/1998	PW-3	Temperature	FALSE	19.3		0	0	Degrees C			0
12/8/1998	PW-3	Sample Time	FALSE	1244		0	0	hours			0
12/8/1998	PW-4	Static Water Level	FALSE	341.24		0	0	feet msl			0
12/8/1998	PW-4	pH	FALSE	5.43		0	0	S.U.			0
12/8/1998	PW-4	Specific Conductance	FALSE	261		0	0	umhos/cm			0
12/8/1998	PW-4	Total Dissolved Solids (TDS)	FALSE	300		10	50	mg/L			0
12/8/1998	PW-4	Sulfate	FALSE	2.73		0.5	0.5	mg/L			0
12/8/1998	PW-4	Dissolved Chromium	FALSE	0.046		0.001	0.005	mg/L			0
12/8/1998	PW-4	Dissolved Manganese	FALSE	0.19		0.02	0.1	mg/L			0
12/8/1998	PW-4	Temperature	FALSE	19.56		0	0	Degrees C			0
12/8/1998	PW-4	Sample Time	FALSE	1340		0	0	hours			0
12/8/1998	PW-5	Static Water Level	FALSE	342.22		0	0	feet msl			0
12/8/1998	PW-5	pH	FALSE	6.35		0	0	S.U.			0
12/8/1998	PW-5	Specific Conductance	FALSE	313		0	0	umhos/cm			0
12/8/1998	PW-5	Total Dissolved Solids (TDS)	FALSE	275.5		10	50	mg/L			0
12/8/1998	PW-5	Sulfate	FALSE	23.93		0.5	0.5	mg/L			0
12/8/1998	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001	0.005	mg/L			0
12/8/1998	PW-5	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L			0
12/8/1998	PW-5	Temperature	FALSE	16.32		0	0	Degrees C			0
12/8/1998	PW-5	Sample Time	FALSE	1236		0	0	hours			0
12/8/1998	PW-6	Static Water Level	FALSE	339.95		0	0	feet msl			0
12/8/1998	PW-6	pH	FALSE	6.11		0	0	S.U.			0
12/8/1998	PW-6	Specific Conductance	FALSE	368		0	0	umhos/cm			0
12/8/1998	PW-6	Total Dissolved Solids (TDS)	FALSE	277.5		10	50	mg/L			0
12/8/1998	PW-6	Sulfate	FALSE	72.94		0.5	0.5	mg/L			0
12/8/1998	PW-6	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L			0
12/8/1998	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/8/1998	PW-6	Temperature	FALSE	16.1		0	0	Degrees C			0
12/8/1998	PW-6	Sample Time	FALSE	1200		0	0	hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/8/1998	PW-7	Static Water Level	FALSE	342.5		0		0 feet msl			0
12/8/1998	PW-7	pH	FALSE	6.42		0		0 S.U.			0
12/8/1998	PW-7	Specific Conductance	FALSE	105		0		0 umhos/cm			0
12/8/1998	PW-7	Total Dissolved Solids (TDS)	FALSE	168.5		10		50 mg/L			0
12/8/1998	PW-7	Sulfate	FALSE	11.54		0.5		0.5 mg/L			0
12/8/1998	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/8/1998	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1998	PW-7	Temperature	FALSE	17.92		0		0 Degrees C			0
12/8/1998	PW-7	Sample Time	FALSE	1235		0		0 hours			0
12/8/1998	PW-8	Static Water Level	FALSE	342.75		0		0 feet msl			0
12/8/1998	PW-8	pH	FALSE	6.5		0		0 S.U.			0
12/8/1998	PW-8	Specific Conductance	FALSE	151		0		0 umhos/cm			0
12/8/1998	PW-8	Total Dissolved Solids (TDS)	FALSE	175		10		50 mg/L			0
12/8/1998	PW-8	Sulfate	FALSE	24.19		0.5		0.5 mg/L			0
12/8/1998	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/8/1998	PW-8	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
12/8/1998	PW-8	Temperature	FALSE	17.32		0		0 Degrees C			0
12/8/1998	PW-8	Sample Time	FALSE	1150		0		0 hours			0
3/31/1999	FIELD BLANK	pH	FALSE	6.87		0		0 S.U.			0
3/31/1999	FIELD BLANK	Specific Conductance	FALSE	4		0		0 umhos/cm			0
3/31/1999	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/31/1999	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/31/1999	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/31/1999	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	FIELD BLANK	Temperature	FALSE	21.64		0		0 Degrees C			0
3/31/1999	FIELD BLANK	Sample Time	FALSE	1233		0		0 hours			0
3/31/1999	PW-1	Static Water Level	FALSE	353.14		0		0 feet msl			0
3/31/1999	PW-1	pH	FALSE	6.18		0		0 S.U.			0
3/31/1999	PW-1	Specific Conductance	FALSE	729		0		0 umhos/cm			0
3/31/1999	PW-1	Total Dissolved Solids (TDS)	FALSE	705		10		50 mg/L			0
3/31/1999	PW-1	Sulfate	FALSE	275.28		0.5		0.5 mg/L			0
3/31/1999	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/31/1999	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-1	Temperature	FALSE	17.54		0		0 Degrees C			0
3/31/1999	PW-1	Sample Time	FALSE	1246		0		0 hours			0
3/31/1999	PW-2	Static Water Level	FALSE	356.28		0		0 feet msl			0
3/31/1999	PW-2	pH	FALSE	6.11		0		0 S.U.			0
3/31/1999	PW-2	Specific Conductance	FALSE	100		0		0 umhos/cm			0
3/31/1999	PW-2	Total Dissolved Solids (TDS)	FALSE	405		10		50 mg/L			0
3/31/1999	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/31/1999	PW-2	Dissolved Chromium	FALSE	0.031		0.001		0.005 mg/L			0
3/31/1999	PW-2	Dissolved Manganese	FALSE	0.19		0.02		0.1 mg/L			0
3/31/1999	PW-2	Temperature	FALSE	16.82		0		0 Degrees C			0
3/31/1999	PW-2	Sample Time	FALSE	1440		0		0 hours			0
3/31/1999	PW-3	Static Water Level	FALSE	349.79		0		0 feet msl			0
3/31/1999	PW-3	pH	FALSE	5.95		0		0 S.U.			0
3/31/1999	PW-3	Specific Conductance	FALSE	91		0		0 umhos/cm			0
3/31/1999	PW-3	Total Dissolved Solids (TDS)	FALSE	161.5		10		50 mg/L			0
3/31/1999	PW-3	Sulfate	FALSE	7.71		0.5		0.5 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/31/1999	PW-3	Dissolved Chromium	FALSE	0.028		0.001		0.005 mg/L			0
3/31/1999	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-3	Temperature	FALSE	16.95		0		0 Degrees C			0
3/31/1999	PW-3	Sample Time	FALSE	1407		0		0 hours			0
3/31/1999	PW-4	Static Water Level	FALSE	344.48		0		0 feet msl			0
3/31/1999	PW-4	pH	FALSE	5.98		0		0 S.U.			0
3/31/1999	PW-4	Specific Conductance	FALSE	219		0		0 umhos/cm			0
3/31/1999	PW-4	Total Dissolved Solids (TDS)	FALSE	462		10		50 mg/L			0
3/31/1999	PW-4	Sulfate	FALSE	14.68		0.5		0.5 mg/L			0
3/31/1999	PW-4	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
3/31/1999	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-4	Temperature	FALSE	18.14		0		0 Degrees C			0
3/31/1999	PW-4	Sample Time	FALSE	1435		0		0 hours			0
3/31/1999	PW-5	Static Water Level	FALSE	345.78		0		0 feet msl			0
3/31/1999	PW-5	pH	FALSE	5.95		0		0 S.U.			0
3/31/1999	PW-5	Specific Conductance	FALSE	251		0		0 umhos/cm			0
3/31/1999	PW-5	Total Dissolved Solids (TDS)	FALSE	333		10		50 mg/L			0
3/31/1999	PW-5	Sulfate	FALSE	27.72		0.5		0.5 mg/L			0
3/31/1999	PW-5	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/31/1999	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-5	Temperature	FALSE	17.58		0		0 Degrees C			0
3/31/1999	PW-5	Sample Time	FALSE	1415		0		0 hours			0
3/31/1999	PW-5 DUP	pH	FALSE	5.93		0		0 S.U.			0
3/31/1999	PW-5 DUP	Specific Conductance	FALSE	75		0		0 umhos/cm			0
3/31/1999	PW-5 DUP	Total Dissolved Solids (TDS)	FALSE	335		10		50 mg/L			0
3/31/1999	PW-5 DUP	Sulfate	FALSE	27.7		0.5		0.5 mg/L			0
3/31/1999	PW-5 DUP	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
3/31/1999	PW-5 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-5 DUP	Temperature	FALSE	16.23		0		0 Degrees C			0
3/31/1999	PW-5 DUP	Sample Time	FALSE	1417		0		0 hours			0
3/31/1999	PW-6	Static Water Level	FALSE	343.48		0		0 feet msl			0
3/31/1999	PW-6	pH	FALSE	6.38		0		0 S.U.			0
3/31/1999	PW-6	Specific Conductance	FALSE	323		0		0 umhos/cm			0
3/31/1999	PW-6	Total Dissolved Solids (TDS)	FALSE	332.5		10		50 mg/L			0
3/31/1999	PW-6	Sulfate	FALSE	83.35		0.5		0.5 mg/L			0
3/31/1999	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
3/31/1999	PW-6	Dissolved Manganese	FALSE	0.02 J		0.02		0.1 mg/L			0
3/31/1999	PW-6	Temperature	FALSE	17.69		0		0 Degrees C			0
3/31/1999	PW-6	Sample Time	FALSE	1314		0		0 hours			0
3/31/1999	PW-7	Static Water Level	FALSE	346.02		0		0 feet msl			0
3/31/1999	PW-7	pH	FALSE	5.84		0		0 S.U.			0
3/31/1999	PW-7	Specific Conductance	FALSE	127		0		0 umhos/cm			0
3/31/1999	PW-7	Total Dissolved Solids (TDS)	FALSE	185		10		50 mg/L			0
3/31/1999	PW-7	Sulfate	FALSE	16.52		0.5		0.5 mg/L			0
3/31/1999	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
3/31/1999	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-7	Temperature	FALSE	15.62		0		0 Degrees C			0
3/31/1999	PW-7	Sample Time	FALSE	1352		0		0 hours			0
3/31/1999	PW-8	Static Water Level	FALSE	347.64		0		0 feet msl			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/31/1999	PW-8	pH	FALSE	6.72		0		0 S.U.			0
3/31/1999	PW-8	Specific Conductance	FALSE	186		0		0 umhos/cm			0
3/31/1999	PW-8	Total Dissolved Solids (TDS)	FALSE	200.5		10		50 mg/L			0
3/31/1999	PW-8	Sulfate	FALSE	32.1		0.5		0.5 mg/L			0
3/31/1999	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/31/1999	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/31/1999	PW-8	Temperature	FALSE	16.43		0		0 Degrees C			0
3/31/1999	PW-8	Sample Time	FALSE	1312		0		0 hours			0
6/2/1999	FIELD BLANK	pH	FALSE	6.56		0		0 S.U.			0
6/2/1999	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/2/1999	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/2/1999	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/2/1999	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	FIELD BLANK	Temperature	FALSE	27.06		0		0 Degrees C			0
6/2/1999	FIELD BLANK	Sample Time	FALSE	1125		0		0 hours			0
6/2/1999	PW-1	Static Water Level	FALSE	353.39		0		0 feet msl			0
6/2/1999	PW-1	pH	FALSE	5.74		0		0 S.U.			0
6/2/1999	PW-1	Specific Conductance	FALSE	611		0		0 umhos/cm			0
6/2/1999	PW-1	Total Dissolved Solids (TDS)	FALSE	630		10		50 mg/L			0
6/2/1999	PW-1	Sulfate	FALSE	235.81		0.5		0.5 mg/L			0
6/2/1999	PW-1	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
6/2/1999	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-1	Temperature	FALSE	18.95		0		0 Degrees C			0
6/2/1999	PW-1	Sample Time	FALSE	1145		0		0 hours			0
6/2/1999	PW-1 DUP	pH	FALSE	5.91		0		0 S.U.			0
6/2/1999	PW-1 DUP	Specific Conductance	FALSE	605		0		0 umhos/cm			0
6/2/1999	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	637		10		50 mg/L			0
6/2/1999	PW-1 DUP	Sulfate	FALSE	232.39		0.5		0.5 mg/L			0
6/2/1999	PW-1 DUP	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
6/2/1999	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-1 DUP	Temperature	FALSE	18.38		0		0 Degrees C			0
6/2/1999	PW-1 DUP	Sample Time	FALSE	1148		0		0 hours			0
6/2/1999	PW-2	Static Water Level	FALSE	356.95		0		0 feet msl			0
6/2/1999	PW-2	pH	FALSE	6.15		0		0 S.U.			0
6/2/1999	PW-2	Specific Conductance	FALSE	76		0		0 umhos/cm			0
6/2/1999	PW-2	Total Dissolved Solids (TDS)	FALSE	160		10		50 mg/L			0
6/2/1999	PW-2	Sulfate	FALSE	1.23		0.5		0.5 mg/L			0
6/2/1999	PW-2	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/2/1999	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-2	Temperature	FALSE	18.79		0		0 Degrees C			0
6/2/1999	PW-2	Sample Time	FALSE	1300		0		0 hours			0
6/2/1999	PW-3	Static Water Level	FALSE	350.18		0		0 feet msl			0
6/2/1999	PW-3	pH	FALSE	5.95		0		0 S.U.			0
6/2/1999	PW-3	Specific Conductance	FALSE	56		0		0 umhos/cm			0
6/2/1999	PW-3	Total Dissolved Solids (TDS)	FALSE	146		10		50 mg/L			0
6/2/1999	PW-3	Sulfate	FALSE	7.9		0.5		0.5 mg/L			0
6/2/1999	PW-3	Dissolved Chromium	FALSE	0.03		0.001		0.005 mg/L			0
6/2/1999	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-3	Temperature	FALSE	16.92		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/2/1999	PW-3	Sample Time	FALSE	1310		0		0 hours			0
6/2/1999	PW-4	Static Water Level	FALSE	344.57		0		0 feet msl			0
6/2/1999	PW-4	pH	FALSE	6.18		0		0 S.U.			0
6/2/1999	PW-4	Specific Conductance	FALSE	173		0		0 umhos/cm			0
6/2/1999	PW-4	Total Dissolved Solids (TDS)	FALSE	275		10		50 mg/L			0
6/2/1999	PW-4	Sulfate	FALSE	3.02		0.5		0.5 mg/L			0
6/2/1999	PW-4	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
6/2/1999	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-4	Temperature	FALSE	16.76		0		0 Degrees C			0
6/2/1999	PW-4	Sample Time	FALSE	1305		0		0 hours			0
6/2/1999	PW-5	Static Water Level	FALSE	345.54		0		0 feet msl			0
6/2/1999	PW-5	pH	FALSE	6.26		0		0 S.U.			0
6/2/1999	PW-5	Specific Conductance	FALSE	235		0		0 umhos/cm			0
6/2/1999	PW-5	Total Dissolved Solids (TDS)	FALSE	293		10		50 mg/L			0
6/2/1999	PW-5	Sulfate	FALSE	30.99		0.5		0.5 mg/L			0
6/2/1999	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
6/2/1999	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-5	Temperature	FALSE	16.92		0		0 Degrees C			0
6/2/1999	PW-5	Sample Time	FALSE	1246		0		0 hours			0
6/2/1999	PW-6	Static Water Level	FALSE	343.27		0		0 feet msl			0
6/2/1999	PW-6	pH	FALSE	6.11		0		0 S.U.			0
6/2/1999	PW-6	Specific Conductance	FALSE	230		0		0 umhos/cm			0
6/2/1999	PW-6	Total Dissolved Solids (TDS)	FALSE	252.5		10		50 mg/L			0
6/2/1999	PW-6	Sulfate	FALSE	69.57		0.5		0.5 mg/L			0
6/2/1999	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
6/2/1999	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-6	Temperature	FALSE	17.91		0		0 Degrees C			0
6/2/1999	PW-6	Sample Time	FALSE	1218		0		0 hours			0
6/2/1999	PW-7	Static Water Level	FALSE	344.07		0		0 feet msl			0
6/2/1999	PW-7	pH	FALSE	6.51		0		0 S.U.			0
6/2/1999	PW-7	Specific Conductance	FALSE	101		0		0 umhos/cm			0
6/2/1999	PW-7	Total Dissolved Solids (TDS)	FALSE	150.5		10		50 mg/L			0
6/2/1999	PW-7	Sulfate	FALSE	17.01		0.5		0.5 mg/L			0
6/2/1999	PW-7	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L			0
6/2/1999	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-7	Temperature	FALSE	17.66		0		0 Degrees C			0
6/2/1999	PW-7	Sample Time	FALSE	1215		0		0 hours			0
6/2/1999	PW-8	Static Water Level	FALSE	346.64		0		0 feet msl			0
6/2/1999	PW-8	pH	FALSE	6		0		0 S.U.			0
6/2/1999	PW-8	Specific Conductance	FALSE	150		0		0 umhos/cm			0
6/2/1999	PW-8	Total Dissolved Solids (TDS)	FALSE	183		10		50 mg/L			0
6/2/1999	PW-8	Sulfate	FALSE	34.19		0.5		0.5 mg/L			0
6/2/1999	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/2/1999	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/2/1999	PW-8	Temperature	FALSE	19.54		0		0 Degrees C			0
6/2/1999	PW-8	Sample Time	FALSE	1145		0		0 hours			0
9/20/1999	FIELD BLANK	pH	FALSE	6.56		0		0 S.U.			0
9/20/1999	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm			0
9/20/1999	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/20/1999	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/20/1999	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/20/1999	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	FIELD BLANK	Temperature	FALSE	27.48		0		0 Degrees C			0
9/20/1999	FIELD BLANK	Sample Time	FALSE	1233		0		0 hours			0
9/20/1999	PW-1	Static Water Level	FALSE	353.28		0		0 feet msl			0
9/20/1999	PW-1	pH	FALSE	6.34		0		0 S.U.			0
9/20/1999	PW-1	Specific Conductance	FALSE	736		0		0 umhos/cm			0
9/20/1999	PW-1	Total Dissolved Solids (TDS)	FALSE	550		10		50 mg/L			0
9/20/1999	PW-1	Sulfate	FALSE	239.51		0.5		0.5 mg/L			0
9/20/1999	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
9/20/1999	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-1	Temperature	FALSE	17.67		0		0 Degrees C			0
9/20/1999	PW-1	Sample Time	FALSE	1115		0		0 hours			0
9/20/1999	PW-1 DUP	pH	FALSE	6.36		0		0 S.U.			0
9/20/1999	PW-1 DUP	Specific Conductance	FALSE	727		0		0 umhos/cm			0
9/20/1999	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	550		10		50 mg/L			0
9/20/1999	PW-1 DUP	Sulfate	FALSE	224.88		0.5		0.5 mg/L			0
9/20/1999	PW-1 DUP	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L			0
9/20/1999	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-1 DUP	Temperature	FALSE	17.73		0		0 Degrees C			0
9/20/1999	PW-1 DUP	Sample Time	FALSE	1116		0		0 hours			0
9/20/1999	PW-2	Static Water Level	FALSE	356.59		0		0 feet msl			0
9/20/1999	PW-2	pH	FALSE	6.11		0		0 S.U.			0
9/20/1999	PW-2	Specific Conductance	FALSE	108		0		0 umhos/cm			0
9/20/1999	PW-2	Total Dissolved Solids (TDS)	FALSE	122.5		10		50 mg/L			0
9/20/1999	PW-2	Sulfate	FALSE	0.57		0.5		0.5 mg/L			0
9/20/1999	PW-2	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
9/20/1999	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-2	Temperature	FALSE	18.45		0		0 Degrees C			0
9/20/1999	PW-2	Sample Time	FALSE	1255		0		0 hours			0
9/20/1999	PW-3	Static Water Level	FALSE	349.8		0		0 feet msl			0
9/20/1999	PW-3	pH	FALSE	5.83		0		0 S.U.			0
9/20/1999	PW-3	Specific Conductance	FALSE	88		0		0 umhos/cm			0
9/20/1999	PW-3	Total Dissolved Solids (TDS)	FALSE	110		10		50 mg/L			0
9/20/1999	PW-3	Sulfate	FALSE	9.76		0.5		0.5 mg/L			0
9/20/1999	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L			0
9/20/1999	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-3	Temperature	FALSE	17.2		0		0 Degrees C			0
9/20/1999	PW-3	Sample Time	FALSE	1245		0		0 hours			0
9/20/1999	PW-4	Static Water Level	FALSE	346.92		0		0 feet msl			0
9/20/1999	PW-4	pH	FALSE	5.34		0		0 S.U.			0
9/20/1999	PW-4	Specific Conductance	FALSE	259		0		0 umhos/cm			0
9/20/1999	PW-4	Total Dissolved Solids (TDS)	FALSE	178		10		50 mg/L			0
9/20/1999	PW-4	Sulfate	FALSE	3.6		0.5		0.5 mg/L			0
9/20/1999	PW-4	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/20/1999	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-4	Temperature	FALSE	17.01		0		0 Degrees C			0
9/20/1999	PW-4	Sample Time	FALSE	1253		0		0 hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/20/1999	PW-5	Static Water Level	FALSE	345.34		0		0 feet msl			0
9/20/1999	PW-5	pH	FALSE	6.23		0		0 S.U.			0
9/20/1999	PW-5	Specific Conductance	FALSE	414		0		0 umhos/cm			0
9/20/1999	PW-5	Total Dissolved Solids (TDS)	FALSE	325		10		50 mg/L			0
9/20/1999	PW-5	Sulfate	FALSE	41.28		0.5		0.5 mg/L			0
9/20/1999	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
9/20/1999	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-5	Temperature	FALSE	18.52		0		0 Degrees C			0
9/20/1999	PW-5	Sample Time	FALSE	1220		0		0 hours			0
9/20/1999	PW-6	Static Water Level	FALSE	343.97		0		0 feet msl			0
9/20/1999	PW-6	pH	FALSE	6.36		0		0 S.U.			0
9/20/1999	PW-6	Specific Conductance	FALSE	328		0		0 umhos/cm			0
9/20/1999	PW-6	Total Dissolved Solids (TDS)	FALSE	245		10		50 mg/L			0
9/20/1999	PW-6	Sulfate	FALSE	75.43		0.5		0.5 mg/L			0
9/20/1999	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
9/20/1999	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-6	Temperature	FALSE	18.91		0		0 Degrees C			0
9/20/1999	PW-6	Sample Time	FALSE	1155		0		0 hours			0
9/20/1999	PW-7	Static Water Level	FALSE	347.22		0		0 feet msl			0
9/20/1999	PW-7	pH	FALSE	5.81		0		0 S.U.			0
9/20/1999	PW-7	Specific Conductance	FALSE	147		0		0 umhos/cm			0
9/20/1999	PW-7	Total Dissolved Solids (TDS)	FALSE	127.5		10		50 mg/L			0
9/20/1999	PW-7	Sulfate	FALSE	20.39		0.5		0.5 mg/L			0
9/20/1999	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
9/20/1999	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-7	Temperature	FALSE	18.85		0		0 Degrees C			0
9/20/1999	PW-7	Sample Time	FALSE	1120		0		0 hours			0
9/20/1999	PW-8	Static Water Level	FALSE	347.03		0		0 feet msl			0
9/20/1999	PW-8	pH	FALSE	5.9		0		0 S.U.			0
9/20/1999	PW-8	Specific Conductance	FALSE	227		0		0 umhos/cm			0
9/20/1999	PW-8	Total Dissolved Solids (TDS)	FALSE	160		10		50 mg/L			0
9/20/1999	PW-8	Sulfate	FALSE	40.68		0.5		0.5 mg/L			0
9/20/1999	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
9/20/1999	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/20/1999	PW-8	Temperature	FALSE	18.01		0		0 Degrees C			0
9/20/1999	PW-8	Sample Time	FALSE	1155		0		0 hours			0
12/8/1999	FIELD BLANK	pH	FALSE	6.81		0		0 S.U.			0
12/8/1999	FIELD BLANK	Specific Conductance	FALSE	4		0		0 umhos/cm			0
12/8/1999	FIELD BLANK	Total Dissolved Solids (TDS)	FALSE	40 J		10		50 mg/L			0
12/8/1999	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/8/1999	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/8/1999	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	FIELD BLANK	Temperature	FALSE	10.17		0		0 Degrees C			0
12/8/1999	FIELD BLANK	Sample Time	FALSE	1111		0		0 hours			0
12/8/1999	PW-1	Static Water Level	FALSE	353.89		0		0 feet msl			0
12/8/1999	PW-1	pH	FALSE	6.24		0		0 S.U.			0
12/8/1999	PW-1	Specific Conductance	FALSE	566		0		0 umhos/cm			0
12/8/1999	PW-1	Total Dissolved Solids (TDS)	FALSE	566		10		50 mg/L			0
12/8/1999	PW-1	Sulfate	FALSE	187.82		0.5		0.5 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/8/1999	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/8/1999	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-1	Temperature	FALSE	16.13		0		0 Degrees C			0
12/8/1999	PW-1	Sample Time	FALSE	1135		0		0 hours			0
12/8/1999	PW-1 DUP	pH	FALSE	6.33		0		0 S.U.			0
12/8/1999	PW-1 DUP	Specific Conductance	FALSE	571		0		0 umhos/cm			0
12/8/1999	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	564		10		50 mg/L			0
12/8/1999	PW-1 DUP	Sulfate	FALSE	191.78		0.5		0.5 mg/L			0
12/8/1999	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/8/1999	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-1 DUP	Temperature	FALSE	15.96		0		0 Degrees C			0
12/8/1999	PW-1 DUP	Sample Time	FALSE	1136		0		0 hours			0
12/8/1999	PW-2	Static Water Level	FALSE	356.74		0		0 feet msl			0
12/8/1999	PW-2	pH	FALSE	5.59		0		0 S.U.			0
12/8/1999	PW-2	Specific Conductance	FALSE	101		0		0 umhos/cm			0
12/8/1999	PW-2	Total Dissolved Solids (TDS)	FALSE	124		10		50 mg/L			0
12/8/1999	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
12/8/1999	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
12/8/1999	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-2	Temperature	FALSE	17.07		0		0 Degrees C			0
12/8/1999	PW-2	Sample Time	FALSE	1400		0		0 hours			0
12/8/1999	PW-3	Static Water Level	FALSE	350.31		0		0 feet msl			0
12/8/1999	PW-3	pH	FALSE	5.82		0		0 S.U.			0
12/8/1999	PW-3	Specific Conductance	FALSE	95		0		0 umhos/cm			0
12/8/1999	PW-3	Total Dissolved Solids (TDS)	FALSE	166		10		50 mg/L			0
12/8/1999	PW-3	Sulfate	FALSE	7.32		0.5		0.5 mg/L			0
12/8/1999	PW-3	Dissolved Chromium	FALSE	0.027		0.001		0.005 mg/L			0
12/8/1999	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-3	Temperature	FALSE	16.45		0		0 Degrees C			0
12/8/1999	PW-3	Sample Time	FALSE	1350		0		0 hours			0
12/8/1999	PW-4	Static Water Level	FALSE	344.78		0		0 feet msl			0
12/8/1999	PW-4	pH	FALSE	6.19		0		0 S.U.			0
12/8/1999	PW-4	Specific Conductance	FALSE	235		0		0 umhos/cm			0
12/8/1999	PW-4	Total Dissolved Solids (TDS)	FALSE	230.5		10		50 mg/L			0
12/8/1999	PW-4	Sulfate	FALSE	3.09		0.5		0.5 mg/L			0
12/8/1999	PW-4	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
12/8/1999	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-4	Temperature	FALSE	16.66		0		0 Degrees C			0
12/8/1999	PW-4	Sample Time	FALSE	1318		0		0 hours			0
12/8/1999	PW-5	Static Water Level	FALSE	345.89		0		0 feet msl			0
12/8/1999	PW-5	pH	FALSE	6.18		0		0 S.U.			0
12/8/1999	PW-5	Specific Conductance	FALSE	393		0		0 umhos/cm			0
12/8/1999	PW-5	Total Dissolved Solids (TDS)	FALSE	480		10		50 mg/L			0
12/8/1999	PW-5	Sulfate	FALSE	45.72		0.5		0.5 mg/L			0
12/8/1999	PW-5	Dissolved Chromium	FALSE	0.003		0.001		0.005 mg/L			0
12/8/1999	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-5	Temperature	FALSE	15.41		0		0 Degrees C			0
12/8/1999	PW-5	Sample Time	FALSE	1250		0		0 hours			0
12/8/1999	PW-6	Static Water Level	FALSE	343.55		0		0 feet msl			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/8/1999	PW-6	pH	FALSE	6.37		0		0 S.U.			0
12/8/1999	PW-6	Specific Conductance	FALSE	310		0		0 umhos/cm			0
12/8/1999	PW-6	Total Dissolved Solids (TDS)	FALSE	283		10		50 mg/L			0
12/8/1999	PW-6	Sulfate	FALSE	72.67		0.5		0.5 mg/L			0
12/8/1999	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
12/8/1999	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-6	Temperature	FALSE	16.23		0		0 Degrees C			0
12/8/1999	PW-6	Sample Time	FALSE	1235		0		0 hours			0
12/8/1999	PW-7	Static Water Level	FALSE	346.04		0		0 feet msl			0
12/8/1999	PW-7	pH	FALSE	6.53		0		0 S.U.			0
12/8/1999	PW-7	Specific Conductance	FALSE	149		0		0 umhos/cm			0
12/8/1999	PW-7	Total Dissolved Solids (TDS)	FALSE	144.5		10		50 mg/L			0
12/8/1999	PW-7	Sulfate	FALSE	18.53		0.5		0.5 mg/L			0
12/8/1999	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
12/8/1999	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-7	Temperature	FALSE	18.65		0		0 Degrees C			0
12/8/1999	PW-7	Sample Time	FALSE	1135		0		0 hours			0
12/8/1999	PW-8	Static Water Level	FALSE	346.57		0		0 feet msl			0
12/8/1999	PW-8	pH	FALSE	6.32		0		0 S.U.			0
12/8/1999	PW-8	Specific Conductance	FALSE	218		0		0 umhos/cm			0
12/8/1999	PW-8	Total Dissolved Solids (TDS)	FALSE	181		10		50 mg/L			0
12/8/1999	PW-8	Sulfate	FALSE	42.38		0.5		0.5 mg/L			0
12/8/1999	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
12/8/1999	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/8/1999	PW-8	Temperature	FALSE	16.97		0		0 Degrees C			0
12/8/1999	PW-8	Sample Time	FALSE	1225		0		0 hours			0
3/15/2000	FIELD BLANK	pH	FALSE	6.83		0		0 S.U.			0
3/15/2000	FIELD BLANK	Specific Conductance	FALSE	4		0		0 umhos/cm			0
3/15/2000	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/15/2000	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/15/2000	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/15/2000	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	FIELD BLANK	Temperature	FALSE	16.45		0		0 Degrees C			0
3/15/2000	FIELD BLANK	Sample Time	FALSE	1125		0		0 hours			0
3/15/2000	PW-1	Static Water Level	FALSE	355.01		0		0 feet msl			0
3/15/2000	PW-1	pH	FALSE	6.12		0		0 S.U.			0
3/15/2000	PW-1	Specific Conductance	FALSE	657		0		0 umhos/cm			0
3/15/2000	PW-1	Total Dissolved Solids (TDS)	FALSE	620		10		50 mg/L			0
3/15/2000	PW-1	Sulfate	FALSE	179.73		0.5		0.5 mg/L			0
3/15/2000	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/15/2000	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-1	Temperature	FALSE	16.68		0		0 Degrees C			0
3/15/2000	PW-1	Sample Time	FALSE	1150		0		0 hours			0
3/15/2000	PW-1 DUP	pH	FALSE	6.17		0		0 S.U.			0
3/15/2000	PW-1 DUP	Specific Conductance	FALSE	674		0		0 umhos/cm			0
3/15/2000	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	618		10		50 mg/L			0
3/15/2000	PW-1 DUP	Sulfate	FALSE	173.92		0.5		0.5 mg/L			0
3/15/2000	PW-1 DUP	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/15/2000	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/15/2000	PW-1 DUP	Temperature	FALSE	17.12		0		0 Degrees C			0
3/15/2000	PW-1 DUP	Sample Time	FALSE	1151		0		0 hours			0
3/15/2000	PW-2	Static Water Level	FALSE	357.37		0		0 feet msl			0
3/15/2000	PW-2	pH	FALSE	5.85		0		0 S.U.			0
3/15/2000	PW-2	Specific Conductance	FALSE	114		0		0 umhos/cm			0
3/15/2000	PW-2	Total Dissolved Solids (TDS)	FALSE	157.5		10		50 mg/L			0
3/15/2000	PW-2	Sulfate	TRUE	0		0.5		0.5 mg/L			0
3/15/2000	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
3/15/2000	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-2	Temperature	FALSE	17.27		0		0 Degrees C			0
3/15/2000	PW-2	Sample Time	FALSE	1340		0		0 hours			0
3/15/2000	PW-3	Static Water Level	FALSE	351.12		0		0 feet msl			0
3/15/2000	PW-3	pH	FALSE	6.03		0		0 S.U.			0
3/15/2000	PW-3	Specific Conductance	FALSE	100		0		0 umhos/cm			0
3/15/2000	PW-3	Total Dissolved Solids (TDS)	FALSE	135		10		50 mg/L			0
3/15/2000	PW-3	Sulfate	FALSE	9.67		0.5		0.5 mg/L			0
3/15/2000	PW-3	Dissolved Chromium	FALSE	0.031		0.001		0.005 mg/L			0
3/15/2000	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-3	Temperature	FALSE	17.71		0		0 Degrees C			0
3/15/2000	PW-3	Sample Time	FALSE	1325		0		0 hours			0
3/15/2000	PW-4	Static Water Level	FALSE	345.42		0		0 feet msl			0
3/15/2000	PW-4	pH	FALSE	6.15		0		0 S.U.			0
3/15/2000	PW-4	Specific Conductance	FALSE	243		0		0 umhos/cm			0
3/15/2000	PW-4	Total Dissolved Solids (TDS)	FALSE	306		10		50 mg/L			0
3/15/2000	PW-4	Sulfate	FALSE	2.95		0.5		0.5 mg/L			0
3/15/2000	PW-4	Dissolved Chromium	FALSE	0.05		0.001		0.005 mg/L			0
3/15/2000	PW-4	Dissolved Manganese	FALSE	0.13		0.02		0.1 mg/L			0
3/15/2000	PW-4	Temperature	FALSE	17.36		0		0 Degrees C			0
3/15/2000	PW-4	Sample Time	FALSE	1310		0		0 hours			0
3/15/2000	PW-5	Static Water Level	FALSE	346.65		0		0 feet msl			0
3/15/2000	PW-5	pH	FALSE	6.18		0		0 S.U.			0
3/15/2000	PW-5	Specific Conductance	FALSE	498		0		0 umhos/cm			0
3/15/2000	PW-5	Total Dissolved Solids (TDS)	FALSE	462.5		10		50 mg/L			0
3/15/2000	PW-5	Sulfate	FALSE	45.21		0.5		0.5 mg/L			0
3/15/2000	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
3/15/2000	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-5	Temperature	FALSE	16.93		0		0 Degrees C			0
3/15/2000	PW-5	Sample Time	FALSE	1237		0		0 hours			0
3/15/2000	PW-6	Static Water Level	FALSE	344.23		0		0 feet msl			0
3/15/2000	PW-6	pH	FALSE	6.04		0		0 S.U.			0
3/15/2000	PW-6	Specific Conductance	FALSE	380		0		0 umhos/cm			0
3/15/2000	PW-6	Total Dissolved Solids (TDS)	FALSE	322		10		50 mg/L			0
3/15/2000	PW-6	Sulfate	FALSE	85.56		0.5		0.5 mg/L			0
3/15/2000	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
3/15/2000	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-6	Temperature	FALSE	17.38		0		0 Degrees C			0
3/15/2000	PW-6	Sample Time	FALSE	1125		0		0 hours			0
3/15/2000	PW-7	Static Water Level	FALSE	346.93		0		0 feet msl			0
3/15/2000	PW-7	pH	FALSE	6.48		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/15/2000	PW-7	Specific Conductance	FALSE	157		0		0 umhos/cm			0
3/15/2000	PW-7	Total Dissolved Solids (TDS)	FALSE	165.5		10		50 mg/L			0
3/15/2000	PW-7	Sulfate	FALSE	18.01		0.5		0.5 mg/L			0
3/15/2000	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
3/15/2000	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-7	Temperature	FALSE	17.41		0		0 Degrees C			0
3/15/2000	PW-7	Sample Time	FALSE	1305		0		0 hours			0
3/15/2000	PW-8	Static Water Level	FALSE	347.85		0		0 feet msl			0
3/15/2000	PW-8	pH	FALSE	6.53		0		0 S.U.			0
3/15/2000	PW-8	Specific Conductance	FALSE	246		0		0 umhos/cm			0
3/15/2000	PW-8	Total Dissolved Solids (TDS)	FALSE	230.5		10		50 mg/L			0
3/15/2000	PW-8	Sulfate	FALSE	39.16		0.5		0.5 mg/L			0
3/15/2000	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/15/2000	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/15/2000	PW-8	Temperature	FALSE	17.89		0		0 Degrees C			0
3/15/2000	PW-8	Sample Time	FALSE	1200		0		0 hours			0
6/6/2000	FIELD BLANK	pH	FALSE	6.49		0		0 S.U.			0
6/6/2000	FIELD BLANK	Specific Conductance	FALSE	2.1		0		0 umhos/cm			0
6/6/2000	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/6/2000	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
6/6/2000	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/6/2000	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	FIELD BLANK	Temperature	FALSE	22		0		0 Degrees C			0
6/6/2000	FIELD BLANK	Sample Time	FALSE	1035		0		0 hours			0
6/6/2000	PW-1	Static Water Level	FALSE	355.78		0		0 feet msl			0
6/6/2000	PW-1	pH	FALSE	6.28		0		0 S.U.			0
6/6/2000	PW-1	Specific Conductance	FALSE	705.9		0		0 umhos/cm			0
6/6/2000	PW-1	Total Dissolved Solids (TDS)	FALSE	730		10		50 mg/L			0
6/6/2000	PW-1	Sulfate	FALSE	183.38		0.5		0.5 mg/L			0
6/6/2000	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/6/2000	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-1	Temperature	FALSE	17.05		0		0 Degrees C			0
6/6/2000	PW-1	Sample Time	FALSE	1040		0		0 hours			0
6/6/2000	PW-1 DUP	pH	FALSE	6.3		0		0 S.U.			0
6/6/2000	PW-1 DUP	Specific Conductance	FALSE	704.3		0		0 umhos/cm			0
6/6/2000	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	734.5		10		50 mg/L			0
6/6/2000	PW-1 DUP	Sulfate	FALSE	180.96		0.5		0.5 mg/L			0
6/6/2000	PW-1 DUP	Dissolved Chromium	FALSE	0.001		0.001		0.005 mg/L			0
6/6/2000	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-1 DUP	Temperature	FALSE	16.87		0		0 Degrees C			0
6/6/2000	PW-1 DUP	Sample Time	FALSE	1045		0		0 hours			0
6/6/2000	PW-2	Static Water Level	FALSE	357.42		0		0 feet msl			0
6/6/2000	PW-2	pH	FALSE	5.96		0		0 S.U.			0
6/6/2000	PW-2	Specific Conductance	FALSE	113		0		0 umhos/cm			0
6/6/2000	PW-2	Total Dissolved Solids (TDS)	FALSE	214		10		50 mg/L			0
6/6/2000	PW-2	Sulfate	FALSE	0.54		0.5		0.5 mg/L			0
6/6/2000	PW-2	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/6/2000	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-2	Temperature	FALSE	17.66		0		0 Degrees C			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/6/2000	PW-2	Sample Time	FALSE	1158		0		0 hours			0
6/6/2000	PW-3	Static Water Level	FALSE	351.22		0		0 feet msl			0
6/6/2000	PW-3	pH	FALSE	6.05		0		0 S.U.			0
6/6/2000	PW-3	Specific Conductance	FALSE	103.9		0		0 umhos/cm			0
6/6/2000	PW-3	Total Dissolved Solids (TDS)	FALSE	191.5		10		50 mg/L			0
6/6/2000	PW-3	Sulfate	FALSE	9.11		0.5		0.5 mg/L			0
6/6/2000	PW-3	Dissolved Chromium	FALSE	0.032		0.001		0.005 mg/L			0
6/6/2000	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-3	Temperature	FALSE	17.96		0		0 Degrees C			0
6/6/2000	PW-3	Sample Time	FALSE	1205		0		0 hours			0
6/6/2000	PW-4	Static Water Level	FALSE	345.5		0		0 feet msl			0
6/6/2000	PW-4	pH	FALSE	5.75		0		0 S.U.			0
6/6/2000	PW-4	Specific Conductance	FALSE	242		0		0 umhos/cm			0
6/6/2000	PW-4	Total Dissolved Solids (TDS)	FALSE	265.5		10		50 mg/L			0
6/6/2000	PW-4	Sulfate	FALSE	2.77		0.5		0.5 mg/L			0
6/6/2000	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/6/2000	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-4	Temperature	FALSE	16.62		0		0 Degrees C			0
6/6/2000	PW-4	Sample Time	FALSE	1215		0		0 hours			0
6/6/2000	PW-5	Static Water Level	FALSE	346.82		0		0 feet msl			0
6/6/2000	PW-5	pH	FALSE	5.94		0		0 S.U.			0
6/6/2000	PW-5	Specific Conductance	FALSE	532		0		0 umhos/cm			0
6/6/2000	PW-5	Total Dissolved Solids (TDS)	FALSE	624.5		10		50 mg/L			0
6/6/2000	PW-5	Sulfate	FALSE	52.14		0.5		0.5 mg/L			0
6/6/2000	PW-5	Dissolved Chromium	FALSE	0.003		0.001		0.005 mg/L			0
6/6/2000	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-5	Temperature	FALSE	17.54		0		0 Degrees C			0
6/6/2000	PW-5	Sample Time	FALSE	1204		0		0 hours			0
6/6/2000	PW-6	Static Water Level	FALSE	344.54		0		0 feet msl			0
6/6/2000	PW-6	pH	FALSE	6.36		0		0 S.U.			0
6/6/2000	PW-6	Specific Conductance	FALSE	394.1		0		0 umhos/cm			0
6/6/2000	PW-6	Total Dissolved Solids (TDS)	FALSE	392		10		50 mg/L			0
6/6/2000	PW-6	Sulfate	FALSE	77.08		0.5		0.5 mg/L			0
6/6/2000	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
6/6/2000	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-6	Temperature	FALSE	17.61		0		0 Degrees C			0
6/6/2000	PW-6	Sample Time	FALSE	1125		0		0 hours			0
6/6/2000	PW-7	Static Water Level	FALSE	347.13		0		0 feet msl			0
6/6/2000	PW-7	pH	FALSE	6.16		0		0 S.U.			0
6/6/2000	PW-7	Specific Conductance	FALSE	152		0		0 umhos/cm			0
6/6/2000	PW-7	Total Dissolved Solids (TDS)	FALSE	194		10		50 mg/L			0
6/6/2000	PW-7	Sulfate	FALSE	14.94		0.5		0.5 mg/L			0
6/6/2000	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
6/6/2000	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-7	Temperature	FALSE	16.94		0		0 Degrees C			0
6/6/2000	PW-7	Sample Time	FALSE	1120		0		0 hours			0
6/6/2000	PW-8	Static Water Level	FALSE	348.2		0		0 feet msl			0
6/6/2000	PW-8	pH	FALSE	6.62		0		0 S.U.			0
6/6/2000	PW-8	Specific Conductance	FALSE	251		0		0 umhos/cm			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/6/2000	PW-8	Total Dissolved Solids (TDS)	FALSE	248.5		10		50 mg/L			0
6/6/2000	PW-8	Sulfate	FALSE	42		0.5		0.5 mg/L			0
6/6/2000	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
6/6/2000	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/6/2000	PW-8	Temperature	FALSE	16.57		0		0 Degrees C			0
6/6/2000	PW-8	Sample Time	FALSE	1050		0		0 hours			0
9/5/2000	FIELD BLANK	pH	FALSE	6.48		0		0 S.U.			0
9/5/2000	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm			0
9/5/2000	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/5/2000	FIELD BLANK	Sulfate	TRUE	0		0.5		0.5 mg/L			0
9/5/2000	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/5/2000	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	FIELD BLANK	Temperature	FALSE	19.32		0		0 Degrees C			0
9/5/2000	FIELD BLANK	Sample Time	FALSE	1240		0		0 hours			0
9/5/2000	PW-1	Static Water Level	FALSE	355.18		0		0 feet msl			0
9/5/2000	PW-1	pH	FALSE	6.58		0		0 S.U.			0
9/5/2000	PW-1	Specific Conductance	FALSE	619		0		0 umhos/cm			0
9/5/2000	PW-1	Total Dissolved Solids (TDS)	FALSE	690		10		50 mg/L			0
9/5/2000	PW-1	Sulfate	FALSE	258.81		0.5		0.5 mg/L			0
9/5/2000	PW-1	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
9/5/2000	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-1	Temperature	FALSE	16.49		0		0 Degrees C			0
9/5/2000	PW-1	Sample Time	FALSE	1255		0		0 hours			0
9/5/2000	PW-1 DUP	pH	FALSE	6.58		0		0 S.U.			0
9/5/2000	PW-1 DUP	Specific Conductance	FALSE	619		0		0 umhos/cm			0
9/5/2000	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	700		10		50 mg/L			0
9/5/2000	PW-1 DUP	Sulfate	FALSE	255.78		0.5		0.5 mg/L			0
9/5/2000	PW-1 DUP	Dissolved Chromium	FALSE	0.001	J	0.001		0.005 mg/L			0
9/5/2000	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-1 DUP	Temperature	FALSE	16.49		0		0 Degrees C			0
9/5/2000	PW-1 DUP	Sample Time	FALSE	1256		0		0 hours			0
9/5/2000	PW-2	Static Water Level	FALSE	356.9		0		0 feet msl			0
9/5/2000	PW-2	pH	FALSE	6.5		0		0 S.U.			0
9/5/2000	PW-2	Specific Conductance	FALSE	96		0		0 umhos/cm			0
9/5/2000	PW-2	Total Dissolved Solids (TDS)	FALSE	137		10		50 mg/L			0
9/5/2000	PW-2	Sulfate	FALSE	0.6		0.5		0.5 mg/L			0
9/5/2000	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/5/2000	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-2	Temperature	FALSE	16.77		0		0 Degrees C			0
9/5/2000	PW-2	Sample Time	FALSE	1320		0		0 hours			0
9/5/2000	PW-3	Static Water Level	FALSE	350.66		0		0 feet msl			0
9/5/2000	PW-3	pH	FALSE	5.99		0		0 S.U.			0
9/5/2000	PW-3	Specific Conductance	FALSE	86		0		0 umhos/cm			0
9/5/2000	PW-3	Total Dissolved Solids (TDS)	FALSE	131		10		50 mg/L			0
9/5/2000	PW-3	Sulfate	FALSE	9.62		0.5		0.5 mg/L			0
9/5/2000	PW-3	Dissolved Chromium	FALSE	0.031		0.001		0.005 mg/L			0
9/5/2000	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-3	Temperature	FALSE	15.88		0		0 Degrees C			0
9/5/2000	PW-3	Sample Time	FALSE	1350		0		0 hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/5/2000	PW-4	Static Water Level	FALSE	344.91		0		0 feet msl			0
9/5/2000	PW-4	pH	FALSE	6.18		0		0 S.U.			0
9/5/2000	PW-4	Specific Conductance	FALSE	202		0		0 umhos/cm			0
9/5/2000	PW-4	Total Dissolved Solids (TDS)	FALSE	241.5		10		50 mg/L			0
9/5/2000	PW-4	Sulfate	FALSE	3.13		0.5		0.5 mg/L			0
9/5/2000	PW-4	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
9/5/2000	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-4	Temperature	FALSE	15.88		0		0 Degrees C			0
9/5/2000	PW-4	Sample Time	FALSE	1420		0		0 hours			0
9/5/2000	PW-5	Static Water Level	FALSE	346.82		0		0 feet msl			0
9/5/2000	PW-5	pH	FALSE	6		0		0 S.U.			0
9/5/2000	PW-5	Specific Conductance	FALSE	465		0		0 umhos/cm			0
9/5/2000	PW-5	Total Dissolved Solids (TDS)	FALSE	674		10		50 mg/L			0
9/5/2000	PW-5	Sulfate	FALSE	82.56		0.5		0.5 mg/L			0
9/5/2000	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
9/5/2000	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-5	Temperature	FALSE	15.4		0		0 Degrees C			0
9/5/2000	PW-5	Sample Time	FALSE	1505		0		0 hours			0
9/5/2000	PW-6	Static Water Level	FALSE	343.78		0		0 feet msl			0
9/5/2000	PW-6	pH	FALSE	5.91		0		0 S.U.			0
9/5/2000	PW-6	Specific Conductance	FALSE	340		0		0 umhos/cm			0
9/5/2000	PW-6	Total Dissolved Solids (TDS)	FALSE	339		10		50 mg/L			0
9/5/2000	PW-6	Sulfate	FALSE	104.91		0.5		0.5 mg/L			0
9/5/2000	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
9/5/2000	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-6	Temperature	FALSE	15.95		0		0 Degrees C			0
9/5/2000	PW-6	Sample Time	FALSE	1403		0		0 hours			0
9/5/2000	PW-7	Static Water Level	FALSE	346.22		0		0 feet msl			0
9/5/2000	PW-7	pH	FALSE	6.3		0		0 S.U.			0
9/5/2000	PW-7	Specific Conductance	FALSE	136		0		0 umhos/cm			0
9/5/2000	PW-7	Total Dissolved Solids (TDS)	FALSE	149		10		50 mg/L			0
9/5/2000	PW-7	Sulfate	FALSE	20.34		0.5		0.5 mg/L			0
9/5/2000	PW-7	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L			0
9/5/2000	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-7	Temperature	FALSE	15.5		0		0 Degrees C			0
9/5/2000	PW-7	Sample Time	FALSE	1426		0		0 hours			0
9/5/2000	PW-8	Static Water Level	FALSE	346.89		0		0 feet msl			0
9/5/2000	PW-8	pH	FALSE	6.29		0		0 S.U.			0
9/5/2000	PW-8	Specific Conductance	FALSE	229		0		0 umhos/cm			0
9/5/2000	PW-8	Total Dissolved Solids (TDS)	FALSE	241.5		10		50 mg/L			0
9/5/2000	PW-8	Sulfate	FALSE	57.24		0.5		0.5 mg/L			0
9/5/2000	PW-8	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
9/5/2000	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/5/2000	PW-8	Temperature	FALSE	15.96		0		0 Degrees C			0
9/5/2000	PW-8	Sample Time	FALSE	1500		0		0 hours			0
12/5/2000	FIELD BLANK	pH	FALSE	6.58		0		0 S.U.			0
12/5/2000	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm			0
12/5/2000	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
12/5/2000	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/5/2000	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
12/5/2000	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	FIELD BLANK	Temperature	FALSE	8.14		0		0 Degrees C			0
12/5/2000	FIELD BLANK	Sample Time	FALSE	1110		0		0 hours			0
12/5/2000	PW-1	Static Water Level	FALSE	353.87		0		0 feet msl			0
12/5/2000	PW-1	pH	FALSE	5.81		0		0 S.U.			0
12/5/2000	PW-1	Specific Conductance	FALSE	730		0		0 umhos/cm			0
12/5/2000	PW-1	Total Dissolved Solids (TDS)	FALSE	643		10		50 mg/L			0
12/5/2000	PW-1	Sulfate	FALSE	248.4		0.06		0.3 mg/L			0
12/5/2000	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
12/5/2000	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-1	Temperature	FALSE	16.06		0		0 Degrees C			0
12/5/2000	PW-1	Sample Time	FALSE	1330		0		0 hours			0
12/5/2000	PW-1 DUP	pH	FALSE	5.81		0		0 S.U.			0
12/5/2000	PW-1 DUP	Specific Conductance	FALSE	730		0		0 umhos/cm			0
12/5/2000	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	648		10		50 mg/L			0
12/5/2000	PW-1 DUP	Sulfate	FALSE	250.5		0.06		0.3 mg/L			0
12/5/2000	PW-1 DUP	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
12/5/2000	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-1 DUP	Temperature	FALSE	16.06		0		0 Degrees C			0
12/5/2000	PW-1 DUP	Sample Time	FALSE	1331		0		0 hours			0
12/5/2000	PW-2	Static Water Level	FALSE	355.93		0		0 feet msl			0
12/5/2000	PW-2	pH	FALSE	6		0		0 S.U.			0
12/5/2000	PW-2	Specific Conductance	FALSE	102		0		0 umhos/cm			0
12/5/2000	PW-2	Total Dissolved Solids (TDS)	FALSE	171.5		10		50 mg/L			0
12/5/2000	PW-2	Sulfate	FALSE	0.67		0.06		0.3 mg/L			0
12/5/2000	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
12/5/2000	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-2	Temperature	FALSE	16.52		0		0 Degrees C			0
12/5/2000	PW-2	Sample Time	FALSE	1345		0		0 hours			0
12/5/2000	PW-3	Static Water Level	FALSE	349.85		0		0 feet msl			0
12/5/2000	PW-3	pH	FALSE	5.98		0		0 S.U.			0
12/5/2000	PW-3	Specific Conductance	FALSE	89		0		0 umhos/cm			0
12/5/2000	PW-3	Total Dissolved Solids (TDS)	FALSE	124		10		50 mg/L			0
12/5/2000	PW-3	Sulfate	FALSE	9.6		0.06		0.3 mg/L			0
12/5/2000	PW-3	Dissolved Chromium	FALSE	0.034		0.001		0.005 mg/L			0
12/5/2000	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-3	Temperature	FALSE	15.88		0		0 Degrees C			0
12/5/2000	PW-3	Sample Time	FALSE	1322		0		0 hours			0
12/5/2000	PW-4	Static Water Level	FALSE	343.73		0		0 feet msl			0
12/5/2000	PW-4	pH	FALSE	6.06		0		0 S.U.			0
12/5/2000	PW-4	Specific Conductance	FALSE	217		0		0 umhos/cm			0
12/5/2000	PW-4	Total Dissolved Solids (TDS)	FALSE	200		10		50 mg/L			0
12/5/2000	PW-4	Sulfate	FALSE	3.86		0.06		0.3 mg/L			0
12/5/2000	PW-4	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/5/2000	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-4	Temperature	FALSE	15.66		0		0 Degrees C			0
12/5/2000	PW-4	Sample Time	FALSE	1310		0		0 hours			0
12/5/2000	PW-5	Static Water Level	FALSE	344.77		0		0 feet msl			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/5/2000	PW-5	pH	FALSE	5.86		0		0 S.U.			0
12/5/2000	PW-5	Specific Conductance	FALSE	716		0		0 umhos/cm			0
12/5/2000	PW-5	Total Dissolved Solids (TDS)	FALSE	687.5		10		50 mg/L			0
12/5/2000	PW-5	Sulfate	FALSE	101		0.06		0.3 mg/L			0
12/5/2000	PW-5	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
12/5/2000	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-5	Temperature	FALSE	15.31		0		0 Degrees C			0
12/5/2000	PW-5	Sample Time	FALSE	1200		0		0 hours			0
12/5/2000	PW-6	Static Water Level	FALSE	342.41		0		0 feet msl			0
12/5/2000	PW-6	pH	FALSE	5.9		0		0 S.U.			0
12/5/2000	PW-6	Specific Conductance	FALSE	387		0		0 umhos/cm			0
12/5/2000	PW-6	Total Dissolved Solids (TDS)	FALSE	400		10		50 mg/L			0
12/5/2000	PW-6	Sulfate	FALSE	100.8		0.06		0.3 mg/L			0
12/5/2000	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
12/5/2000	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-6	Temperature	FALSE	15.76		0		0 Degrees C			0
12/5/2000	PW-6	Sample Time	FALSE	1148		0		0 hours			0
12/5/2000	PW-7	Static Water Level	FALSE	344.94		0		0 feet msl			0
12/5/2000	PW-7	pH	FALSE	6.05		0		0 S.U.			0
12/5/2000	PW-7	Specific Conductance	FALSE	149		0		0 umhos/cm			0
12/5/2000	PW-7	Total Dissolved Solids (TDS)	FALSE	164.5		10		50 mg/L			0
12/5/2000	PW-7	Sulfate	FALSE	22.23		0.06		0.3 mg/L			0
12/5/2000	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L			0
12/5/2000	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-7	Temperature	FALSE	15.69		0		0 Degrees C			0
12/5/2000	PW-7	Sample Time	FALSE	1130		0		0 hours			0
12/5/2000	PW-8	Static Water Level	FALSE	345.73		0		0 feet msl			0
12/5/2000	PW-8	pH	FALSE	5.85		0		0 S.U.			0
12/5/2000	PW-8	Specific Conductance	FALSE	261		0		0 umhos/cm			0
12/5/2000	PW-8	Total Dissolved Solids (TDS)	FALSE	240		10		50 mg/L			0
12/5/2000	PW-8	Sulfate	FALSE	59.32		0.06		0.3 mg/L			0
12/5/2000	PW-8	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
12/5/2000	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/5/2000	PW-8	Temperature	FALSE	16.11		0		0 Degrees C			0
12/5/2000	PW-8	Sample Time	FALSE	1120		0		0 hours			0
3/19/2001	FIELD BLANK	pH	FALSE	7.18		0		0 S.U.			0
3/19/2001	FIELD BLANK	Specific Conductance	FALSE	11		0		0 umhos/cm			0
3/19/2001	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/19/2001	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L			0
3/19/2001	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/19/2001	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	FIELD BLANK	Temperature	FALSE	13.39		0		0 Degrees C			0
3/19/2001	FIELD BLANK	Sample Time	FALSE	1105		0		0 hours			0
3/19/2001	PW-1	Static Water Level	FALSE	354.27		0		0 feet msl			0
3/19/2001	PW-1	pH	FALSE	6.28		0		0 S.U.			0
3/19/2001	PW-1	Specific Conductance	FALSE	690		0		0 umhos/cm			0
3/19/2001	PW-1	Total Dissolved Solids (TDS)	FALSE	783.5		10		50 mg/L			0
3/19/2001	PW-1	Sulfate	FALSE	227.3		0.06		0.3 mg/L			0
3/19/2001	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/19/2001	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-1	Temperature	FALSE	16.59		0		0 Degrees C			0
3/19/2001	PW-1	Sample Time	FALSE	1140		0		0 hours			0
3/19/2001	PW-2	Static Water Level	FALSE	355.35		0		0 feet msl			0
3/19/2001	PW-2	pH	FALSE	6.14		0		0 S.U.			0
3/19/2001	PW-2	Specific Conductance	FALSE	108		0		0 umhos/cm			0
3/19/2001	PW-2	Total Dissolved Solids (TDS)	FALSE	167.5		10		50 mg/L			0
3/19/2001	PW-2	Sulfate	FALSE	0.29 J		0.06		0.3 mg/L			0
3/19/2001	PW-2	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
3/19/2001	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-2	Temperature	FALSE	16.61		0		0 Degrees C			0
3/19/2001	PW-2	Sample Time	FALSE	1420		0		0 hours			0
3/19/2001	PW-3	Static Water Level	FALSE	350.22		0		0 feet msl			0
3/19/2001	PW-3	pH	FALSE	6.49		0		0 S.U.			0
3/19/2001	PW-3	Specific Conductance	FALSE	85		0		0 umhos/cm			0
3/19/2001	PW-3	Total Dissolved Solids (TDS)	FALSE	158.5		10		50 mg/L			0
3/19/2001	PW-3	Sulfate	FALSE	6.09		0.06		0.3 mg/L			0
3/19/2001	PW-3	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L			0
3/19/2001	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-3	Temperature	FALSE	15.84		0		0 Degrees C			0
3/19/2001	PW-3	Sample Time	FALSE	1420		0		0 hours			0
3/19/2001	PW-3 DUP	pH	FALSE	6.42		0		0 S.U.			0
3/19/2001	PW-3 DUP	Specific Conductance	FALSE	84		0		0 umhos/cm			0
3/19/2001	PW-3 DUP	Total Dissolved Solids (TDS)	FALSE	157		10		50 mg/L			0
3/19/2001	PW-3 DUP	Sulfate	FALSE	4.85		0.06		0.3 mg/L			0
3/19/2001	PW-3 DUP	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L			0
3/19/2001	PW-3 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-3 DUP	Temperature	FALSE	15.85		0		0 Degrees C			0
3/19/2001	PW-3 DUP	Sample Time	FALSE	1426		0		0 hours			0
3/19/2001	PW-4	Static Water Level	FALSE	345.01		0		0 feet msl			0
3/19/2001	PW-4	pH	FALSE	6.46		0		0 S.U.			0
3/19/2001	PW-4	Specific Conductance	FALSE	198		0		0 umhos/cm			0
3/19/2001	PW-4	Total Dissolved Solids (TDS)	FALSE	256.5		10		50 mg/L			0
3/19/2001	PW-4	Sulfate	FALSE	2.31		0.06		0.3 mg/L			0
3/19/2001	PW-4	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
3/19/2001	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-4	Temperature	FALSE	15.79		0		0 Degrees C			0
3/19/2001	PW-4	Sample Time	FALSE	1405		0		0 hours			0
3/19/2001	PW-5	Static Water Level	FALSE	346.16		0		0 feet msl			0
3/19/2001	PW-5	pH	FALSE	6.42		0		0 S.U.			0
3/19/2001	PW-5	Specific Conductance	FALSE	675		0		0 umhos/cm			0
3/19/2001	PW-5	Total Dissolved Solids (TDS)	FALSE	844.5		10		50 mg/L			0
3/19/2001	PW-5	Sulfate	FALSE	100.72		0.06		0.3 mg/L			0
3/19/2001	PW-5	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L			0
3/19/2001	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-5	Temperature	FALSE	15.15		0		0 Degrees C			0
3/19/2001	PW-5	Sample Time	FALSE	1255		0		0 hours			0
3/19/2001	PW-6	Static Water Level	FALSE	343.87		0		0 feet msl			0
3/19/2001	PW-6	pH	FALSE	6.48		0		0 S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/19/2001	PW-6	Specific Conductance	FALSE	402		0		0 umhos/cm			0
3/19/2001	PW-6	Total Dissolved Solids (TDS)	FALSE	450.5		10		50 mg/L			0
3/19/2001	PW-6	Sulfate	FALSE	102.63		0.06		0.3 mg/L			0
3/19/2001	PW-6	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/19/2001	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-6	Temperature	FALSE	16.07		0		0 Degrees C			0
3/19/2001	PW-6	Sample Time	FALSE	1345		0		0 hours			0
3/19/2001	PW-7	Static Water Level	FALSE	346.3		0		0 feet msl			0
3/19/2001	PW-7	pH	FALSE	6.67		0		0 S.U.			0
3/19/2001	PW-7	Specific Conductance	FALSE	143		0		0 umhos/cm			0
3/19/2001	PW-7	Total Dissolved Solids (TDS)	FALSE	190		10		50 mg/L			0
3/19/2001	PW-7	Sulfate	FALSE	9.22		0.06		0.3 mg/L			0
3/19/2001	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
3/19/2001	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-7	Temperature	FALSE	15.42		0		0 Degrees C			0
3/19/2001	PW-7	Sample Time	FALSE	1330		0		0 hours			0
3/19/2001	PW-8	Static Water Level	FALSE	346.89		0		0 feet msl			0
3/19/2001	PW-8	pH	FALSE	6.6		0		0 S.U.			0
3/19/2001	PW-8	Specific Conductance	FALSE	293		0		0 umhos/cm			0
3/19/2001	PW-8	Total Dissolved Solids (TDS)	FALSE	260.5		10		50 mg/L			0
3/19/2001	PW-8	Sulfate	FALSE	62.67		0.06		0.3 mg/L			0
3/19/2001	PW-8	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
3/19/2001	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/19/2001	PW-8	Temperature	FALSE	15.92		0		0 Degrees C			0
3/19/2001	PW-8	Sample Time	FALSE	1120		0		0 hours			0
6/18/2001	FIELD BLANK	pH	FALSE	6.69		0		0 S.U.			0
6/18/2001	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm			0
6/18/2001	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/18/2001	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L			0
6/18/2001	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/18/2001	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/18/2001	FIELD BLANK	Temperature	FALSE	32.78		0		0 Degrees C			0
6/18/2001	FIELD BLANK	Sample Time	FALSE	1144		0		0 hours			0
6/18/2001	PW-1	Static Water Level	FALSE	355.88		0		0 feet msl			0
6/18/2001	PW-1	pH	FALSE	6.64		0		0 S.U.			0
6/18/2001	PW-1	Specific Conductance	FALSE	660		0		0 umhos/cm			0
6/18/2001	PW-1	Total Dissolved Solids (TDS)	FALSE	721.5		10		50 mg/L			0
6/18/2001	PW-1	Sulfate	FALSE	187.2		0.06		0.3 mg/L			0
6/18/2001	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/18/2001	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/18/2001	PW-1	Temperature	FALSE	16.42		0		0 Degrees C			0
6/18/2001	PW-1	Sample Time	FALSE	1205		0		0 hours			0
6/18/2001	PW-2	Static Water Level	FALSE	356.63		0		0 feet msl			0
6/18/2001	PW-2	pH	FALSE	5.89		0		0 S.U.			0
6/18/2001	PW-2	Specific Conductance	FALSE	106		0		0 umhos/cm			0
6/18/2001	PW-2	Total Dissolved Solids (TDS)	FALSE	172		10		50 mg/L			0
6/18/2001	PW-2	Sulfate	FALSE	0.14	J	0.06		0.3 mg/L			0
6/18/2001	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
6/18/2001	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/18/2001	PW-2	Temperature	FALSE	18.37		0	0	0 Degrees C			0
6/18/2001	PW-2	Sample Time	FALSE	1255		0	0	0 hours			0
6/18/2001	PW-3	Static Water Level	FALSE	351.16		0	0	0 feet msl			0
6/18/2001	PW-3	pH	FALSE	6.18		0	0	0 S.U.			0
6/18/2001	PW-3	Specific Conductance	FALSE	103		0	0	0 umhos/cm			0
6/18/2001	PW-3	Total Dissolved Solids (TDS)	FALSE	143.5		10	50	mg/L			0
6/18/2001	PW-3	Sulfate	FALSE	8.66		0.06	0.3	mg/L			0
6/18/2001	PW-3	Dissolved Chromium	FALSE	0.028		0.001	0.005	mg/L			0
6/18/2001	PW-3	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/18/2001	PW-3	Temperature	FALSE	16.47		0	0	0 Degrees C			0
6/18/2001	PW-3	Sample Time	FALSE	1254		0	0	0 hours			0
6/18/2001	PW-4	Static Water Level	FALSE	345.76		0	0	0 feet msl			0
6/18/2001	PW-4	pH	FALSE	6.01		0	0	0 S.U.			0
6/18/2001	PW-4	Specific Conductance	FALSE	244		0	0	0 umhos/cm			0
6/18/2001	PW-4	Total Dissolved Solids (TDS)	FALSE	241		10	50	mg/L			0
6/18/2001	PW-4	Sulfate	FALSE	2.94		0.06	0.3	mg/L			0
6/18/2001	PW-4	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L			0
6/18/2001	PW-4	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/18/2001	PW-4	Temperature	FALSE	17.3		0	0	0 Degrees C			0
6/18/2001	PW-4	Sample Time	FALSE	1315		0	0	0 hours			0
6/18/2001	PW-5	Static Water Level	FALSE	346.95		0	0	0 feet msl			0
6/18/2001	PW-5	pH	FALSE	5.87		0	0	0 S.U.			0
6/18/2001	PW-5	Specific Conductance	FALSE	617		0	0	0 umhos/cm			0
6/18/2001	PW-5	Total Dissolved Solids (TDS)	FALSE	830		10	50	mg/L			0
6/18/2001	PW-5	Sulfate	FALSE	90.3		0.06	0.3	mg/L			0
6/18/2001	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001	0.005	mg/L			0
6/18/2001	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/18/2001	PW-5	Temperature	FALSE	15.7		0	0	0 Degrees C			0
6/18/2001	PW-5	Sample Time	FALSE	1322		0	0	0 hours			0
6/18/2001	PW-5 DUP	pH	FALSE	5.91		0	0	0 S.U.			0
6/18/2001	PW-5 DUP	Specific Conductance	FALSE	618		0	0	0 umhos/cm			0
6/18/2001	PW-5 DUP	Total Dissolved Solids (TDS)	FALSE	831		10	50	mg/L			0
6/18/2001	PW-5 DUP	Sulfate	FALSE	91.9		0.06	0.3	mg/L			0
6/18/2001	PW-5 DUP	Dissolved Chromium	FALSE	0.003 J		0.001	0.005	mg/L			0
6/18/2001	PW-5 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/18/2001	PW-5 DUP	Temperature	FALSE	15.66		0	0	0 Degrees C			0
6/18/2001	PW-5 DUP	Sample Time	FALSE	1523		0	0	0 hours			0
6/18/2001	PW-6	Static Water Level	FALSE	344.63		0	0	0 feet msl			0
6/18/2001	PW-6	pH	FALSE	5.93		0	0	0 S.U.			0
6/18/2001	PW-6	Specific Conductance	FALSE	479		0	0	0 umhos/cm			0
6/18/2001	PW-6	Total Dissolved Solids (TDS)	FALSE	435		10	50	mg/L			0
6/18/2001	PW-6	Sulfate	FALSE	105		0.06	0.3	mg/L			0
6/18/2001	PW-6	Dissolved Chromium	FALSE	0.005		0.001	0.005	mg/L			0
6/18/2001	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
6/18/2001	PW-6	Temperature	FALSE	18.35		0	0	0 Degrees C			0
6/18/2001	PW-6	Sample Time	FALSE	1245		0	0	0 hours			0
6/18/2001	PW-7	Static Water Level	FALSE	347.2		0	0	0 feet msl			0
6/18/2001	PW-7	pH	FALSE	6.29		0	0	0 S.U.			0
6/18/2001	PW-7	Specific Conductance	FALSE	166		0	0	0 umhos/cm			0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/18/2001	PW-7	Total Dissolved Solids (TDS)	FALSE	174		10		50 mg/L			0
6/18/2001	PW-7	Sulfate	FALSE	20.16		0.06		0.3 mg/L			0
6/18/2001	PW-7	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L			0
6/18/2001	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/18/2001	PW-7	Temperature	FALSE	16.36		0		0 Degrees C			0
6/18/2001	PW-7	Sample Time	FALSE	1220		0		0 hours			0
6/18/2001	PW-8	Static Water Level	FALSE	347.75		0		0 feet msl			0
6/18/2001	PW-8	pH	FALSE	6.21		0		0 S.U.			0
6/18/2001	PW-8	Specific Conductance	FALSE	321		0		0 umhos/cm			0
6/18/2001	PW-8	Total Dissolved Solids (TDS)	FALSE	277		10		50 mg/L			0
6/18/2001	PW-8	Sulfate	FALSE	58		0.06		0.3 mg/L			0
6/18/2001	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/18/2001	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/18/2001	PW-8	Temperature	FALSE	16.19		0		0 Degrees C			0
6/18/2001	PW-8	Sample Time	FALSE	1155		0		0 hours			0
9/19/2001	FIELD BLANK	pH	FALSE	6.19		0		0 S.U.			0
9/19/2001	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
9/19/2001	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L			0
9/19/2001	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
9/19/2001	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	FIELD BLANK	Temperature	FALSE	25.65		0		0 Degrees C			0
9/19/2001	FIELD BLANK	Sample Time	FALSE	1245		0		0 hours			0
9/19/2001	PW-1	Static Water Level	FALSE	354.16		0		0 feet msl			0
9/19/2001	PW-1	pH	FALSE	6.08		0		0 S.U.			0
9/19/2001	PW-1	Specific Conductance	FALSE	829		0		0 umhos/cm			0
9/19/2001	PW-1	Total Dissolved Solids (TDS)	FALSE	569		10		50 mg/L			0
9/19/2001	PW-1	Sulfate	FALSE	198.61		0.06		0.3 mg/L			0
9/19/2001	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L			0
9/19/2001	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-1	Temperature	FALSE	16.85		0		0 Degrees C			0
9/19/2001	PW-1	Sample Time	FALSE	1245		0		0 hours			0
9/19/2001	PW-2	Static Water Level	FALSE	355.43		0		0 feet msl			0
9/19/2001	PW-2	pH	FALSE	5.8		0		0 S.U.			0
9/19/2001	PW-2	Specific Conductance	FALSE	100		0		0 umhos/cm			0
9/19/2001	PW-2	Total Dissolved Solids (TDS)	FALSE	116.5		10		50 mg/L			0
9/19/2001	PW-2	Sulfate	FALSE	0.29 J		0.06		0.3 mg/L			0
9/19/2001	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/19/2001	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-2	Temperature	FALSE	17.56		0		0 Degrees C			0
9/19/2001	PW-2	Sample Time	FALSE	1330		0		0 hours			0
9/19/2001	PW-3	Static Water Level	FALSE	349.85		0		0 feet msl			0
9/19/2001	PW-3	pH	FALSE	5.16		0		0 S.U.			0
9/19/2001	PW-3	Specific Conductance	FALSE	96		0		0 umhos/cm			0
9/19/2001	PW-3	Total Dissolved Solids (TDS)	FALSE	123		10		50 mg/L			0
9/19/2001	PW-3	Sulfate	FALSE	8.3		0.06		0.3 mg/L			0
9/19/2001	PW-3	Dissolved Chromium	FALSE	0.026		0.001		0.005 mg/L			0
9/19/2001	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-3	Temperature	FALSE	16.22		0		0 Degrees C			0
9/19/2001	PW-3	Sample Time	FALSE	1225		0		0 hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/19/2001	PW-3 DUP	pH	FALSE	5.16		0		0 S.U.			0
9/19/2001	PW-3 DUP	Specific Conductance	FALSE	96		0		0 umhos/cm			0
9/19/2001	PW-3 DUP	Total Dissolved Solids (TDS)	FALSE	122.5		10		50 mg/L			0
9/19/2001	PW-3 DUP	Sulfate	FALSE	8.23		0.06		0.3 mg/L			0
9/19/2001	PW-3 DUP	Dissolved Chromium	FALSE	0.026		0.001		0.005 mg/L			0
9/19/2001	PW-3 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-3 DUP	Temperature	FALSE	16.22		0		0 Degrees C			0
9/19/2001	PW-3 DUP	Sample Time	FALSE	1226		0		0 hours			0
9/19/2001	PW-4	Static Water Level	FALSE	343.61		0		0 feet msl			0
9/19/2001	PW-4	pH	FALSE	5.81		0		0 S.U.			0
9/19/2001	PW-4	Specific Conductance	FALSE	230		0		0 umhos/cm			0
9/19/2001	PW-4	Total Dissolved Solids (TDS)	FALSE	183		10		50 mg/L			0
9/19/2001	PW-4	Sulfate	FALSE	3.23		0.06		0.3 mg/L			0
9/19/2001	PW-4	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
9/19/2001	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-4	Temperature	FALSE	16.31		0		0 Degrees C			0
9/19/2001	PW-4	Sample Time	FALSE	1345		0		0 hours			0
9/19/2001	PW-5	Static Water Level	FALSE	344.78		0		0 feet msl			0
9/19/2001	PW-5	pH	FALSE	6.32		0		0 S.U.			0
9/19/2001	PW-5	Specific Conductance	FALSE	729		0		0 umhos/cm			0
9/19/2001	PW-5	Total Dissolved Solids (TDS)	FALSE	779		10		50 mg/L			0
9/19/2001	PW-5	Sulfate	FALSE	124.95		0.06		0.3 mg/L			0
9/19/2001	PW-5	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
9/19/2001	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-5	Temperature	FALSE	16.99		0		0 Degrees C			0
9/19/2001	PW-5	Sample Time	FALSE	1250		0		0 hours			0
9/19/2001	PW-6	Static Water Level	FALSE	342.49		0		0 feet msl			0
9/19/2001	PW-6	pH	FALSE	5.81		0		0 S.U.			0
9/19/2001	PW-6	Specific Conductance	FALSE	536		0		0 umhos/cm			0
9/19/2001	PW-6	Total Dissolved Solids (TDS)	FALSE	396.5		10		50 mg/L			0
9/19/2001	PW-6	Sulfate	FALSE	108.57		0.06		0.3 mg/L			0
9/19/2001	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
9/19/2001	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-6	Temperature	FALSE	15.91		0		0 Degrees C			0
9/19/2001	PW-6	Sample Time	FALSE	1410		0		0 hours			0
9/19/2001	PW-7	Static Water Level	FALSE	345.02		0		0 feet msl			0
9/19/2001	PW-7	pH	FALSE	6.21		0		0 S.U.			0
9/19/2001	PW-7	Specific Conductance	FALSE	121		0		0 umhos/cm			0
9/19/2001	PW-7	Total Dissolved Solids (TDS)	FALSE	181		10		50 mg/L			0
9/19/2001	PW-7	Sulfate	FALSE	22.13		0.06		0.3 mg/L			0
9/19/2001	PW-7	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L			0
9/19/2001	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
9/19/2001	PW-7	Temperature	FALSE	16.86		0		0 Degrees C			0
9/19/2001	PW-7	Sample Time	FALSE	1400		0		0 hours			0
9/19/2001	PW-8	Static Water Level	FALSE	345.85		0		0 feet msl			0
9/19/2001	PW-8	pH	FALSE	6.13		0		0 S.U.			0
9/19/2001	PW-8	Specific Conductance	FALSE	215		0		0 umhos/cm			0
9/19/2001	PW-8	Total Dissolved Solids (TDS)	FALSE	251		10		50 mg/L			0
9/19/2001	PW-8	Sulfate	FALSE	64.37		0.06		0.3 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/19/2001	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L			0
9/19/2001	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
9/19/2001	PW-8	Temperature	FALSE	18.46		0	0	Degrees C			0
9/19/2001	PW-8	Sample Time	FALSE	1330		0	0	hours			0
12/12/2001	FIELD BLANK	pH	FALSE	7.26		0	0	S.U.			0
12/12/2001	FIELD BLANK	Specific Conductance	FALSE	4		0	0	umhos/cm			0
12/12/2001	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L			0
12/12/2001	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L			0
12/12/2001	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L			0
12/12/2001	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/12/2001	FIELD BLANK	Temperature	FALSE	17.7		0	0	Degrees C			0
12/12/2001	FIELD BLANK	Sample Time	FALSE	1025		0	0	hours			0
12/12/2001	PW-1	Static Water Level	FALSE	352.69		0	0	feet msl			0
12/12/2001	PW-1	pH	FALSE	6.41		0	0	S.U.			0
12/12/2001	PW-1	Specific Conductance	FALSE	810		0	0	umhos/cm			0
12/12/2001	PW-1	Total Dissolved Solids (TDS)	FALSE	585.5		10	50	mg/L			0
12/12/2001	PW-1	Sulfate	FALSE	186.07		0.06	0.3	mg/L			0
12/12/2001	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L			0
12/12/2001	PW-1	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/12/2001	PW-1	Temperature	FALSE	16.07		0	0	Degrees C			0
12/12/2001	PW-1	Sample Time	FALSE	1250		0	0	hours			0
12/12/2001	PW-1 DUP	pH	FALSE	6.41		0	0	S.U.			0
12/12/2001	PW-1 DUP	Specific Conductance	FALSE	810		0	0	umhos/cm			0
12/12/2001	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	584.5		10	50	mg/L			0
12/12/2001	PW-1 DUP	Sulfate	FALSE	192.76		0.06	0.3	mg/L			0
12/12/2001	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L			0
12/12/2001	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/12/2001	PW-1 DUP	Temperature	FALSE	16.07		0	0	Degrees C			0
12/12/2001	PW-1 DUP	Sample Time	FALSE	1251		0	0	hours			0
12/12/2001	PW-2	Static Water Level	FALSE	354.2		0	0	feet msl			0
12/12/2001	PW-2	pH	FALSE	5.96		0	0	S.U.			0
12/12/2001	PW-2	Specific Conductance	FALSE	113		0	0	umhos/cm			0
12/12/2001	PW-2	Total Dissolved Solids (TDS)	FALSE	136		10	50	mg/L			0
12/12/2001	PW-2	Sulfate	FALSE	0.14	J	0.06	0.3	mg/L			0
12/12/2001	PW-2	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L			0
12/12/2001	PW-2	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/12/2001	PW-2	Temperature	FALSE	16.54		0	0	Degrees C			0
12/12/2001	PW-2	Sample Time	FALSE	1140		0	0	hours			0
12/12/2001	PW-3	Static Water Level	FALSE	348.74		0	0	feet msl			0
12/12/2001	PW-3	pH	FALSE	5.61		0	0	S.U.			0
12/12/2001	PW-3	Specific Conductance	FALSE	109		0	0	umhos/cm			0
12/12/2001	PW-3	Total Dissolved Solids (TDS)	FALSE	117.5		10	50	mg/L			0
12/12/2001	PW-3	Sulfate	FALSE	7.97		0.06	0.3	mg/L			0
12/12/2001	PW-3	Dissolved Chromium	FALSE	0.025		0.001	0.005	mg/L			0
12/12/2001	PW-3	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L			0
12/12/2001	PW-3	Temperature	FALSE	15.73		0	0	Degrees C			0
12/12/2001	PW-3	Sample Time	FALSE	1040		0	0	hours			0
12/12/2001	PW-4	Static Water Level	FALSE	342.69		0	0	feet msl			0
12/12/2001	PW-4	pH	FALSE	6.14		0	0	S.U.			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/12/2001	PW-4	Specific Conductance	FALSE	249		0		0 umhos/cm			0
12/12/2001	PW-4	Total Dissolved Solids (TDS)	FALSE	166		10		50 mg/L			0
12/12/2001	PW-4	Sulfate	FALSE	3.52		0.06		0.3 mg/L			0
12/12/2001	PW-4	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
12/12/2001	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/2001	PW-4	Temperature	FALSE	15.64		0		0 Degrees C			0
12/12/2001	PW-4	Sample Time	FALSE	1315		0		0 hours			0
12/12/2001	PW-5	Static Water Level	FALSE	343.61		0		0 feet msl			0
12/12/2001	PW-5	pH	FALSE	6.19		0		0 S.U.			0
12/12/2001	PW-5	Specific Conductance	FALSE	940		0		0 umhos/cm			0
12/12/2001	PW-5	Total Dissolved Solids (TDS)	FALSE	728		10		50 mg/L			0
12/12/2001	PW-5	Sulfate	FALSE	137.04		0.06		0.3 mg/L			0
12/12/2001	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L			0
12/12/2001	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/2001	PW-5	Temperature	FALSE	15.31		0		0 Degrees C			0
12/12/2001	PW-5	Sample Time	FALSE	1325		0		0 hours			0
12/12/2001	PW-6	Static Water Level	FALSE	341.33		0		0 feet msl			0
12/12/2001	PW-6	pH	FALSE	6.12		0		0 S.U.			0
12/12/2001	PW-6	Specific Conductance	FALSE	513		0		0 umhos/cm			0
12/12/2001	PW-6	Total Dissolved Solids (TDS)	FALSE	391.5		10		50 mg/L			0
12/12/2001	PW-6	Sulfate	FALSE	128.06		0.06		0.3 mg/L			0
12/12/2001	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
12/12/2001	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/2001	PW-6	Temperature	FALSE	15.79		0		0 Degrees C			0
12/12/2001	PW-6	Sample Time	FALSE	1345		0		0 hours			0
12/12/2001	PW-7	Static Water Level	FALSE	343.81		0		0 feet msl			0
12/12/2001	PW-7	pH	FALSE	6.51		0		0 S.U.			0
12/12/2001	PW-7	Specific Conductance	FALSE	180		0		0 umhos/cm			0
12/12/2001	PW-7	Total Dissolved Solids (TDS)	FALSE	153.5		10		50 mg/L			0
12/12/2001	PW-7	Sulfate	FALSE	21.44		0.06		0.3 mg/L			0
12/12/2001	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L			0
12/12/2001	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/2001	PW-7	Temperature	FALSE	15.46		0		0 Degrees C			0
12/12/2001	PW-7	Sample Time	FALSE	1335		0		0 hours			0
12/12/2001	PW-8	Static Water Level	FALSE	344.42		0		0 feet msl			0
12/12/2001	PW-8	pH	FALSE	6.43		0		0 S.U.			0
12/12/2001	PW-8	Specific Conductance	FALSE	332		0		0 umhos/cm			0
12/12/2001	PW-8	Total Dissolved Solids (TDS)	FALSE	242		10		50 mg/L			0
12/12/2001	PW-8	Sulfate	FALSE	56.43		0.06		0.3 mg/L			0
12/12/2001	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
12/12/2001	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
12/12/2001	PW-8	Temperature	FALSE	15.9		0		0 Degrees C			0
12/12/2001	PW-8	Sample Time	FALSE	1050		0		0 hours			0
3/12/2002	FIELD BLANK	pH	FALSE	7.19		0		0 S.U.			0
3/12/2002	FIELD BLANK	Specific Conductance	FALSE	1		0		0 umhos/cm			0
3/12/2002	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
3/12/2002	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L			0
3/12/2002	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
3/12/2002	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/12/2002	FIELD BLANK	Temperature	FALSE	21.18		0		0 Degrees C			0
3/12/2002	FIELD BLANK	Sample Time	FALSE	1045		0		0 hours			0
3/12/2002	PW-1	Static Water Level	FALSE	352.92		0		0 feet msl			0
3/12/2002	PW-1	pH	FALSE	5.99		0		0 S.U.			0
3/12/2002	PW-1	Specific Conductance	FALSE	1001		0		0 umhos/cm			0
3/12/2002	PW-1	Total Dissolved Solids (TDS)	FALSE	654		10		50 mg/L			0
3/12/2002	PW-1	Sulfate	FALSE	201.03		0.06		0.3 mg/L			0
3/12/2002	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L			0
3/12/2002	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-1	Temperature	FALSE	16.01		0		0 Degrees C			0
3/12/2002	PW-1	Sample Time	FALSE	1115		0		0 hours			0
3/12/2002	PW-2	Static Water Level	FALSE	353.95		0		0 feet msl			0
3/12/2002	PW-2	pH	FALSE	5.78		0		0 S.U.			0
3/12/2002	PW-2	Specific Conductance	FALSE	127		0		0 umhos/cm			0
3/12/2002	PW-2	Total Dissolved Solids (TDS)	FALSE	145.5		10		50 mg/L			0
3/12/2002	PW-2	Sulfate	FALSE	0.17 J		0.06		0.3 mg/L			0
3/12/2002	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
3/12/2002	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-2	Temperature	FALSE	16.84		0		0 Degrees C			0
3/12/2002	PW-2	Sample Time	FALSE	1320		0		0 hours			0
3/12/2002	PW-3	Static Water Level	FALSE	349.06		0		0 feet msl			0
3/12/2002	PW-3	pH	FALSE	6.33		0		0 S.U.			0
3/12/2002	PW-3	Specific Conductance	FALSE	122		0		0 umhos/cm			0
3/12/2002	PW-3	Total Dissolved Solids (TDS)	FALSE	137.5		10		50 mg/L			0
3/12/2002	PW-3	Sulfate	FALSE	8.06		0.06		0.3 mg/L			0
3/12/2002	PW-3	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L			0
3/12/2002	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-3	Temperature	FALSE	15.95		0		0 Degrees C			0
3/12/2002	PW-3	Sample Time	FALSE	1050		0		0 hours			0
3/12/2002	PW-3 DUP	pH	FALSE	6.33		0		0 S.U.			0
3/12/2002	PW-3 DUP	Specific Conductance	FALSE	122		0		0 umhos/cm			0
3/12/2002	PW-3 DUP	Total Dissolved Solids (TDS)	FALSE	134.5		10		50 mg/L			0
3/12/2002	PW-3 DUP	Sulfate	FALSE	7.59		0.06		0.3 mg/L			0
3/12/2002	PW-3 DUP	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L			0
3/12/2002	PW-3 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-3 DUP	Temperature	FALSE	15.95		0		0 Degrees C			0
3/12/2002	PW-3 DUP	Sample Time	FALSE	1051		0		0 hours			0
3/12/2002	PW-4	Static Water Level	FALSE	343.71		0		0 feet msl			0
3/12/2002	PW-4	pH	FALSE	6.1		0		0 S.U.			0
3/12/2002	PW-4	Specific Conductance	FALSE	267		0		0 umhos/cm			0
3/12/2002	PW-4	Total Dissolved Solids (TDS)	FALSE	204		10		50 mg/L			0
3/12/2002	PW-4	Sulfate	FALSE	2.92		0.06		0.3 mg/L			0
3/12/2002	PW-4	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
3/12/2002	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-4	Temperature	FALSE	15.47		0		0 Degrees C			0
3/12/2002	PW-4	Sample Time	FALSE	1310		0		0 hours			0
3/12/2002	PW-5	Static Water Level	FALSE	344.96		0		0 feet msl			0
3/12/2002	PW-5	pH	FALSE	6.31		0		0 S.U.			0
3/12/2002	PW-5	Specific Conductance	FALSE	1132		0		0 umhos/cm			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/12/2002	PW-5	Total Dissolved Solids (TDS)	FALSE	841.5		10		50 mg/L			0
3/12/2002	PW-5	Sulfate	FALSE	141.93		0.06		0.3 mg/L			0
3/12/2002	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001		0.005 mg/L			0
3/12/2002	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-5	Temperature	FALSE	15.15		0		0 Degrees C			0
3/12/2002	PW-5	Sample Time	FALSE	1140		0		0 hours			0
3/12/2002	PW-6	pH	FALSE	6.19		0		0 S.U.			0
3/12/2002	PW-6	Specific Conductance	FALSE	589		0		0 umhos/cm			0
3/12/2002	PW-6	Total Dissolved Solids (TDS)	FALSE	436		10		50 mg/L			0
3/12/2002	PW-6	Sulfate	FALSE	96.55		0.06		0.3 mg/L			0
3/12/2002	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
3/12/2002	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-6	Sample Time	FALSE	1200		0		0 hours			0
3/12/2002	PW-7	Static Water Level	FALSE	345.01		0		0 feet msl			0
3/12/2002	PW-7	pH	FALSE	6.44		0		0 S.U.			0
3/12/2002	PW-7	Specific Conductance	FALSE	223		0		0 umhos/cm			0
3/12/2002	PW-7	Total Dissolved Solids (TDS)	FALSE	184.5		10		50 mg/L			0
3/12/2002	PW-7	Sulfate	FALSE	24.13		0.06		0.3 mg/L			0
3/12/2002	PW-7	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L			0
3/12/2002	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-7	Temperature	FALSE	15.22		0		0 Degrees C			0
3/12/2002	PW-7	Sample Time	FALSE	1307		0		0 hours			0
3/12/2002	PW-8	Static Water Level	FALSE	345.55		0		0 feet msl			0
3/12/2002	PW-8	pH	FALSE	6.39		0		0 S.U.			0
3/12/2002	PW-8	Specific Conductance	FALSE	402		0		0 umhos/cm			0
3/12/2002	PW-8	Total Dissolved Solids (TDS)	FALSE	285.5		10		50 mg/L			0
3/12/2002	PW-8	Sulfate	FALSE	63.26		0.06		0.3 mg/L			0
3/12/2002	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L			0
3/12/2002	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
3/12/2002	PW-8	Temperature	FALSE	15.82		0		0 Degrees C			0
3/12/2002	PW-8	Sample Time	FALSE	1320		0		0 hours			0
6/4/2002	FIELD BLANK	pH	FALSE	5.42		0		0 S.U.			0
6/4/2002	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm			0
6/4/2002	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L			0
6/4/2002	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L			0
6/4/2002	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/4/2002	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	FIELD BLANK	Temperature	FALSE	24.6		0		0 Degrees C			0
6/4/2002	FIELD BLANK	Sample Time	FALSE	1030		0		0 hours			0
6/4/2002	PW-1	Static Water Level	FALSE	353.89		0		0 feet msl			0
6/4/2002	PW-1	pH	FALSE	5.61		0		0 S.U.			0
6/4/2002	PW-1	Specific Conductance	FALSE	917		0		0 umhos/cm			0
6/4/2002	PW-1	Total Dissolved Solids (TDS)	FALSE	707.5		10		50 mg/L			0
6/4/2002	PW-1	Sulfate	FALSE	221.57		0.06		0.3 mg/L			0
6/4/2002	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L			0
6/4/2002	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-1	Temperature	FALSE	16.93		0		0 Degrees C			0
6/4/2002	PW-1	Sample Time	FALSE	1050		0		0 hours			0
6/4/2002	PW-2	Static Water Level	FALSE	355.15		0		0 feet msl			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2002	PW-2	pH	FALSE	5.81		0		0 S.U.			0
6/4/2002	PW-2	Specific Conductance	FALSE	116		0		0 umhos/cm			0
6/4/2002	PW-2	Total Dissolved Solids (TDS)	FALSE	142.5		10		50 mg/L			0
6/4/2002	PW-2	Sulfate	FALSE	0.13	J	0.06		0.3 mg/L			0
6/4/2002	PW-2	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L			0
6/4/2002	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-2	Temperature	FALSE	17.19		0		0 Degrees C			0
6/4/2002	PW-2	Sample Time	FALSE	1300		0		0 hours			0
6/4/2002	PW-3	Static Water Level	FALSE	349.88		0		0 feet msl			0
6/4/2002	PW-3	pH	FALSE	5.55		0		0 S.U.			0
6/4/2002	PW-3	Specific Conductance	FALSE	108		0		0 umhos/cm			0
6/4/2002	PW-3	Total Dissolved Solids (TDS)	FALSE	135.5		10		50 mg/L			0
6/4/2002	PW-3	Sulfate	FALSE	7.28		0.06		0.3 mg/L			0
6/4/2002	PW-3	Dissolved Chromium	FALSE	0.024		0.001		0.005 mg/L			0
6/4/2002	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-3	Temperature	FALSE	16.2		0		0 Degrees C			0
6/4/2002	PW-3	Sample Time	FALSE	1124		0		0 hours			0
6/4/2002	PW-4	Static Water Level	FALSE	344.04		0		0 feet msl			0
6/4/2002	PW-4	pH	FALSE	6.07		0		0 S.U.			0
6/4/2002	PW-4	Specific Conductance	FALSE	213		0		0 umhos/cm			0
6/4/2002	PW-4	Total Dissolved Solids (TDS)	FALSE	199		10		50 mg/L			0
6/4/2002	PW-4	Sulfate	FALSE	2.29		0.06		0.3 mg/L			0
6/4/2002	PW-4	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L			0
6/4/2002	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-4	Temperature	FALSE	16.22		0		0 Degrees C			0
6/4/2002	PW-4	Sample Time	FALSE	1215		0		0 hours			0
6/4/2002	PW-5	Static Water Level	FALSE	345.18		0		0 feet msl			0
6/4/2002	PW-5	pH	FALSE	5.91		0		0 S.U.			0
6/4/2002	PW-5	Specific Conductance	FALSE	950		0		0 umhos/cm			0
6/4/2002	PW-5	Total Dissolved Solids (TDS)	FALSE	796		10		50 mg/L			0
6/4/2002	PW-5	Sulfate	FALSE	141.57		0.06		0.3 mg/L			0
6/4/2002	PW-5	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L			0
6/4/2002	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-5	Temperature	FALSE	15.43		0		0 Degrees C			0
6/4/2002	PW-5	Sample Time	FALSE	1205		0		0 hours			0
6/4/2002	PW-6	Static Water Level	FALSE	342.91		0		0 feet msl			0
6/4/2002	PW-6	pH	FALSE	5.78		0		0 S.U.			0
6/4/2002	PW-6	Specific Conductance	FALSE	519		0		0 umhos/cm			0
6/4/2002	PW-6	Total Dissolved Solids (TDS)	FALSE	426.5		10		50 mg/L			0
6/4/2002	PW-6	Sulfate	FALSE	102.67		0.06		0.3 mg/L			0
6/4/2002	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0
6/4/2002	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-6	Temperature	FALSE	15.96		0		0 Degrees C			0
6/4/2002	PW-6	Sample Time	FALSE	1159		0		0 hours			0
6/4/2002	PW-6 DUP	pH	FALSE	5.78		0		0 S.U.			0
6/4/2002	PW-6 DUP	Specific Conductance	FALSE	519		0		0 umhos/cm			0
6/4/2002	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	425		10		50 mg/L			0
6/4/2002	PW-6 DUP	Sulfate	FALSE	106.04		0.06		0.3 mg/L			0
6/4/2002	PW-6 DUP	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2002	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-6 DUP	Temperature	FALSE	15.96		0		0 Degrees C			0
6/4/2002	PW-6 DUP	Sample Time	FALSE	1200		0		0 hours			0
6/4/2002	PW-7	Static Water Level	FALSE	345.42		0		0 feet msl			0
6/4/2002	PW-7	pH	FALSE	5.8		0		0 S.U.			0
6/4/2002	PW-7	Specific Conductance	FALSE	197		0		0 umhos/cm			0
6/4/2002	PW-7	Total Dissolved Solids (TDS)	FALSE	174.5		10		50 mg/L			0
6/4/2002	PW-7	Sulfate	FALSE	23.26		0.06		0.3 mg/L			0
6/4/2002	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L			0
6/4/2002	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-7	Temperature	FALSE	15.13		0		0 Degrees C			0
6/4/2002	PW-7	Sample Time	FALSE	1225		0		0 hours			0
6/4/2002	PW-8	Static Water Level	FALSE	346.27		0		0 feet msl			0
6/4/2002	PW-8	pH	FALSE	6.06		0		0 S.U.			0
6/4/2002	PW-8	Specific Conductance	FALSE	362		0		0 umhos/cm			0
6/4/2002	PW-8	Total Dissolved Solids (TDS)	FALSE	276		10		50 mg/L			0
6/4/2002	PW-8	Sulfate	FALSE	62.99		0.06		0.3 mg/L			0
6/4/2002	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L			0
6/4/2002	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L			0
6/4/2002	PW-8	Temperature	FALSE	15.81		0		0 Degrees C			0
6/4/2002	PW-8	Sample Time	FALSE	1241		0		0 hours			0
9/4/2002	FIELD BLANK	pH	FALSE	5.75		0		0 S.U.			0
9/4/2002	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm		10/15/2002	0
9/4/2002	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		9/7/2002	0
9/4/2002	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	FIELD BLANK	Temperature	FALSE	29.14		0		0 Degrees C			0
9/4/2002	FIELD BLANK	Sample Time	FALSE	1152		0		0 hours			0
9/4/2002	PW-1	Static Water Level	FALSE	353.14		0		0 feet msl			0
9/4/2002	PW-1	pH	FALSE	6.03		0		0 S.U.			0
9/4/2002	PW-1	Specific Conductance	FALSE	971		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-1	Total Dissolved Solids (TDS)	FALSE	848.5		10		50 mg/L		9/7/2002	0
9/4/2002	PW-1	Sulfate	FALSE	220.7		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-1	Temperature	FALSE	16.66		0		0 Degrees C			0
9/4/2002	PW-1	Sample Time	FALSE	1215		0		0 hours			0
9/4/2002	PW-1 DUP	pH	FALSE	6.03		0		0 S.U.			0
9/4/2002	PW-1 DUP	Specific Conductance	FALSE	969		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	840.5		10		50 mg/L		9/7/2002	0
9/4/2002	PW-1 DUP	Sulfate	FALSE	210.67		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-1 DUP	Temperature	FALSE	16.7		0		0 Degrees C			0
9/4/2002	PW-1 DUP	Sample Time	FALSE	1216		0		0 hours			0
9/4/2002	PW-2	Static Water Level	FALSE	353.63		0		0 feet msl			0
9/4/2002	PW-2	pH	FALSE	5.59		0		0 S.U.			0
9/4/2002	PW-2	Specific Conductance	FALSE	112		0		0 umhos/cm		10/15/2002	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/4/2002	PW-2	Total Dissolved Solids (TDS)	FALSE	154		10		50 mg/L		9/7/2002	0
9/4/2002	PW-2	Sulfate	FALSE	0.26	J	0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-2	Temperature	FALSE	18.22		0		0 Degrees C			0
9/4/2002	PW-2	Sample Time	FALSE	1255		0		0 hours			0
9/4/2002	PW-3	Static Water Level	FALSE	348.26		0		0 feet msl			0
9/4/2002	PW-3	pH	FALSE	5.44		0		0 S.U.			0
9/4/2002	PW-3	Specific Conductance	FALSE	113		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-3	Total Dissolved Solids (TDS)	FALSE	162		10		50 mg/L		9/7/2002	0
9/4/2002	PW-3	Sulfate	FALSE	9.84		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-3	Temperature	FALSE	16.62		0		0 Degrees C			0
9/4/2002	PW-3	Sample Time	FALSE	1220		0		0 hours			0
9/4/2002	PW-4	Static Water Level	FALSE	342.64		0		0 feet msl			0
9/4/2002	PW-4	pH	FALSE	5.86		0		0 S.U.			0
9/4/2002	PW-4	Specific Conductance	FALSE	238		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-4	Total Dissolved Solids (TDS)	FALSE	231.5		10		50 mg/L		9/7/2002	0
9/4/2002	PW-4	Sulfate	FALSE	2.82		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-4	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-4	Temperature	FALSE	18.43		0		0 Degrees C			0
9/4/2002	PW-4	Sample Time	FALSE	1246		0		0 hours			0
9/4/2002	PW-5	Static Water Level	FALSE	343.82		0		0 feet msl			0
9/4/2002	PW-5	pH	FALSE	5.91		0		0 S.U.			0
9/4/2002	PW-5	Specific Conductance	FALSE	998		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-5	Total Dissolved Solids (TDS)	FALSE	1027		10		50 mg/L		9/7/2002	0
9/4/2002	PW-5	Sulfate	FALSE	169.6		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-5	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-5	Temperature	FALSE	15.42		0		0 Degrees C			0
9/4/2002	PW-5	Sample Time	FALSE	1235		0		0 hours			0
9/4/2002	PW-6	Static Water Level	FALSE	341.4		0		0 feet msl			0
9/4/2002	PW-6	pH	FALSE	5.68		0		0 S.U.			0
9/4/2002	PW-6	Specific Conductance	FALSE	545		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-6	Total Dissolved Solids (TDS)	FALSE	526		10		50 mg/L		9/7/2002	0
9/4/2002	PW-6	Sulfate	FALSE	125.96		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0
9/4/2002	PW-6	Temperature	FALSE	16.15		0		0 Degrees C			0
9/4/2002	PW-6	Sample Time	FALSE	1129		0		0 hours			0
9/4/2002	PW-7	Static Water Level	FALSE	343.72		0		0 feet msl			0
9/4/2002	PW-7	pH	FALSE	6.06		0		0 S.U.			0
9/4/2002	PW-7	Specific Conductance	FALSE	210		0		0 umhos/cm		10/15/2002	0
9/4/2002	PW-7	Total Dissolved Solids (TDS)	FALSE	200		10		50 mg/L		9/7/2002	0
9/4/2002	PW-7	Sulfate	FALSE	28.05		0.06		0.3 mg/L		9/13/2002	0
9/4/2002	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		10/15/2002	0
9/4/2002	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/12/2002	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/4/2002	PW-7	Temperature	FALSE	15.63		0	0	Degrees C			0
9/4/2002	PW-7	Sample Time	FALSE	1150		0	0	hours			0
9/4/2002	PW-8	Static Water Level	FALSE	344.3		0	0	feet msl			0
9/4/2002	PW-8	pH	FALSE	5.65		0	0	S.U.			0
9/4/2002	PW-8	Specific Conductance	FALSE	388		0	0	umhos/cm		10/15/2002	0
9/4/2002	PW-8	Total Dissolved Solids (TDS)	FALSE	331.5		10	50	mg/L		9/7/2002	0
9/4/2002	PW-8	Sulfate	FALSE	70.76		0.06	0.3	mg/L		9/13/2002	0
9/4/2002	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001	0.005	mg/L		10/15/2002	0
9/4/2002	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		9/12/2002	0
9/4/2002	PW-8	Temperature	FALSE	16.08		0	0	Degrees C			0
9/4/2002	PW-8	Sample Time	FALSE	1125		0	0	hours			0
12/9/2002	FIELD BLANK	pH	FALSE	5.88		0	0	S.U.			0
12/9/2002	FIELD BLANK	Specific Conductance	FALSE	2		0	0	umhos/cm		1/15/2003	0
12/9/2002	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		12/11/2002	0
12/9/2002	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		1/6/2003	0
12/9/2002	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		1/15/2003	0
12/9/2002	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		1/13/2003	0
12/9/2002	FIELD BLANK	Temperature	FALSE	7.29		0	0	Degrees C			0
12/9/2002	FIELD BLANK	Sample Time	FALSE	1200		0	0	hours			0
12/9/2002	PW-1	Static Water Level	FALSE	355.02		0	0	feet msl			0
12/9/2002	PW-1	pH	FALSE	5.78		0	0	S.U.			0
12/9/2002	PW-1	Specific Conductance	FALSE	1070		0	0	umhos/cm		1/15/2003	0
12/9/2002	PW-1	Total Dissolved Solids (TDS)	FALSE	791.5		10	50	mg/L		12/11/2002	0
12/9/2002	PW-1	Sulfate	FALSE	317.82		0.06	0.3	mg/L		1/6/2003	0
12/9/2002	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		1/15/2003	0
12/9/2002	PW-1	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		1/13/2003	0
12/9/2002	PW-1	Temperature	FALSE	16.13		0	0	Degrees C			0
12/9/2002	PW-1	Sample Time	FALSE	1210		0	0	hours			0
12/9/2002	PW-1 DUP	pH	FALSE	5.78		0	0	S.U.			0
12/9/2002	PW-1 DUP	Specific Conductance	FALSE	1070		0	0	umhos/cm		1/15/2003	0
12/9/2002	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	769.5		10	50	mg/L		12/11/2002	0
12/9/2002	PW-1 DUP	Sulfate	FALSE	316.77		0.06	0.3	mg/L		1/6/2003	0
12/9/2002	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		1/15/2003	0
12/9/2002	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		1/13/2003	0
12/9/2002	PW-1 DUP	Temperature	FALSE	16.13		0	0	Degrees C			0
12/9/2002	PW-1 DUP	Sample Time	FALSE	1211		0	0	hours			0
12/9/2002	PW-2	Static Water Level	FALSE	355.09		0	0	feet msl			0
12/9/2002	PW-2	pH	FALSE	5.1		0	0	S.U.			0
12/9/2002	PW-2	Specific Conductance	FALSE	134		0	0	umhos/cm		1/15/2003	0
12/9/2002	PW-2	Total Dissolved Solids (TDS)	FALSE	146		10	50	mg/L		12/11/2002	0
12/9/2002	PW-2	Sulfate	FALSE	0.49		0.06	0.3	mg/L		1/6/2003	0
12/9/2002	PW-2	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L		1/15/2003	0
12/9/2002	PW-2	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		1/13/2003	0
12/9/2002	PW-2	Temperature	FALSE	16.61		0	0	Degrees C			0
12/9/2002	PW-2	Sample Time	FALSE	1240		0	0	hours			0
12/9/2002	PW-3	Static Water Level	FALSE	350.28		0	0	feet msl			0
12/9/2002	PW-3	pH	FALSE	5.12		0	0	S.U.			0
12/9/2002	PW-3	Specific Conductance	FALSE	125		0	0	umhos/cm		1/15/2003	0
12/9/2002	PW-3	Total Dissolved Solids (TDS)	FALSE	152.5		10	50	mg/L		12/11/2002	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/9/2002	PW-3	Sulfate	FALSE	8.57		0.06		0.3 mg/L		1/6/2003	0
12/9/2002	PW-3	Dissolved Chromium	FALSE	0.019		0.001		0.005 mg/L		1/15/2003	0
12/9/2002	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		1/13/2003	0
12/9/2002	PW-3	Temperature	FALSE	15.82		0		0 Degrees C			0
12/9/2002	PW-3	Sample Time	FALSE	1230		0		0 hours			0
12/9/2002	PW-4	Static Water Level	FALSE	345.23		0		0 feet msl			0
12/9/2002	PW-4	pH	FALSE	5.72		0		0 S.U.			0
12/9/2002	PW-4	Specific Conductance	FALSE	245		0		0 umhos/cm		1/15/2003	0
12/9/2002	PW-4	Total Dissolved Solids (TDS)	FALSE	188		10		50 mg/L		12/11/2002	0
12/9/2002	PW-4	Sulfate	FALSE	3.69		0.06		0.3 mg/L		1/6/2003	0
12/9/2002	PW-4	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		1/15/2003	0
12/9/2002	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		1/13/2003	0
12/9/2002	PW-4	Temperature	FALSE	15.67		0		0 Degrees C			0
12/9/2002	PW-4	Sample Time	FALSE	1105		0		0 hours			0
12/9/2002	PW-5	Static Water Level	FALSE	346.58		0		0 feet msl			0
12/9/2002	PW-5	pH	FALSE	5.85		0		0 S.U.			0
12/9/2002	PW-5	Specific Conductance	FALSE	955		0		0 umhos/cm		1/15/2003	0
12/9/2002	PW-5	Total Dissolved Solids (TDS)	FALSE	738.5		10		50 mg/L		12/11/2002	0
12/9/2002	PW-5	Sulfate	FALSE	150.99		0.06		0.3 mg/L		1/6/2003	0
12/9/2002	PW-5	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L		1/15/2003	0
12/9/2002	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		1/13/2003	0
12/9/2002	PW-5	Temperature	FALSE	15.48		0		0 Degrees C			0
12/9/2002	PW-5	Sample Time	FALSE	1231		0		0 hours			0
12/9/2002	PW-6	Static Water Level	FALSE	344.23		0		0 feet msl			0
12/9/2002	PW-6	pH	FALSE	5.76		0		0 S.U.			0
12/9/2002	PW-6	Specific Conductance	FALSE	613		0		0 umhos/cm		1/15/2003	0
12/9/2002	PW-6	Total Dissolved Solids (TDS)	FALSE	458		10		50 mg/L		12/11/2002	0
12/9/2002	PW-6	Sulfate	FALSE	148.27		0.06		0.3 mg/L		1/6/2003	0
12/9/2002	PW-6	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L		1/15/2003	0
12/9/2002	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		1/13/2003	0
12/9/2002	PW-6	Temperature	FALSE	16.03		0		0 Degrees C			0
12/9/2002	PW-6	Sample Time	FALSE	1220		0		0 hours			0
12/9/2002	PW-7	Static Water Level	FALSE	346.74		0		0 feet msl			0
12/9/2002	PW-7	pH	FALSE	5.81		0		0 S.U.			0
12/9/2002	PW-7	Specific Conductance	FALSE	240		0		0 umhos/cm		1/15/2003	0
12/9/2002	PW-7	Total Dissolved Solids (TDS)	FALSE	185		10		50 mg/L		12/11/2002	0
12/9/2002	PW-7	Sulfate	FALSE	29.69		0.06		0.3 mg/L		1/6/2003	0
12/9/2002	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		1/15/2003	0
12/9/2002	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		1/13/2003	0
12/9/2002	PW-7	Temperature	FALSE	15.83		0		0 Degrees C			0
12/9/2002	PW-7	Sample Time	FALSE	1154		0		0 hours			0
12/9/2002	PW-8	Static Water Level	FALSE	347.37		0		0 feet msl			0
12/9/2002	PW-8	pH	FALSE	5.59		0		0 S.U.			0
12/9/2002	PW-8	Specific Conductance	FALSE	438		0		0 umhos/cm		1/15/2003	0
12/9/2002	PW-8	Total Dissolved Solids (TDS)	FALSE	319.5		10		50 mg/L		12/11/2002	0
12/9/2002	PW-8	Sulfate	FALSE	81.65		0.06		0.3 mg/L		1/6/2003	0
12/9/2002	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		1/15/2003	0
12/9/2002	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		1/13/2003	0
12/9/2002	PW-8	Temperature	FALSE	16.14		0		0 Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/9/2002	PW-8	Sample Time	FALSE	1120		0		0 hours			0
3/11/2003	FIELD BLANK	pH	FALSE	7.5		0		0 S.U.		3/11/2003	0
3/11/2003	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		3/14/2003	0
3/11/2003	FIELD BLANK	Sulfate	FALSE	0.09	J	0.06		0.3 mg/L		3/27/2003	0
3/11/2003	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		4/8/2003	0
3/11/2003	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		3/28/2003	0
3/11/2003	FIELD BLANK	Temperature	FALSE	15.46		0		0 Degrees C		3/11/2003	0
3/11/2003	FIELD BLANK	Sample Time	FALSE	1250		0		0 hours		3/11/2003	0
3/11/2003	PW-1	Static Water Level	FALSE	357.34		0		0 feet msl		3/11/2003	0
3/11/2003	PW-1	pH	FALSE	6.4		0		0 S.U.		3/11/2003	0
3/11/2003	PW-1	Specific Conductance	FALSE	1221		0		0 umhos/cm		3/11/2003	0
3/11/2003	PW-1	Total Dissolved Solids (TDS)	FALSE	739		10		50 mg/L		3/14/2003	0
3/11/2003	PW-1	Sulfate	FALSE	266.5		0.06		0.3 mg/L		3/27/2003	0
3/11/2003	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		4/8/2003	0
3/11/2003	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		3/28/2003	0
3/11/2003	PW-1	Temperature	FALSE	16.07		0		0 Degrees C		3/11/2003	0
3/11/2003	PW-1	Sample Time	FALSE	1225		0		0 hours		3/11/2003	0
3/11/2003	PW-2	Static Water Level	FALSE	356.63		0		0 feet msl		3/11/2003	0
3/11/2003	PW-2	pH	FALSE	5.94		0		0 S.U.		3/11/2003	0
3/11/2003	PW-2	Specific Conductance	FALSE	130		0		0 umhos/cm		3/11/2003	0
3/11/2003	PW-2	Total Dissolved Solids (TDS)	FALSE	139.5		10		50 mg/L		3/14/2003	0
3/11/2003	PW-2	Sulfate	FALSE	0.7		0.06		0.3 mg/L		3/27/2003	0
3/11/2003	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L		4/8/2003	0
3/11/2003	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		3/28/2003	0
3/11/2003	PW-2	Temperature	FALSE	16.75		0		0 Degrees C		3/11/2003	0
3/11/2003	PW-2	Sample Time	FALSE	1410		0		0 hours		3/11/2003	0
3/11/2003	PW-3	Static Water Level	FALSE	351.78		0		0 feet msl		3/11/2003	0
3/11/2003	PW-3	pH	FALSE	6.24		0		0 S.U.		3/11/2003	0
3/11/2003	PW-3	Specific Conductance	FALSE	110		0		0 umhos/cm		3/11/2003	0
3/11/2003	PW-3	Total Dissolved Solids (TDS)	FALSE	127.5		10		50 mg/L		3/14/2003	0
3/11/2003	PW-3	Sulfate	FALSE	9.95		0.06		0.3 mg/L		3/27/2003	0
3/11/2003	PW-3	Dissolved Chromium	FALSE	0.027		0.001		0.005 mg/L		4/8/2003	0
3/11/2003	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		3/28/2003	0
3/11/2003	PW-3	Temperature	FALSE	15.76		0		0 Degrees C		3/11/2003	0
3/11/2003	PW-3	Sample Time	FALSE	1400		0		0 hours		3/11/2003	0
3/11/2003	PW-4	Static Water Level	FALSE	346.94		0		0 feet msl		3/11/2003	0
3/11/2003	PW-4	pH	FALSE	6.43		0		0 S.U.		3/11/2003	0
3/11/2003	PW-4	Specific Conductance	FALSE	289		0		0 umhos/cm		3/11/2003	0
3/11/2003	PW-4	Total Dissolved Solids (TDS)	FALSE	161		10		50 mg/L		3/14/2003	0
3/11/2003	PW-4	Sulfate	FALSE	2.8		0.06		0.3 mg/L		3/27/2003	0
3/11/2003	PW-4	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		4/8/2003	0
3/11/2003	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		3/28/2003	0
3/11/2003	PW-4	Temperature	FALSE	16		0		0 Degrees C		3/11/2003	0
3/11/2003	PW-4	Sample Time	FALSE	1350		0		0 hours		3/11/2003	0
3/11/2003	PW-5	Static Water Level	FALSE	348.05		0		0 feet msl		3/11/2003	0
3/11/2003	PW-5	pH	FALSE	6.26		0		0 S.U.		3/11/2003	0
3/11/2003	PW-5	Specific Conductance	FALSE	944		0		0 umhos/cm		3/11/2003	0
3/11/2003	PW-5	Total Dissolved Solids (TDS)	FALSE	761.5		10		50 mg/L		3/14/2003	0
3/11/2003	PW-5	Sulfate	FALSE	141.95		0.06		0.3 mg/L		3/27/2003	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2003	PW-5	Dissolved Chromium	FALSE	0.002	J	0.001	0.005	mg/L		4/8/2003	0
3/11/2003	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/28/2003	0
3/11/2003	PW-5	Temperature	FALSE	15.05		0	0	Degrees C		3/11/2003	0
3/11/2003	PW-5	Sample Time	FALSE	1230		0	0	hours		3/11/2003	0
3/11/2003	PW-6	Static Water Level	FALSE	346.31		0	0	feet msl		3/11/2003	0
3/11/2003	PW-6	pH	FALSE	6.43		0	0	S.U.		3/11/2003	0
3/11/2003	PW-6	Specific Conductance	FALSE	683		0	0	umhos/cm		3/11/2003	0
3/11/2003	PW-6	Total Dissolved Solids (TDS)	FALSE	401		10	50	mg/L		3/14/2003	0
3/11/2003	PW-6	Sulfate	FALSE	136.62		0.06	0.3	mg/L		3/27/2003	0
3/11/2003	PW-6	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L		4/8/2003	0
3/11/2003	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/28/2003	0
3/11/2003	PW-6	Temperature	FALSE	15.74		0	0	Degrees C		3/11/2003	0
3/11/2003	PW-6	Sample Time	FALSE	1315		0	0	hours		3/11/2003	0
3/11/2003	PW-7	Static Water Level	FALSE	348.96		0	0	feet msl		3/11/2003	0
3/11/2003	PW-7	pH	FALSE	6.53		0	0	S.U.		3/11/2003	0
3/11/2003	PW-7	Specific Conductance	FALSE	228		0	0	umhos/cm		3/11/2003	0
3/11/2003	PW-7	Total Dissolved Solids (TDS)	FALSE	200.5		10	50	mg/L		3/14/2003	0
3/11/2003	PW-7	Sulfate	FALSE	23.3		0.06	0.3	mg/L		3/27/2003	0
3/11/2003	PW-7	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L		4/8/2003	0
3/11/2003	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/28/2003	0
3/11/2003	PW-7	Temperature	FALSE	15.23		0	0	Degrees C		3/11/2003	0
3/11/2003	PW-7	Sample Time	FALSE	1320		0	0	hours		3/11/2003	0
3/11/2003	PW-7 DUP	pH	FALSE	6.63		0	0	S.U.		3/11/2003	0
3/11/2003	PW-7 DUP	Specific Conductance	FALSE	227		0	0	umhos/cm		3/11/2003	0
3/11/2003	PW-7 DUP	Total Dissolved Solids (TDS)	FALSE	198.5		10	50	mg/L		3/14/2003	0
3/11/2003	PW-7 DUP	Sulfate	FALSE	24.8		0.06	0.3	mg/L		3/27/2003	0
3/11/2003	PW-7 DUP	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		4/8/2003	0
3/11/2003	PW-7 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/28/2003	0
3/11/2003	PW-7 DUP	Temperature	FALSE	15.23		0	0	Degrees C		3/11/2003	0
3/11/2003	PW-7 DUP	Sample Time	FALSE	1322		0	0	hours		3/11/2003	0
3/11/2003	PW-8	Static Water Level	FALSE	350.16		0	0	feet msl		3/11/2003	0
3/11/2003	PW-8	pH	FALSE	6.41		0	0	S.U.		3/11/2003	0
3/11/2003	PW-8	Specific Conductance	FALSE	483		0	0	umhos/cm		3/11/2003	0
3/11/2003	PW-8	Total Dissolved Solids (TDS)	FALSE	318		10	50	mg/L		3/14/2003	0
3/11/2003	PW-8	Sulfate	FALSE	87.14		0.06	0.3	mg/L		3/27/2003	0
3/11/2003	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		4/8/2003	0
3/11/2003	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/28/2003	0
3/11/2003	PW-8	Temperature	FALSE	15.24		0	0	Degrees C		3/11/2003	0
3/11/2003	PW-8	Sample Time	FALSE	1220		0	0	hours		3/11/2003	0
6/4/2003	FIELD BLANK	pH	FALSE	6.4		0	0	S.U.		6/4/2003	0
6/4/2003	FIELD BLANK	Specific Conductance	FALSE	6		0	0	umhos/cm		6/4/2003	0
6/4/2003	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		6/10/2003	0
6/4/2003	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		6/18/2003	0
6/4/2003	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		6/16/2003	0
6/4/2003	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		6/17/2003	0
6/4/2003	FIELD BLANK	Temperature	FALSE	27.5		0	0	Degrees C		6/4/2003	0
6/4/2003	FIELD BLANK	Sample Time	FALSE	1235		0	0	hours		6/4/2003	0
6/4/2003	PW-1	Static Water Level	FALSE	359.94		0	0	feet msl		6/4/2003	0
6/4/2003	PW-1	pH	FALSE	6.2		0	0	S.U.		6/4/2003	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2003	PW-1	Specific Conductance	FALSE	883		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-1	Total Dissolved Solids (TDS)	FALSE	772.5		10		50 mg/L		6/10/2003	0
6/4/2003	PW-1	Sulfate	FALSE	280.71		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-1	Temperature	FALSE	16.7		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-1	Sample Time	FALSE	1120		0		0 hours		6/4/2003	0
6/4/2003	PW-2	Static Water Level	FALSE	358.03		0		0 feet msl		6/4/2003	0
6/4/2003	PW-2	pH	FALSE	6.1		0		0 S.U.		6/4/2003	0
6/4/2003	PW-2	Specific Conductance	FALSE	143		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-2	Total Dissolved Solids (TDS)	FALSE	179.5		10		50 mg/L		6/10/2003	0
6/4/2003	PW-2	Sulfate	FALSE	0.28 J		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-2	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-2	Temperature	FALSE	17.6		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-2	Sample Time	FALSE	1241		0		0 hours		6/4/2003	0
6/4/2003	PW-3	Static Water Level	FALSE	352.66		0		0 feet msl		6/4/2003	0
6/4/2003	PW-3	pH	FALSE	5.7		0		0 S.U.		6/4/2003	0
6/4/2003	PW-3	Specific Conductance	FALSE	118		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-3	Total Dissolved Solids (TDS)	FALSE	144.5		10		50 mg/L		6/10/2003	0
6/4/2003	PW-3	Sulfate	FALSE	8.45		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-3	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-3	Temperature	FALSE	16.4		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-3	Sample Time	FALSE	1147		0		0 hours		6/4/2003	0
6/4/2003	PW-4	Static Water Level	FALSE	347.6		0		0 feet msl		6/4/2003	0
6/4/2003	PW-4	pH	FALSE	6.49		0		0 S.U.		6/4/2003	0
6/4/2003	PW-4	Specific Conductance	FALSE	229		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-4	Total Dissolved Solids (TDS)	FALSE	204		10		50 mg/L		6/10/2003	0
6/4/2003	PW-4	Sulfate	FALSE	2.89		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-4	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-4	Temperature	FALSE	16.24		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-4	Sample Time	FALSE	1225		0		0 hours		6/4/2003	0
6/4/2003	PW-5	Static Water Level	FALSE	349.39		0		0 feet msl		6/4/2003	0
6/4/2003	PW-5	pH	FALSE	6.17		0		0 S.U.		6/4/2003	0
6/4/2003	PW-5	Specific Conductance	FALSE	821		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-5	Total Dissolved Solids (TDS)	FALSE	780.5		10		50 mg/L		6/10/2003	0
6/4/2003	PW-5	Sulfate	FALSE	139.46		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-5	Temperature	FALSE	15.07		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-5	Sample Time	FALSE	1235		0		0 hours		6/4/2003	0
6/4/2003	PW-6	Static Water Level	FALSE	347.15		0		0 feet msl		6/4/2003	0
6/4/2003	PW-6	pH	FALSE	6		0		0 S.U.		6/4/2003	0
6/4/2003	PW-6	Specific Conductance	FALSE	588		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-6	Total Dissolved Solids (TDS)	FALSE	450.5		10		50 mg/L		6/10/2003	0
6/4/2003	PW-6	Sulfate	FALSE	135.17		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		6/16/2003	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2003	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-6	Temperature	FALSE	16.1		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-6 DUP	pH	FALSE	6		0		0 S.U.		6/4/2003	0
6/4/2003	PW-6 DUP	Specific Conductance	FALSE	588		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	452		10		50 mg/L		6/10/2003	0
6/4/2003	PW-6 DUP	Sulfate	FALSE	133.23		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-6 DUP	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		6/16/2003	0
6/4/2003	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-6 DUP	Temperature	FALSE	16.1		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-6 DUP	Sample Time	FALSE	1215		0		0 hours		6/4/2003	0
6/4/2003	PW-7	Static Water Level	FALSE	349.96		0		0 feet msl		6/4/2003	0
6/4/2003	PW-7	pH	FALSE	6.19		0		0 S.U.		6/4/2003	0
6/4/2003	PW-7	Specific Conductance	FALSE	199		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-7	Total Dissolved Solids (TDS)	FALSE	185		10		50 mg/L		6/10/2003	0
6/4/2003	PW-7	Sulfate	FALSE	26.37		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-7	Temperature	FALSE	14.83		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-7	Sample Time	FALSE	1110		0		0 hours		6/4/2003	0
6/4/2003	PW-8	Static Water Level	FALSE	351.43		0		0 feet msl		6/4/2003	0
6/4/2003	PW-8	pH	FALSE	6.27		0		0 S.U.		6/4/2003	0
6/4/2003	PW-8	Specific Conductance	FALSE	423		0		0 umhos/cm		6/4/2003	0
6/4/2003	PW-8	Total Dissolved Solids (TDS)	FALSE	366		10		50 mg/L		6/10/2003	0
6/4/2003	PW-8	Sulfate	FALSE	84.31		0.06		0.3 mg/L		6/18/2003	0
6/4/2003	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		7/21/2003	0
6/4/2003	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/17/2003	0
6/4/2003	PW-8	Temperature	FALSE	15.66		0		0 Degrees C		6/4/2003	0
6/4/2003	PW-8	Sample Time	FALSE	1123		0		0 hours		6/4/2003	0
9/16/2003	FIELD BLANK	pH	FALSE	5.46		0		0 S.U.		9/16/2003	0
9/16/2003	FIELD BLANK	Specific Conductance	FALSE	8		0		0 umhos/cm		9/16/2003	0
9/16/2003	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		9/17/2003	0
9/16/2003	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	FIELD BLANK	Temperature	FALSE	25.29		0		0 Degrees C		9/16/2003	0
9/16/2003	FIELD BLANK	Sample Time	FALSE	1050		0		0 hours		9/16/2003	0
9/16/2003	PW-1	Static Water Level	FALSE	358.94		0		0 feet msl		9/16/2003	0
9/16/2003	PW-1	pH	FALSE	6.18		0		0 S.U.		9/16/2003	0
9/16/2003	PW-1	Specific Conductance	FALSE	866		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-1	Total Dissolved Solids (TDS)	FALSE	678.5		10		50 mg/L		9/17/2003	0
9/16/2003	PW-1	Sulfate	FALSE	252.72		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-1	Temperature	FALSE	16.6		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-1	Sample Time	FALSE	1100		0		0 hours		9/16/2003	0
9/16/2003	PW-1 DUP	pH	FALSE	6.18		0		0 S.U.		9/16/2003	0
9/16/2003	PW-1 DUP	Specific Conductance	FALSE	866		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	675		10		50 mg/L		9/17/2003	0
9/16/2003	PW-1 DUP	Sulfate	FALSE	248.92		0.06		0.3 mg/L		10/9/2003	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/16/2003	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-1 DUP	Temperature	FALSE	16.6		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-1 DUP	Sample Time	FALSE	1107		0		0 hours		9/16/2003	0
9/16/2003	PW-2	Static Water Level	FALSE	358.68		0		0 feet msl		9/16/2003	0
9/16/2003	PW-2	pH	FALSE	5.6		0		0 S.U.		9/16/2003	0
9/16/2003	PW-2	Specific Conductance	FALSE	132		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-2	Total Dissolved Solids (TDS)	FALSE	146		10		50 mg/L		9/17/2003	0
9/16/2003	PW-2	Sulfate	FALSE	0.5		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-2	Temperature	FALSE	18.67		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-2	Sample Time	FALSE	1100		0		0 hours		9/16/2003	0
9/16/2003	PW-3	Static Water Level	FALSE	352.6		0		0 feet msl		9/16/2003	0
9/16/2003	PW-3	pH	FALSE	5.02		0		0 S.U.		9/16/2003	0
9/16/2003	PW-3	Specific Conductance	FALSE	122		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-3	Total Dissolved Solids (TDS)	FALSE	137		10		50 mg/L		9/17/2003	0
9/16/2003	PW-3	Sulfate	FALSE	8.67		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-3	Dissolved Chromium	FALSE	0.019		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-3	Temperature	FALSE	16.17		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-3	Sample Time	FALSE	1133		0		0 hours		9/16/2003	0
9/16/2003	PW-4	Static Water Level	FALSE	346.32		0		0 feet msl		9/16/2003	0
9/16/2003	PW-4	pH	FALSE	5.75		0		0 S.U.		9/16/2003	0
9/16/2003	PW-4	Specific Conductance	FALSE	197		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-4	Total Dissolved Solids (TDS)	FALSE	184.5		10		50 mg/L		9/17/2003	0
9/16/2003	PW-4	Sulfate	FALSE	3.04		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-4	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-4	Temperature	FALSE	17.73		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-4	Sample Time	FALSE	1130		0		0 hours		9/16/2003	0
9/16/2003	PW-5	Static Water Level	FALSE	347.68		0		0 feet msl		9/16/2003	0
9/16/2003	PW-5	pH	FALSE	5.99		0		0 S.U.		9/16/2003	0
9/16/2003	PW-5	Specific Conductance	FALSE	910		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-5	Total Dissolved Solids (TDS)	FALSE	684		10		50 mg/L		9/17/2003	0
9/16/2003	PW-5	Sulfate	FALSE	161.47		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-5	Temperature	FALSE	15.29		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-5	Sample Time	FALSE	1130		0		0 hours		9/16/2003	0
9/16/2003	PW-6	Static Water Level	FALSE	345.46		0		0 feet msl		9/16/2003	0
9/16/2003	PW-6	pH	FALSE	5.64		0		0 S.U.		9/16/2003	0
9/16/2003	PW-6	Specific Conductance	FALSE	585		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-6	Total Dissolved Solids (TDS)	FALSE	465.5		10		50 mg/L		9/17/2003	0
9/16/2003	PW-6	Sulfate	FALSE	146.71		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-6	Temperature	FALSE	16.04		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-6	Sample Time	FALSE	1107		0		0 hours		9/16/2003	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/16/2003	PW-7	Static Water Level	FALSE	348.01		0		0 feet msl		9/16/2003	0
9/16/2003	PW-7	pH	FALSE	5.49		0		0 S.U.		9/16/2003	0
9/16/2003	PW-7	Specific Conductance	FALSE	221		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-7	Total Dissolved Solids (TDS)	FALSE	185.5		10		50 mg/L		9/17/2003	0
9/16/2003	PW-7	Sulfate	FALSE	28.64		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-7	Temperature	FALSE	15.53		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-7	Sample Time	FALSE	1155		0		0 hours		9/16/2003	0
9/16/2003	PW-8	Static Water Level	FALSE	349.25		0		0 feet msl		9/16/2003	0
9/16/2003	PW-8	pH	FALSE	6.17		0		0 S.U.		9/16/2003	0
9/16/2003	PW-8	Specific Conductance	FALSE	455		0		0 umhos/cm		9/16/2003	0
9/16/2003	PW-8	Total Dissolved Solids (TDS)	FALSE	357		10		50 mg/L		9/17/2003	0
9/16/2003	PW-8	Sulfate	FALSE	89.92		0.06		0.3 mg/L		10/9/2003	0
9/16/2003	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		10/21/2003	0
9/16/2003	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/10/2003	0
9/16/2003	PW-8	Temperature	FALSE	16.05		0		0 Degrees C		9/16/2003	0
9/16/2003	PW-8	Sample Time	FALSE	1220		0		0 hours		9/16/2003	0
12/18/2003	FIELD BLANK	pH	FALSE	7.04		0		0 S.U.		12/18/2003	0
12/18/2003	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm		12/18/2003	0
12/18/2003	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		12/22/2003	0
12/18/2003	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		12/30/2003	0
12/18/2003	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		1/5/2004	0
12/18/2003	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/31/2003	0
12/18/2003	FIELD BLANK	Temperature	FALSE	8.36		0		0 Degrees C		12/18/2003	0
12/18/2003	FIELD BLANK	Sample Time	FALSE	1107		0		0 hours		12/18/2003	0
12/18/2003	PW-1	Static Water Level	FALSE	359.08		0		0 feet msl		12/18/2003	0
12/18/2003	PW-1	pH	FALSE	6.69		0		0 S.U.		12/18/2003	0
12/18/2003	PW-1	Specific Conductance	FALSE	793		0		0 umhos/cm		12/18/2003	0
12/18/2003	PW-1	Total Dissolved Solids (TDS)	FALSE	593.5		10		50 mg/L		12/22/2003	0
12/18/2003	PW-1	Sulfate	FALSE	251.6		0.06		0.3 mg/L		12/30/2003	0
12/18/2003	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L		1/5/2004	0
12/18/2003	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/31/2003	0
12/18/2003	PW-1	Temperature	FALSE	16.01		0		0 Degrees C		12/18/2003	0
12/18/2003	PW-1	Sample Time	FALSE	1035		0		0 hours		12/18/2003	0
12/18/2003	PW-2	Static Water Level	FALSE	357.78		0		0 feet msl		12/18/2003	0
12/18/2003	PW-2	pH	FALSE	6.05		0		0 S.U.		12/18/2003	0
12/18/2003	PW-2	Specific Conductance	FALSE	127		0		0 umhos/cm		12/18/2003	0
12/18/2003	PW-2	Total Dissolved Solids (TDS)	FALSE	112.5		10		50 mg/L		12/22/2003	0
12/18/2003	PW-2	Sulfate	FALSE	3.42		0.06		0.3 mg/L		12/30/2003	0
12/18/2003	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		1/5/2004	0
12/18/2003	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/31/2003	0
12/18/2003	PW-2	Temperature	FALSE	17.15		0		0 Degrees C		12/18/2003	0
12/18/2003	PW-2	Sample Time	FALSE	1140		0		0 hours		12/18/2003	0
12/18/2003	PW-3	Static Water Level	FALSE	352.8		0		0 feet msl		12/18/2003	0
12/18/2003	PW-3	pH	FALSE	5.81		0		0 S.U.		12/18/2003	0
12/18/2003	PW-3	Specific Conductance	FALSE	111		0		0 umhos/cm		12/18/2003	0
12/18/2003	PW-3	Total Dissolved Solids (TDS)	FALSE	118.5		10		50 mg/L		12/22/2003	0
12/18/2003	PW-3	Sulfate	FALSE	9.76		0.06		0.3 mg/L		12/30/2003	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/18/2003	PW-3	Dissolved Chromium	FALSE	0.019		0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-3	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-3	Temperature	FALSE	15.96		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-3	Sample Time	FALSE	1220		0	0	hours		12/18/2003	0
12/18/2003	PW-3 DUP	pH	FALSE	5.81		0	0	S.U.		12/18/2003	0
12/18/2003	PW-3 DUP	Specific Conductance	FALSE	111		0	0	umhos/cm		12/18/2003	0
12/18/2003	PW-3 DUP	Total Dissolved Solids (TDS)	FALSE	121		10	50	mg/L		12/22/2003	0
12/18/2003	PW-3 DUP	Sulfate	FALSE	9.13		0.06	0.3	mg/L		12/30/2003	0
12/18/2003	PW-3 DUP	Dissolved Chromium	FALSE	0.019		0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-3 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-3 DUP	Temperature	FALSE	15.96		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-3 DUP	Sample Time	FALSE	1221		0	0	hours		12/18/2003	0
12/18/2003	PW-4	Static Water Level	FALSE	347.39		0	0	feet msl		12/18/2003	0
12/18/2003	PW-4	pH	FALSE	6.81		0	0	S.U.		12/18/2003	0
12/18/2003	PW-4	Specific Conductance	FALSE	271		0	0	umhos/cm		12/18/2003	0
12/18/2003	PW-4	Total Dissolved Solids (TDS)	FALSE	172		10	50	mg/L		12/22/2003	0
12/18/2003	PW-4	Sulfate	FALSE	3.32		0.06	0.3	mg/L		12/30/2003	0
12/18/2003	PW-4	Dissolved Chromium	FALSE	0.011		0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-4	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-4	Temperature	FALSE	15.15		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-4	Sample Time	FALSE	1140		0	0	hours		12/18/2003	0
12/18/2003	PW-5	Static Water Level	FALSE	348.96		0	0	feet msl		12/18/2003	0
12/18/2003	PW-5	pH	FALSE	6.5		0	0	S.U.		12/18/2003	0
12/18/2003	PW-5	Specific Conductance	FALSE	936		0	0	umhos/cm		12/18/2003	0
12/18/2003	PW-5	Total Dissolved Solids (TDS)	FALSE	659		10	50	mg/L		12/22/2003	0
12/18/2003	PW-5	Sulfate	FALSE	151.89		0.06	0.3	mg/L		12/30/2003	0
12/18/2003	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-5	Temperature	FALSE	15.29		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-5	Sample Time	FALSE	1205		0	0	hours		12/18/2003	0
12/18/2003	PW-6	Static Water Level	FALSE	346.89		0	0	feet msl		12/18/2003	0
12/18/2003	PW-6	pH	FALSE	6.32		0	0	S.U.		12/18/2003	0
12/18/2003	PW-6	Specific Conductance	FALSE	535		0	0	umhos/cm		12/18/2003	0
12/18/2003	PW-6	Total Dissolved Solids (TDS)	FALSE	434		10	50	mg/L		12/22/2003	0
12/18/2003	PW-6	Sulfate	FALSE	147.13		0.06	0.3	mg/L		12/30/2003	0
12/18/2003	PW-6	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-6	Temperature	FALSE	15.88		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-6	Sample Time	FALSE	1045		0	0	hours		12/18/2003	0
12/18/2003	PW-7	Static Water Level	FALSE	349.56		0	0	feet msl		12/18/2003	0
12/18/2003	PW-7	pH	FALSE	6.99		0	0	S.U.		12/18/2003	0
12/18/2003	PW-7	Specific Conductance	FALSE	218		0	0	umhos/cm		12/18/2003	0
12/18/2003	PW-7	Total Dissolved Solids (TDS)	FALSE	177		10	50	mg/L		12/22/2003	0
12/18/2003	PW-7	Sulfate	FALSE	29.71		0.06	0.3	mg/L		12/30/2003	0
12/18/2003	PW-7	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-7	Temperature	FALSE	15.55		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-7	Sample Time	FALSE	1121		0	0	hours		12/18/2003	0
12/18/2003	PW-8	Static Water Level	FALSE	350.93		0	0	feet msl		12/18/2003	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/18/2003	PW-8	pH	FALSE	6.43		0	0	S.U.		12/18/2003	0
12/18/2003	PW-8	Specific Conductance	FALSE	473		0	0	umhos/cm		12/18/2003	0
12/18/2003	PW-8	Total Dissolved Solids (TDS)	FALSE	341.5		10	50	mg/L		12/22/2003	0
12/18/2003	PW-8	Sulfate	FALSE	96.78		0.06	0.3	mg/L		12/30/2003	0
12/18/2003	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		1/5/2004	0
12/18/2003	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/31/2003	0
12/18/2003	PW-8	Temperature	FALSE	16.03		0	0	Degrees C		12/18/2003	0
12/18/2003	PW-8	Sample Time	FALSE	1045		0	0	hours		12/18/2003	0
3/3/2004	FIELD BLANK	pH	FALSE	6.21		0	0	S.U.		3/3/2004	0
3/3/2004	FIELD BLANK	Specific Conductance	FALSE	3		0	0	umhos/cm		3/3/2004	0
3/3/2004	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		3/4/2004	0
3/3/2004	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	FIELD BLANK	Temperature	FALSE	21.74		0	0	Degrees C		3/3/2004	0
3/3/2004	FIELD BLANK	Sample Time	FALSE	1110		0	0	hours		3/3/2004	0
3/3/2004	PW-1	Static Water Level	FALSE	358.04		0	0	feet msl		3/3/2004	0
3/3/2004	PW-1	pH	FALSE	6.43		0	0	S.U.		3/3/2004	0
3/3/2004	PW-1	Specific Conductance	FALSE	756		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-1	Total Dissolved Solids (TDS)	FALSE	528.5		10	50	mg/L		3/4/2004	0
3/3/2004	PW-1	Sulfate	FALSE	189.67		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-1	Dissolved Chromium	FALSE	0.001	J	0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-1	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-1	Temperature	FALSE	16.52		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-1	Sample Time	FALSE	1135		0	0	hours		3/3/2004	0
3/3/2004	PW-2	Static Water Level	FALSE	357.31		0	0	feet msl		3/3/2004	0
3/3/2004	PW-2	pH	FALSE	5.86		0	0	S.U.		3/3/2004	0
3/3/2004	PW-2	Specific Conductance	FALSE	125		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-2	Total Dissolved Solids (TDS)	FALSE	117.5		10	50	mg/L		3/4/2004	0
3/3/2004	PW-2	Sulfate	FALSE	0.35		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-2	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-2	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-2	Temperature	FALSE	17.72		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-2	Sample Time	FALSE	1115		0	0	hours		3/3/2004	0
3/3/2004	PW-2 DUP	pH	FALSE	5.86		0	0	S.U.		3/3/2004	0
3/3/2004	PW-2 DUP	Specific Conductance	FALSE	125		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-2 DUP	Total Dissolved Solids (TDS)	FALSE	118.5		10	50	mg/L		3/4/2004	0
3/3/2004	PW-2 DUP	Sulfate	FALSE	0.34		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-2 DUP	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-2 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-2 DUP	Temperature	FALSE	17.72		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-2 DUP	Sample Time	FALSE	1116		0	0	hours		3/3/2004	0
3/3/2004	PW-3	Static Water Level	FALSE	352.55		0	0	feet msl		3/3/2004	0
3/3/2004	PW-3	pH	FALSE	5.72		0	0	S.U.		3/3/2004	0
3/3/2004	PW-3	Specific Conductance	FALSE	114		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-3	Total Dissolved Solids (TDS)	FALSE	114		10	50	mg/L		3/4/2004	0
3/3/2004	PW-3	Sulfate	FALSE	8.58		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-3	Dissolved Chromium	FALSE	0.017		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-3	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/3/2004	PW-3	Temperature	FALSE	16.29		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-3	Sample Time	FALSE	1200		0	0	hours		3/3/2004	0
3/3/2004	PW-4	Static Water Level	FALSE	346.32		0	0	feet msl		3/3/2004	0
3/3/2004	PW-4	pH	FALSE	6.63		0	0	S.U.		3/3/2004	0
3/3/2004	PW-4	Specific Conductance	FALSE	231		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-4	Total Dissolved Solids (TDS)	FALSE	104		10	50	mg/L		3/4/2004	0
3/3/2004	PW-4	Sulfate	FALSE	2.87		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-4	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-4	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-4	Temperature	FALSE	16.23		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-4	Sample Time	FALSE	1302		0	0	hours		3/3/2004	0
3/3/2004	PW-5	Static Water Level	FALSE	347.58		0	0	feet msl		3/3/2004	0
3/3/2004	PW-5	pH	FALSE	6.17		0	0	S.U.		3/3/2004	0
3/3/2004	PW-5	Specific Conductance	FALSE	848		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-5	Total Dissolved Solids (TDS)	FALSE	575		10	50	mg/L		3/4/2004	0
3/3/2004	PW-5	Sulfate	FALSE	163.6		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-5	Temperature	FALSE	15.32		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-5	Sample Time	FALSE	1245		0	0	hours		3/3/2004	0
3/3/2004	PW-6	Static Water Level	FALSE	345.41		0	0	feet msl		3/3/2004	0
3/3/2004	PW-6	pH	FALSE	6.3		0	0	S.U.		3/3/2004	0
3/3/2004	PW-6	Specific Conductance	FALSE	567		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-6	Total Dissolved Solids (TDS)	FALSE	369.5		10	50	mg/L		3/4/2004	0
3/3/2004	PW-6	Sulfate	FALSE	131.38		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-6	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-6	Temperature	FALSE	16.34		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-6	Sample Time	FALSE	1330		0	0	hours		3/3/2004	0
3/3/2004	PW-7	Static Water Level	FALSE	348.02		0	0	feet msl		3/3/2004	0
3/3/2004	PW-7	pH	FALSE	6.61		0	0	S.U.		3/3/2004	0
3/3/2004	PW-7	Specific Conductance	FALSE	212		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-7	Total Dissolved Solids (TDS)	FALSE	175		10	50	mg/L		3/4/2004	0
3/3/2004	PW-7	Sulfate	FALSE	30.54		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-7	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-7	Temperature	FALSE	15.58		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-7	Sample Time	FALSE	1345		0	0	hours		3/3/2004	0
3/3/2004	PW-8	Static Water Level	FALSE	349.24		0	0	feet msl		3/3/2004	0
3/3/2004	PW-8	pH	FALSE	6.38		0	0	S.U.		3/3/2004	0
3/3/2004	PW-8	Specific Conductance	FALSE	461		0	0	umhos/cm		3/3/2004	0
3/3/2004	PW-8	Total Dissolved Solids (TDS)	FALSE	322		10	50	mg/L		3/4/2004	0
3/3/2004	PW-8	Sulfate	FALSE	97.71		0.06	0.3	mg/L		3/18/2004	0
3/3/2004	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		3/29/2004	0
3/3/2004	PW-8	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L		3/8/2004	0
3/3/2004	PW-8	Temperature	FALSE	16		0	0	Degrees C		3/3/2004	0
3/3/2004	PW-8	Sample Time	FALSE	1400		0	0	hours		3/3/2004	0
6/7/2004	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		6/9/2004	0
6/7/2004	TRIP BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		6/25/2004	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/7/2004	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		6/28/2004	0
6/7/2004	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	FIELD BLANK	pH	FALSE	6.38		0		0 S.U.		6/8/2004	0
6/8/2004	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm		6/8/2004	0
6/8/2004	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		6/9/2004	0
6/8/2004	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	FIELD BLANK	Temperature	FALSE	33.75		0		0 Degrees C		6/8/2004	0
6/8/2004	FIELD BLANK	Sample Time	FALSE	1515		0		0 hours		6/8/2004	0
6/8/2004	PW-1	Static Water Level	FALSE	357.4		0		0 feet msl		6/8/2004	0
6/8/2004	PW-1	pH	FALSE	6.36		0		0 S.U.		6/8/2004	0
6/8/2004	PW-1	Specific Conductance	FALSE	733		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-1	Total Dissolved Solids (TDS)	FALSE	586		10		50 mg/L		6/9/2004	0
6/8/2004	PW-1	Sulfate	FALSE	162.56		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-1	Temperature	FALSE	16.92		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-1	Sample Time	FALSE	1140		0		0 hours		6/8/2004	0
6/8/2004	PW-1 DUP	pH	FALSE	6.36		0		0 S.U.		6/8/2004	0
6/8/2004	PW-1 DUP	Specific Conductance	FALSE	733		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	587		10		50 mg/L		6/9/2004	0
6/8/2004	PW-1 DUP	Sulfate	FALSE	161.88		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-1 DUP	Temperature	FALSE	16.92		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-1 DUP	Sample Time	FALSE	1141		0		0 hours		6/8/2004	0
6/8/2004	PW-2	Static Water Level	FALSE	356.58		0		0 feet msl		6/8/2004	0
6/8/2004	PW-2	pH	FALSE	6.17		0		0 S.U.		6/8/2004	0
6/8/2004	PW-2	Specific Conductance	FALSE	131		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-2	Total Dissolved Solids (TDS)	FALSE	185		10		50 mg/L		6/9/2004	0
6/8/2004	PW-2	Sulfate	FALSE	0.26		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-2	Temperature	FALSE	17.58		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-2	Sample Time	FALSE	1155		0		0 hours		6/8/2004	0
6/8/2004	PW-3	Static Water Level	FALSE	351.51		0		0 feet msl		6/8/2004	0
6/8/2004	PW-3	pH	FALSE	5.65		0		0 S.U.		6/8/2004	0
6/8/2004	PW-3	Specific Conductance	FALSE	124		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-3	Total Dissolved Solids (TDS)	FALSE	151.5		10		50 mg/L		6/9/2004	0
6/8/2004	PW-3	Sulfate	FALSE	7.73		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-3	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-3	Temperature	FALSE	16.55		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-3	Sample Time	FALSE	1235		0		0 hours		6/8/2004	0
6/8/2004	PW-4	Static Water Level	FALSE	345.33		0		0 feet msl		6/8/2004	0
6/8/2004	PW-4	pH	FALSE	5.99		0		0 S.U.		6/8/2004	0
6/8/2004	PW-4	Specific Conductance	FALSE	255		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-4	Total Dissolved Solids (TDS)	FALSE	261.5		10		50 mg/L		6/9/2004	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/8/2004	PW-4	Sulfate	FALSE	2.57		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-4	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-4	Temperature	FALSE	16.62		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-4	Sample Time	FALSE	1300		0		0 hours		6/8/2004	0
6/8/2004	PW-5	Static Water Level	FALSE	346.76		0		0 feet msl		6/8/2004	0
6/8/2004	PW-5	pH	FALSE	6.15		0		0 S.U.		6/8/2004	0
6/8/2004	PW-5	Specific Conductance	FALSE	953		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-5	Total Dissolved Solids (TDS)	FALSE	955		10		50 mg/L		6/9/2004	0
6/8/2004	PW-5	Sulfate	FALSE	157.06		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-5	Temperature	FALSE	15.65		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-5	Sample Time	FALSE	1415		0		0 hours		6/8/2004	0
6/8/2004	PW-6	Static Water Level	FALSE	345.52		0		0 feet msl		6/8/2004	0
6/8/2004	PW-6	pH	FALSE	6.22		0		0 S.U.		6/8/2004	0
6/8/2004	PW-6	Specific Conductance	FALSE	566		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-6	Total Dissolved Solids (TDS)	FALSE	560.5		10		50 mg/L		6/9/2004	0
6/8/2004	PW-6	Sulfate	FALSE	115.94		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-6	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-6	Temperature	FALSE	16.25		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-6	Sample Time	FALSE	1430		0		0 hours		6/8/2004	0
6/8/2004	PW-7	Static Water Level	FALSE	347.17		0		0 feet msl		6/8/2004	0
6/8/2004	PW-7	pH	FALSE	6.55		0		0 S.U.		6/8/2004	0
6/8/2004	PW-7	Specific Conductance	FALSE	231		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-7	Total Dissolved Solids (TDS)	FALSE	243		10		50 mg/L		6/9/2004	0
6/8/2004	PW-7	Sulfate	FALSE	27.67		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-7	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-7	Temperature	FALSE	15.32		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-7	Sample Time	FALSE	1455		0		0 hours		6/8/2004	0
6/8/2004	PW-8	Static Water Level	FALSE	348.39		0		0 feet msl		6/8/2004	0
6/8/2004	PW-8	pH	FALSE	6.23		0		0 S.U.		6/8/2004	0
6/8/2004	PW-8	Specific Conductance	FALSE	505		0		0 umhos/cm		6/8/2004	0
6/8/2004	PW-8	Total Dissolved Solids (TDS)	FALSE	442.5		10		50 mg/L		6/9/2004	0
6/8/2004	PW-8	Sulfate	FALSE	90.9		0.06		0.3 mg/L		6/25/2004	0
6/8/2004	PW-8	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L		6/28/2004	0
6/8/2004	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		6/14/2004	0
6/8/2004	PW-8	Temperature	FALSE	15.98		0		0 Degrees C		6/8/2004	0
6/8/2004	PW-8	Sample Time	FALSE	1515		0		0 hours		6/8/2004	0
9/27/2004	FIELD BLANK	pH	FALSE	6.23		0		0 S.U.		9/27/2004	0
9/27/2004	FIELD BLANK	Specific Conductance	FALSE	4		0		0 umhos/cm		9/27/2004	0
9/27/2004	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		9/29/2004	0
9/27/2004	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		10/8/2004	0
9/27/2004	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/21/2004	0
9/27/2004	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/30/2004	0
9/27/2004	FIELD BLANK	Temperature	FALSE	20.47		0		0 Degrees C		9/27/2004	0
9/27/2004	PW-1	Static Water Level	FALSE	358.12		0		0 feet msl		9/27/2004	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/27/2004	PW-1	pH	FALSE	6.13		0		0 S.U.		9/27/2004	0
9/27/2004	PW-1	Specific Conductance	FALSE	663		0		0 umhos/cm		9/27/2004	0
9/27/2004	PW-1	Total Dissolved Solids (TDS)	FALSE	460.5		10		50 mg/L		9/29/2004	0
9/27/2004	PW-1	Sulfate	FALSE	155.38		0.06		0.3 mg/L		10/8/2004	0
9/27/2004	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/21/2004	0
9/27/2004	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/30/2004	0
9/27/2004	PW-1	Temperature	FALSE	16.74		0		0 Degrees C		9/27/2004	0
9/27/2004	PW-1	Sample Time	FALSE	1255		0		0 hours		9/27/2004	0
9/27/2004	PW-2	Static Water Level	FALSE	356.83		0		0 feet msl		9/27/2004	0
9/27/2004	PW-2	pH	FALSE	6		0		0 S.U.		9/27/2004	0
9/27/2004	PW-2	Specific Conductance	FALSE	135		0		0 umhos/cm		9/27/2004	0
9/27/2004	PW-2	Total Dissolved Solids (TDS)	FALSE	139		10		50 mg/L		9/29/2004	0
9/27/2004	PW-2	Sulfate	FALSE	0.42		0.06		0.3 mg/L		10/8/2004	0
9/27/2004	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		10/21/2004	0
9/27/2004	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/30/2004	0
9/27/2004	PW-2	Temperature	FALSE	17.57		0		0 Degrees C		9/27/2004	0
9/27/2004	PW-2	Sample Time	FALSE	1205		0		0 hours		9/27/2004	0
9/27/2004	PW-3	Static Water Level	FALSE	351.34		0		0 feet msl		9/27/2004	0
9/27/2004	PW-3	pH	FALSE	5.84		0		0 S.U.		9/27/2004	0
9/27/2004	PW-3	Specific Conductance	FALSE	124		0		0 umhos/cm		9/27/2004	0
9/27/2004	PW-3	Total Dissolved Solids (TDS)	FALSE	137		10		50 mg/L		9/29/2004	0
9/27/2004	PW-3	Sulfate	FALSE	9.2		0.06		0.3 mg/L		10/8/2004	0
9/27/2004	PW-3	Dissolved Chromium	FALSE	0.019		0.001		0.005 mg/L		10/21/2004	0
9/27/2004	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/30/2004	0
9/27/2004	PW-3	Temperature	FALSE	16.2		0		0 Degrees C		9/27/2004	0
9/27/2004	PW-3	Sample Time	FALSE	1225		0		0 hours		9/27/2004	0
9/27/2004	PW-4	Static Water Level	FALSE	345.84		0		0 feet msl		9/27/2004	0
9/27/2004	PW-4	pH	FALSE	6.45		0		0 S.U.		9/27/2004	0
9/27/2004	PW-4	Specific Conductance	FALSE	243		0		0 umhos/cm		9/27/2004	0
9/27/2004	PW-4	Total Dissolved Solids (TDS)	FALSE	170		10		50 mg/L		9/29/2004	0
9/27/2004	PW-4	Sulfate	FALSE	2.74		0.06		0.3 mg/L		10/8/2004	0
9/27/2004	PW-4	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		10/21/2004	0
9/27/2004	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/30/2004	0
9/27/2004	PW-4	Temperature	FALSE	16.24		0		0 Degrees C		9/27/2004	0
9/27/2004	PW-4	Sample Time	FALSE	1310		0		0 hours		9/27/2004	0
9/27/2004	PW-5	Static Water Level	FALSE	347.36		0		0 feet msl		9/27/2004	0
9/27/2004	PW-5	pH	FALSE	6.38		0		0 S.U.		9/27/2004	0
9/27/2004	PW-5	Specific Conductance	FALSE	905		0		0 umhos/cm		9/27/2004	0
9/27/2004	PW-5	Total Dissolved Solids (TDS)	FALSE	692		10		50 mg/L		9/29/2004	0
9/27/2004	PW-5	Sulfate	FALSE	150.26		0.06		0.3 mg/L		10/8/2004	0
9/27/2004	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		10/21/2004	0
9/27/2004	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		9/30/2004	0
9/27/2004	PW-5	Temperature	FALSE	15.42		0		0 Degrees C		9/27/2004	0
9/27/2004	PW-5	Sample Time	FALSE	1420		0		0 hours		9/27/2004	0
9/27/2004	PW-6	Static Water Level	FALSE	345.17		0		0 feet msl		9/27/2004	0
9/27/2004	PW-6	pH	FALSE	6.19		0		0 S.U.		9/27/2004	0
9/27/2004	PW-6	Specific Conductance	FALSE	534		0		0 umhos/cm		9/27/2004	0
9/27/2004	PW-6	Total Dissolved Solids (TDS)	FALSE	415		10		50 mg/L		9/29/2004	0
9/27/2004	PW-6	Sulfate	FALSE	111.94		0.06		0.3 mg/L		10/8/2004	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/27/2004	PW-6	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L		10/21/2004	0
9/27/2004	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		9/30/2004	0
9/27/2004	PW-6	Temperature	FALSE	16.09		0	0	Degrees C		9/27/2004	0
9/27/2004	PW-6	Sample Time	FALSE	1325		0	0	hours		9/27/2004	0
9/27/2004	PW-7	Static Water Level	FALSE	347.8		0	0	feet msl		9/27/2004	0
9/27/2004	PW-7	pH	FALSE	6.43		0	0	S.U.		9/27/2004	0
9/27/2004	PW-7	Specific Conductance	FALSE	224		0	0	umhos/cm		9/27/2004	0
9/27/2004	PW-7	Total Dissolved Solids (TDS)	FALSE	185		10	50	mg/L		9/29/2004	0
9/27/2004	PW-7	Sulfate	FALSE	30.07		0.06	0.3	mg/L		10/8/2004	0
9/27/2004	PW-7	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		10/21/2004	0
9/27/2004	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		9/30/2004	0
9/27/2004	PW-7	Temperature	FALSE	15.57		0	0	Degrees C		9/27/2004	0
9/27/2004	PW-7	Sample Time	FALSE	1345		0	0	hours		9/27/2004	0
9/27/2004	PW-7 DUP	pH	FALSE	6.43		0	0	S.U.		9/27/2004	0
9/27/2004	PW-7 DUP	Specific Conductance	FALSE	224		0	0	umhos/cm		9/27/2004	0
9/27/2004	PW-7 DUP	Total Dissolved Solids (TDS)	FALSE	184		10	50	mg/L		9/29/2004	0
9/27/2004	PW-7 DUP	Sulfate	FALSE	29.94		0.06	0.3	mg/L		10/8/2004	0
9/27/2004	PW-7 DUP	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		10/21/2004	0
9/27/2004	PW-7 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		9/30/2004	0
9/27/2004	PW-7 DUP	Temperature	FALSE	15.57		0	0	Degrees C		9/27/2004	0
9/27/2004	PW-7 DUP	Sample Time	FALSE	1346		0	0	hours		9/27/2004	0
9/27/2004	PW-8	Static Water Level	FALSE	349.13		0	0	feet msl		9/27/2004	0
9/27/2004	PW-8	pH	FALSE	6.35		0	0	S.U.		9/27/2004	0
9/27/2004	PW-8	Specific Conductance	FALSE	508		0	0	umhos/cm		9/27/2004	0
9/27/2004	PW-8	Total Dissolved Solids (TDS)	FALSE	375		10	50	mg/L		9/29/2004	0
9/27/2004	PW-8	Sulfate	FALSE	94.3		0.06	0.3	mg/L		10/8/2004	0
9/27/2004	PW-8	Dissolved Chromium	FALSE	0.002		0.001	0.005	mg/L		10/21/2004	0
9/27/2004	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		9/30/2004	0
9/27/2004	PW-8	Temperature	FALSE	16.14		0	0	Degrees C		9/27/2004	0
9/27/2004	PW-8	Sample Time	FALSE	1410		0	0	hours		9/27/2004	0
9/27/2004	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		9/29/2004	0
9/27/2004	TRIP BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		10/8/2004	0
9/27/2004	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/21/2004	0
9/27/2004	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		9/30/2004	0
11/29/2004	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		12/2/2004	0
11/29/2004	TRIP BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		12/17/2004	0
11/29/2004	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		1/18/2005	0
11/29/2004	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/8/2004	0
12/1/2004	FIELD BLANK	pH	FALSE	7.23		0	0	S.U.		12/1/2004	0
12/1/2004	FIELD BLANK	Specific Conductance	FALSE	4		0	0	umhos/cm		12/1/2004	0
12/1/2004	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		12/2/2004	0
12/1/2004	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		12/17/2004	0
12/1/2004	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		1/18/2005	0
12/1/2004	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		12/8/2004	0
12/1/2004	FIELD BLANK	Temperature	FALSE	14.16		0	0	Degrees C		12/1/2004	0
12/1/2004	FIELD BLANK	Sample Time	FALSE	945		0	0	hours			0
12/1/2004	PW-1	Static Water Level	FALSE	358.54		0	0	feet msl		12/1/2004	0
12/1/2004	PW-1	pH	FALSE	6.22		0	0	S.U.		12/1/2004	0
12/1/2004	PW-1	Specific Conductance	FALSE	640		0	0	umhos/cm		12/1/2004	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2004	PW-1	Total Dissolved Solids (TDS)	FALSE	438		10		50 mg/L		12/2/2004	0
12/1/2004	PW-1	Sulfate	FALSE	147.86		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-1	Temperature	FALSE	16.1		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-1	Sample Time	FALSE	930		0		0 hours			0
12/1/2004	PW-2	Static Water Level	FALSE	356.75		0		0 feet msl		12/1/2004	0
12/1/2004	PW-2	pH	FALSE	6.36		0		0 S.U.		12/1/2004	0
12/1/2004	PW-2	Specific Conductance	FALSE	136		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-2	Total Dissolved Solids (TDS)	FALSE	157		10		50 mg/L		12/2/2004	0
12/1/2004	PW-2	Sulfate	FALSE	0.69		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-2	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-2	Temperature	FALSE	17.16		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-2	Sample Time	FALSE	1000		0		0 hours			0
12/1/2004	PW-2 DUP	pH	FALSE	6.21		0		0 S.U.		12/1/2004	0
12/1/2004	PW-2 DUP	Specific Conductance	FALSE	133		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-2 DUP	Total Dissolved Solids (TDS)	FALSE	158		10		50 mg/L		12/2/2004	0
12/1/2004	PW-2 DUP	Sulfate	FALSE	0.79		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-2 DUP	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-2 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-2 DUP	Temperature	FALSE	17.12		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-2 DUP	Sample Time	FALSE	1001		0		0 hours			0
12/1/2004	PW-3	Static Water Level	FALSE	351.5		0		0 feet msl		12/1/2004	0
12/1/2004	PW-3	pH	FALSE	5.73		0		0 S.U.		12/1/2004	0
12/1/2004	PW-3	Specific Conductance	FALSE	126		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-3	Total Dissolved Solids (TDS)	FALSE	148		10		50 mg/L		12/2/2004	0
12/1/2004	PW-3	Sulfate	FALSE	9.23		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-3	Temperature	FALSE	16.1		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-3	Sample Time	FALSE	1030		0		0 hours			0
12/1/2004	PW-4	Static Water Level	FALSE	346.8		0		0 feet msl		12/1/2004	0
12/1/2004	PW-4	pH	FALSE	6.01		0		0 S.U.		12/1/2004	0
12/1/2004	PW-4	Specific Conductance	FALSE	275		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-4	Total Dissolved Solids (TDS)	FALSE	197		10		50 mg/L		12/2/2004	0
12/1/2004	PW-4	Sulfate	FALSE	2.55		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-4	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-4	Temperature	FALSE	16.14		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-4	Sample Time	FALSE	1100		0		0 hours			0
12/1/2004	PW-5	Static Water Level	FALSE	348.41		0		0 feet msl		12/1/2004	0
12/1/2004	PW-5	pH	FALSE	6.34		0		0 S.U.		12/1/2004	0
12/1/2004	PW-5	Specific Conductance	FALSE	958		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-5	Total Dissolved Solids (TDS)	FALSE	691		10		50 mg/L		12/2/2004	0
12/1/2004	PW-5	Sulfate	FALSE	147.55		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-5	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-5	Temperature	FALSE	15.49		0		0 Degrees C		12/1/2004	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2004	PW-5	Sample Time	FALSE	1219		0		0 hours			0
12/1/2004	PW-6	Static Water Level	FALSE	346.23		0		0 feet msl		12/1/2004	0
12/1/2004	PW-6	pH	FALSE	6.38		0		0 S.U.		12/1/2004	0
12/1/2004	PW-6	Specific Conductance	FALSE	562		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-6	Total Dissolved Solids (TDS)	FALSE	368		10		50 mg/L		12/2/2004	0
12/1/2004	PW-6	Sulfate	FALSE	107.68		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-6	Dissolved Chromium	FALSE	0.006		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-6	Temperature	FALSE	16.16		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-6	Sample Time	FALSE	1445		0		0 hours			0
12/1/2004	PW-7	Static Water Level	FALSE	348.82		0		0 feet msl		12/1/2004	0
12/1/2004	PW-7	pH	FALSE	6.48		0		0 S.U.		12/1/2004	0
12/1/2004	PW-7	Specific Conductance	FALSE	220		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-7	Total Dissolved Solids (TDS)	FALSE	186		10		50 mg/L		12/2/2004	0
12/1/2004	PW-7	Sulfate	FALSE	29.07		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-7	Temperature	FALSE	15.11		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-7	Sample Time	FALSE	1220		0		0 hours			0
12/1/2004	PW-8	Static Water Level	FALSE	350.15		0		0 feet msl		12/1/2004	0
12/1/2004	PW-8	pH	FALSE	6.22		0		0 S.U.		12/1/2004	0
12/1/2004	PW-8	Specific Conductance	FALSE	526		0		0 umhos/cm		12/1/2004	0
12/1/2004	PW-8	Total Dissolved Solids (TDS)	FALSE	373		10		50 mg/L		12/2/2004	0
12/1/2004	PW-8	Sulfate	FALSE	89.49		0.06		0.3 mg/L		12/17/2004	0
12/1/2004	PW-8	Dissolved Chromium	FALSE	0.002 J		0.001		0.005 mg/L		1/18/2005	0
12/1/2004	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		12/8/2004	0
12/1/2004	PW-8	Temperature	FALSE	10.13		0		0 Degrees C		12/1/2004	0
12/1/2004	PW-8	Sample Time	FALSE	1142		0		0 hours			0
4/13/2005	FIELD BLANK	pH	FALSE	7		0		0 S.U.		4/13/2005	0
4/13/2005	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm		4/13/2005	0
4/13/2005	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/18/2005	0
4/13/2005	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.4 J		0.2		1 mg/L		4/14/2005	0
4/13/2005	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	FIELD BLANK	Temperature	FALSE	20.17		0		0 Degrees C		4/13/2005	0
4/13/2005	FIELD BLANK	Sample Time	FALSE	1415		0		0 hours			0
4/13/2005	PW-1	Static Water Level	FALSE	359.64		0		0 feet msl		4/13/2005	0
4/13/2005	PW-1	pH	FALSE	6.62		0		0 S.U.		4/13/2005	0
4/13/2005	PW-1	Specific Conductance	FALSE	588		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-1	Total Dissolved Solids (TDS)	FALSE	508		10		50 mg/L		4/18/2005	0
4/13/2005	PW-1	Total Organic Carbon (TOC)	FALSE	4.2		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-1	Sulfate	FALSE	129.2		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-1	Temperature	FALSE	16.5		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-1	Sample Time	FALSE	1230		0		0 hours			0
4/13/2005	PW-2	Static Water Level	FALSE	357.33		0		0 feet msl		4/13/2005	0
4/13/2005	PW-2	pH	FALSE	6.18		0		0 S.U.		4/13/2005	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/13/2005	PW-2	Specific Conductance	FALSE	105		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-2	Total Dissolved Solids (TDS)	FALSE	155		10		50 mg/L		4/18/2005	0
4/13/2005	PW-2	Total Organic Carbon (TOC)	FALSE	5.3		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-2	Sulfate	FALSE	0.6		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-2	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-2	Temperature	FALSE	17.4		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-2	Sample Time	FALSE	1430		0		0 hours			0
4/13/2005	PW-3	Static Water Level	FALSE	352.16		0		0 feet msl		4/13/2005	0
4/13/2005	PW-3	pH	FALSE	5.83		0		0 S.U.		4/13/2005	0
4/13/2005	PW-3	Specific Conductance	FALSE	105		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-3	Total Dissolved Solids (TDS)	FALSE	154		10		50 mg/L		4/18/2005	0
4/13/2005	PW-3	Total Organic Carbon (TOC)	FALSE	1.6 B		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-3	Sulfate	FALSE	9.42		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-3	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-3	Temperature	FALSE	15.8		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-3	Sample Time	FALSE	1400		0		0 hours			0
4/13/2005	PW-4	Static Water Level	FALSE	346.74		0		0 feet msl		4/13/2005	0
4/13/2005	PW-4	pH	FALSE	6.19		0		0 S.U.		4/13/2005	0
4/13/2005	PW-4	Specific Conductance	FALSE	220		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-4	Total Dissolved Solids (TDS)	FALSE	207		10		50 mg/L		4/18/2005	0
4/13/2005	PW-4	Total Organic Carbon (TOC)	FALSE	1.9 B		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-4	Sulfate	FALSE	3.04		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-4	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-4	Temperature	FALSE	16		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-4	Sample Time	FALSE	1330		0		0 hours			0
4/13/2005	PW-5	Static Water Level	FALSE	348.26		0		0 feet msl		4/13/2005	0
4/13/2005	PW-5	pH	FALSE	6.33		0		0 S.U.		4/13/2005	0
4/13/2005	PW-5	Specific Conductance	FALSE	812		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-5	Total Dissolved Solids (TDS)	FALSE	918.5		10		50 mg/L		4/18/2005	0
4/13/2005	PW-5	Total Organic Carbon (TOC)	FALSE	5.4		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-5	Sulfate	FALSE	154.07		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-5	Temperature	FALSE	15.03		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-5	Sample Time	FALSE	1210		0		0 hours			0
4/13/2005	PW-6	Static Water Level	FALSE	346.03		0		0 feet msl		4/13/2005	0
4/13/2005	PW-6	pH	FALSE	6.62		0		0 S.U.		4/13/2005	0
4/13/2005	PW-6	Specific Conductance	FALSE	431		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-6	Total Dissolved Solids (TDS)	FALSE	385		10		50 mg/L		4/18/2005	0
4/13/2005	PW-6	Total Organic Carbon (TOC)	FALSE	1.5 B		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-6	Sulfate	FALSE	102.44		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-6	Temperature	FALSE	16.08		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-6	Sample Time	FALSE	1310		0		0 hours			0
4/13/2005	PW-6 DUP	pH	FALSE	6.55		0		0 S.U.		4/13/2005	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/13/2005	PW-6 DUP	Specific Conductance	FALSE	430		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	386		10		50 mg/L		4/18/2005	0
4/13/2005	PW-6 DUP	Total Organic Carbon (TOC)	FALSE	1.8 B		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-6 DUP	Sulfate	FALSE	100.77		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-6 DUP	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-6 DUP	Temperature	FALSE	16.1		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-6 DUP	Sample Time	FALSE	1315		0		0 hours			0
4/13/2005	PW-7	Static Water Level	FALSE	348.02		0		0 feet msl		4/13/2005	0
4/13/2005	PW-7	pH	FALSE	6.57		0		0 S.U.		4/13/2005	0
4/13/2005	PW-7	Specific Conductance	FALSE	193		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-7	Total Dissolved Solids (TDS)	FALSE	189.5		10		50 mg/L		4/18/2005	0
4/13/2005	PW-7	Total Organic Carbon (TOC)	FALSE	1.3 B		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-7	Sulfate	FALSE	29.97		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-7	Temperature	FALSE	15		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-7	Sample Time	FALSE	1530		0		0 hours			0
4/13/2005	PW-8	Static Water Level	FALSE	349.65		0		0 feet msl		4/13/2005	0
4/13/2005	PW-8	pH	FALSE	6.36		0		0 S.U.		4/13/2005	0
4/13/2005	PW-8	Specific Conductance	FALSE	453		0		0 umhos/cm		4/13/2005	0
4/13/2005	PW-8	Total Dissolved Solids (TDS)	FALSE	407.5		10		50 mg/L		4/18/2005	0
4/13/2005	PW-8	Total Organic Carbon (TOC)	FALSE	4.7		0.2		1 mg/L		4/14/2005	0
4/13/2005	PW-8	Sulfate	FALSE	94.73		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
4/13/2005	PW-8	Temperature	FALSE	15.76		0		0 Degrees C		4/13/2005	0
4/13/2005	PW-8	Sample Time	FALSE	1505		0		0 hours			0
4/13/2005	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/18/2005	0
4/13/2005	TRIP BLANK	Total Organic Carbon (TOC)	FALSE	0.6 J		0.2		1 mg/L		4/14/2005	0
4/13/2005	TRIP BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		5/6/2005	0
4/13/2005	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/31/2005	0
4/13/2005	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/21/2005	0
10/5/2005	FIELD BLANK	pH	FALSE	6.73		0		0 S.U.		10/5/2005	0
10/5/2005	FIELD BLANK	Specific Conductance	FALSE	3		0		0 umhos/cm		10/5/2005	0
10/5/2005	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		10/7/2005	0
10/5/2005	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.2 J		0.2		1 mg/L		10/10/2005	0
10/5/2005	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	FIELD BLANK	Temperature	FALSE	22.11		0		0 Degrees C		10/5/2005	0
10/5/2005	FIELD BLANK	Sample Time	FALSE	1045		0		0 hours			0
10/5/2005	PW-1	Static Water Level	FALSE	355.59		0		0 feet msl		10/5/2005	0
10/5/2005	PW-1	pH	FALSE	6.52		0		0 S.U.		10/5/2005	0
10/5/2005	PW-1	Specific Conductance	FALSE	603		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-1	Total Dissolved Solids (TDS)	FALSE	470		10		50 mg/L		10/7/2005	0
10/5/2005	PW-1	Total Organic Carbon (TOC)	FALSE	6.7		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-1	Sulfate	FALSE	130.33		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		10/19/2005	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/5/2005	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-1	Temperature	FALSE	16.1		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-1	Sample Time	FALSE	1142		0		0 hours			0
10/5/2005	PW-2	Static Water Level	FALSE	356.25		0		0 feet msl		10/5/2005	0
10/5/2005	PW-2	pH	FALSE	6.24		0		0 S.U.		10/5/2005	0
10/5/2005	PW-2	Specific Conductance	FALSE	113		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-2	Total Dissolved Solids (TDS)	FALSE	138		10		50 mg/L		10/7/2005	0
10/5/2005	PW-2	Total Organic Carbon (TOC)	FALSE	1.1		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-2	Sulfate	FALSE	0.5		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-2	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-2	Temperature	FALSE	17.18		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-2	Sample Time	FALSE	1243		0		0 hours			0
10/5/2005	PW-3	Static Water Level	FALSE	349.86		0		0 feet msl		10/5/2005	0
10/5/2005	PW-3	pH	FALSE	5.74		0		0 S.U.		10/5/2005	0
10/5/2005	PW-3	Specific Conductance	FALSE	115		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-3	Total Dissolved Solids (TDS)	FALSE	231		10		50 mg/L		10/7/2005	0
10/5/2005	PW-3	Total Organic Carbon (TOC)	FALSE	5.5		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-3	Sulfate	FALSE	6.43		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-3	Temperature	FALSE	16.14		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-3	Sample Time	FALSE	1305		0		0 hours			0
10/5/2005	PW-4	Static Water Level	FALSE	343.24		0		0 feet msl		10/5/2005	0
10/5/2005	PW-4	pH	FALSE	6.48		0		0 S.U.		10/5/2005	0
10/5/2005	PW-4	Specific Conductance	FALSE	248		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-4	Total Dissolved Solids (TDS)	FALSE	268		10		50 mg/L		10/7/2005	0
10/5/2005	PW-4	Total Organic Carbon (TOC)	FALSE	2.1		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-4	Sulfate	FALSE	3.97		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-4	Dissolved Chromium	FALSE	0.012		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-4	Temperature	FALSE	17.1		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-4	Sample Time	FALSE	1342		0		0 hours			0
10/5/2005	PW-5	Static Water Level	FALSE	344.36		0		0 feet msl		10/5/2005	0
10/5/2005	PW-5	pH	FALSE	6.07		0		0 S.U.		10/5/2005	0
10/5/2005	PW-5	Specific Conductance	FALSE	854		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-5	Total Dissolved Solids (TDS)	FALSE	737.5		10		50 mg/L		10/7/2005	0
10/5/2005	PW-5	Total Organic Carbon (TOC)	FALSE	6.4		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-5	Sulfate	FALSE	148.26		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-5	Dissolved Chromium	FALSE	0.003		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-5	Temperature	FALSE	16.11		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-5	Sample Time	FALSE	1330		0		0 hours			0
10/5/2005	PW-6	Static Water Level	FALSE	342.13		0		0 feet msl		10/5/2005	0
10/5/2005	PW-6	pH	FALSE	6.08		0		0 S.U.		10/5/2005	0
10/5/2005	PW-6	Specific Conductance	FALSE	507		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-6	Total Dissolved Solids (TDS)	FALSE	383.5		10		50 mg/L		10/7/2005	0
10/5/2005	PW-6	Total Organic Carbon (TOC)	FALSE	2.1		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-6	Sulfate	FALSE	85.68		0.06		0.3 mg/L		11/1/2005	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/5/2005	PW-6	Dissolved Chromium	FALSE	0.008		0.001	0.001	0.005 mg/L		10/19/2005	0
10/5/2005	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-6	Temperature	FALSE	16.1		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-6	Sample Time	FALSE	1100		0		0 hours			0
10/5/2005	PW-6 DUP	pH	FALSE	6.06		0		0 S.U.		10/5/2005	0
10/5/2005	PW-6 DUP	Specific Conductance	FALSE	502		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	385		10		50 mg/L		10/7/2005	0
10/5/2005	PW-6 DUP	Total Organic Carbon (TOC)	FALSE	3.2		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-6 DUP	Sulfate	FALSE	90.15		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-6 DUP	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-6 DUP	Temperature	FALSE	16.13		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-6 DUP	Sample Time	FALSE	1101		0		0 hours			0
10/5/2005	PW-7	Static Water Level	FALSE	344.75		0		0 feet msl		10/5/2005	0
10/5/2005	PW-7	pH	FALSE	6.49		0		0 S.U.		10/5/2005	0
10/5/2005	PW-7	Specific Conductance	FALSE	216		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-7	Total Dissolved Solids (TDS)	FALSE	178.5		10		50 mg/L		10/7/2005	0
10/5/2005	PW-7	Total Organic Carbon (TOC)	FALSE	2.6		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-7	Sulfate	FALSE	34.57		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-7	Temperature	FALSE	15.11		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-7	Sample Time	FALSE	1207		0		0 hours			0
10/5/2005	PW-8	Static Water Level	FALSE	346.04		0		0 feet msl		10/5/2005	0
10/5/2005	PW-8	pH	FALSE	6.24		0		0 S.U.		10/5/2005	0
10/5/2005	PW-8	Specific Conductance	FALSE	501		0		0 umhos/cm		10/5/2005	0
10/5/2005	PW-8	Total Dissolved Solids (TDS)	FALSE	386		10		50 mg/L		10/7/2005	0
10/5/2005	PW-8	Total Organic Carbon (TOC)	FALSE	2.6		0.2		1 mg/L		10/10/2005	0
10/5/2005	PW-8	Sulfate	FALSE	80.23		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
10/5/2005	PW-8	Temperature	FALSE	16.15		0		0 Degrees C		10/5/2005	0
10/5/2005	PW-8	Sample Time	FALSE	1125		0		0 hours			0
10/5/2005	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		10/7/2005	0
10/5/2005	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		10/10/2005	0
10/5/2005	TRIP BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		11/1/2005	0
10/5/2005	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/19/2005	0
10/5/2005	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/11/2005	0
4/4/2006	FIELD BLANK	pH	FALSE	7.03		0		0 S.U.		4/4/2006	0
4/4/2006	FIELD BLANK	Specific Conductance	FALSE	1		0		0 umhos/cm		4/4/2006	0
4/4/2006	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/5/2006	0
4/4/2006	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.6 J		0.2		1 mg/L		4/10/2006	0
4/4/2006	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	FIELD BLANK	Temperature	FALSE	20.56		0		0 Degrees C		4/4/2006	0
4/4/2006	FIELD BLANK	Sample Time	FALSE	1000		0		0 hours			0
4/4/2006	PW-1	Static Water Level	FALSE	357.04		0		0 feet msl		4/4/2006	0
4/4/2006	PW-1	pH	FALSE	6.44		0		0 S.U.		4/4/2006	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/4/2006	PW-1	Specific Conductance	FALSE	956		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-1	Total Dissolved Solids (TDS)	FALSE	652		10		50 mg/L		4/5/2006	0
4/4/2006	PW-1	Total Organic Carbon (TOC)	FALSE	4.6		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-1	Sulfate	FALSE	153.8		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-1	Temperature	FALSE	16.81		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-1	Sample Time	FALSE	1130		0		0 hours			0
4/4/2006	PW-2	Static Water Level	FALSE	356.75		0		0 feet msl		4/4/2006	0
4/4/2006	PW-2	pH	FALSE	5.77		0		0 S.U.		4/4/2006	0
4/4/2006	PW-2	Specific Conductance	FALSE	125		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-2	Total Dissolved Solids (TDS)	FALSE	166.5		10		50 mg/L		4/5/2006	0
4/4/2006	PW-2	Total Organic Carbon (TOC)	FALSE	1.6 B		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-2	Sulfate	FALSE	0.48		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-2	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-2	Temperature	FALSE	17.5		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-2	Sample Time	FALSE	1111		0		0 hours			0
4/4/2006	PW-3	Static Water Level	FALSE	350.76		0		0 feet msl		4/4/2006	0
4/4/2006	PW-3	pH	FALSE	5.33		0		0 S.U.		4/4/2006	0
4/4/2006	PW-3	Specific Conductance	FALSE	119		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-3	Total Dissolved Solids (TDS)	FALSE	138		10		50 mg/L		4/5/2006	0
4/4/2006	PW-3	Total Organic Carbon (TOC)	FALSE	2.4 B		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-3	Sulfate	FALSE	8.89		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-3	Dissolved Chromium	FALSE	0.016		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-3	Temperature	FALSE	16.25		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-3	Sample Time	FALSE	1154		0		0 hours			0
4/4/2006	PW-4	Static Water Level	FALSE	344.93		0		0 feet msl		4/4/2006	0
4/4/2006	PW-4	pH	FALSE	6.57		0		0 S.U.		4/4/2006	0
4/4/2006	PW-4	Specific Conductance	FALSE	248		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-4	Total Dissolved Solids (TDS)	FALSE	189		10		50 mg/L		4/5/2006	0
4/4/2006	PW-4	Total Organic Carbon (TOC)	FALSE	3.1		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-4	Sulfate	FALSE	2.64		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-4	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-4	Dissolved Manganese	FALSE	0.03 J		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-4	Temperature	FALSE	16.19		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-4	Sample Time	FALSE	1255		0		0 hours			0
4/4/2006	PW-5	Static Water Level	FALSE	346.34		0		0 feet msl		4/4/2006	0
4/4/2006	PW-5	pH	FALSE	6.5		0		0 S.U.		4/4/2006	0
4/4/2006	PW-5	Specific Conductance	FALSE	849		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-5	Total Dissolved Solids (TDS)	FALSE	675		10		50 mg/L		4/5/2006	0
4/4/2006	PW-5	Total Organic Carbon (TOC)	FALSE	2.8 B		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-5	Sulfate	FALSE	137.94		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-5	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-5	Temperature	FALSE	15.42		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-5	Sample Time	FALSE	1215		0		0 hours			0
4/4/2006	PW-6	Static Water Level	FALSE	344.01		0		0 feet msl		4/4/2006	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/4/2006	PW-6	pH	FALSE	6.59		0		0 S.U.		4/4/2006	0
4/4/2006	PW-6	Specific Conductance	FALSE	473		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-6	Total Dissolved Solids (TDS)	FALSE	385		10		50 mg/L		4/5/2006	0
4/4/2006	PW-6	Total Organic Carbon (TOC)	FALSE	2.6	B	0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-6	Sulfate	FALSE	103.11		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-6	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-6	Temperature	FALSE	16.26		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-6	Sample Time	FALSE	1245		0		0 hours			0
4/4/2006	PW-7	Static Water Level	FALSE	346.61		0		0 feet msl		4/4/2006	0
4/4/2006	PW-7	pH	FALSE	6.62		0		0 S.U.		4/4/2006	0
4/4/2006	PW-7	Specific Conductance	FALSE	225		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-7	Total Dissolved Solids (TDS)	FALSE	177		10		50 mg/L		4/5/2006	0
4/4/2006	PW-7	Total Organic Carbon (TOC)	FALSE	2.2	B	0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-7	Sulfate	FALSE	41.78		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-7	Temperature	FALSE	15.32		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-7	Sample Time	FALSE	1200		0		0 hours			0
4/4/2006	PW-8	Static Water Level	FALSE	347.62		0		0 feet msl		4/4/2006	0
4/4/2006	PW-8	pH	FALSE	6.19		0		0 S.U.		4/4/2006	0
4/4/2006	PW-8	Specific Conductance	FALSE	512		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-8	Total Dissolved Solids (TDS)	FALSE	383		10		50 mg/L		4/5/2006	0
4/4/2006	PW-8	Total Organic Carbon (TOC)	FALSE	3.7		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-8	Sulfate	FALSE	79.81		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-8	Temperature	FALSE	16.1		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-8	Sample Time	FALSE	1100		0		0 hours			0
4/4/2006	PW-8 DUP	pH	FALSE	6.19		0		0 S.U.		4/4/2006	0
4/4/2006	PW-8 DUP	Specific Conductance	FALSE	512		0		0 umhos/cm		4/4/2006	0
4/4/2006	PW-8 DUP	Total Dissolved Solids (TDS)	FALSE	380		10		50 mg/L		4/5/2006	0
4/4/2006	PW-8 DUP	Total Organic Carbon (TOC)	FALSE	3		0.2		1 mg/L		4/10/2006	0
4/4/2006	PW-8 DUP	Sulfate	FALSE	85.92		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	PW-8 DUP	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L		5/9/2006	0
4/4/2006	PW-8 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
4/4/2006	PW-8 DUP	Temperature	FALSE	16.1		0		0 Degrees C		4/4/2006	0
4/4/2006	PW-8 DUP	Sample Time	FALSE	1101		0		0 hours			0
4/4/2006	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/5/2006	0
4/4/2006	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		4/10/2006	0
4/4/2006	TRIP BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/20/2006	0
4/4/2006	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/9/2006	0
4/4/2006	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		5/3/2006	0
10/12/2006	FIELD BLANK	pH	FALSE	6.85		0		0 S.U.		10/12/2006	0
10/12/2006	FIELD BLANK	Specific Conductance	FALSE	1		0		0 umhos/cm		10/12/2006	0
10/12/2006	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		10/16/2006	0
10/12/2006	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.7	J	0.2		1 mg/L		10/16/2006	0
10/12/2006	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		10/24/2006	0
10/12/2006	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/18/2006	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/12/2006	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/18/2006	0
10/12/2006	FIELD BLANK	Temperature	FALSE	24.95		0		0 Degrees C		10/12/2006	0
10/12/2006	FIELD BLANK	Sample Time	FALSE	1100		0		0 hours			0
10/12/2006	PW-1	Static Water Level	FALSE	356.64		0		0 feet msl		10/12/2006	0
10/12/2006	PW-1	pH	FALSE	6.58		0		0 S.U.		10/12/2006	0
10/12/2006	PW-1	Specific Conductance	FALSE	645		0		0 umhos/cm		10/12/2006	0
10/12/2006	PW-1	Total Dissolved Solids (TDS)	FALSE	530		10		50 mg/L		10/16/2006	0
10/12/2006	PW-1	Total Organic Carbon (TOC)	FALSE	2.6 B		0.2		1 mg/L		10/16/2006	0
10/12/2006	PW-1	Sulfate	FALSE	139.17		0.06		0.3 mg/L		10/24/2006	0
10/12/2006	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/18/2006	0
10/12/2006	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/18/2006	0
10/12/2006	PW-1	Temperature	FALSE	17.18		0		0 Degrees C		10/12/2006	0
10/12/2006	PW-1	Sample Time	FALSE	1055		0		0 hours			0
10/12/2006	PW-2	Static Water Level	FALSE	355.33		0		0 feet msl		10/12/2006	0
10/12/2006	PW-2	pH	FALSE	6.33		0		0 S.U.		10/12/2006	0
10/12/2006	PW-2	Specific Conductance	FALSE	121		0		0 umhos/cm		10/12/2006	0
10/12/2006	PW-2	Total Dissolved Solids (TDS)	FALSE	159.5		10		50 mg/L		10/16/2006	0
10/12/2006	PW-2	Total Organic Carbon (TOC)	FALSE	0.9 J,B		0.2		1 mg/L		10/16/2006	0
10/12/2006	PW-2	Sulfate	FALSE	0.62		0.06		0.3 mg/L		10/24/2006	0
10/12/2006	PW-2	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		10/18/2006	0
10/12/2006	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/18/2006	0
10/12/2006	PW-2	Temperature	FALSE	18.19		0		0 Degrees C		10/12/2006	0
10/12/2006	PW-2	Sample Time	FALSE	1140		0		0 hours			0
10/12/2006	PW-3	Static Water Level	FALSE	349.56		0		0 feet msl		10/12/2006	0
10/12/2006	PW-3	pH	FALSE	6.01		0		0 S.U.		10/12/2006	0
10/12/2006	PW-3	Specific Conductance	FALSE	118		0		0 umhos/cm		10/12/2006	0
10/12/2006	PW-3	Total Dissolved Solids (TDS)	FALSE	144.5		10		50 mg/L		10/16/2006	0
10/12/2006	PW-3	Total Organic Carbon (TOC)	FALSE	1.8 B		0.2		1 mg/L		10/16/2006	0
10/12/2006	PW-3	Sulfate	FALSE	10.67		0.06		0.3 mg/L		10/24/2006	0
10/12/2006	PW-3	Dissolved Chromium	FALSE	0.019		0.001		0.005 mg/L		10/18/2006	0
10/12/2006	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/18/2006	0
10/12/2006	PW-3	Temperature	FALSE	16.42		0		0 Degrees C		10/12/2006	0
10/12/2006	PW-3	Sample Time	FALSE	1130		0		0 hours			0
10/12/2006	PW-4	Static Water Level	FALSE	345.04		0		0 feet msl		10/12/2006	0
10/12/2006	PW-4	pH	FALSE	6.51		0		0 S.U.		10/12/2006	0
10/12/2006	PW-4	Specific Conductance	FALSE	255		0		0 umhos/cm		10/12/2006	0
10/12/2006	PW-4	Total Dissolved Solids (TDS)	FALSE	245		10		50 mg/L		10/16/2006	0
10/12/2006	PW-4	Total Organic Carbon (TOC)	FALSE	1.8 B		0.2		1 mg/L		10/16/2006	0
10/12/2006	PW-4	Sulfate	FALSE	3.02		0.06		0.3 mg/L		10/24/2006	0
10/12/2006	PW-4	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		10/18/2006	0
10/12/2006	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/18/2006	0
10/12/2006	PW-4	Temperature	FALSE	17.56		0		0 Degrees C		10/12/2006	0
10/12/2006	PW-4	Sample Time	FALSE	1200		0		0 hours			0
10/12/2006	PW-5	Static Water Level	FALSE	346.61		0		0 feet msl		10/12/2006	0
10/12/2006	PW-5	pH	FALSE	6.75		0		0 S.U.		10/12/2006	0
10/12/2006	PW-5	Specific Conductance	FALSE	826		0		0 umhos/cm		10/12/2006	0
10/12/2006	PW-5	Total Dissolved Solids (TDS)	FALSE	754		10		50 mg/L		10/16/2006	0
10/12/2006	PW-5	Total Organic Carbon (TOC)	FALSE	2.4 B		0.2		1 mg/L		10/16/2006	0
10/12/2006	PW-5	Sulfate	FALSE	156.67		0.06		0.3 mg/L		10/24/2006	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/12/2006	PW-5	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		10/18/2006	0
10/12/2006	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		10/18/2006	0
10/12/2006	PW-5	Temperature	FALSE	15.92		0	0	Degrees C		10/12/2006	0
10/12/2006	PW-5	Sample Time	FALSE	1302		0	0	hours			0
10/12/2006	PW-6	Static Water Level	FALSE	344.39		0	0	feet msl		10/12/2006	0
10/12/2006	PW-6	pH	FALSE	6.35		0	0	S.U.		10/12/2006	0
10/12/2006	PW-6	Specific Conductance	FALSE	488		0	0	umhos/cm		10/12/2006	0
10/12/2006	PW-6	Total Dissolved Solids (TDS)	FALSE	388		10	50	mg/L		10/16/2006	0
10/12/2006	PW-6	Total Organic Carbon (TOC)	FALSE	2.7	B	0.2	1	mg/L		10/16/2006	0
10/12/2006	PW-6	Sulfate	FALSE	103.41		0.06	0.3	mg/L		10/24/2006	0
10/12/2006	PW-6	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/18/2006	0
10/12/2006	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		10/18/2006	0
10/12/2006	PW-6	Temperature	FALSE	16.25		0	0	Degrees C		10/12/2006	0
10/12/2006	PW-6	Sample Time	FALSE	1240		0	0	hours			0
10/12/2006	PW-7	Static Water Level	FALSE	346.87		0	0	feet msl		10/12/2006	0
10/12/2006	PW-7	pH	FALSE	6.85		0	0	S.U.		10/12/2006	0
10/12/2006	PW-7	Specific Conductance	FALSE	243		0	0	umhos/cm		10/12/2006	0
10/12/2006	PW-7	Total Dissolved Solids (TDS)	FALSE	198.5		10	50	mg/L		10/16/2006	0
10/12/2006	PW-7	Total Organic Carbon (TOC)	FALSE	1.7	B	0.2	1	mg/L		10/16/2006	0
10/12/2006	PW-7	Sulfate	FALSE	43.92		0.06	0.3	mg/L		10/24/2006	0
10/12/2006	PW-7	Dissolved Chromium	FALSE	0.006		0.001	0.005	mg/L		10/18/2006	0
10/12/2006	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		10/18/2006	0
10/12/2006	PW-7	Temperature	FALSE	16.02		0	0	Degrees C		10/12/2006	0
10/12/2006	PW-7	Sample Time	FALSE	1210		0	0	hours			0
10/12/2006	PW-8	Static Water Level	FALSE	347.91		0	0	feet msl		10/12/2006	0
10/12/2006	PW-8	pH	FALSE	6.31		0	0	S.U.		10/12/2006	0
10/12/2006	PW-8	Specific Conductance	FALSE	512		0	0	umhos/cm		10/12/2006	0
10/12/2006	PW-8	Total Dissolved Solids (TDS)	FALSE	398		10	50	mg/L		10/16/2006	0
10/12/2006	PW-8	Total Organic Carbon (TOC)	FALSE	2.9	B	0.2	1	mg/L		10/16/2006	0
10/12/2006	PW-8	Sulfate	FALSE	90.53		0.06	0.3	mg/L		10/24/2006	0
10/12/2006	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		10/18/2006	0
10/12/2006	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		10/18/2006	0
10/12/2006	PW-8	Temperature	FALSE	16.71		0	0	Degrees C		10/12/2006	0
10/12/2006	PW-8	Sample Time	FALSE	1125		0	0	hours			0
10/12/2006	PW-8 DUP	pH	FALSE	6.31		0	0	S.U.		10/12/2006	0
10/12/2006	PW-8 DUP	Specific Conductance	FALSE	512		0	0	umhos/cm		10/12/2006	0
10/12/2006	PW-8 DUP	Total Dissolved Solids (TDS)	FALSE	416		10	50	mg/L		10/16/2006	0
10/12/2006	PW-8 DUP	Total Organic Carbon (TOC)	FALSE	2.3	B	0.2	1	mg/L		10/16/2006	0
10/12/2006	PW-8 DUP	Sulfate	FALSE	91.47		0.06	0.3	mg/L		10/24/2006	0
10/12/2006	PW-8 DUP	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		10/18/2006	0
10/12/2006	PW-8 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		10/18/2006	0
10/12/2006	PW-8 DUP	Temperature	FALSE	16.71		0	0	Degrees C		10/12/2006	0
10/12/2006	PW-8 DUP	Sample Time	FALSE	1125		0	0	hours			0
10/12/2006	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		10/16/2006	0
10/12/2006	TRIP BLANK	Total Organic Carbon (TOC)	FALSE	0.7	J	0.2	1	mg/L		10/16/2006	0
10/12/2006	TRIP BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		10/24/2006	0
10/12/2006	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/18/2006	0
10/12/2006	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		10/18/2006	0
4/17/2007	FIELD BLANK	pH	FALSE	9.12		0	0	S.U.		4/17/2007	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/17/2007	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/18/2007	0
4/17/2007	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		4/30/2007	0
4/17/2007	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		4/26/2007	0
4/17/2007	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	FIELD BLANK	Temperature	FALSE	19.29		0		0 Degrees C		4/17/2007	0
4/17/2007	FIELD BLANK	Sample Time	FALSE	1700		0		0 hours			0
4/17/2007	PW-1	Static Water Level	FALSE	358.07		0		0 feet msl		4/17/2007	0
4/17/2007	PW-1	pH	FALSE	6.35		0		0 S.U.		4/17/2007	0
4/17/2007	PW-1	Specific Conductance	FALSE	515		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-1	Total Dissolved Solids (TDS)	FALSE	414		10		50 mg/L		4/18/2007	0
4/17/2007	PW-1	Total Organic Carbon (TOC)	FALSE	3		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-1	Sulfate	FALSE	140.66		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		4/26/2007	0
4/17/2007	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-1	Temperature	FALSE	17.05		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-1	Sample Time	FALSE	1134		0		0 hours			0
4/17/2007	PW-2	Static Water Level	FALSE	356.12		0		0 feet msl		4/17/2007	0
4/17/2007	PW-2	pH	FALSE	6.09		0		0 S.U.		4/17/2007	0
4/17/2007	PW-2	Specific Conductance	FALSE	91		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-2	Total Dissolved Solids (TDS)	FALSE	105		10		50 mg/L		4/18/2007	0
4/17/2007	PW-2	Total Organic Carbon (TOC)	FALSE	0.9		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-2	Sulfate	FALSE	0.81		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-2	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		4/26/2007	0
4/17/2007	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-2	Temperature	FALSE	17.93		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-2	Sample Time	FALSE	1318		0		0 hours			0
4/17/2007	PW-3	Static Water Level	FALSE	351.18		0		0 feet msl		4/17/2007	0
4/17/2007	PW-3	pH	FALSE	5.57		0		0 S.U.		4/17/2007	0
4/17/2007	PW-3	Specific Conductance	FALSE	101		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-3	Total Dissolved Solids (TDS)	FALSE	108		10		50 mg/L		4/18/2007	0
4/17/2007	PW-3	Total Organic Carbon (TOC)	FALSE	1.9		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-3	Sulfate	FALSE	10.89		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-3	Dissolved Chromium	FALSE	0.015		0.001	0.005	mg/L		4/26/2007	0
4/17/2007	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-3	Temperature	FALSE	16.39		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-3	Sample Time	FALSE	1400		0		0 hours			0
4/17/2007	PW-4	Static Water Level	FALSE	346.15		0		0 feet msl		4/17/2007	0
4/17/2007	PW-4	pH	FALSE	6.05		0		0 S.U.		4/17/2007	0
4/17/2007	PW-4	Specific Conductance	FALSE	235		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-4	Total Dissolved Solids (TDS)	FALSE	188.5		10		50 mg/L		4/18/2007	0
4/17/2007	PW-4	Total Organic Carbon (TOC)	FALSE	1.7		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-4	Sulfate	FALSE	3.54		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-4	Dissolved Chromium	FALSE	0.015		0.001	0.005	mg/L		4/26/2007	0
4/17/2007	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-4	Temperature	FALSE	16.51		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-4	Sample Time	FALSE	1430		0		0 hours			0
4/17/2007	PW-5	Static Water Level	FALSE	347.82		0		0 feet msl		4/17/2007	0
4/17/2007	PW-5	pH	FALSE	6.18		0		0 S.U.		4/17/2007	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/17/2007	PW-5	Specific Conductance	FALSE	730		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-5	Total Dissolved Solids (TDS)	FALSE	557.5		10		50 mg/L		4/18/2007	0
4/17/2007	PW-5	Total Organic Carbon (TOC)	FALSE	1.9		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-5	Sulfate	FALSE	135.37		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-5	Dissolved Chromium	FALSE	0.007		0.001		0.005 mg/L		4/26/2007	0
4/17/2007	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-5	Temperature	FALSE	15.54		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-5	Sample Time	FALSE	1458		0		0 hours			0
4/17/2007	PW-6	Static Water Level	FALSE	345.58		0		0 feet msl		4/17/2007	0
4/17/2007	PW-6	pH	FALSE	6.2		0		0 S.U.		4/17/2007	0
4/17/2007	PW-6	Specific Conductance	FALSE	380		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-6	Total Dissolved Solids (TDS)	FALSE	323		10		50 mg/L		4/18/2007	0
4/17/2007	PW-6	Total Organic Carbon (TOC)	FALSE	1.7		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-6	Sulfate	FALSE	94.06		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		4/26/2007	0
4/17/2007	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-6	Temperature	FALSE	16.25		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-6	Sample Time	FALSE	1152		0		0 hours			0
4/17/2007	PW-6 DUP	pH	FALSE	6.2		0		0 S.U.		4/17/2007	0
4/17/2007	PW-6 DUP	Specific Conductance	FALSE	380		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	333		10		50 mg/L		4/18/2007	0
4/17/2007	PW-6 DUP	Total Organic Carbon (TOC)	FALSE	1.8		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-6 DUP	Sulfate	FALSE	92.88		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-6 DUP	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		4/26/2007	0
4/17/2007	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-6 DUP	Temperature	FALSE	16.25		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-6 DUP	Sample Time	FALSE	1152		0		0 hours			0
4/17/2007	PW-7	Static Water Level	FALSE	348.2		0		0 feet msl		4/17/2007	0
4/17/2007	PW-7	pH	FALSE	6.37		0		0 S.U.		4/17/2007	0
4/17/2007	PW-7	Specific Conductance	FALSE	222		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-7	Total Dissolved Solids (TDS)	FALSE	182.5		10		50 mg/L		4/18/2007	0
4/17/2007	PW-7	Total Organic Carbon (TOC)	FALSE	1.5		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-7	Sulfate	FALSE	43.78		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		4/26/2007	0
4/17/2007	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-7	Temperature	FALSE	15.25		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-7	Sample Time	FALSE	1222		0		0 hours			0
4/17/2007	PW-8	Static Water Level	FALSE	349.45		0		0 feet msl		4/17/2007	0
4/17/2007	PW-8	pH	FALSE	6.12		0		0 S.U.		4/17/2007	0
4/17/2007	PW-8	Specific Conductance	FALSE	496		0		0 umhos/cm		4/17/2007	0
4/17/2007	PW-8	Total Dissolved Solids (TDS)	FALSE	360		10		50 mg/L		4/18/2007	0
4/17/2007	PW-8	Total Organic Carbon (TOC)	FALSE	2.6		0.2		1 mg/L		4/30/2007	0
4/17/2007	PW-8	Sulfate	FALSE	88.81		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		4/26/2007	0
4/17/2007	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
4/17/2007	PW-8	Temperature	FALSE	16.24		0		0 Degrees C		4/17/2007	0
4/17/2007	PW-8	Sample Time	FALSE	1339		0		0 hours			0
4/17/2007	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/18/2007	0
4/17/2007	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		4/30/2007	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/17/2007	TRIP BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/24/2007	0
4/17/2007	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		4/26/2007	0
4/17/2007	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/24/2007	0
10/2/2007	FIELD BLANK	pH	FALSE	6.99		0		0 S.U.		10/2/2007	0
10/2/2007	FIELD BLANK	Specific Conductance	FALSE	1		0		0 umhos/cm		10/2/2007	0
10/2/2007	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		10/4/2007	0
10/2/2007	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.1 J		0.1		1 mg/L		10/8/2007	0
10/2/2007	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	FIELD BLANK	Temperature	FALSE	22.11		0		0 Degrees C		10/2/2007	0
10/2/2007	FIELD BLANK	Sample Time	FALSE	1045		0		0 hours			0
10/2/2007	PW-1	Static Water Level	FALSE	353.59		0		0 feet msl		10/2/2007	0
10/2/2007	PW-1	pH	FALSE	6.3		0		0 S.U.		10/2/2007	0
10/2/2007	PW-1	Specific Conductance	FALSE	504		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-1	Total Dissolved Solids (TDS)	FALSE	413.5		10		50 mg/L		10/4/2007	0
10/2/2007	PW-1	Total Organic Carbon (TOC)	FALSE	1.8		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-1	Sulfate	FALSE	131.14		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-1	Temperature	FALSE	16.2		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-1	Sample Time	FALSE	1110		0		0 hours			0
10/2/2007	PW-2	Static Water Level	FALSE	354.38		0		0 feet msl		10/2/2007	0
10/2/2007	PW-2	pH	FALSE	5.77		0		0 S.U.		10/2/2007	0
10/2/2007	PW-2	Specific Conductance	FALSE	105		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-2	Total Dissolved Solids (TDS)	FALSE	151		10		50 mg/L		10/4/2007	0
10/2/2007	PW-2	Total Organic Carbon (TOC)	FALSE	0.5 J		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-2	Sulfate	FALSE	0.5		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-2	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-2	Temperature	FALSE	18.1		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-2	Sample Time	FALSE	1341		0		0 hours			0
10/2/2007	PW-3	Static Water Level	FALSE	348.34		0		0 feet msl		10/2/2007	0
10/2/2007	PW-3	pH	FALSE	5.42		0		0 S.U.		10/2/2007	0
10/2/2007	PW-3	Specific Conductance	FALSE	116		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-3	Total Dissolved Solids (TDS)	FALSE	146.5		10		50 mg/L		10/4/2007	0
10/2/2007	PW-3	Total Organic Carbon (TOC)	FALSE	1.4		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-3	Sulfate	FALSE	11.26		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-3	Temperature	FALSE	16.48		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-3	Sample Time	FALSE	1324		0		0 hours			0
10/2/2007	PW-4	Static Water Level	FALSE	341.62		0		0 feet msl		10/2/2007	0
10/2/2007	PW-4	pH	FALSE	6.25		0		0 S.U.		10/2/2007	0
10/2/2007	PW-4	Specific Conductance	FALSE	267		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-4	Total Dissolved Solids (TDS)	FALSE	250.5		10		50 mg/L		10/4/2007	0
10/2/2007	PW-4	Total Organic Carbon (TOC)	FALSE	1.7		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-4	Sulfate	FALSE	3.12		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-4	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L		11/2/2007	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/2/2007	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-4	Temperature	FALSE	16.1		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-4	Sample Time	FALSE	1230		0		0 hours			0
10/2/2007	PW-5	Static Water Level	FALSE	342.81		0		0 feet msl		10/2/2007	0
10/2/2007	PW-5	pH	FALSE	6.31		0		0 S.U.		10/2/2007	0
10/2/2007	PW-5	Specific Conductance	FALSE	824		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-5	Total Dissolved Solids (TDS)	FALSE	763.5		10		50 mg/L		10/4/2007	0
10/2/2007	PW-5	Total Organic Carbon (TOC)	FALSE	3.1		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-5	Sulfate	FALSE	146.26		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-5	Temperature	FALSE	15.2		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-5	Sample Time	FALSE	1300		0		0 hours			0
10/2/2007	PW-6	Static Water Level	FALSE	340.57		0		0 feet msl		10/2/2007	0
10/2/2007	PW-6	pH	FALSE	6.24		0		0 S.U.		10/2/2007	0
10/2/2007	PW-6	Specific Conductance	FALSE	454		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-6	Total Dissolved Solids (TDS)	FALSE	396		10		50 mg/L		10/4/2007	0
10/2/2007	PW-6	Total Organic Carbon (TOC)	FALSE	2.6		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-6	Sulfate	FALSE	91.42		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-6	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-6	Temperature	FALSE	16.1		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-6	Sample Time	FALSE	1407		0		0 hours			0
10/2/2007	PW-7	Static Water Level	FALSE	343.13		0		0 feet msl		10/2/2007	0
10/2/2007	PW-7	pH	FALSE	6.37		0		0 S.U.		10/2/2007	0
10/2/2007	PW-7	Specific Conductance	FALSE	247		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-7	Total Dissolved Solids (TDS)	FALSE	214		10		50 mg/L		10/4/2007	0
10/2/2007	PW-7	Total Organic Carbon (TOC)	FALSE	1.3		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-7	Sulfate	FALSE	48.02		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-7	Temperature	FALSE	15.1		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-7	Sample Time	FALSE	1224		0		0 hours			0
10/2/2007	PW-7 DUP	pH	FALSE	6.39		0		0 S.U.		10/2/2007	0
10/2/2007	PW-7 DUP	Specific Conductance	FALSE	247		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-7 DUP	Total Dissolved Solids (TDS)	FALSE	220		10		50 mg/L		10/4/2007	0
10/2/2007	PW-7 DUP	Total Organic Carbon (TOC)	FALSE	1.3		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-7 DUP	Sulfate	FALSE	48.35		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-7 DUP	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	PW-7 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-7 DUP	Temperature	FALSE	15.1		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-7 DUP	Sample Time	FALSE	1229		0		0 hours			0
10/2/2007	PW-8	Static Water Level	FALSE	344.27		0		0 feet msl		10/2/2007	0
10/2/2007	PW-8	pH	FALSE	6.5		0		0 S.U.		10/2/2007	0
10/2/2007	PW-8	Specific Conductance	FALSE	574		0		0 umhos/cm		10/2/2007	0
10/2/2007	PW-8	Total Dissolved Solids (TDS)	FALSE	411.5		10		50 mg/L		10/4/2007	0
10/2/2007	PW-8	Total Organic Carbon (TOC)	FALSE	2.5		0.1		1 mg/L		10/8/2007	0
10/2/2007	PW-8	Sulfate	FALSE	85.8		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	PW-8	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		11/2/2007	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/2/2007	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
10/2/2007	PW-8	Temperature	FALSE	17.1		0		0 Degrees C		10/2/2007	0
10/2/2007	PW-8	Sample Time	FALSE	1137		0		0 hours			0
10/2/2007	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		10/4/2007	0
10/2/2007	TRIP BLANK	Total Organic Carbon (TOC)	FALSE	0.4 J		0.1		1 mg/L		10/8/2007	0
10/2/2007	TRIP BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		10/5/2007	0
10/2/2007	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		11/2/2007	0
10/2/2007	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		10/5/2007	0
4/21/2008	FIELD BLANK	pH	FALSE	6.38		0		0 S.U.		4/21/2008	0
4/21/2008	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm		4/21/2008	0
4/21/2008	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/23/2008	0
4/21/2008	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		4/24/2008	0
4/21/2008	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	FIELD BLANK	Temperature	FALSE	17.08		0		0 Degrees C		4/21/2008	0
4/21/2008	FIELD BLANK	Sample Time	FALSE	1200		0		0 hours			0
4/21/2008	PW-1	Static Water Level	FALSE	357.36		0		0 feet msl		4/21/2008	0
4/21/2008	PW-1	pH	FALSE	6.44		0		0 S.U.		4/21/2008	0
4/21/2008	PW-1	Specific Conductance	FALSE	757		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-1	Total Dissolved Solids (TDS)	FALSE	587		10		50 mg/L		4/23/2008	0
4/21/2008	PW-1	Total Organic Carbon (TOC)	FALSE	2.6		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-1	Sulfate	FALSE	150.28		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-1	Temperature	FALSE	17.38		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-1	Sample Time	FALSE	1259		0		0 hours			0
4/21/2008	PW-2	Static Water Level	FALSE	354.55		0		0 feet msl		4/21/2008	0
4/21/2008	PW-2	pH	FALSE	6.02		0		0 S.U.		4/21/2008	0
4/21/2008	PW-2	Specific Conductance	FALSE	105		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-2	Total Dissolved Solids (TDS)	FALSE	155		10		50 mg/L		4/23/2008	0
4/21/2008	PW-2	Total Organic Carbon (TOC)	FALSE	1.2		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-2	Sulfate	FALSE	0.55		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-2	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-2	Temperature	FALSE	18.01		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-2	Sample Time	FALSE	1219		0		0 hours			0
4/21/2008	PW-3	Static Water Level	FALSE	349.53		0		0 feet msl		4/21/2008	0
4/21/2008	PW-3	pH	FALSE	5.65		0		0 S.U.		4/21/2008	0
4/21/2008	PW-3	Specific Conductance	FALSE	125		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-3	Total Dissolved Solids (TDS)	FALSE	148		10		50 mg/L		4/23/2008	0
4/21/2008	PW-3	Total Organic Carbon (TOC)	FALSE	3.9		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-3	Sulfate	FALSE	14.05		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-3	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-3	Temperature	FALSE	16.58		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-3	Sample Time	FALSE	1238		0		0 hours			0
4/21/2008	PW-4	Static Water Level	FALSE	344.73		0		0 feet msl		4/21/2008	0
4/21/2008	PW-4	pH	FALSE	6.16		0		0 S.U.		4/21/2008	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/21/2008	PW-4	Specific Conductance	FALSE	268		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-4	Total Dissolved Solids (TDS)	FALSE	269.5		10		50 mg/L		4/23/2008	0
4/21/2008	PW-4	Total Organic Carbon (TOC)	FALSE	3.8		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-4	Sulfate	FALSE	2.58		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-4	Dissolved Chromium	FALSE	0.016		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-4	Temperature	FALSE	16.54		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-4	Sample Time	FALSE	1336		0		0 hours			0
4/21/2008	PW-5	Static Water Level	FALSE	346.35		0		0 feet msl		4/21/2008	0
4/21/2008	PW-5	pH	FALSE	6.29		0		0 S.U.		4/21/2008	0
4/21/2008	PW-5	Specific Conductance	FALSE	765		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-5	Total Dissolved Solids (TDS)	FALSE	655.5		10		50 mg/L		4/23/2008	0
4/21/2008	PW-5	Total Organic Carbon (TOC)	FALSE	1.7		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-5	Sulfate	FALSE	137.84		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-5	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-5	Temperature	FALSE	15.67		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-5	Sample Time	FALSE	1423		0		0 hours			0
4/21/2008	PW-6	Static Water Level	FALSE	344.03		0		0 feet msl		4/21/2008	0
4/21/2008	PW-6	pH	FALSE	6.25		0		0 S.U.		4/21/2008	0
4/21/2008	PW-6	Specific Conductance	FALSE	443		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-6	Total Dissolved Solids (TDS)	FALSE	369		10		50 mg/L		4/23/2008	0
4/21/2008	PW-6	Total Organic Carbon (TOC)	FALSE	2.9		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-6	Sulfate	FALSE	98.84		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-6	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-6	Temperature	FALSE	16.42		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-6	Sample Time	FALSE	1400		0		0 hours			0
4/21/2008	PW-6 DUP	pH	FALSE	6.25		0		0 S.U.		4/21/2008	0
4/21/2008	PW-6 DUP	Specific Conductance	FALSE	442		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	367		10		50 mg/L		4/23/2008	0
4/21/2008	PW-6 DUP	Total Organic Carbon (TOC)	FALSE	1.6		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-6 DUP	Sulfate	FALSE	99.15		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-6 DUP	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-6 DUP	Temperature	FALSE	16.46		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-6 DUP	Sample Time	FALSE	1405		0		0 hours			0
4/21/2008	PW-7	Static Water Level	FALSE	346.51		0		0 feet msl		4/21/2008	0
4/21/2008	PW-7	pH	FALSE	6.42		0		0 S.U.		4/21/2008	0
4/21/2008	PW-7	Specific Conductance	FALSE	265		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-7	Total Dissolved Solids (TDS)	FALSE	214		10		50 mg/L		4/23/2008	0
4/21/2008	PW-7	Total Organic Carbon (TOC)	FALSE	2.4		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-7	Sulfate	FALSE	57.41		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-7	Temperature	FALSE	15.44		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-7	Sample Time	FALSE	1448		0		0 hours			0
4/21/2008	PW-8	Static Water Level	FALSE	347.58		0		0 feet msl		4/21/2008	0
4/21/2008	PW-8	pH	FALSE	6.27		0		0 S.U.		4/21/2008	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/21/2008	PW-8	Specific Conductance	FALSE	527		0		0 umhos/cm		4/21/2008	0
4/21/2008	PW-8	Total Dissolved Solids (TDS)	FALSE	388.5		10		50 mg/L		4/23/2008	0
4/21/2008	PW-8	Total Organic Carbon (TOC)	FALSE	5.2		0.2		1 mg/L		4/24/2008	0
4/21/2008	PW-8	Sulfate	FALSE	90.16		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L		4/24/2008	0
4/21/2008	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
4/21/2008	PW-8	Temperature	FALSE	16.49		0		0 Degrees C		4/21/2008	0
4/21/2008	PW-8	Sample Time	FALSE	1509		0		0 hours			0
4/21/2008	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		4/23/2008	0
4/21/2008	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		4/24/2008	0
4/21/2008	TRIP BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/24/2008	0
4/21/2008	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		4/24/2008	0
4/21/2008	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		4/28/2008	0
10/28/2008	FIELD BLANK	pH	FALSE	6.56		0		0 S.U.		10/28/2008	0
10/28/2008	FIELD BLANK	Specific Conductance	FALSE	2		0		0 umhos/cm		10/28/2008	0
10/28/2008	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		50 mg/L		10/29/2008	0
10/28/2008	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2		1 mg/L		10/29/2008	0
10/28/2008	FIELD BLANK	Sulfate	FALSE	0.07	J	0.06		0.3 mg/L		11/3/2008	0
10/28/2008	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		11/17/2008	0
10/28/2008	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	FIELD BLANK	Temperature	FALSE	17.72		0		0 Degrees C		10/28/2008	0
10/28/2008	FIELD BLANK	Sample Time	FALSE	1000		0		0 hours			0
10/28/2008	PW-1	Static Water Level	FALSE	354.45		0		0 feet msl		10/28/2008	0
10/28/2008	PW-1	pH	FALSE	6.54		0		0 S.U.		10/28/2008	0
10/28/2008	PW-1	Specific Conductance	FALSE	674		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-1	Total Dissolved Solids (TDS)	FALSE	510.5		10		50 mg/L		10/29/2008	0
10/28/2008	PW-1	Total Organic Carbon (TOC)	FALSE	2.2		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-1	Sulfate	FALSE	156.76		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-1	Dissolved Chromium	FALSE	0.001	J	0.001		0.005 mg/L		11/17/2008	0
10/28/2008	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-1	Temperature	FALSE	17.18		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-1	Sample Time	FALSE	1224		0		0 hours			0
10/28/2008	PW-2	Static Water Level	FALSE	354.62		0		0 feet msl		10/28/2008	0
10/28/2008	PW-2	pH	FALSE	6.03		0		0 S.U.		10/28/2008	0
10/28/2008	PW-2	Specific Conductance	FALSE	104		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-2	Total Dissolved Solids (TDS)	FALSE	123		10		50 mg/L		10/29/2008	0
10/28/2008	PW-2	Total Organic Carbon (TOC)	FALSE	0.5	J	0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-2	Sulfate	FALSE	0.49		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-2	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		11/17/2008	0
10/28/2008	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-2	Temperature	FALSE	18.4		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-2	Sample Time	FALSE	1149		0		0 hours			0
10/28/2008	PW-3	Static Water Level	FALSE	348.45		0		0 feet msl		10/28/2008	0
10/28/2008	PW-3	pH	FALSE	5.66		0		0 S.U.		10/28/2008	0
10/28/2008	PW-3	Specific Conductance	FALSE	143		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-3	Total Dissolved Solids (TDS)	FALSE	133		10		50 mg/L		10/29/2008	0
10/28/2008	PW-3	Total Organic Carbon (TOC)	FALSE	1.7		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-3	Sulfate	FALSE	18.28		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-3	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		11/17/2008	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/28/2008	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-3	Temperature	FALSE	16.17		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-3	Sample Time	FALSE	1205		0		0 hours			0
10/28/2008	PW-3 DUP	Static Water Level	FALSE	348.45		0		0 feet msl		10/28/2008	0
10/28/2008	PW-3 DUP	pH	FALSE	5.66		0		0 S.U.		10/28/2008	0
10/28/2008	PW-3 DUP	Specific Conductance	FALSE	143		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-3 DUP	Total Dissolved Solids (TDS)	FALSE	143.2		10		50 mg/L		10/29/2008	0
10/28/2008	PW-3 DUP	Total Organic Carbon (TOC)	FALSE	1.1		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-3 DUP	Sulfate	FALSE	18.04		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-3 DUP	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		11/17/2008	0
10/28/2008	PW-3 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-3 DUP	Temperature	FALSE	16.17		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-3 DUP	Sample Time	FALSE	1210		0		0 hours			0
10/28/2008	PW-4	Static Water Level	FALSE	342.14		0		0 feet msl		10/28/2008	0
10/28/2008	PW-4	pH	FALSE	6.18		0		0 S.U.		10/28/2008	0
10/28/2008	PW-4	Specific Conductance	FALSE	287		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-4	Total Dissolved Solids (TDS)	FALSE	233.5		10		50 mg/L		10/29/2008	0
10/28/2008	PW-4	Total Organic Carbon (TOC)	FALSE	1.5		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-4	Sulfate	FALSE	2.94		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-4	Dissolved Chromium	FALSE	0.016		0.001		0.005 mg/L		11/17/2008	0
10/28/2008	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-4	Temperature	FALSE	16.12		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-4	Sample Time	FALSE	1307		0		0 hours			0
10/28/2008	PW-5	Static Water Level	FALSE	343.66		0		0 feet msl		10/28/2008	0
10/28/2008	PW-5	pH	FALSE	6.29		0		0 S.U.		10/28/2008	0
10/28/2008	PW-5	Specific Conductance	FALSE	881		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-5	Total Dissolved Solids (TDS)	FALSE	727		10		50 mg/L		10/29/2008	0
10/28/2008	PW-5	Total Organic Carbon (TOC)	FALSE	1.5		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-5	Sulfate	FALSE	151.97		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		11/17/2008	0
10/28/2008	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-5	Temperature	FALSE	15.16		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-5	Sample Time	FALSE	1350		0		0 hours			0
10/28/2008	PW-6	Static Water Level	FALSE	341.4		0		0 feet msl		10/28/2008	0
10/28/2008	PW-6	pH	FALSE	6.23		0		0 S.U.		10/28/2008	0
10/28/2008	PW-6	Specific Conductance	FALSE	478		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-6	Total Dissolved Solids (TDS)	FALSE	372.5		10		50 mg/L		10/29/2008	0
10/28/2008	PW-6	Total Organic Carbon (TOC)	FALSE	1.6		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-6	Sulfate	FALSE	108.75		0.06		0.3 mg/L		11/3/2008	0
10/28/2008	PW-6	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		11/17/2008	0
10/28/2008	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/6/2008	0
10/28/2008	PW-6	Temperature	FALSE	16.16		0		0 Degrees C		10/28/2008	0
10/28/2008	PW-6	Sample Time	FALSE	1404		0		0 hours			0
10/28/2008	PW-7	Static Water Level	FALSE	343.94		0		0 feet msl		10/28/2008	0
10/28/2008	PW-7	pH	FALSE	6.44		0		0 S.U.		10/28/2008	0
10/28/2008	PW-7	Specific Conductance	FALSE	289		0		0 umhos/cm		10/28/2008	0
10/28/2008	PW-7	Total Dissolved Solids (TDS)	FALSE	221.5		10		50 mg/L		10/29/2008	0
10/28/2008	PW-7	Total Organic Carbon (TOC)	FALSE	1.3		0.2		1 mg/L		10/29/2008	0
10/28/2008	PW-7	Sulfate	FALSE	60.36		0.06		0.3 mg/L		11/3/2008	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/28/2008	PW-7	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		11/17/2008	0
10/28/2008	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/6/2008	0
10/28/2008	PW-7	Temperature	FALSE	15.11		0	0	Degrees C		10/28/2008	0
10/28/2008	PW-7	Sample Time	FALSE	1420		0	0	hours			0
10/28/2008	PW-8	Static Water Level	FALSE	344.87		0	0	feet msl		10/28/2008	0
10/28/2008	PW-8	pH	FALSE	6.26		0	0	S.U.		10/28/2008	0
10/28/2008	PW-8	Specific Conductance	FALSE	556		0	0	umhos/cm		10/28/2008	0
10/28/2008	PW-8	Total Dissolved Solids (TDS)	FALSE	421.5		10	50	mg/L		10/29/2008	0
10/28/2008	PW-8	Total Organic Carbon (TOC)	FALSE	2.6		0.2	1	mg/L		10/29/2008	0
10/28/2008	PW-8	Sulfate	FALSE	88.15		0.06	0.3	mg/L		11/3/2008	0
10/28/2008	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		11/17/2008	0
10/28/2008	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/6/2008	0
10/28/2008	PW-8	Temperature	FALSE	16.13		0	0	Degrees C		10/28/2008	0
10/28/2008	PW-8	Sample Time	FALSE	1414		0	0	hours			0
10/28/2008	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		10/29/2008	0
10/28/2008	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		10/29/2008	0
10/28/2008	TRIP BLANK	Sulfate	FALSE	0.12	J	0.06	0.3	mg/L		11/3/2008	0
10/28/2008	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		11/17/2008	0
10/28/2008	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/6/2008	0
10/28/2008	TRIP BLANK	Sample Time	FALSE	800		0	0	hours			0
4/22/2009	FIELD BLANK	Static Water Level	FALSE	0		0	0	feet msl		4/22/2009	0
4/22/2009	FIELD BLANK	pH	FALSE	7.43		0	0	S.U.		4/22/2009	0
4/22/2009	FIELD BLANK	Specific Conductance	FALSE	4		0	0	umhos/cm		4/22/2009	0
4/22/2009	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		4/23/2009	0
4/22/2009	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		4/28/2009	0
4/22/2009	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	FIELD BLANK	Temperature	FALSE	14.11		0	0	Degrees C		4/22/2009	0
4/22/2009	FIELD BLANK	Sample Time	FALSE	1130		0	0	hours			0
4/22/2009	PW-1	Static Water Level	FALSE	357.41		0	0	feet msl		4/22/2009	0
4/22/2009	PW-1	pH	FALSE	6.25		0	0	S.U.		4/22/2009	0
4/22/2009	PW-1	Specific Conductance	FALSE	570		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-1	Total Dissolved Solids (TDS)	FALSE	450.5		10	50	mg/L		4/23/2009	0
4/22/2009	PW-1	Total Organic Carbon (TOC)	FALSE	1.7		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-1	Sulfate	FALSE	140.66		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-1	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-1	Temperature	FALSE	17.18		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-1	Sample Time	FALSE	1156		0	0	hours			0
4/22/2009	PW-2	Static Water Level	FALSE	355.31		0	0	feet msl		4/22/2009	0
4/22/2009	PW-2	pH	FALSE	5.87		0	0	S.U.		4/22/2009	0
4/22/2009	PW-2	Specific Conductance	FALSE	93		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-2	Total Dissolved Solids (TDS)	FALSE	98		10	50	mg/L		4/23/2009	0
4/22/2009	PW-2	Total Organic Carbon (TOC)	FALSE	0.9	J	0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-2	Sulfate	FALSE	0.5		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-2	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-2	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-2	Temperature	FALSE	18.11		0	0	Degrees C		4/22/2009	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/22/2009	PW-2	Sample Time	FALSE	1238		0	0	hours			0
4/22/2009	PW-3	Static Water Level	FALSE	349.96		0	0	feet msl		4/22/2009	0
4/22/2009	PW-3	pH	FALSE	5.43		0	0	S.U.		4/22/2009	0
4/22/2009	PW-3	Specific Conductance	FALSE	143		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-3	Total Dissolved Solids (TDS)	FALSE	121		10	50	mg/L		4/23/2009	0
4/22/2009	PW-3	Total Organic Carbon (TOC)	FALSE	1.6		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-3	Sulfate	FALSE	22.68		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-3	Dissolved Chromium	FALSE	0.021		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-3	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-3	Temperature	FALSE	16.14		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-3	Sample Time	FALSE	1216		0	0	hours			0
4/22/2009	PW-4	Static Water Level	FALSE	345.04		0	0	feet msl		4/22/2009	0
4/22/2009	PW-4	pH	FALSE	6.02		0	0	S.U.		4/22/2009	0
4/22/2009	PW-4	Specific Conductance	FALSE	271		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-4	Total Dissolved Solids (TDS)	FALSE	204		10	50	mg/L		4/23/2009	0
4/22/2009	PW-4	Total Organic Carbon (TOC)	FALSE	2		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-4	Sulfate	FALSE	2.71		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-4	Dissolved Chromium	FALSE	0.019		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-4	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-4	Temperature	FALSE	16.1		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-4	Sample Time	FALSE	1330		0	0	hours			0
4/22/2009	PW-5	Static Water Level	FALSE	346.48		0	0	feet msl		4/22/2009	0
4/22/2009	PW-5	pH	FALSE	6.24		0	0	S.U.		4/22/2009	0
4/22/2009	PW-5	Specific Conductance	FALSE	778		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-5	Total Dissolved Solids (TDS)	FALSE	561.5		10	50	mg/L		4/23/2009	0
4/22/2009	PW-5	Total Organic Carbon (TOC)	FALSE	1.9		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-5	Sulfate	FALSE	141.5		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-5	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-5	Temperature	FALSE	15.15		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-5	Sample Time	FALSE	1344		0	0	hours			0
4/22/2009	PW-6	Static Water Level	FALSE	344.38		0	0	feet msl		4/22/2009	0
4/22/2009	PW-6	pH	FALSE	6.15		0	0	S.U.		4/22/2009	0
4/22/2009	PW-6	Specific Conductance	FALSE	473		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-6	Total Dissolved Solids (TDS)	FALSE	308		10	50	mg/L		4/23/2009	0
4/22/2009	PW-6	Total Organic Carbon (TOC)	FALSE	1.8		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-6	Sulfate	FALSE	113.16		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-6	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-6	Temperature	FALSE	16.16		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-6	Sample Time	FALSE	1402		0	0	hours			0
4/22/2009	PW-7	Static Water Level	FALSE	346.99		0	0	feet msl		4/22/2009	0
4/22/2009	PW-7	pH	FALSE	6.32		0	0	S.U.		4/22/2009	0
4/22/2009	PW-7	Specific Conductance	FALSE	278		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-7	Total Dissolved Solids (TDS)	FALSE	200		10	50	mg/L		4/23/2009	0
4/22/2009	PW-7	Total Organic Carbon (TOC)	FALSE	1.3		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-7	Sulfate	FALSE	61.02		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-7	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/22/2009	PW-7	Temperature	FALSE	15.12		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-7	Sample Time	FALSE	1420		0	0	hours			0
4/22/2009	PW-7 DUP	Static Water Level	FALSE	346.99		0	0	feet msl		4/22/2009	0
4/22/2009	PW-7 DUP	pH	FALSE	6.31		0	0	S.U.		4/22/2009	0
4/22/2009	PW-7 DUP	Specific Conductance	FALSE	277		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-7 DUP	Total Dissolved Solids (TDS)	FALSE	217.5		10	50	mg/L		4/23/2009	0
4/22/2009	PW-7 DUP	Total Organic Carbon (TOC)	FALSE	1.2		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-7 DUP	Sulfate	FALSE	61.23		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-7 DUP	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-7 DUP	Dissolved Manganese	FALSE	0.02	J	0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-7 DUP	Temperature	FALSE	15.12		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-7 DUP	Sample Time	FALSE	1425		0	0	hours			0
4/22/2009	PW-8	Static Water Level	FALSE	348.07		0	0	feet msl		4/22/2009	0
4/22/2009	PW-8	pH	FALSE	6.14		0	0	S.U.		4/22/2009	0
4/22/2009	PW-8	Specific Conductance	FALSE	543		0	0	umhos/cm		4/22/2009	0
4/22/2009	PW-8	Total Dissolved Solids (TDS)	FALSE	323		10	50	mg/L		4/23/2009	0
4/22/2009	PW-8	Total Organic Carbon (TOC)	FALSE	2.6		0.2	1	mg/L		4/28/2009	0
4/22/2009	PW-8	Sulfate	FALSE	90.44		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	PW-8	Dissolved Chromium	FALSE	0.002	J	0.001	0.005	mg/L		5/5/2009	0
4/22/2009	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	PW-8	Temperature	FALSE	16.15		0	0	Degrees C		4/22/2009	0
4/22/2009	PW-8	Sample Time	FALSE	1439		0	0	hours			0
4/22/2009	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		4/23/2009	0
4/22/2009	TRIP BLANK	Total Organic Carbon (TOC)	FALSE	0.3	J	0.2	1	mg/L		4/28/2009	0
4/22/2009	TRIP BLANK	Sulfate	FALSE	0.31		0.06	0.3	mg/L		5/1/2009	0
4/22/2009	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		5/5/2009	0
4/22/2009	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2009	0
4/22/2009	TRIP BLANK	Sample Time	FALSE	800		0	0	hours			0
10/27/2009	FIELD BLANK	pH	FALSE	6.83		0	0	S.U.		10/27/2009	0
10/27/2009	FIELD BLANK	Specific Conductance	FALSE	3		0	0	Umhos/cm		10/27/2009	0
10/27/2009	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		10/29/2009	0
10/27/2009	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		10/28/2009	0
10/27/2009	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		11/3/2009	0
10/27/2009	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/30/2009	0
10/27/2009	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/3/2009	0
10/27/2009	FIELD BLANK	Temperature	FALSE	17.15		0	0	Degrees C		10/27/2009	0
10/27/2009	FIELD BLANK	Sample Time	FALSE	1100		0	0	Hours		10/27/2009	0
10/27/2009	PW-1	Static Water Level	FALSE	355.22		0	0	Feet msl		10/27/2009	0
10/27/2009	PW-1	pH	FALSE	6.26		0	0	S.U.		10/27/2009	0
10/27/2009	PW-1	Specific Conductance	FALSE	507		0	0	Umhos/cm		10/27/2009	0
10/27/2009	PW-1	Total Dissolved Solids (TDS)	FALSE	353		10	50	mg/L		10/29/2009	0
10/27/2009	PW-1	Total Organic Carbon (TOC)	FALSE	2		0.2	1	mg/L		10/28/2009	0
10/27/2009	PW-1	Sulfate	FALSE	148.12		0.06	0.3	mg/L		11/3/2009	0
10/27/2009	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/30/2009	0
10/27/2009	PW-1	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/3/2009	0
10/27/2009	PW-1	Temperature	FALSE	17.57		0	0	Degrees C		10/27/2009	0
10/27/2009	PW-1	Sample Time	FALSE	1127		0	0	Hours		10/27/2009	0
10/27/2009	PW-2	Static Water Level	FALSE	355.33		0	0	Feet msl		10/27/2009	0
10/27/2009	PW-2	pH	FALSE	5.61		0	0	S.U.		10/27/2009	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/27/2009	PW-2	Specific Conductance	FALSE	90		0		0 Umhos/cm		10/27/2009	0
10/27/2009	PW-2	Total Dissolved Solids (TDS)	FALSE	118		10		50 mg/L		10/29/2009	0
10/27/2009	PW-2	Total Organic Carbon (TOC)	FALSE	0.4	J	0.2		1 mg/L		10/28/2009	0
10/27/2009	PW-2	Sulfate	FALSE	0.59		0.06		0.3 mg/L		11/3/2009	0
10/27/2009	PW-2	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		10/30/2009	0
10/27/2009	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/3/2009	0
10/27/2009	PW-2	Temperature	FALSE	18.26		0		0 Degrees C		10/27/2009	0
10/27/2009	PW-2	Sample Time	FALSE	1035		0		0 Hours		10/27/2009	0
10/27/2009	PW-3	Static Water Level	FALSE	349.16		0		0 Feet msl		10/27/2009	0
10/27/2009	PW-3	pH	FALSE	5.43		0		0 S.U.		10/27/2009	0
10/27/2009	PW-3	Specific Conductance	FALSE	158		0		0 Umhos/cm		10/27/2009	0
10/27/2009	PW-3	Total Dissolved Solids (TDS)	FALSE	148		10		50 mg/L		10/29/2009	0
10/27/2009	PW-3	Total Organic Carbon (TOC)	FALSE	1		0.2		1 mg/L		10/28/2009	0
10/27/2009	PW-3	Sulfate	FALSE	28.8		0.06		0.3 mg/L		11/3/2009	0
10/27/2009	PW-3	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L		10/30/2009	0
10/27/2009	PW-3	Dissolved Manganese	FALSE	0.02	J	0.02		0.1 mg/L		11/3/2009	0
10/27/2009	PW-3	Temperature	FALSE	16.55		0		0 Degrees C		10/27/2009	0
10/27/2009	PW-3	Sample Time	FALSE	1202		0		0 Hours		10/27/2009	0
10/27/2009	PW-4	Static Water Level	FALSE	342.49		0		0 Feet msl		10/27/2009	0
10/27/2009	PW-4	pH	FALSE	5.97		0		0 S.U.		10/27/2009	0
10/27/2009	PW-4	Specific Conductance	FALSE	288		0		0 Umhos/cm		10/27/2009	0
10/27/2009	PW-4	Total Dissolved Solids (TDS)	FALSE	198.5		10		50 mg/L		10/29/2009	0
10/27/2009	PW-4	Total Organic Carbon (TOC)	FALSE	1.8		0.2		1 mg/L		10/28/2009	0
10/27/2009	PW-4	Sulfate	FALSE	3.71		0.06		0.3 mg/L		11/3/2009	0
10/27/2009	PW-4	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L		10/30/2009	0
10/27/2009	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/3/2009	0
10/27/2009	PW-4	Temperature	FALSE	16.67		0		0 Degrees C		10/27/2009	0
10/27/2009	PW-4	Sample Time	FALSE	1234		0		0 Hours		10/27/2009	0
10/27/2009	PW-5	Static Water Level	FALSE	343.91		0		0 Feet msl		10/27/2009	0
10/27/2009	PW-5	pH	FALSE	6.16		0		0 S.U.		10/27/2009	0
10/27/2009	PW-5	Specific Conductance	FALSE	811		0		0 Umhos/cm		10/27/2009	0
10/27/2009	PW-5	Total Dissolved Solids (TDS)	FALSE	520		10		50 mg/L		10/29/2009	0
10/27/2009	PW-5	Total Organic Carbon (TOC)	FALSE	2.1		0.2		1 mg/L		10/28/2009	0
10/27/2009	PW-5	Sulfate	FALSE	163.21		0.06		0.3 mg/L		11/3/2009	0
10/27/2009	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L		10/30/2009	0
10/27/2009	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/3/2009	0
10/27/2009	PW-5	Temperature	FALSE	16.47		0		0 Degrees C		10/27/2009	0
10/27/2009	PW-5	Sample Time	FALSE	1331		0		0 Hours		10/27/2009	0
10/27/2009	PW-6	Static Water Level	FALSE	341.67		0		0 Feet msl		10/27/2009	0
10/27/2009	PW-6	pH	FALSE	6.15		0		0 S.U.		10/27/2009	0
10/27/2009	PW-6	Specific Conductance	FALSE	475		0		0 Umhos/cm		10/27/2009	0
10/27/2009	PW-6	Total Dissolved Solids (TDS)	FALSE	353		10		50 mg/L		10/29/2009	0
10/27/2009	PW-6	Total Organic Carbon (TOC)	FALSE	1.5		0.2		1 mg/L		10/28/2009	0
10/27/2009	PW-6	Sulfate	FALSE	124.46		0.06		0.3 mg/L		11/3/2009	0
10/27/2009	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		10/30/2009	0
10/27/2009	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/3/2009	0
10/27/2009	PW-6	Temperature	FALSE	16.41		0		0 Degrees C		10/27/2009	0
10/27/2009	PW-6	Sample Time	FALSE	1302		0		0 Hours		10/27/2009	0
10/27/2009	PW-6 DUP	Static Water Level	FALSE	341.67		0		0 Feet msl		10/27/2009	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/27/2009	PW-6 DUP	pH	FALSE	6.2		0	0	S.U.		10/27/2009	0
10/27/2009	PW-6 DUP	Specific Conductance	FALSE	473		0	0	Umhos/cm		10/27/2009	0
10/27/2009	PW-6 DUP	Total Dissolved Solids (TDS)	FALSE	361.8		10	50	mg/L		10/29/2009	0
10/27/2009	PW-6 DUP	Total Organic Carbon (TOC)	FALSE	0.6	J	0.2	1	mg/L		10/28/2009	0
10/27/2009	PW-6 DUP	Sulfate	FALSE	126.3		0.06	0.3	mg/L		11/3/2009	0
10/27/2009	PW-6 DUP	Dissolved Chromium	FALSE	0.007		0.001	0.005	mg/L		10/30/2009	0
10/27/2009	PW-6 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/3/2009	0
10/27/2009	PW-6 DUP	Temperature	FALSE	16.41		0	0	Degrees C		10/27/2009	0
10/27/2009	PW-6 DUP	Sample Time	FALSE	1110		0	0	Hours		10/27/2009	0
10/27/2009	PW-7	Static Water Level	FALSE	344.22		0	0	Feet msl		10/27/2009	0
10/27/2009	PW-7	pH	FALSE	6.27		0	0	S.U.		10/27/2009	0
10/27/2009	PW-7	Specific Conductance	FALSE	295		0	0	Umhos/cm		10/27/2009	0
10/27/2009	PW-7	Total Dissolved Solids (TDS)	FALSE	235.5		10	50	mg/L		10/29/2009	0
10/27/2009	PW-7	Total Organic Carbon (TOC)	FALSE	1.1		0.2	1	mg/L		10/28/2009	0
10/27/2009	PW-7	Sulfate	FALSE	70.83		0.06	0.3	mg/L		11/3/2009	0
10/27/2009	PW-7	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L		10/30/2009	0
10/27/2009	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/3/2009	0
10/27/2009	PW-7	Temperature	FALSE	15.82		0	0	Degrees C		10/27/2009	0
10/27/2009	PW-7	Sample Time	FALSE	1355		0	0	Hours		10/27/2009	0
10/27/2009	PW-8	Static Water Level	FALSE	345.34		0	0	Feet msl		10/27/2009	0
10/27/2009	PW-8	pH	FALSE	6.1		0	0	S.U.		10/27/2009	0
10/27/2009	PW-8	Specific Conductance	FALSE	557		0	0	Umhos/cm		10/27/2009	0
10/27/2009	PW-8	Total Dissolved Solids (TDS)	FALSE	384.5		10	50	mg/L		10/29/2009	0
10/27/2009	PW-8	Total Organic Carbon (TOC)	FALSE	0.7	J	0.2	1	mg/L		10/28/2009	0
10/27/2009	PW-8	Sulfate	FALSE	99.77		0.06	0.3	mg/L		11/3/2009	0
10/27/2009	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		10/30/2009	0
10/27/2009	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/3/2009	0
10/27/2009	PW-8	Temperature	FALSE	16.74		0	0	Degrees C		10/27/2009	0
10/27/2009	PW-8	Sample Time	FALSE	1410		0	0	Hours		10/27/2009	0
10/27/2009	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		10/29/2009	0
10/27/2009	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		10/28/2009	0
10/27/2009	TRIP BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		11/3/2009	0
10/27/2009	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/30/2009	0
10/27/2009	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/3/2009	0
4/20/2010	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		4/22/2010	0
4/20/2010	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		4/27/2010	0
4/20/2010	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	FIELD BLANK	Sample Time	FALSE	1040		0	0	hours			0
4/20/2010	PW-1	Static Water Level	FALSE	359.74		0	0	feet msl			0
4/20/2010	PW-1	pH	FALSE	6.01		0	0	S.U.			0
4/20/2010	PW-1	Specific Conductance	FALSE	500		0	0	umhos/cm			0
4/20/2010	PW-1	Total Dissolved Solids (TDS)	FALSE	346.5		10	50	mg/L		4/22/2010	0
4/20/2010	PW-1	Total Organic Carbon (TOC)	FALSE	1.9		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-1	Sulfate	FALSE	136.02		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-1	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-1	Temperature	FALSE	17.64		0	0	Degrees C			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/20/2010	PW-1	Sample Time	FALSE	1154		0	0	hours			0
4/20/2010	PW-2	Static Water Level	FALSE	358.53		0	0	feet msl			0
4/20/2010	PW-2	pH	FALSE	5.99		0	0	S.U.			0
4/20/2010	PW-2	Specific Conductance	FALSE	96		0	0	umhos/cm			0
4/20/2010	PW-2	Total Dissolved Solids (TDS)	FALSE	103.5		10	50	mg/L		4/22/2010	0
4/20/2010	PW-2	Total Organic Carbon (TOC)	FALSE	0.5 J,B		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-2	Sulfate	FALSE	0.56		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-2	Dissolved Chromium	FALSE	0.013		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-2	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-2	Temperature	FALSE	18.56		0	0	Degrees C			0
4/20/2010	PW-2	Sample Time	FALSE	1135		0	0	hours			0
4/20/2010	PW-3	Static Water Level	FALSE	353.15		0	0	feet msl			0
4/20/2010	PW-3	pH	FALSE	5.47		0	0	S.U.			0
4/20/2010	PW-3	Specific Conductance	FALSE	168		0	0	umhos/cm			0
4/20/2010	PW-3	Total Dissolved Solids (TDS)	FALSE	154		10	50	mg/L		4/22/2010	0
4/20/2010	PW-3	Total Organic Carbon (TOC)	FALSE	1.7		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-3	Sulfate	FALSE	30.78		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-3	Dissolved Chromium	FALSE	0.02		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-3	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-3	Temperature	FALSE	16.76		0	0	Degrees C			0
4/20/2010	PW-3	Sample Time	FALSE	1120		0	0	hours			0
4/20/2010	PW-4	Static Water Level	FALSE	346.71		0	0	feet msl			0
4/20/2010	PW-4	pH	FALSE	6.7		0	0	S.U.			0
4/20/2010	PW-4	Specific Conductance	FALSE	279		0	0	umhos/cm			0
4/20/2010	PW-4	Total Dissolved Solids (TDS)	FALSE	210		10	50	mg/L		4/22/2010	0
4/20/2010	PW-4	Total Organic Carbon (TOC)	FALSE	1.1		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-4	Sulfate	FALSE	2.84		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-4	Dissolved Chromium	FALSE	0.018		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-4	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-4	Temperature	FALSE	16.68		0	0	Degrees C			0
4/20/2010	PW-4	Sample Time	FALSE	1220		0	0	hours			0
4/20/2010	PW-4 DUP	Static Water Level	FALSE	346.71		0	0	feet msl			0
4/20/2010	PW-4 DUP	pH	FALSE	6.76		0	0	S.U.			0
4/20/2010	PW-4 DUP	Specific Conductance	FALSE	280		0	0	umhos/cm			0
4/20/2010	PW-4 DUP	Total Dissolved Solids (TDS)	FALSE	202.2		10	50	mg/L		4/22/2010	0
4/20/2010	PW-4 DUP	Total Organic Carbon (TOC)	FALSE	1.1		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-4 DUP	Sulfate	FALSE	2.74		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-4 DUP	Dissolved Chromium	FALSE	0.019		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-4 DUP	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-4 DUP	Temperature	FALSE	16.66		0	0	Degrees C			0
4/20/2010	PW-4 DUP	Sample Time	FALSE	1225		0	0	hours			0
4/20/2010	PW-5	Static Water Level	FALSE	348.01		0	0	feet msl			0
4/20/2010	PW-5	pH	FALSE	7.34		0	0	S.U.			0
4/20/2010	PW-5	Specific Conductance	FALSE	731		0	0	umhos/cm			0
4/20/2010	PW-5	Total Dissolved Solids (TDS)	FALSE	492.5		10	50	mg/L		4/22/2010	0
4/20/2010	PW-5	Total Organic Carbon (TOC)	FALSE	1.6		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-5	Sulfate	FALSE	135.91		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-5	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/20/2010	PW-5	Temperature	FALSE	15.53		0	0	Degrees C			0
4/20/2010	PW-5	Sample Time	FALSE	1250		0	0	hours			0
4/20/2010	PW-6	Static Water Level	FALSE	345.95		0	0	feet msl			0
4/20/2010	PW-6	pH	FALSE	6.04		0	0	S.U.			0
4/20/2010	PW-6	Specific Conductance	FALSE	449		0	0	umhos/cm			0
4/20/2010	PW-6	Total Dissolved Solids (TDS)	FALSE	304		10	50	mg/L		4/22/2010	0
4/20/2010	PW-6	Total Organic Carbon (TOC)	FALSE	1.9		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-6	Sulfate	FALSE	107.62		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-6	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-6	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-6	Temperature	FALSE	16.43		0	0	Degrees C			0
4/20/2010	PW-6	Sample Time	FALSE	1250		0	0	hours			0
4/20/2010	PW-7	Static Water Level	FALSE	348.59		0	0	feet msl			0
4/20/2010	PW-7	pH	FALSE	7.81		0	0	S.U.			0
4/20/2010	PW-7	Specific Conductance	FALSE	306		0	0	umhos/cm			0
4/20/2010	PW-7	Total Dissolved Solids (TDS)	FALSE	215.5		10	50	mg/L		4/22/2010	0
4/20/2010	PW-7	Total Organic Carbon (TOC)	FALSE	1.4		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-7	Sulfate	FALSE	65.04		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-7	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-7	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-7	Temperature	FALSE	15.2		0	0	Degrees C			0
4/20/2010	PW-7	Sample Time	FALSE	1320		0	0	hours			0
4/20/2010	PW-8	Static Water Level	FALSE	349.98		0	0	feet msl			0
4/20/2010	PW-8	pH	FALSE	7.16		0	0	S.U.			0
4/20/2010	PW-8	Specific Conductance	FALSE	575		0	0	umhos/cm			0
4/20/2010	PW-8	Total Dissolved Solids (TDS)	FALSE	376		10	50	mg/L		4/22/2010	0
4/20/2010	PW-8	Total Organic Carbon (TOC)	FALSE	2.7		0.2	1	mg/L		4/27/2010	0
4/20/2010	PW-8	Sulfate	FALSE	96.25		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	PW-8	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
4/20/2010	PW-8	Temperature	FALSE	16.35		0	0	Degrees C			0
4/20/2010	PW-8	Sample Time	FALSE	1330		0	0	hours			0
4/20/2010	TRIP BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		4/22/2010	0
4/20/2010	TRIP BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		4/27/2010	0
4/20/2010	TRIP BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		4/29/2010	0
4/20/2010	TRIP BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		5/4/2010	0
4/20/2010	TRIP BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		4/28/2010	0
10/6/2010	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	50	mg/L		10/12/2010	0
10/6/2010	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.4 J		0.2	1	mg/L		10/11/2010	0
10/6/2010	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		10/28/2010	0
10/6/2010	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		10/20/2010	0
10/6/2010	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.1	mg/L		11/4/2010	0
10/6/2010	FIELD BLANK	Sample Time	FALSE	1110		0	0	Hours		10/6/2010	0
10/6/2010	PW-1	Static Water Level	FALSE	356.14		0	0	feet msl		10/6/2010	0
10/6/2010	PW-1	pH	FALSE	6.14		0	0	S.U.		10/6/2010	0
10/6/2010	PW-1	Specific Conductance	FALSE	605		0	0	umhos/cm		10/6/2010	0
10/6/2010	PW-1	Total Dissolved Solids (TDS)	FALSE	437.5		10	50	mg/L		10/12/2010	0
10/6/2010	PW-1	Total Organic Carbon (TOC)	FALSE	1.6 B		0.2	1	mg/L		10/11/2010	0
10/6/2010	PW-1	Sulfate	FALSE	129.52		0.06	0.3	mg/L		10/28/2010	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/6/2010	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-1	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-1	Temperature	FALSE	17.6		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-1	Sample Time	FALSE	1040		0		0 Hours		10/6/2010	0
10/6/2010	PW-1 DUP	Static Water Level	FALSE	356.14		0		0 feet msl		10/6/2010	0
10/6/2010	PW-1 DUP	pH	FALSE	6.13		0		0 S.U.		10/6/2010	0
10/6/2010	PW-1 DUP	Specific Conductance	FALSE	605		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	425.5		10		50 mg/L		10/12/2010	0
10/6/2010	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	1.4 B		0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-1 DUP	Sulfate	FALSE	130.41		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-1 DUP	Temperature	FALSE	17.61		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-1 DUP	Sample Time	FALSE	1045		0		0 Hours		10/6/2010	0
10/6/2010	PW-2	Static Water Level	FALSE	355.88		0		0 feet msl		10/6/2010	0
10/6/2010	PW-2	pH	FALSE	5.8		0		0 S.U.		10/6/2010	0
10/6/2010	PW-2	Specific Conductance	FALSE	88		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-2	Total Dissolved Solids (TDS)	FALSE	118		10		50 mg/L		10/12/2010	0
10/6/2010	PW-2	Total Organic Carbon (TOC)	FALSE	0.9 J,B		0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-2	Sulfate	FALSE	0.54		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-2	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-2	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-2	Temperature	FALSE	18.4		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-2	Sample Time	FALSE	1150		0		0 Hours		10/6/2010	0
10/6/2010	PW-3	Static Water Level	FALSE	350.34		0		0 feet msl		10/6/2010	0
10/6/2010	PW-3	pH	FALSE	5.2		0		0 S.U.		10/6/2010	0
10/6/2010	PW-3	Specific Conductance	FALSE	173		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-3	Total Dissolved Solids (TDS)	FALSE	159		10		50 mg/L		10/12/2010	0
10/6/2010	PW-3	Total Organic Carbon (TOC)	FALSE	1.6 B		0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-3	Sulfate	FALSE	32.86		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-3	Dissolved Chromium	FALSE	0.015		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-3	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-3	Temperature	FALSE	16.65		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-3	Sample Time	FALSE	1212		0		0 Hours		10/6/2010	0
10/6/2010	PW-4	Static Water Level	FALSE	344.19		0		0 feet msl		10/6/2010	0
10/6/2010	PW-4	pH	FALSE	6.03		0		0 S.U.		10/6/2010	0
10/6/2010	PW-4	Specific Conductance	FALSE	296		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-4	Total Dissolved Solids (TDS)	FALSE	218		10		50 mg/L		10/12/2010	0
10/6/2010	PW-4	Total Organic Carbon (TOC)	FALSE	1.8 B		0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-4	Sulfate	FALSE	2.72		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-4	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-4	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-4	Temperature	FALSE	16.82		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-4	Sample Time	FALSE	1245		0		0 Hours		10/6/2010	0
10/6/2010	PW-5	Static Water Level	FALSE	345.16		0		0 feet msl		10/6/2010	0
10/6/2010	PW-5	pH	FALSE	6.3		0		0 S.U.		10/6/2010	0
10/6/2010	PW-5	Specific Conductance	FALSE	781		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-5	Total Dissolved Solids (TDS)	FALSE	592		10		50 mg/L		10/12/2010	0
10/6/2010	PW-5	Total Organic Carbon (TOC)	FALSE	2		0.2		1 mg/L		10/11/2010	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/6/2010	PW-5	Sulfate	FALSE	134.21		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-5	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-5	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-5	Temperature	FALSE	16.5		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-5	Sample Time	FALSE	1227		0		0 Hours		10/6/2010	0
10/6/2010	PW-6	Static Water Level	FALSE	342.75		0		0 feet msl		10/6/2010	0
10/6/2010	PW-6	pH	FALSE	6.03		0		0 S.U.		10/6/2010	0
10/6/2010	PW-6	Specific Conductance	FALSE	472		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-6	Total Dissolved Solids (TDS)	FALSE	344.5		10		50 mg/L		10/12/2010	0
10/6/2010	PW-6	Total Organic Carbon (TOC)	FALSE	1.9	B	0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-6	Sulfate	FALSE	104.56		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-6	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-6	Temperature	FALSE	16.44		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-6	Sample Time	FALSE	1307		0		0 Hours		10/6/2010	0
10/6/2010	PW-7	Static Water Level	FALSE	345.22		0		0 feet msl		10/6/2010	0
10/6/2010	PW-7	pH	FALSE	6.46		0		0 S.U.		10/6/2010	0
10/6/2010	PW-7	Specific Conductance	FALSE	315		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-7	Total Dissolved Solids (TDS)	FALSE	251		10		50 mg/L		10/12/2010	0
10/6/2010	PW-7	Total Organic Carbon (TOC)	FALSE	1.5	B	0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-7	Sulfate	FALSE	65.41		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-7	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-7	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-7	Temperature	FALSE	16.08		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-7	Sample Time	FALSE	1400		0		0 Hours		10/6/2010	0
10/6/2010	PW-8	Static Water Level	FALSE	346.03		0		0 feet msl		10/6/2010	0
10/6/2010	PW-8	pH	FALSE	6.33		0		0 S.U.		10/6/2010	0
10/6/2010	PW-8	Specific Conductance	FALSE	574		0		0 umhos/cm		10/6/2010	0
10/6/2010	PW-8	Total Dissolved Solids (TDS)	FALSE	432		10		50 mg/L		10/12/2010	0
10/6/2010	PW-8	Total Organic Carbon (TOC)	FALSE	2.6		0.2		1 mg/L		10/11/2010	0
10/6/2010	PW-8	Sulfate	FALSE	87.43		0.06		0.3 mg/L		10/28/2010	0
10/6/2010	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L		10/20/2010	0
10/6/2010	PW-8	Dissolved Manganese	TRUE	0		0.02		0.1 mg/L		11/4/2010	0
10/6/2010	PW-8	Temperature	FALSE	16.85		0		0 Degrees C		10/6/2010	0
10/6/2010	PW-8	Sample Time	FALSE	1430		0		0 Hours		10/6/2010	0
4/19/2011	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		4/25/2011	0
4/19/2011	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.3	J	0.2		1 mg/L		4/28/2011	0
4/19/2011	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		5/11/2011	0
4/19/2011	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/10/2011	0
4/19/2011	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/10/2011	0
4/19/2011	FIELD BLANK	Sample Time	FALSE	1030		0		0 hours			0
4/19/2011	PW-1	Static Water Level	FALSE	358.14		0		0 feet msl		4/19/2011	0
4/19/2011	PW-1	pH	FALSE	6.2		0		0 S.U.		4/19/2011	0
4/19/2011	PW-1	Specific Conductance	FALSE	738		0		0 umhos/cm		4/19/2011	0
4/19/2011	PW-1	Total Dissolved Solids (TDS)	FALSE	541		10		10 mg/L		4/25/2011	0
4/19/2011	PW-1	Total Organic Carbon (TOC)	FALSE	3.4		0.2		1 mg/L		4/28/2011	0
4/19/2011	PW-1	Sulfate	FALSE	137.28		0.06		0.3 mg/L		5/11/2011	0
4/19/2011	PW-1	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		5/10/2011	0
4/19/2011	PW-1	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/10/2011	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2011	PW-1	Temperature	FALSE	17.76		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-1	Sample Time	FALSE	1205		0	0	hours			0
4/19/2011	PW-2	Static Water Level	FALSE	356.76		0	0	feet msl		4/19/2011	0
4/19/2011	PW-2	pH	FALSE	5.81		0	0	S.U.		4/19/2011	0
4/19/2011	PW-2	Specific Conductance	FALSE	86		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-2	Total Dissolved Solids (TDS)	FALSE	108.5		10	10	mg/L		4/25/2011	0
4/19/2011	PW-2	Total Organic Carbon (TOC)	FALSE	0.9 J,B		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-2	Sulfate	FALSE	0.66		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-2	Dissolved Chromium	FALSE	0.015		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-2	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-2	Temperature	FALSE	18.66		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-2	Sample Time	FALSE	1152		0	0	hours			0
4/19/2011	PW-3	Static Water Level	FALSE	351.26		0	0	feet msl		4/19/2011	0
4/19/2011	PW-3	pH	FALSE	6.62		0	0	S.U.		4/19/2011	0
4/19/2011	PW-3	Specific Conductance	FALSE	180		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-3	Total Dissolved Solids (TDS)	FALSE	171		10	10	mg/L		4/25/2011	0
4/19/2011	PW-3	Total Organic Carbon (TOC)	FALSE	3.6		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-3	Sulfate	FALSE	38.09		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-3	Dissolved Chromium	FALSE	0.021		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-3	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-3	Temperature	FALSE	16.96		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-3	Sample Time	FALSE	1222		0	0	hours			0
4/19/2011	PW-4	Static Water Level	FALSE	345.89		0	0	feet msl		4/19/2011	0
4/19/2011	PW-4	pH	FALSE	6.03		0	0	S.U.		4/19/2011	0
4/19/2011	PW-4	Specific Conductance	FALSE	287		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-4	Total Dissolved Solids (TDS)	FALSE	222		10	10	mg/L		4/25/2011	0
4/19/2011	PW-4	Total Organic Carbon (TOC)	FALSE	2.9		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-4	Sulfate	FALSE	2.38		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-4	Dissolved Chromium	FALSE	0.019		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-4	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-4	Temperature	FALSE	17.08		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-4	Sample Time	FALSE	1303		0	0	hours			0
4/19/2011	PW-4 DUP	pH	FALSE	6.04		0	0	S.U.		4/19/2011	0
4/19/2011	PW-4 DUP	Specific Conductance	FALSE	291		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-4 DUP	Total Dissolved Solids (TDS)	FALSE	232.5		10	10	mg/L		4/25/2011	0
4/19/2011	PW-4 DUP	Total Organic Carbon (TOC)	FALSE	2.8		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-4 DUP	Sulfate	FALSE	2.46		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-4 DUP	Dissolved Chromium	FALSE	0.017		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-4 DUP	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-4 DUP	Temperature	FALSE	16.89		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-4 DUP	Sample Time	FALSE	1309		0	0	hours			0
4/19/2011	PW-5	Static Water Level	FALSE	347.31		0	0	feet msl		4/19/2011	0
4/19/2011	PW-5	pH	FALSE	6.33		0	0	S.U.		4/19/2011	0
4/19/2011	PW-5	Specific Conductance	FALSE	725		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-5	Total Dissolved Solids (TDS)	FALSE	517		10	10	mg/L		4/25/2011	0
4/19/2011	PW-5	Total Organic Carbon (TOC)	FALSE	3.6		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-5	Sulfate	FALSE	128.49		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-5	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2011	PW-5	Temperature	FALSE	16.12		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-5	Sample Time	FALSE	1220		0	0	hours			0
4/19/2011	PW-6	Static Water Level	FALSE	345.11		0	0	feet msl		4/19/2011	0
4/19/2011	PW-6	pH	FALSE	6.18		0	0	S.U.		4/19/2011	0
4/19/2011	PW-6	Specific Conductance	FALSE	470		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-6	Total Dissolved Solids (TDS)	FALSE	366.5		10	10	mg/L		4/25/2011	0
4/19/2011	PW-6	Total Organic Carbon (TOC)	FALSE	3.4		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-6	Sulfate	FALSE	111		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-6	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-6	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-6	Temperature	FALSE	16.67		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-6	Sample Time	FALSE	1355		0	0	hours			0
4/19/2011	PW-7	Static Water Level	FALSE	347.63		0	0	feet msl		4/19/2011	0
4/19/2011	PW-7	pH	FALSE	6.79		0	0	S.U.		4/19/2011	0
4/19/2011	PW-7	Specific Conductance	FALSE	315		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-7	Total Dissolved Solids (TDS)	FALSE	249.5		10	10	mg/L		4/25/2011	0
4/19/2011	PW-7	Total Organic Carbon (TOC)	FALSE	2.5		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-7	Sulfate	FALSE	69.66		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-7	Dissolved Chromium	FALSE	0.009		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-7	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-7	Temperature	FALSE	15.45		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-7	Sample Time	FALSE	1310		0	0	hours			0
4/19/2011	PW-8	Static Water Level	FALSE	348.64		0	0	feet msl		4/19/2011	0
4/19/2011	PW-8	pH	FALSE	6.33		0	0	S.U.		4/19/2011	0
4/19/2011	PW-8	Specific Conductance	FALSE	579		0	0	umhos/cm		4/19/2011	0
4/19/2011	PW-8	Total Dissolved Solids (TDS)	FALSE	439.5		10	10	mg/L		4/25/2011	0
4/19/2011	PW-8	Total Organic Carbon (TOC)	FALSE	4.7		0.2	1	mg/L		4/28/2011	0
4/19/2011	PW-8	Sulfate	FALSE	91.55		0.06	0.3	mg/L		5/11/2011	0
4/19/2011	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001	0.005	mg/L		5/10/2011	0
4/19/2011	PW-8	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/10/2011	0
4/19/2011	PW-8	Temperature	FALSE	16.53		0	0	Degrees C		4/19/2011	0
4/19/2011	PW-8	Sample Time	FALSE	1325		0	0	hours			0
12/5/2011	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		12/6/2011	0
12/5/2011	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	1		0.2	1	mg/L		12/12/2011	0
12/5/2011	FIELD BLANK	Sulfate	FALSE	0.09 J		0.06	0.3	mg/L		12/16/2011	0
12/5/2011	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		12/21/2011	0
12/5/2011	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/29/2011	0
12/5/2011	PW-1	Static Water Level	FALSE	357.74		0	0	Feet msl		12/5/2011	0
12/5/2011	PW-1	pH	FALSE	6.18		0	0	S.U.		12/5/2011	0
12/5/2011	PW-1	Specific Conductance	FALSE	1240		0	0	umhos/cm		12/5/2011	0
12/5/2011	PW-1	Total Dissolved Solids (TDS)	FALSE	808.5		10	10	mg/L		12/6/2011	0
12/5/2011	PW-1	Total Organic Carbon (TOC)	FALSE	3		0.2	1	mg/L		12/12/2011	0
12/5/2011	PW-1	Sulfate	FALSE	167		0.06	0.3	mg/L		12/16/2011	0
12/5/2011	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001	0.005	mg/L		12/21/2011	0
12/5/2011	PW-1	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/29/2011	0
12/5/2011	PW-1	Temperature	FALSE	17.69		0	0	Degrees C		12/5/2011	0
12/5/2011	PW-1	Sample Time	FALSE	1240		0	0	Hours		12/5/2011	0
12/5/2011	PW-1 DUP	Static Water Level	FALSE	357.54		0	0	Feet msl		12/5/2011	0
12/5/2011	PW-1 DUP	pH	FALSE	6.19		0	0	S.U.		12/5/2011	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/5/2011	PW-1 DUP	Specific Conductance	FALSE	1236		0		0 umhos/cm		12/5/2011	0
12/5/2011	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	815.5		10		10 mg/L		12/6/2011	0
12/5/2011	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	2.7		0.2		1 mg/L		12/12/2011	0
12/5/2011	PW-1 DUP	Sulfate	FALSE	172.88		0.06		0.3 mg/L		12/16/2011	0
12/5/2011	PW-1 DUP	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		12/21/2011	0
12/5/2011	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/29/2011	0
12/5/2011	PW-1 DUP	Temperature	FALSE	17.7		0		0 Degrees C		12/5/2011	0
12/5/2011	PW-1 DUP	Sample Time	FALSE	1245		0		0 Hours		12/5/2011	0
12/5/2011	PW-2	Static Water Level	FALSE	355.83		0		0 Feet msl		12/5/2011	0
12/5/2011	PW-2	pH	FALSE	5.91		0		0 S.U.		12/5/2011	0
12/5/2011	PW-2	Specific Conductance	FALSE	79		0		0 umhos/cm		12/5/2011	0
12/5/2011	PW-2	Total Dissolved Solids (TDS)	FALSE	99.5		10		10 mg/L		12/6/2011	0
12/5/2011	PW-2	Total Organic Carbon (TOC)	FALSE	1		0.2		1 mg/L		12/12/2011	0
12/5/2011	PW-2	Sulfate	FALSE	1.05		0.06		0.3 mg/L		12/16/2011	0
12/5/2011	PW-2	Dissolved Chromium	FALSE	0.015		0.001		0.005 mg/L		12/21/2011	0
12/5/2011	PW-2	Dissolved Manganese	FALSE	0.02 J		0.02		0.05 mg/L		12/29/2011	0
12/5/2011	PW-2	Temperature	FALSE	18.29		0		0 Degrees C		12/5/2011	0
12/5/2011	PW-2	Sample Time	FALSE	1230		0		0 Hours		12/5/2011	0
12/5/2011	PW-3	Static Water Level	FALSE	350.51		0		0 Feet msl		12/5/2011	0
12/5/2011	PW-3	pH	FALSE	5.49		0		0 S.U.		12/5/2011	0
12/5/2011	PW-3	Specific Conductance	FALSE	195		0		0 umhos/cm		12/5/2011	0
12/5/2011	PW-3	Total Dissolved Solids (TDS)	FALSE	177		10		10 mg/L		12/6/2011	0
12/5/2011	PW-3	Total Organic Carbon (TOC)	FALSE	2.9		0.2		1 mg/L		12/12/2011	0
12/5/2011	PW-3	Sulfate	FALSE	42.03		0.06		0.3 mg/L		12/16/2011	0
12/5/2011	PW-3	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L		12/21/2011	0
12/5/2011	PW-3	Dissolved Manganese	FALSE	0.03 J		0.02		0.05 mg/L		12/29/2011	0
12/5/2011	PW-3	Temperature	FALSE	16.55		0		0 Degrees C		12/5/2011	0
12/5/2011	PW-3	Sample Time	FALSE	1245		0		0 Hours		12/5/2011	0
12/5/2011	PW-4	Static Water Level	FALSE	344.89		0		0 Feet msl		12/5/2011	0
12/5/2011	PW-4	pH	FALSE	6.01		0		0 S.U.		12/5/2011	0
12/5/2011	PW-4	Specific Conductance	FALSE	306		0		0 umhos/cm		12/5/2011	0
12/5/2011	PW-4	Total Dissolved Solids (TDS)	FALSE	217.5		10		10 mg/L		12/6/2011	0
12/5/2011	PW-4	Total Organic Carbon (TOC)	FALSE	2.7		0.2		1 mg/L		12/12/2011	0
12/5/2011	PW-4	Sulfate	FALSE	2.65		0.06		0.3 mg/L		12/16/2011	0
12/5/2011	PW-4	Dissolved Chromium	FALSE	0.019		0.001		0.005 mg/L		12/21/2011	0
12/5/2011	PW-4	Dissolved Manganese	FALSE	0.03 J		0.02		0.05 mg/L		12/29/2011	0
12/5/2011	PW-4	Temperature	FALSE	16.69		0		0 Degrees C		12/5/2011	0
12/5/2011	PW-4	Sample Time	FALSE	1335		0		0 Hours		12/5/2011	0
12/5/2011	PW-5	Static Water Level	FALSE	346.36		0		0 Feet msl		12/5/2011	0
12/5/2011	PW-5	pH	FALSE	6.22		0		0 S.U.		12/5/2011	0
12/5/2011	PW-5	Specific Conductance	FALSE	703		0		0 umhos/cm		12/5/2011	0
12/5/2011	PW-5	Total Dissolved Solids (TDS)	FALSE	523		10		10 mg/L		12/6/2011	0
12/5/2011	PW-5	Total Organic Carbon (TOC)	FALSE	2.8		0.2		1 mg/L		12/12/2011	0
12/5/2011	PW-5	Sulfate	FALSE	145.57		0.06		0.3 mg/L		12/16/2011	0
12/5/2011	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		12/21/2011	0
12/5/2011	PW-5	Dissolved Manganese	FALSE	0.02 J		0.02		0.05 mg/L		12/29/2011	0
12/5/2011	PW-5	Temperature	FALSE	16.37		0		0 Degrees C		12/5/2011	0
12/5/2011	PW-5	Sample Time	FALSE	1300		0		0 Hours		12/5/2011	0
12/5/2011	PW-6	Static Water Level	FALSE	344.13		0		0 Feet msl		12/5/2011	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/5/2011	PW-6	pH	FALSE	6.2		0	0	S.U.		12/5/2011	0
12/5/2011	PW-6	Specific Conductance	FALSE	479		0	0	umhos/cm		12/5/2011	0
12/5/2011	PW-6	Total Dissolved Solids (TDS)	FALSE	357.5		10	10	mg/L		12/6/2011	0
12/5/2011	PW-6	Total Organic Carbon (TOC)	FALSE	2.5		0.2	1	mg/L		12/12/2011	0
12/5/2011	PW-6	Sulfate	FALSE	119.24		0.06	0.3	mg/L		12/16/2011	0
12/5/2011	PW-6	Dissolved Chromium	FALSE	0.01		0.001	0.005	mg/L		12/21/2011	0
12/5/2011	PW-6	Dissolved Manganese	FALSE	0.02	J	0.02	0.05	mg/L		12/29/2011	0
12/5/2011	PW-6	Temperature	FALSE	16.52		0	0	Degrees C		12/5/2011	0
12/5/2011	PW-6	Sample Time	FALSE	1400		0	0	Hours		12/5/2011	0
12/5/2011	PW-7	Static Water Level	FALSE	346.67		0	0	Feet msl		12/5/2011	0
12/5/2011	PW-7	pH	FALSE	6.25		0	0	S.U.		12/5/2011	0
12/5/2011	PW-7	Specific Conductance	FALSE	316		0	0	umhos/cm		12/5/2011	0
12/5/2011	PW-7	Total Dissolved Solids (TDS)	FALSE	240.5		10	10	mg/L		12/6/2011	0
12/5/2011	PW-7	Total Organic Carbon (TOC)	FALSE	1.9		0.2	1	mg/L		12/12/2011	0
12/5/2011	PW-7	Sulfate	FALSE	74.17		0.06	0.3	mg/L		12/16/2011	0
12/5/2011	PW-7	Dissolved Chromium	FALSE	0.011		0.001	0.005	mg/L		12/21/2011	0
12/5/2011	PW-7	Dissolved Manganese	FALSE	0.02	J	0.02	0.05	mg/L		12/29/2011	0
12/5/2011	PW-7	Temperature	FALSE	16.06		0	0	Degrees C		12/5/2011	0
12/5/2011	PW-7	Sample Time	FALSE	1340		0	0	Hours		12/5/2011	0
12/5/2011	PW-8	Static Water Level	FALSE	347.55		0	0	Feet msl		12/5/2011	0
12/5/2011	PW-8	pH	FALSE	6.23		0	0	S.U.		12/5/2011	0
12/5/2011	PW-8	Specific Conductance	FALSE	577		0	0	umhos/cm		12/5/2011	0
12/5/2011	PW-8	Total Dissolved Solids (TDS)	FALSE	409		10	10	mg/L		12/6/2011	0
12/5/2011	PW-8	Total Organic Carbon (TOC)	FALSE	4.5		0.2	1	mg/L		12/12/2011	0
12/5/2011	PW-8	Sulfate	FALSE	104.03		0.06	0.3	mg/L		12/16/2011	0
12/5/2011	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		12/21/2011	0
12/5/2011	PW-8	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/29/2011	0
12/5/2011	PW-8	Temperature	FALSE	16.9		0	0	Degrees C		12/5/2011	0
12/5/2011	PW-8	Sample Time	FALSE	1355		0	0	Hours		12/5/2011	0
4/17/2012	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		4/19/2012	0
4/17/2012	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.2	1	mg/L		4/30/2012	0
4/17/2012	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		5/9/2012	0
4/17/2012	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		4/30/2012	0
4/17/2012	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/2/2012	0
4/17/2012	FIELD BLANK	Sample Time	FALSE	1100		0	0	hours			0
4/17/2012	PW-1	Static Water Level	FALSE	358.03		0	0	feet msl		4/17/2012	0
4/17/2012	PW-1	pH	FALSE	5.79		0	0	S.U.		4/17/2012	0
4/17/2012	PW-1	Specific Conductance	FALSE	1580		0	0	umhos/cm		4/17/2012	0
4/17/2012	PW-1	Total Dissolved Solids (TDS)	FALSE	994		10	10	mg/L		4/19/2012	0
4/17/2012	PW-1	Total Organic Carbon (TOC)	FALSE	1.5		0.2	1	mg/L		4/30/2012	0
4/17/2012	PW-1	Sulfate	FALSE	179.13		0.06	0.3	mg/L		5/9/2012	0
4/17/2012	PW-1	Dissolved Chromium	FALSE	0.001	J	0.001	0.005	mg/L		4/30/2012	0
4/17/2012	PW-1	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		5/2/2012	0
4/17/2012	PW-1	Temperature	FALSE	17.95		0	0	Degrees C		4/17/2012	0
4/17/2012	PW-1	Sample Time	FALSE	1150		0	0	hours			0
4/17/2012	PW-1 DUP	pH	FALSE	5.82		0	0	S.U.		4/17/2012	0
4/17/2012	PW-1 DUP	Specific Conductance	FALSE	1570		0	0	umhos/cm		4/17/2012	0
4/17/2012	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	983.8		10	10	mg/L		4/19/2012	0
4/17/2012	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	2		0.2	1	mg/L		4/30/2012	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/17/2012	PW-1 DUP	Sulfate	FALSE	180.56		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-1 DUP	Dissolved Chromium	FALSE	0.001	J	0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-1 DUP	Temperature	FALSE	17.91		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-1 DUP	Sample Time	FALSE	1155		0		0 hours			0
4/17/2012	PW-2	Static Water Level	FALSE	358.13		0		0 feet msl		4/17/2012	0
4/17/2012	PW-2	pH	FALSE	5.95		0		0 S.U.		4/17/2012	0
4/17/2012	PW-2	Specific Conductance	FALSE	79		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-2	Total Dissolved Solids (TDS)	FALSE	102		10		10 mg/L		4/19/2012	0
4/17/2012	PW-2	Total Organic Carbon (TOC)	FALSE	0.8	J	0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-2	Sulfate	FALSE	0.86		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-2	Dissolved Chromium	FALSE	0.015		0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-2	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-2	Temperature	FALSE	18.83		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-2	Sample Time	FALSE	1330		0		0 hours			0
4/17/2012	PW-3	Static Water Level	FALSE	352.16		0		0 feet msl		4/17/2012	0
4/17/2012	PW-3	pH	FALSE	5.31		0		0 S.U.		4/17/2012	0
4/17/2012	PW-3	Specific Conductance	FALSE	202		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-3	Total Dissolved Solids (TDS)	FALSE	179		10		10 mg/L		4/19/2012	0
4/17/2012	PW-3	Total Organic Carbon (TOC)	FALSE	1.7		0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-3	Sulfate	FALSE	53.42		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-3	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-3	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-3	Temperature	FALSE	17.15		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-3	Sample Time	FALSE	1220		0		0 hours			0
4/17/2012	PW-4	Static Water Level	FALSE	346.54		0		0 feet msl		4/17/2012	0
4/17/2012	PW-4	pH	FALSE	5.5		0		0 S.U.		4/17/2012	0
4/17/2012	PW-4	Specific Conductance	FALSE	303		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-4	Total Dissolved Solids (TDS)	FALSE	222		10		10 mg/L		4/19/2012	0
4/17/2012	PW-4	Total Organic Carbon (TOC)	FALSE	0.4	J	0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-4	Sulfate	FALSE	2.65		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-4	Dissolved Chromium	FALSE	0.016		0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-4	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-4	Temperature	FALSE	17.34		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-4	Sample Time	FALSE	1145		0		0 hours			0
4/17/2012	PW-5	Static Water Level	FALSE	347.36		0		0 feet msl		4/17/2012	0
4/17/2012	PW-5	pH	FALSE	5.91		0		0 S.U.		4/17/2012	0
4/17/2012	PW-5	Specific Conductance	FALSE	745		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-5	Total Dissolved Solids (TDS)	FALSE	486.5		10		10 mg/L		4/19/2012	0
4/17/2012	PW-5	Total Organic Carbon (TOC)	FALSE	1.6		0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-5	Sulfate	FALSE	147.84		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-5	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-5	Temperature	FALSE	16.16		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-5	Sample Time	FALSE	1220		0		0 hours			0
4/17/2012	PW-6	Static Water Level	FALSE	345.68		0		0 feet msl		4/17/2012	0
4/17/2012	PW-6	pH	FALSE	6.04		0		0 S.U.		4/17/2012	0
4/17/2012	PW-6	Specific Conductance	FALSE	479		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-6	Total Dissolved Solids (TDS)	FALSE	340		10		10 mg/L		4/19/2012	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/17/2012	PW-6	Total Organic Carbon (TOC)	FALSE	1.8		0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-6	Sulfate	FALSE	127.81		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-6	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-6	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-6	Temperature	FALSE	16.68		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-6	Sample Time	FALSE	1240		0		0 hours			0
4/17/2012	PW-7	Static Water Level	FALSE	347.49		0		0 feet msl		4/17/2012	0
4/17/2012	PW-7	pH	FALSE	6.15		0		0 S.U.		4/17/2012	0
4/17/2012	PW-7	Specific Conductance	FALSE	333		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-7	Total Dissolved Solids (TDS)	FALSE	236.5		10		10 mg/L		4/19/2012	0
4/17/2012	PW-7	Total Organic Carbon (TOC)	FALSE	1.1		0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-7	Sulfate	FALSE	75.4		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-7	Dissolved Chromium	FALSE	0.009		0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-7	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-7	Temperature	FALSE	15.65		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-7	Sample Time	FALSE	1255		0		0 hours			0
4/17/2012	PW-8	Static Water Level	FALSE	348.55		0		0 feet msl		4/17/2012	0
4/17/2012	PW-8	pH	FALSE	6.32		0		0 S.U.		4/17/2012	0
4/17/2012	PW-8	Specific Conductance	FALSE	616		0		0 umhos/cm		4/17/2012	0
4/17/2012	PW-8	Total Dissolved Solids (TDS)	FALSE	400.5		10		10 mg/L		4/19/2012	0
4/17/2012	PW-8	Total Organic Carbon (TOC)	FALSE	2.2		0.2		1 mg/L		4/30/2012	0
4/17/2012	PW-8	Sulfate	FALSE	107.5		0.06		0.3 mg/L		5/9/2012	0
4/17/2012	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001		0.005 mg/L		4/30/2012	0
4/17/2012	PW-8	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/2/2012	0
4/17/2012	PW-8	Temperature	FALSE	16.64		0		0 Degrees C		4/17/2012	0
4/17/2012	PW-8	Sample Time	FALSE	1305		0		0 hours			0
8/2/2012	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		8/6/2012	0
8/2/2012	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.2 J		0.2		1 mg/L		8/7/2012	0
8/2/2012	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		8/16/2012	0
8/2/2012	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		8/27/2012	0
8/2/2012	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		8/20/2012	0
8/2/2012	FIELD BLANK	Sample Time	FALSE	1110		0		0 hours		8/2/2012	0
8/2/2012	PW-1	Static Water Level	FALSE	356.96		0		0 feet msl		8/2/2012	0
8/2/2012	PW-1	pH	FALSE	6.13		0		0 S.U.		8/2/2012	0
8/2/2012	PW-1	Specific Conductance	FALSE	1451		0		0 umhos/cm		8/2/2012	0
8/2/2012	PW-1	Total Dissolved Solids (TDS)	FALSE	1215		10		10 mg/L		8/6/2012	0
8/2/2012	PW-1	Total Organic Carbon (TOC)	FALSE	0.8 J,B		0.2		1 mg/L		8/7/2012	0
8/2/2012	PW-1	Sulfate	FALSE	175.18		0.06		0.3 mg/L		8/16/2012	0
8/2/2012	PW-1	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		8/27/2012	0
8/2/2012	PW-1	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		8/20/2012	0
8/2/2012	PW-1	Temperature	FALSE	17.97		0		0 Degrees C		8/2/2012	0
8/2/2012	PW-1	Sample Time	FALSE	920		0		0 hours		8/2/2012	0
8/2/2012	PW-1 DUP	pH	FALSE	6.13		0		0 S.U.		8/2/2012	0
8/2/2012	PW-1 DUP	Specific Conductance	FALSE	1439		0		0 umhos/cm		8/2/2012	0
8/2/2012	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	1168.5		10		10 mg/L		8/6/2012	0
8/2/2012	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	3.5		0.2		1 mg/L		8/7/2012	0
8/2/2012	PW-1 DUP	Sulfate	FALSE	174.71		0.06		0.3 mg/L		8/16/2012	0
8/2/2012	PW-1 DUP	Dissolved Chromium	FALSE	0.001 J		0.001		0.005 mg/L		8/27/2012	0
8/2/2012	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		8/20/2012	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/2/2012	PW-1 DUP	Temperature	FALSE	17.97		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-1 DUP	Sample Time	FALSE	925		0	0	hours		8/2/2012	0
8/2/2012	PW-2	Static Water Level	FALSE	357.53		0	0	feet msl		8/2/2012	0
8/2/2012	PW-2	pH	FALSE	6.49		0	0	S.U.		8/2/2012	0
8/2/2012	PW-2	Specific Conductance	FALSE	82		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-2	Total Dissolved Solids (TDS)	FALSE	93		10	10	mg/L		8/6/2012	0
8/2/2012	PW-2	Total Organic Carbon (TOC)	FALSE	2.4		0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-2	Sulfate	FALSE	1.1		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-2	Dissolved Chromium	FALSE	0.018		0.001	0.005	mg/L		8/27/2012	0
8/2/2012	PW-2	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-2	Temperature	FALSE	19.61		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-2	Sample Time	FALSE	940		0	0	hours		8/2/2012	0
8/2/2012	PW-3	Static Water Level	FALSE	350.81		0	0	feet msl		8/2/2012	0
8/2/2012	PW-3	pH	FALSE	5.6		0	0	S.U.		8/2/2012	0
8/2/2012	PW-3	Specific Conductance	FALSE	224		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-3	Total Dissolved Solids (TDS)	FALSE	194.5		10	10	mg/L		8/6/2012	0
8/2/2012	PW-3	Total Organic Carbon (TOC)	FALSE	0.4 J,B		0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-3	Sulfate	FALSE	60.54		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-3	Dissolved Chromium	FALSE	0.016		0.001	0.005	mg/L		8/27/2012	0
8/2/2012	PW-3	Dissolved Manganese	FALSE	0.02 J		0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-3	Temperature	FALSE	16.77		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-3	Sample Time	FALSE	955		0	0	hours		8/2/2012	0
8/2/2012	PW-4	Static Water Level	FALSE	344.16		0	0	feet msl		8/2/2012	0
8/2/2012	PW-4	pH	FALSE	6.15		0	0	S.U.		8/2/2012	0
8/2/2012	PW-4	Specific Conductance	FALSE	319		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-4	Total Dissolved Solids (TDS)	FALSE	261		10	10	mg/L		8/6/2012	0
8/2/2012	PW-4	Total Organic Carbon (TOC)	FALSE	0.2 J,B		0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-4	Sulfate	FALSE	2.61		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-4	Dissolved Chromium	FALSE	0.024		0.001	0.005	mg/L		8/27/2012	0
8/2/2012	PW-4	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-4	Temperature	FALSE	17.04		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-4	Sample Time	FALSE	1005		0	0	hours		8/2/2012	0
8/2/2012	PW-5	Static Water Level	FALSE	345.25		0	0	feet msl		8/2/2012	0
8/2/2012	PW-5	pH	FALSE	6.59		0	0	S.U.		8/2/2012	0
8/2/2012	PW-5	Specific Conductance	FALSE	702		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-5	Total Dissolved Solids (TDS)	FALSE	521.5		10	10	mg/L		8/6/2012	0
8/2/2012	PW-5	Total Organic Carbon (TOC)	FALSE	0.7 J,B		0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-5	Sulfate	FALSE	154.64		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001	0.005	mg/L		8/27/2012	0
8/2/2012	PW-5	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-5	Temperature	FALSE	16.09		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-5	Sample Time	FALSE	1025		0	0	hours		8/2/2012	0
8/2/2012	PW-6	Static Water Level	FALSE	343.23		0	0	feet msl		8/2/2012	0
8/2/2012	PW-6	pH	FALSE	6.3		0	0	S.U.		8/2/2012	0
8/2/2012	PW-6	Specific Conductance	FALSE	497		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-6	Total Dissolved Solids (TDS)	FALSE	355.5		10	10	mg/L		8/6/2012	0
8/2/2012	PW-6	Total Organic Carbon (TOC)	FALSE	0.7 J,B		0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-6	Sulfate	FALSE	127.35		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-6	Dissolved Chromium	FALSE	0.008		0.001	0.005	mg/L		8/27/2012	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/2/2012	PW-6	Dissolved Manganese	FALSE	0.02	J	0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-6	Temperature	FALSE	16.69		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-6	Sample Time	FALSE	1020		0	0	hours		8/2/2012	0
8/2/2012	PW-7	Static Water Level	FALSE	345.82		0	0	feet msl		8/2/2012	0
8/2/2012	PW-7	pH	FALSE	6.6		0	0	S.U.		8/2/2012	0
8/2/2012	PW-7	Specific Conductance	FALSE	312		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-7	Total Dissolved Solids (TDS)	FALSE	240		10	10	mg/L		8/6/2012	0
8/2/2012	PW-7	Total Organic Carbon (TOC)	FALSE	0.7	J,B	0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-7	Sulfate	FALSE	69.73		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-7	Dissolved Chromium	FALSE	0.011		0.001	0.005	mg/L		8/27/2012	0
8/2/2012	PW-7	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-7	Temperature	FALSE	15.99		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-7	Sample Time	FALSE	1040		0	0	hours		8/2/2012	0
8/2/2012	PW-8	Static Water Level	FALSE	346.55		0	0	feet msl		8/2/2012	0
8/2/2012	PW-8	pH	FALSE	6.31		0	0	S.U.		8/2/2012	0
8/2/2012	PW-8	Specific Conductance	FALSE	575		0	0	umhos/cm		8/2/2012	0
8/2/2012	PW-8	Total Dissolved Solids (TDS)	FALSE	406		10	10	mg/L		8/6/2012	0
8/2/2012	PW-8	Total Organic Carbon (TOC)	FALSE	5.8		0.2	1	mg/L		8/7/2012	0
8/2/2012	PW-8	Sulfate	FALSE	104.56		0.06	0.3	mg/L		8/16/2012	0
8/2/2012	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		8/27/2012	0
8/2/2012	PW-8	Dissolved Manganese	FALSE	0.02	J	0.02	0.05	mg/L		8/20/2012	0
8/2/2012	PW-8	Temperature	FALSE	16.67		0	0	Degrees C		8/2/2012	0
8/2/2012	PW-8	Sample Time	FALSE	1100		0	0	hours		8/2/2012	0
4/9/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		4/15/2013	0
4/9/2013	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.4	1	mg/L		4/16/2013	0
4/9/2013	FIELD BLANK	Sulfate	TRUE	0		0.6	3	mg/L		4/26/2013	0
4/9/2013	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2013	0
4/9/2013	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		4/29/2013	0
4/9/2013	FIELD BLANK	Sample Time	FALSE	1050		0	0	hours		4/9/2013	0
4/9/2013	PW-1	Static Water Level	FALSE	357.94		0	0	feet msl		4/9/2013	0
4/9/2013	PW-1	pH	FALSE	6.33		0	0	S.U.		4/9/2013	0
4/9/2013	PW-1	Specific Conductance	FALSE	1260		0	0	umhos/cm		4/9/2013	0
4/9/2013	PW-1	Total Dissolved Solids (TDS)	FALSE	878		10	10	mg/L		4/15/2013	0
4/9/2013	PW-1	Total Organic Carbon (TOC)	FALSE	3.4		0.4	1	mg/L		4/16/2013	0
4/9/2013	PW-1	Sulfate	FALSE	177.73		0.6	3	mg/L		4/26/2013	0
4/9/2013	PW-1	Dissolved Chromium	FALSE	0.001	J	0.001	0.005	mg/L		4/29/2013	0
4/9/2013	PW-1	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		4/29/2013	0
4/9/2013	PW-1	Temperature	FALSE	18.41		0	0	Degrees C		4/9/2013	0
4/9/2013	PW-1	Sample Time	FALSE	1200		0	0	hours		4/9/2013	0
4/9/2013	PW-2	Static Water Level	FALSE	357.43		0	0	feet msl		4/9/2013	0
4/9/2013	PW-2	pH	FALSE	5.38		0	0	S.U.		4/9/2013	0
4/9/2013	PW-2	Specific Conductance	FALSE	80		0	0	umhos/cm		4/9/2013	0
4/9/2013	PW-2	Total Dissolved Solids (TDS)	FALSE	96.5		10	10	mg/L		4/15/2013	0
4/9/2013	PW-2	Total Organic Carbon (TOC)	FALSE	0.6	J	0.4	1	mg/L		4/16/2013	0
4/9/2013	PW-2	Sulfate	FALSE	0.71	J	0.6	3	mg/L		4/26/2013	0
4/9/2013	PW-2	Dissolved Chromium	FALSE	0.015		0.001	0.005	mg/L		4/29/2013	0
4/9/2013	PW-2	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		4/29/2013	0
4/9/2013	PW-2	Temperature	FALSE	19.09		0	0	Degrees C		4/9/2013	0
4/9/2013	PW-2	Sample Time	FALSE	1145		0	0	hours		4/9/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/9/2013	PW-3	Static Water Level	FALSE	351.93		0		0 feet msl		4/9/2013	0
4/9/2013	PW-3	pH	FALSE	5.42		0		0 S.U.		4/9/2013	0
4/9/2013	PW-3	Specific Conductance	FALSE	223		0		0 umhos/cm		4/9/2013	0
4/9/2013	PW-3	Total Dissolved Solids (TDS)	FALSE	182.5		10		10 mg/L		4/15/2013	0
4/9/2013	PW-3	Total Organic Carbon (TOC)	FALSE	1.8		0.4		1 mg/L		4/16/2013	0
4/9/2013	PW-3	Sulfate	FALSE	59.64		0.6		3 mg/L		4/26/2013	0
4/9/2013	PW-3	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		4/29/2013	0
4/9/2013	PW-3	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		4/29/2013	0
4/9/2013	PW-3	Temperature	FALSE	17.45		0		0 Degrees C		4/9/2013	0
4/9/2013	PW-3	Sample Time	FALSE	1225		0		0 hours		4/9/2013	0
4/9/2013	PW-4	Static Water Level	FALSE	346.94		0		0 feet msl		4/9/2013	0
4/9/2013	PW-4	pH	FALSE	6.06		0		0 S.U.		4/9/2013	0
4/9/2013	PW-4	Specific Conductance	FALSE	309		0		0 umhos/cm		4/9/2013	0
4/9/2013	PW-4	Total Dissolved Solids (TDS)	FALSE	261.6		10		10 mg/L		4/15/2013	0
4/9/2013	PW-4	Total Organic Carbon (TOC)	FALSE	1.2		0.4		1 mg/L		4/16/2013	0
4/9/2013	PW-4	Sulfate	FALSE	2.14		0.6		3 mg/L		4/26/2013	0
4/9/2013	PW-4	Dissolved Chromium	FALSE	0.022		0.001		0.005 mg/L		4/29/2013	0
4/9/2013	PW-4	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		4/29/2013	0
4/9/2013	PW-4	Temperature	FALSE	17.58		0		0 Degrees C		4/9/2013	0
4/9/2013	PW-4	Sample Time	FALSE	1310		0		0 hours		4/9/2013	0
4/9/2013	PW-5	Static Water Level	FALSE	348.13		0		0 feet msl		4/9/2013	0
4/9/2013	PW-5	pH	FALSE	6.5		0		0 S.U.		4/9/2013	0
4/9/2013	PW-5	Specific Conductance	FALSE	650		0		0 umhos/cm		4/9/2013	0
4/9/2013	PW-5	Total Dissolved Solids (TDS)	FALSE	489.5		10		10 mg/L		4/15/2013	0
4/9/2013	PW-5	Total Organic Carbon (TOC)	FALSE	7.1		0.4		1 mg/L		4/16/2013	0
4/9/2013	PW-5	Sulfate	FALSE	136.2		0.6		3 mg/L		4/26/2013	0
4/9/2013	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		4/29/2013	0
4/9/2013	PW-5	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		4/29/2013	0
4/9/2013	PW-5	Temperature	FALSE	16.61		0		0 Degrees C		4/9/2013	0
4/9/2013	PW-5	Sample Time	FALSE	1245		0		0 hours		4/9/2013	0
4/9/2013	PW-6	Static Water Level	FALSE	345.82		0		0 feet msl		4/9/2013	0
4/9/2013	PW-6	pH	FALSE	6.28		0		0 S.U.		4/9/2013	0
4/9/2013	PW-6	Specific Conductance	FALSE	478		0		0 umhos/cm		4/9/2013	0
4/9/2013	PW-6	Total Dissolved Solids (TDS)	FALSE	361.5		10		10 mg/L		4/15/2013	0
4/9/2013	PW-6	Total Organic Carbon (TOC)	FALSE	1.4		0.4		1 mg/L		4/16/2013	0
4/9/2013	PW-6	Sulfate	FALSE	120.01		0.6		3 mg/L		4/26/2013	0
4/9/2013	PW-6	Dissolved Chromium	FALSE	0.008		0.001		0.005 mg/L		4/29/2013	0
4/9/2013	PW-6	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		4/29/2013	0
4/9/2013	PW-6	Temperature	FALSE	17.14		0		0 Degrees C		4/9/2013	0
4/9/2013	PW-6	Sample Time	FALSE	1300		0		0 hours		4/9/2013	0
4/9/2013	PW-7	Static Water Level	FALSE	348.39		0		0 feet msl		4/9/2013	0
4/9/2013	PW-7	pH	FALSE	6.52		0		0 S.U.		4/9/2013	0
4/9/2013	PW-7	Specific Conductance	FALSE	314		0		0 umhos/cm		4/9/2013	0
4/9/2013	PW-7	Total Dissolved Solids (TDS)	FALSE	242.5		10		10 mg/L		4/15/2013	0
4/9/2013	PW-7	Total Organic Carbon (TOC)	FALSE	0.6 J		0.4		1 mg/L		4/16/2013	0
4/9/2013	PW-7	Sulfate	FALSE	68.43		0.6		3 mg/L		4/26/2013	0
4/9/2013	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		4/29/2013	0
4/9/2013	PW-7	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		4/29/2013	0
4/9/2013	PW-7	Temperature	FALSE	16.09		0		0 Degrees C		4/9/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/9/2013	PW-7	Sample Time	FALSE	1225		0	0	hours		4/9/2013	0
4/9/2013	PW-8	Static Water Level	FALSE	349.26		0	0	feet msl		4/9/2013	0
4/9/2013	PW-8	pH	FALSE	6.17		0	0	S.U.		4/9/2013	0
4/9/2013	PW-8	Specific Conductance	FALSE	579		0	0	umhos/cm		4/9/2013	0
4/9/2013	PW-8	Total Dissolved Solids (TDS)	FALSE	415		10	10	mg/L		4/15/2013	0
4/9/2013	PW-8	Total Organic Carbon (TOC)	FALSE	1.1		0.4	1	mg/L		4/16/2013	0
4/9/2013	PW-8	Sulfate	FALSE	108.64		0.6	3	mg/L		4/26/2013	0
4/9/2013	PW-8	Dissolved Chromium	FALSE	0.003 J		0.001	0.005	mg/L		4/29/2013	0
4/9/2013	PW-8	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		4/29/2013	0
4/9/2013	PW-8	Temperature	FALSE	16.72		0	0	Degrees C		4/9/2013	0
4/9/2013	PW-8	Sample Time	FALSE	1140		0	0	hours		4/9/2013	0
4/9/2013	PW-8 DUP	pH	FALSE	6.17		0	0	S.U.		4/9/2013	0
4/9/2013	PW-8 DUP	Specific Conductance	FALSE	579		0	0	umhos/cm		4/9/2013	0
4/9/2013	PW-8 DUP	Total Dissolved Solids (TDS)	FALSE	407.5		10	10	mg/L		4/15/2013	0
4/9/2013	PW-8 DUP	Total Organic Carbon (TOC)	FALSE	1.4		0.4	1	mg/L		4/16/2013	0
4/9/2013	PW-8 DUP	Sulfate	FALSE	107.81		0.6	3	mg/L		4/26/2013	0
4/9/2013	PW-8 DUP	Dissolved Chromium	FALSE	0.003 J		0.001	0.005	mg/L		4/29/2013	0
4/9/2013	PW-8 DUP	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		4/29/2013	0
4/9/2013	PW-8 DUP	Temperature	FALSE	16.67		0	0	Degrees C		4/9/2013	0
4/9/2013	PW-8 DUP	Sample Time	FALSE	1145		0	0	hours		4/9/2013	0
11/14/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		11/21/2013	0
11/14/2013	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.4	1	mg/L		11/20/2013	0
11/14/2013	FIELD BLANK	Sulfate	TRUE	0		0.06	3	mg/L		11/27/2013	0
11/14/2013	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
11/14/2013	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/11/2013	0
11/14/2013	FIELD BLANK	Sample Time	FALSE	1055		0	0	hours		11/14/2013	0
11/14/2013	PW-1	Static Water Level	FALSE	355.03		0	0	feet msl		11/14/2013	0
11/14/2013	PW-1	pH	FALSE	6.05		0	0	S.U.		11/14/2013	0
11/14/2013	PW-1	Specific Conductance	FALSE	929		0	0	umhos/cm		11/14/2013	0
11/14/2013	PW-1	Total Dissolved Solids (TDS)	FALSE	542.5		10	10	mg/L		11/21/2013	0
11/14/2013	PW-1	Total Organic Carbon (TOC)	FALSE	1.9		0.4	1	mg/L		11/20/2013	0
11/14/2013	PW-1	Sulfate	FALSE	147.79		0.06	3	mg/L		11/27/2013	0
11/14/2013	PW-1	Dissolved Chromium	FALSE	0.002 J		0.001	0.005	mg/L		12/16/2013	0
11/14/2013	PW-1	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/11/2013	0
11/14/2013	PW-1	Temperature	FALSE	17.95		0	0	Degrees C		11/14/2013	0
11/14/2013	PW-1	Sample Time	FALSE	1155		0	0	hours		11/14/2013	0
11/14/2013	PW-1 DUP	pH	FALSE	6.06		0	0	S.U.		11/14/2013	0
11/14/2013	PW-1 DUP	Specific Conductance	FALSE	933		0	0	umhos/cm		11/14/2013	0
11/14/2013	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	567.5		10	10	mg/L		11/21/2013	0
11/14/2013	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	1.6		0.4	1	mg/L		11/20/2013	0
11/14/2013	PW-1 DUP	Sulfate	FALSE	148.26		0.06	3	mg/L		11/27/2013	0
11/14/2013	PW-1 DUP	Dissolved Chromium	FALSE	0.002 J		0.001	0.005	mg/L		12/16/2013	0
11/14/2013	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/11/2013	0
11/14/2013	PW-1 DUP	Temperature	FALSE	17.97		0	0	Degrees C		11/14/2013	0
11/14/2013	PW-1 DUP	Sample Time	FALSE	1200		0	0	hours		11/14/2013	0
11/14/2013	PW-2	Static Water Level	FALSE	356.24		0	0	feet msl		11/14/2013	0
11/14/2013	PW-2	pH	FALSE	5.87		0	0	S.U.		11/14/2013	0
11/14/2013	PW-2	Specific Conductance	FALSE	83		0	0	umhos/cm		11/14/2013	0
11/14/2013	PW-2	Total Dissolved Solids (TDS)	FALSE	48		10	10	mg/L		11/21/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2013	PW-2	Total Organic Carbon (TOC)	FALSE	0.5	J	0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-2	Sulfate	FALSE	1.05	J	0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-2	Dissolved Chromium	FALSE	0.026		0.001		0.005 mg/L		12/16/2013	0
11/14/2013	PW-2	Dissolved Manganese	FALSE	0.02	J	0.02		0.05 mg/L		12/11/2013	0
11/14/2013	PW-2	Temperature	FALSE	18.67		0		0 Degrees C		11/14/2013	0
11/14/2013	PW-2	Sample Time	FALSE	1208		0		0 hours		11/14/2013	0
11/14/2013	PW-3	Static Water Level	FALSE	350.88		0		0 feet msl		11/14/2013	0
11/14/2013	PW-3	pH	FALSE	5.53		0		0 S.U.		11/14/2013	0
11/14/2013	PW-3	Specific Conductance	FALSE	253		0		0 umhos/cm		11/14/2013	0
11/14/2013	PW-3	Total Dissolved Solids (TDS)	FALSE	182		10		10 mg/L		11/21/2013	0
11/14/2013	PW-3	Total Organic Carbon (TOC)	FALSE	1.7		0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-3	Sulfate	FALSE	64.24		0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		12/16/2013	0
11/14/2013	PW-3	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/11/2013	0
11/14/2013	PW-3	Temperature	FALSE	17.08		0		0 Degrees C		11/14/2013	0
11/14/2013	PW-3	Sample Time	FALSE	1226		0		0 hours		11/14/2013	0
11/14/2013	PW-4	Static Water Level	FALSE	344.22		0		0 feet msl		11/14/2013	0
11/14/2013	PW-4	pH	FALSE	6.19		0		0 S.U.		11/14/2013	0
11/14/2013	PW-4	Specific Conductance	FALSE	313		0		0 umhos/cm		11/14/2013	0
11/14/2013	PW-4	Total Dissolved Solids (TDS)	FALSE	153		10		10 mg/L		11/21/2013	0
11/14/2013	PW-4	Total Organic Carbon (TOC)	FALSE	1.5		0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-4	Sulfate	FALSE	2.32	J	0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-4	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		12/16/2013	0
11/14/2013	PW-4	Dissolved Manganese	FALSE	0.02	J	0.02		0.05 mg/L		12/11/2013	0
11/14/2013	PW-4	Temperature	FALSE	17.11		0		0 Degrees C		11/14/2013	0
11/14/2013	PW-4	Sample Time	FALSE	1257		0		0 hours		11/14/2013	0
11/14/2013	PW-5	Static Water Level	FALSE	345.25		0		0 feet msl		11/14/2013	0
11/14/2013	PW-5	pH	FALSE	6.41		0		0 S.U.		11/14/2013	0
11/14/2013	PW-5	Specific Conductance	FALSE	722		0		0 umhos/cm		11/14/2013	0
11/14/2013	PW-5	Total Dissolved Solids (TDS)	FALSE	469.5		10		10 mg/L		11/21/2013	0
11/14/2013	PW-5	Total Organic Carbon (TOC)	FALSE	1.5		0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-5	Sulfate	FALSE	146.79		0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-5	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L		12/16/2013	0
11/14/2013	PW-5	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/11/2013	0
11/14/2013	PW-5	Temperature	FALSE	16.34		0		0 Degrees C		11/14/2013	0
11/14/2013	PW-5	Sample Time	FALSE	1300		0		0 hours		11/14/2013	0
11/14/2013	PW-6	Static Water Level	FALSE	342.93		0		0 feet msl		11/14/2013	0
11/14/2013	PW-6	pH	FALSE	6.21		0		0 S.U.		11/14/2013	0
11/14/2013	PW-6	Specific Conductance	FALSE	469		0		0 umhos/cm		11/14/2013	0
11/14/2013	PW-6	Total Dissolved Solids (TDS)	FALSE	321		10		10 mg/L		11/21/2013	0
11/14/2013	PW-6	Total Organic Carbon (TOC)	FALSE	1.6		0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-6	Sulfate	FALSE	100.5		0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-6	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		12/16/2013	0
11/14/2013	PW-6	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/11/2013	0
11/14/2013	PW-6	Temperature	FALSE	16.95		0		0 Degrees C		11/14/2013	0
11/14/2013	PW-6	Sample Time	FALSE	1330		0		0 hours		11/14/2013	0
11/14/2013	PW-7	Static Water Level	FALSE	345.47		0		0 feet msl		11/14/2013	0
11/14/2013	PW-7	pH	FALSE	6.5		0		0 S.U.		11/14/2013	0
11/14/2013	PW-7	Specific Conductance	FALSE	308		0		0 umhos/cm		11/14/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2013	PW-7	Total Dissolved Solids (TDS)	FALSE	22.5		10		10 mg/L		11/21/2013	0
11/14/2013	PW-7	Total Organic Carbon (TOC)	FALSE	1.3		0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-7	Sulfate	FALSE	63.67		0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-7	Dissolved Chromium	FALSE	0.013		0.001	0.005	mg/L		12/16/2013	0
11/14/2013	PW-7	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/11/2013	0
11/14/2013	PW-7	Temperature	FALSE	16.4		0	0	Degrees C		11/14/2013	0
11/14/2013	PW-7	Sample Time	FALSE	1410		0	0	hours		11/14/2013	0
11/14/2013	PW-8	Static Water Level	FALSE	346.2		0	0	feet msl		11/14/2013	0
11/14/2013	PW-8	pH	FALSE	6.24		0	0	S.U.		11/14/2013	0
11/14/2013	PW-8	Specific Conductance	FALSE	575		0	0	umhos/cm		11/14/2013	0
11/14/2013	PW-8	Total Dissolved Solids (TDS)	FALSE	363		10		10 mg/L		11/21/2013	0
11/14/2013	PW-8	Total Organic Carbon (TOC)	FALSE	2.1		0.4		1 mg/L		11/20/2013	0
11/14/2013	PW-8	Sulfate	FALSE	105.5		0.06		3 mg/L		11/27/2013	0
11/14/2013	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		12/16/2013	0
11/14/2013	PW-8	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/11/2013	0
11/14/2013	PW-8	Temperature	FALSE	17.42		0	0	Degrees C		11/14/2013	0
11/14/2013	PW-8	Sample Time	FALSE	1355		0	0	hours		11/14/2013	0
5/12/2014	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		5/13/2014	0
5/12/2014	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.4		1 mg/L		5/19/2014	0
5/12/2014	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		6/16/2014	0
5/12/2014	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		6/18/2014	0
5/12/2014	FIELD BLANK	Sample Time	FALSE	1115		0	0	hours		5/12/2014	0
5/12/2014	PW-1	Static Water Level	FALSE	359.14		0	0	feet		5/12/2014	0
5/12/2014	PW-1	pH	FALSE	6.14		0	0	S.U.		5/12/2014	0
5/12/2014	PW-1	Specific Conductance	FALSE	900		0	0	umhos/cm		5/12/2014	0
5/12/2014	PW-1	Total Dissolved Solids (TDS)	FALSE	626.5		10		10 mg/L		5/13/2014	0
5/12/2014	PW-1	Total Organic Carbon (TOC)	FALSE	1.5		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-1	Sulfate	FALSE	147.37		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-1	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		6/16/2014	0
5/12/2014	PW-1	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		6/18/2014	0
5/12/2014	PW-1	Temperature	FALSE	18.4		0	0	Degrees C		5/12/2014	0
5/12/2014	PW-1	Sample Time	FALSE	1230		0	0	hours		5/12/2014	0
5/12/2014	PW-1 DUP	pH	FALSE	6.16		0	0	S.U.		5/12/2014	0
5/12/2014	PW-1 DUP	Specific Conductance	FALSE	897		0	0	umhos/cm		5/12/2014	0
5/12/2014	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	687.5		10		10 mg/L		5/13/2014	0
5/12/2014	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	1.7		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-1 DUP	Sulfate	FALSE	148.64		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-1 DUP	Dissolved Chromium	FALSE	0.001	J	0.001	0.005	mg/L		6/16/2014	0
5/12/2014	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		6/18/2014	0
5/12/2014	PW-1 DUP	Temperature	FALSE	18.37		0	0	Degrees C		5/12/2014	0
5/12/2014	PW-1 DUP	Sample Time	FALSE	1235		0	0	hours		5/12/2014	0
5/12/2014	PW-2	Static Water Level	FALSE	358.48		0	0	feet		5/12/2014	0
5/12/2014	PW-2	pH	FALSE	5.94		0	0	S.U.		5/12/2014	0
5/12/2014	PW-2	Specific Conductance	FALSE	79		0	0	umhos/cm		5/12/2014	0
5/12/2014	PW-2	Total Dissolved Solids (TDS)	FALSE	96		10		10 mg/L		5/13/2014	0
5/12/2014	PW-2	Total Organic Carbon (TOC)	FALSE	0.7	J	0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-2	Sulfate	FALSE	0.97		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-2	Dissolved Chromium	FALSE	0.021		0.001	0.005	mg/L		6/16/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/12/2014	PW-2	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		6/18/2014	0
5/12/2014	PW-2	Temperature	FALSE	19.08		0		0 Degrees C		5/12/2014	0
5/12/2014	PW-2	Sample Time	FALSE	1325		0		0 hours		5/12/2014	0
5/12/2014	PW-3	Static Water Level	FALSE	353.21		0		0 feet		5/12/2014	0
5/12/2014	PW-3	pH	FALSE	5.71		0		0 S.U.		5/12/2014	0
5/12/2014	PW-3	Specific Conductance	FALSE	237		0		0 umhos/cm		5/12/2014	0
5/12/2014	PW-3	Total Dissolved Solids (TDS)	FALSE	202		10		10 mg/L		5/13/2014	0
5/12/2014	PW-3	Total Organic Carbon (TOC)	FALSE	1.7		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-3	Sulfate	FALSE	31.48		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-3	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L		6/16/2014	0
5/12/2014	PW-3	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		6/18/2014	0
5/12/2014	PW-3	Temperature	FALSE	17.26		0		0 Degrees C		5/12/2014	0
5/12/2014	PW-3	Sample Time	FALSE	1255		0		0 hours		5/12/2014	0
5/12/2014	PW-4	Static Water Level	FALSE	347.84		0		0 feet		5/12/2014	0
5/12/2014	PW-4	pH	FALSE	6.42		0		0 S.U.		5/12/2014	0
5/12/2014	PW-4	Specific Conductance	FALSE	309		0		0 umhos/cm		5/12/2014	0
5/12/2014	PW-4	Total Dissolved Solids (TDS)	FALSE	257		10		10 mg/L		5/13/2014	0
5/12/2014	PW-4	Total Organic Carbon (TOC)	FALSE	1.2		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-4	Sulfate	FALSE	2.69		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-4	Dissolved Chromium	FALSE	0.026		0.001		0.005 mg/L		6/16/2014	0
5/12/2014	PW-4	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		6/18/2014	0
5/12/2014	PW-4	Temperature	FALSE	17.55		0		0 Degrees C		5/12/2014	0
5/12/2014	PW-4	Sample Time	FALSE	1230		0		0 hours		5/12/2014	0
5/12/2014	PW-5	Static Water Level	FALSE	348.66		0		0 feet		5/12/2014	0
5/12/2014	PW-5	pH	FALSE	6.3		0		0 S.U.		5/12/2014	0
5/12/2014	PW-5	Specific Conductance	FALSE	667		0		0 umhos/cm		5/12/2014	0
5/12/2014	PW-5	Total Dissolved Solids (TDS)	FALSE	468		10		10 mg/L		5/13/2014	0
5/12/2014	PW-5	Total Organic Carbon (TOC)	FALSE	1.5		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-5	Sulfate	FALSE	129.27		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-5	Dissolved Chromium	FALSE	0.005		0.001		0.005 mg/L		6/16/2014	0
5/12/2014	PW-5	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		6/18/2014	0
5/12/2014	PW-5	Temperature	FALSE	16.27		0		0 Degrees C		5/12/2014	0
5/12/2014	PW-5	Sample Time	FALSE	1320		0		0 hours		5/12/2014	0
5/12/2014	PW-6	Static Water Level	FALSE	346.83		0		0 feet		5/12/2014	0
5/12/2014	PW-6	pH	FALSE	6.15		0		0 S.U.		5/12/2014	0
5/12/2014	PW-6	Specific Conductance	FALSE	433		0		0 umhos/cm		5/12/2014	0
5/12/2014	PW-6	Total Dissolved Solids (TDS)	FALSE	326.5		10		10 mg/L		5/13/2014	0
5/12/2014	PW-6	Total Organic Carbon (TOC)	FALSE	1.7		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-6	Sulfate	FALSE	90.88		0.06		0.3 mg/L		5/23/2014	0
5/12/2014	PW-6	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		6/16/2014	0
5/12/2014	PW-6	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		6/18/2014	0
5/12/2014	PW-6	Temperature	FALSE	16.86		0		0 Degrees C		5/12/2014	0
5/12/2014	PW-6	Sample Time	FALSE	1210		0		0 hours		5/12/2014	0
5/12/2014	PW-7	Static Water Level	FALSE	349.17		0		0 feet		5/12/2014	0
5/12/2014	PW-7	pH	FALSE	5.94		0		0 S.U.		5/12/2014	0
5/12/2014	PW-7	Specific Conductance	FALSE	312		0		0 umhos/cm		5/12/2014	0
5/12/2014	PW-7	Total Dissolved Solids (TDS)	FALSE	244.5		10		10 mg/L		5/13/2014	0
5/12/2014	PW-7	Total Organic Carbon (TOC)	FALSE	2.4		0.4		1 mg/L		5/19/2014	0
5/12/2014	PW-7	Sulfate	FALSE	70.04		0.06		0.3 mg/L		5/23/2014	0



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/12/2014	PW-7	Dissolved Chromium	FALSE	0.012		0.001	0.005	mg/L		6/16/2014	0
5/12/2014	PW-7	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		6/18/2014	0
5/12/2014	PW-7	Temperature	FALSE	16.01		0	0	Degrees C		5/12/2014	0
5/12/2014	PW-7	Sample Time	FALSE	1225		0	0	hours		5/12/2014	0
5/12/2014	PW-8	Static Water Level	FALSE	350.35		0	0	feet		5/12/2014	0
5/12/2014	PW-8	pH	FALSE	6.32		0	0	S.U.		5/12/2014	0
5/12/2014	PW-8	Specific Conductance	FALSE	605		0	0	umhos/cm		5/12/2014	0
5/12/2014	PW-8	Total Dissolved Solids (TDS)	FALSE	408.5		10	10	mg/L		5/13/2014	0
5/12/2014	PW-8	Total Organic Carbon (TOC)	FALSE	2.7		0.4	1	mg/L		5/19/2014	0
5/12/2014	PW-8	Sulfate	FALSE	121.75		0.06	0.3	mg/L		5/23/2014	0
5/12/2014	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		6/16/2014	0
5/12/2014	PW-8	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		6/18/2014	0
5/12/2014	PW-8	Temperature	FALSE	16.65		0	0	Degrees C		5/12/2014	0
5/12/2014	PW-8	Sample Time	FALSE	1300		0	0	hours		5/12/2014	0
11/13/2014	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		11/19/2014	0
11/13/2014	FIELD BLANK	Total Organic Carbon (TOC)	FALSE	0.5	J	0.4	1	mg/L		11/18/2014	0
11/13/2014	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001	0.005	mg/L		12/5/2014	0
11/13/2014	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	FIELD BLANK	Sample Time	FALSE	1145		0	0	hours		5/12/2014	0
11/13/2014	PW-1	Static Water Level	FALSE	355.64		0	0	feet msl		11/13/2014	0
11/13/2014	PW-1	pH	FALSE	6.16		0	0	S.U.		11/13/2014	0
11/13/2014	PW-1	Specific Conductance	FALSE	835		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-1	Total Dissolved Solids (TDS)	FALSE	546.5		10	10	mg/L		11/19/2014	0
11/13/2014	PW-1	Total Organic Carbon (TOC)	FALSE	2.5		0.4	1	mg/L		11/18/2014	0
11/13/2014	PW-1	Sulfate	FALSE	96.92		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-1	Dissolved Chromium	FALSE	0.002	J	0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-1	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-1	Temperature	FALSE	18.1		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-1	Sample Time	FALSE	1300		0	0	hours		5/12/2014	0
11/13/2014	PW-2	Static Water Level	FALSE	357.28		0	0	feet msl		11/13/2014	0
11/13/2014	PW-2	pH	FALSE	5.42		0	0	S.U.		11/13/2014	0
11/13/2014	PW-2	Specific Conductance	FALSE	77		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-2	Total Dissolved Solids (TDS)	FALSE	88.5		10	10	mg/L		11/19/2014	0
11/13/2014	PW-2	Total Organic Carbon (TOC)	FALSE	0.6	J,B	0.4	1	mg/L		11/18/2014	0
11/13/2014	PW-2	Sulfate	FALSE	1.11		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-2	Dissolved Chromium	FALSE	0.021		0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-2	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-2	Temperature	FALSE	18.43		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-2	Sample Time	FALSE	1310		0	0	hours		5/12/2014	0
11/13/2014	PW-3	Static Water Level	FALSE	352.16		0	0	feet msl		11/13/2014	0
11/13/2014	PW-3	pH	FALSE	5.19		0	0	S.U.		11/13/2014	0
11/13/2014	PW-3	Specific Conductance	FALSE	250		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-3	Total Dissolved Solids (TDS)	FALSE	204		10	10	mg/L		11/19/2014	0
11/13/2014	PW-3	Total Organic Carbon (TOC)	FALSE	1.9	,B	0.4	1	mg/L		11/18/2014	0
11/13/2014	PW-3	Sulfate	FALSE	61.97		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-3	Dissolved Chromium	FALSE	0.017		0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-3	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-3	Temperature	FALSE	16.67		0	0	Degrees C		11/13/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/13/2014	PW-3	Sample Time	FALSE	1415		0	0	hours			0
11/13/2014	PW-4	Static Water Level	FALSE	346.14		0	0	feet msl		11/13/2014	0
11/13/2014	PW-4	pH	FALSE	5.73		0	0	S.U.		11/13/2014	0
11/13/2014	PW-4	Specific Conductance	FALSE	290		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-4	Total Dissolved Solids (TDS)	FALSE	190		10	10	mg/L		11/19/2014	0
11/13/2014	PW-4	Total Organic Carbon (TOC)	FALSE	1.8	,B	0.4	0.4	mg/L		11/18/2014	0
11/13/2014	PW-4	Sulfate	FALSE	2.64		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-4	Dissolved Chromium	FALSE	0.022		0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-4	Dissolved Manganese	FALSE	0.06		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-4	Temperature	FALSE	16.95		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-4	Sample Time	FALSE	1530		0	0	hours			0
11/13/2014	PW-5	Static Water Level	FALSE	345.98		0	0	feet msl		11/13/2014	0
11/13/2014	PW-5	pH	FALSE	5.86		0	0	S.U.		11/13/2014	0
11/13/2014	PW-5	Specific Conductance	FALSE	821		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-5	Total Dissolved Solids (TDS)	FALSE	531		10	10	mg/L		11/19/2014	0
11/13/2014	PW-5	Total Organic Carbon (TOC)	FALSE	2	,B	0.4	0.4	mg/L		11/18/2014	0
11/13/2014	PW-5	Sulfate	FALSE	141.32		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-5	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-5	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-5	Temperature	FALSE	16.39		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-5	Sample Time	FALSE	1230		0	0	hours			0
11/13/2014	PW-5 DUP	pH	FALSE	5.86		0	0	S.U.		11/13/2014	0
11/13/2014	PW-5 DUP	Specific Conductance	FALSE	820		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-5 DUP	Total Dissolved Solids (TDS)	FALSE	590.5		10	10	mg/L		11/19/2014	0
11/13/2014	PW-5 DUP	Total Organic Carbon (TOC)	FALSE	1.7	,B	0.4	0.4	mg/L		11/18/2014	0
11/13/2014	PW-5 DUP	Sulfate	FALSE	147.89		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-5 DUP	Dissolved Chromium	FALSE	0.004	J	0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-5 DUP	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-5 DUP	Temperature	FALSE	16.4		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-6	Static Water Level	FALSE	343.71		0	0	feet msl		11/13/2014	0
11/13/2014	PW-6	pH	FALSE	6.3		0	0	S.U.		11/13/2014	0
11/13/2014	PW-6	Specific Conductance	FALSE	444		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-6	Total Dissolved Solids (TDS)	FALSE	308.5		10	10	mg/L		11/19/2014	0
11/13/2014	PW-6	Total Organic Carbon (TOC)	FALSE	1.6	,B	0.4	0.4	mg/L		11/18/2014	0
11/13/2014	PW-6	Sulfate	FALSE	84.8		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-6	Dissolved Chromium	FALSE	0.011		0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-6	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-6	Temperature	FALSE	16.5		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-6	Sample Time	FALSE	1500		0	0	hours			0
11/13/2014	PW-7	Static Water Level	FALSE	346.07		0	0	feet msl		11/13/2014	0
11/13/2014	PW-7	pH	FALSE	6.42		0	0	S.U.		11/13/2014	0
11/13/2014	PW-7	Specific Conductance	FALSE	304		0	0	umhos/cm		11/13/2014	0
11/13/2014	PW-7	Total Dissolved Solids (TDS)	FALSE	249.5		10	10	mg/L		11/19/2014	0
11/13/2014	PW-7	Total Organic Carbon (TOC)	FALSE	1.4	,B	0.4	0.4	mg/L		11/18/2014	0
11/13/2014	PW-7	Sulfate	FALSE	59.55		0.06	0.3	mg/L		11/27/2014	0
11/13/2014	PW-7	Dissolved Chromium	FALSE	0.013		0.001	0.005	mg/L		12/5/2014	0
11/13/2014	PW-7	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/16/2014	0
11/13/2014	PW-7	Temperature	FALSE	16.1		0	0	Degrees C		11/13/2014	0
11/13/2014	PW-7	Sample Time	FALSE	1415		0	0	hours			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/13/2014	PW-8	Static Water Level	FALSE	346.63		0		0 feet msl		11/13/2014	0
11/13/2014	PW-8	pH	FALSE	6.26		0		0 S.U.		11/13/2014	0
11/13/2014	PW-8	Specific Conductance	FALSE	598		0		0 umhos/cm		11/13/2014	0
11/13/2014	PW-8	Total Dissolved Solids (TDS)	FALSE	422		10		10 mg/L		11/19/2014	0
11/13/2014	PW-8	Total Organic Carbon (TOC)	FALSE	2	,B	0.4		1 mg/L		11/18/2014	0
11/13/2014	PW-8	Sulfate	FALSE	104.34		0.06		0.3 mg/L		11/27/2014	0
11/13/2014	PW-8	Dissolved Chromium	FALSE	0.004	J	0.001		0.005 mg/L		12/5/2014	0
11/13/2014	PW-8	Dissolved Manganese	FALSE	0.03	J	0.02		0.05 mg/L		12/16/2014	0
11/13/2014	PW-8	Temperature	FALSE	16.62		0		0 Degrees C		11/13/2014	0
11/13/2014	PW-8	Sample Time	FALSE	1400		0		0 hours			0
4/8/2015	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		4/13/2015	0
4/8/2015	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.4		1 mg/L		4/21/2015	0
4/8/2015	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	FIELD BLANK	Sample Time	FALSE	1045		0		0 hours			0
4/8/2015	PW-1	Static Water Level	FALSE	359.26		0		0 feet msl		4/8/2015	0
4/8/2015	PW-1	pH	FALSE	6.34		0		0 S.U.		4/8/2015	0
4/8/2015	PW-1	Specific Conductance	FALSE	692		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-1	Total Dissolved Solids (TDS)	FALSE	550		10		10 mg/L		4/13/2015	0
4/8/2015	PW-1	Total Organic Carbon (TOC)	FALSE	2.1		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-1	Sulfate	FALSE	141.66		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-1	Dissolved Chromium	FALSE	0.001	J	0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-1	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-1	Temperature	FALSE	18.11		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-1	Sample Time	FALSE	1215		0		0 hours			0
4/8/2015	PW-2	Static Water Level	FALSE	357.15		0		0 feet msl		4/8/2015	0
4/8/2015	PW-2	pH	FALSE	5.57		0		0 S.U.		4/8/2015	0
4/8/2015	PW-2	Specific Conductance	FALSE	72		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-2	Total Dissolved Solids (TDS)	FALSE	114		10		10 mg/L		4/13/2015	0
4/8/2015	PW-2	Total Organic Carbon (TOC)	FALSE	0.7	J	0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-2	Sulfate	FALSE	1.34		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-2	Dissolved Chromium	FALSE	0.018		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-2	Dissolved Manganese	FALSE	0.02	J	0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-2	Temperature	FALSE	18.68		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-2	Sample Time	FALSE	1135		0		0 hours			0
4/8/2015	PW-3	Static Water Level	FALSE	352.5		0		0 feet msl		4/8/2015	0
4/8/2015	PW-3	pH	FALSE	5.3		0		0 S.U.		4/8/2015	0
4/8/2015	PW-3	Specific Conductance	FALSE	222		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-3	Total Dissolved Solids (TDS)	FALSE	203		10		10 mg/L		4/13/2015	0
4/8/2015	PW-3	Total Organic Carbon (TOC)	FALSE	1.6		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-3	Sulfate	FALSE	67.29		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-3	Dissolved Chromium	FALSE	0.017		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-3	Dissolved Manganese	FALSE	0.02	J	0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-3	Temperature	FALSE	16.89		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-3	Sample Time	FALSE	1155		0		0 hours			0
4/8/2015	PW-4	Static Water Level	FALSE	346.66		0		0 feet msl		4/8/2015	0
4/8/2015	PW-4	pH	FALSE	5.99		0		0 S.U.		4/8/2015	0
4/8/2015	PW-4	Specific Conductance	FALSE	248		0		0 umhos/cm		4/8/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/8/2015	PW-4	Total Dissolved Solids (TDS)	FALSE	207.5		10		10 mg/L		4/13/2015	0
4/8/2015	PW-4	Total Organic Carbon (TOC)	FALSE	1.6		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-4	Sulfate	FALSE	2.82		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-4	Dissolved Chromium	FALSE	0.031		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-4	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-4	Temperature	FALSE	17.13		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-4	Sample Time	FALSE	1220		0		0 hours			0
4/8/2015	PW-5	Static Water Level	FALSE	347.94		0		0 feet msl		4/8/2015	0
4/8/2015	PW-5	pH	FALSE	6.08		0		0 S.U.		4/8/2015	0
4/8/2015	PW-5	Specific Conductance	FALSE	652		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-5	Total Dissolved Solids (TDS)	FALSE	501.5		10		10 mg/L		4/13/2015	0
4/8/2015	PW-5	Total Organic Carbon (TOC)	FALSE	2		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-5	Sulfate	FALSE	128.56		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-5	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-5	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-5	Temperature	FALSE	16.08		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-5	Sample Time	FALSE	1130		0		0 hours			0
4/8/2015	PW-5 DUP	pH	FALSE	6.07		0		0 S.U.		4/8/2015	0
4/8/2015	PW-5 DUP	Specific Conductance	FALSE	650		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-5 DUP	Total Dissolved Solids (TDS)	FALSE	531		10		10 mg/L		4/13/2015	0
4/8/2015	PW-5 DUP	Total Organic Carbon (TOC)	FALSE	1.8		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-5 DUP	Sulfate	FALSE	128.84		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-5 DUP	Dissolved Chromium	FALSE	0.004 J		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-5 DUP	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-5 DUP	Temperature	FALSE	16.07		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-5 DUP	Sample Time	FALSE	1135		0		0 hours			0
4/8/2015	PW-6	Static Water Level	FALSE	346.5		0		0 feet msl		4/8/2015	0
4/8/2015	PW-6	pH	FALSE	6.15		0		0 S.U.		4/8/2015	0
4/8/2015	PW-6	Specific Conductance	FALSE	393		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-6	Total Dissolved Solids (TDS)	FALSE	335		10		10 mg/L		4/13/2015	0
4/8/2015	PW-6	Total Organic Carbon (TOC)	FALSE	2.1		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-6	Sulfate	FALSE	97.22		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-6	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-6	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-6	Temperature	FALSE	16.67		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-6	Sample Time	FALSE	1300		0		0 hours			0
4/8/2015	PW-7	Static Water Level	FALSE	348.27		0		0 feet msl		4/8/2015	0
4/8/2015	PW-7	pH	FALSE	7.36		0		0 S.U.		4/8/2015	0
4/8/2015	PW-7	Specific Conductance	FALSE	288		0		0 umhos/cm		4/8/2015	0
4/8/2015	PW-7	Total Dissolved Solids (TDS)	FALSE	256.5		10		10 mg/L		4/13/2015	0
4/8/2015	PW-7	Total Organic Carbon (TOC)	FALSE	1.5		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-7	Sulfate	FALSE	68.2		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-7	Dissolved Chromium	FALSE	0.011		0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-7	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-7	Temperature	FALSE	15.54		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-7	Sample Time	FALSE	1300		0		0 hours			0
4/8/2015	PW-8	Static Water Level	FALSE	349.33		0		0 feet msl		4/8/2015	0
4/8/2015	PW-8	pH	FALSE	6.5		0		0 S.U.		4/8/2015	0
4/8/2015	PW-8	Specific Conductance	FALSE	567		0		0 umhos/cm		4/8/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/8/2015	PW-8	Total Dissolved Solids (TDS)	FALSE	437.5		10		10 mg/L		4/13/2015	0
4/8/2015	PW-8	Total Organic Carbon (TOC)	FALSE	2.8		0.4		1 mg/L		4/21/2015	0
4/8/2015	PW-8	Sulfate	FALSE	122.32		0.06		0.3 mg/L		4/21/2015	0
4/8/2015	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001		0.005 mg/L		4/13/2015	0
4/8/2015	PW-8	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		5/1/2015	0
4/8/2015	PW-8	Temperature	FALSE	16.65		0		0 Degrees C		4/8/2015	0
4/8/2015	PW-8	Sample Time	FALSE	1220		0		0 hours			0
11/23/2015	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		11/24/2015	0
11/23/2015	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		0.4		1 mg/L		12/1/2015	0
11/23/2015	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	FIELD BLANK	Dissolved Chromium	TRUE	0		0.001		0.005 mg/L		12/2/2015	0
11/23/2015	FIELD BLANK	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	FIELD BLANK	Sample Time	FALSE	1100		0		0 hours		12/12/2015	0
11/23/2015	PW-1	Static Water Level	FALSE	357.59		0		0 feet msl		11/23/2015	0
11/23/2015	PW-1	pH	FALSE	6.34		0		0 S.U.		11/23/2015	0
11/23/2015	PW-1	Specific Conductance	FALSE	775		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-1	Total Dissolved Solids (TDS)	FALSE	478		10		10 mg/L		11/24/2015	0
11/23/2015	PW-1	Total Organic Carbon (TOC)	FALSE	1.1		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-1	Sulfate	FALSE	159.21		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-1	Dissolved Chromium	FALSE	0.001	J	0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-1	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-1	Temperature	FALSE	17.93		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-1	Sample Time	FALSE	1240		0		0 hours		12/12/2015	0
11/23/2015	PW-1 DUP	pH	FALSE	6.34		0		0 S.U.		11/23/2015	0
11/23/2015	PW-1 DUP	Specific Conductance	FALSE	775		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	491		10		10 mg/L		11/24/2015	0
11/23/2015	PW-1 DUP	Total Organic Carbon (TOC)	FALSE	2		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-1 DUP	Sulfate	FALSE	157.83		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-1 DUP	Dissolved Chromium	FALSE	0.001	J	0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-1 DUP	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-1 DUP	Temperature	FALSE	17.93		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-1 DUP	Sample Time	FALSE	1245		0		0 hours		12/12/2015	0
11/23/2015	PW-2	Static Water Level	FALSE	356.93		0		0 feet msl		11/23/2015	0
11/23/2015	PW-2	pH	FALSE	6.14		0		0 S.U.		11/23/2015	0
11/23/2015	PW-2	Specific Conductance	FALSE	78		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-2	Total Dissolved Solids (TDS)	FALSE	94.5		10		10 mg/L		11/24/2015	0
11/23/2015	PW-2	Total Organic Carbon (TOC)	TRUE	0		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-2	Sulfate	FALSE	1.19		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-2	Dissolved Chromium	FALSE	0.02		0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-2	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-2	Temperature	FALSE	18.34		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-2	Sample Time	FALSE	1200		0		0 hours		12/12/2015	0
11/23/2015	PW-3	Static Water Level	FALSE	351.86		0		0 feet msl		11/23/2015	0
11/23/2015	PW-3	pH	FALSE	5.29		0		0 S.U.		11/23/2015	0
11/23/2015	PW-3	Specific Conductance	FALSE	265		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-3	Total Dissolved Solids (TDS)	FALSE	202		10		10 mg/L		11/24/2015	0
11/23/2015	PW-3	Total Organic Carbon (TOC)	FALSE	1.3		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-3	Sulfate	FALSE	79.75		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-3	Dissolved Chromium	FALSE	0.016		0.001		0.005 mg/L		12/2/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/23/2015	PW-3	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-3	Temperature	FALSE	16.47		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-3	Sample Time	FALSE	1215		0		0 hours		12/12/2015	0
11/23/2015	PW-4	Static Water Level	FALSE	346.13		0		0 feet msl		11/23/2015	0
11/23/2015	PW-4	pH	FALSE	6.12		0		0 S.U.		11/23/2015	0
11/23/2015	PW-4	Specific Conductance	FALSE	284		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-4	Total Dissolved Solids (TDS)	FALSE	192.5		10		10 mg/L		11/24/2015	0
11/23/2015	PW-4	Total Organic Carbon (TOC)	FALSE	1.5		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-4	Sulfate	FALSE	2.3		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-4	Dissolved Chromium	FALSE	0.019		0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-4	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-4	Temperature	FALSE	17.04		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-4	Sample Time	FALSE	1310		0		0 hours		12/12/2015	0
11/23/2015	PW-5	Static Water Level	FALSE	347.46		0		0 feet msl		11/23/2015	0
11/23/2015	PW-5	pH	FALSE	6.74		0		0 S.U.		11/23/2015	0
11/23/2015	PW-5	Specific Conductance	FALSE	781		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-5	Total Dissolved Solids (TDS)	FALSE	504		10		10 mg/L		11/24/2015	0
11/23/2015	PW-5	Total Organic Carbon (TOC)	FALSE	1.6		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-5	Sulfate	FALSE	150.31		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-5	Dissolved Chromium	FALSE	0.004		0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-5	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-5	Temperature	FALSE	16.45		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-5	Sample Time	FALSE	1150		0		0 hours		12/12/2015	0
11/23/2015	PW-6	Static Water Level	FALSE	345.18		0		0 feet msl		11/23/2015	0
11/23/2015	PW-6	pH	FALSE	6.45		0		0 S.U.		11/23/2015	0
11/23/2015	PW-6	Specific Conductance	FALSE	447		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-6	Total Dissolved Solids (TDS)	FALSE	312		10		10 mg/L		11/24/2015	0
11/23/2015	PW-6	Total Organic Carbon (TOC)	FALSE	1.8		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-6	Sulfate	FALSE	94.87		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-6	Dissolved Chromium	FALSE	0.01		0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-6	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-6	Temperature	FALSE	16.4		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-6	Sample Time	FALSE	1140		0		0 hours		12/12/2015	0
11/23/2015	PW-7	Static Water Level	FALSE	347.6		0		0 feet msl		11/23/2015	0
11/23/2015	PW-7	pH	FALSE	6.76		0		0 S.U.		11/23/2015	0
11/23/2015	PW-7	Specific Conductance	FALSE	315		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-7	Total Dissolved Solids (TDS)	FALSE	237.5		10		10 mg/L		11/24/2015	0
11/23/2015	PW-7	Total Organic Carbon (TOC)	FALSE	1.4		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-7	Sulfate	FALSE	68.25		0.06		0.3 mg/L		12/12/2015	0
11/23/2015	PW-7	Dissolved Chromium	FALSE	0.014		0.001		0.005 mg/L		12/2/2015	0
11/23/2015	PW-7	Dissolved Manganese	TRUE	0		0.02		0.05 mg/L		12/7/2015	0
11/23/2015	PW-7	Temperature	FALSE	16.18		0		0 Degrees C		11/23/2015	0
11/23/2015	PW-7	Sample Time	FALSE	1310		0		0 hours		12/12/2015	0
11/23/2015	PW-8	Static Water Level	FALSE	348.27		0		0 feet msl		11/23/2015	0
11/23/2015	PW-8	pH	FALSE	6.65		0		0 S.U.		11/23/2015	0
11/23/2015	PW-8	Specific Conductance	FALSE	643		0		0 umhos/cm		11/23/2015	0
11/23/2015	PW-8	Total Dissolved Solids (TDS)	FALSE	409		10		10 mg/L		11/24/2015	0
11/23/2015	PW-8	Total Organic Carbon (TOC)	FALSE	2.4		0.4		1 mg/L		12/1/2015	0
11/23/2015	PW-8	Sulfate	FALSE	129.67		0.06		0.3 mg/L		12/12/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/23/2015	PW-8	Dissolved Chromium	FALSE	0.003	J	0.001	0.005	mg/L		12/2/2015	0
11/23/2015	PW-8	Dissolved Manganese	TRUE	0		0.02	0.05	mg/L		12/7/2015	0
11/23/2015	PW-8	Temperature	FALSE	16.81		0	0	Degrees C		11/23/2015	0
11/23/2015	PW-8	Sample Time	FALSE	1300		0	0	hours		12/12/2015	0
5/18/2016	FIELD BLANK	Sulfate	TRUE	0		1	1	mg/L	EPA300.0 R2.1	5/20/2016	1
5/18/2016	FIELD BLANK	Sample Time	FALSE	1230		0	0	hours	Field		0
5/18/2016	FIELD BLANK	Total Dissolved Solids (TDS)	FALSE	16		10	10	mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	FIELD BLANK	Dissolved Chromium	FALSE	0.0014	J	0.001	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	FIELD BLANK	Dissolved Manganese	TRUE	0		0.002	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		1	1	mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-1	Sulfate	FALSE	170		50	50	mg/L	EPA300.0 R2.1	5/23/2016	50
5/18/2016	PW-1	Static Water Level	FALSE	360.96		0	0	feet msl	Field		0
5/18/2016	PW-1	pH	FALSE	5.88		0	0	S.U.	Field		0
5/18/2016	PW-1	Specific Conductance	FALSE	758		0	0	umhos/cm	Field		0
5/18/2016	PW-1	Temperature	FALSE	18.14		0	0	Degrees C	Field		0
5/18/2016	PW-1	Sample Time	FALSE	1325		0	0	hours	Field		0
5/18/2016	PW-1	Total Dissolved Solids (TDS)	FALSE	695		10	10	mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-1	Dissolved Chromium	FALSE	0.0014	J	0.001	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-1	Dissolved Manganese	TRUE	0		0.002	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-1	Total Organic Carbon (TOC)	TRUE	0		1	1	mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-1 DUP	Sulfate	FALSE	149		20	20	mg/L	EPA300.0 R2.1	5/24/2016	20
5/18/2016	PW-1 DUP	pH	FALSE	5.88		0	0	S.U.	Field		0
5/18/2016	PW-1 DUP	Specific Conductance	FALSE	758		0	0	umhos/cm	Field		0
5/18/2016	PW-1 DUP	Temperature	FALSE	18.14		0	0	Degrees C	Field		0
5/18/2016	PW-1 DUP	Sample Time	FALSE	1325		0	0	hours	Field		0
5/18/2016	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	689		10	10	mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-1 DUP	Dissolved Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-1 DUP	Dissolved Manganese	TRUE	0		0.002	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-1 DUP	Total Organic Carbon (TOC)	TRUE	0		1	1	mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-2	Sulfate	FALSE	1.2		1	1	mg/L	EPA300.0 R2.1	5/23/2016	1
5/18/2016	PW-2	Static Water Level	FALSE	359.62		0	0	feet msl	Field		0
5/18/2016	PW-2	pH	FALSE	6.22		0	0	S.U.	Field		0
5/18/2016	PW-2	Specific Conductance	FALSE	72		0	0	umhos/cm	Field		0
5/18/2016	PW-2	Temperature	FALSE	18.31		0	0	Degrees C	Field		0
5/18/2016	PW-2	Sample Time	FALSE	1400		0	0	hours	Field		0
5/18/2016	PW-2	Total Dissolved Solids (TDS)	FALSE	125		10	10	mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-2	Dissolved Chromium	FALSE	0.0153		0.001	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-2	Dissolved Manganese	TRUE	0		0.002	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-2	Total Organic Carbon (TOC)	TRUE	0		1	1	mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-3	Sulfate	FALSE	72.2		10	10	mg/L	EPA300.0 R2.1	5/23/2016	10
5/18/2016	PW-3	Static Water Level	FALSE	354.66		0	0	feet msl	Field		0
5/18/2016	PW-3	pH	FALSE	5.64		0	0	S.U.	Field		0
5/18/2016	PW-3	Specific Conductance	FALSE	215		0	0	umhos/cm	Field		0
5/18/2016	PW-3	Temperature	FALSE	16.78		0	0	Degrees C	Field		0
5/18/2016	PW-3	Sample Time	FALSE	1430		0	0	hours	Field		0
5/18/2016	PW-3	Total Dissolved Solids (TDS)	FALSE	231		10	10	mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-3	Dissolved Chromium	FALSE	0.0159		0.001	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-3	Dissolved Manganese	FALSE	0.0051	J	0.002	0.01	mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-3	Total Organic Carbon (TOC)	TRUE	0		1	1	mg/L	SW9060A	5/26/2016	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/18/2016	PW-4	Sulfate	FALSE	2.7		1		1 mg/L	EPA300.0 R2.1	5/23/2016	1
5/18/2016	PW-4	Static Water Level	FALSE	348.63		0		0 feet msl	Field		0
5/18/2016	PW-4	pH	FALSE	6.38		0		0 S.U.	Field		0
5/18/2016	PW-4	Specific Conductance	FALSE	268		0		0 umhos/cm	Field		0
5/18/2016	PW-4	Temperature	FALSE	17.05		0		0 Degrees C	Field		0
5/18/2016	PW-4	Sample Time	FALSE	1545		0		0 hours	Field		0
5/18/2016	PW-4	Total Dissolved Solids (TDS)	FALSE	298		10		10 mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-4	Dissolved Chromium	FALSE	0.0195		0.001		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-4	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-4	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-5	Sulfate	FALSE	119		20		20 mg/L	EPA300.0 R2.1	5/24/2016	20
5/18/2016	PW-5	Static Water Level	FALSE	350.14		0		0 feet msl	Field		0
5/18/2016	PW-5	pH	FALSE	6.18		0		0 S.U.	Field		0
5/18/2016	PW-5	Specific Conductance	FALSE	649		0		0 umhos/cm	Field		0
5/18/2016	PW-5	Temperature	FALSE	15.96		0		0 Degrees C	Field		0
5/18/2016	PW-5	Sample Time	FALSE	1500		0		0 hours	Field		0
5/18/2016	PW-5	Total Dissolved Solids (TDS)	FALSE	595		10		10 mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-5	Dissolved Chromium	FALSE	0.0048 J		0.001		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-5	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-5	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-6	Sulfate	FALSE	89.3		20		20 mg/L	EPA300.0 R2.1	5/24/2016	20
5/18/2016	PW-6	Static Water Level	FALSE	349.1		0		0 feet msl	Field		0
5/18/2016	PW-6	pH	FALSE	6.29		0		0 S.U.	Field		0
5/18/2016	PW-6	Specific Conductance	FALSE	402		0		0 umhos/cm	Field		0
5/18/2016	PW-6	Temperature	FALSE	16.66		0		0 Degrees C	Field		0
5/18/2016	PW-6	Sample Time	FALSE	1445		0		0 hours	Field		0
5/18/2016	PW-6	Total Dissolved Solids (TDS)	FALSE	372		10		10 mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-6	Dissolved Chromium	FALSE	0.0089 J		0.001		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-6	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-6	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-7	Sulfate	FALSE	67		20		20 mg/L	EPA300.0 R2.1	5/24/2016	20
5/18/2016	PW-7	Static Water Level	FALSE	350.85		0		0 feet msl	Field		0
5/18/2016	PW-7	pH	FALSE	6.42		0		0 S.U.	Field		0
5/18/2016	PW-7	Specific Conductance	FALSE	294		0		0 umhos/cm	Field		0
5/18/2016	PW-7	Temperature	FALSE	15.48		0		0 Degrees C	Field		0
5/18/2016	PW-7	Sample Time	FALSE	1720		0		0 hours	Field		0
5/18/2016	PW-7	Total Dissolved Solids (TDS)	FALSE	265		10		10 mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-7	Dissolved Chromium	FALSE	0.0107		0.001		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-7	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-7	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/26/2016	1
5/18/2016	PW-8	Sulfate	FALSE	124		20		20 mg/L	EPA300.0 R2.1	5/24/2016	20
5/18/2016	PW-8	Static Water Level	FALSE	352.12		0		0 feet msl	Field		0
5/18/2016	PW-8	pH	FALSE	6.22		0		0 S.U.	Field		0
5/18/2016	PW-8	Specific Conductance	FALSE	613		0		0 umhos/cm	Field		0
5/18/2016	PW-8	Temperature	FALSE	16.4		0		0 Degrees C	Field		0
5/18/2016	PW-8	Sample Time	FALSE	1600		0		0 hours	Field		0
5/18/2016	PW-8	Total Dissolved Solids (TDS)	FALSE	502		10		10 mg/L	SM22 2540C-2011	5/24/2016	1
5/18/2016	PW-8	Dissolved Chromium	FALSE	0.0033 J		0.001		0.01 mg/L	SW6010C	5/26/2016	1
5/18/2016	PW-8	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/26/2016	1



Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/18/2016	PW-8	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/26/2016	1
9/21/2016	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	FIELD BLANK	Sulfate	TRUE	0		1		1 mg/L	EPA300.0 R2.1	10/4/2016	1
9/21/2016	FIELD BLANK	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	FIELD BLANK	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	FIELD BLANK	Sample Time	FALSE	930		0		0 hours	Field		0
9/21/2016	FIELD BLANK	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	FIELD BLANK	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-1	Static Water Level	FALSE	358.15		0		0 feet msl	Field		0
9/21/2016	PW-1	pH	FALSE	6.42		0		0 S.U.	Field		0
9/21/2016	PW-1	Specific Conductance	FALSE	711		0		0 umhos/cm	Field		0
9/21/2016	PW-1	Total Dissolved Solids (TDS)	FALSE	598		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-1	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-1	Sulfate	FALSE	175		50		50 mg/L	EPA300.0 R2.1	10/3/2016	50
9/21/2016	PW-1	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-1	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-1	Temperature	FALSE	18.71		0		0 Degrees C	Field		0
9/21/2016	PW-1	Sample Time	FALSE	1355		0		0 hours	Field		0
9/21/2016	PW-1	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-1	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-1 DUP	pH	FALSE	6.42		0		0 S.U.	Field		0
9/21/2016	PW-1 DUP	Specific Conductance	FALSE	711		0		0 umhos/cm	Field		0
9/21/2016	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	618		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-1 DUP	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-1 DUP	Sulfate	FALSE	150		20		20 mg/L	EPA300.0 R2.1	10/4/2016	20
9/21/2016	PW-1 DUP	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-1 DUP	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-1 DUP	Temperature	FALSE	19.71		0		0 Degrees C	Field		0
9/21/2016	PW-1 DUP	Sample Time	FALSE	1400		0		0 hours	Field		0
9/21/2016	PW-1 DUP	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-1 DUP	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-2	Static Water Level	FALSE	358.1		0		0 feet msl	Field		0
9/21/2016	PW-2	pH	FALSE	5.75		0		0 S.U.	Field		0
9/21/2016	PW-2	Specific Conductance	FALSE	71		0		0 umhos/cm	Field		0
9/21/2016	PW-2	Total Dissolved Solids (TDS)	FALSE	112		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-2	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-2	Sulfate	TRUE	0		1		1 mg/L	EPA300.0 R2.1	10/3/2016	1
9/21/2016	PW-2	Dissolved Chromium	FALSE	0.0125		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-2	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-2	Temperature	FALSE	19.3		0		0 Degrees C	Field		0
9/21/2016	PW-2	Sample Time	FALSE	1025		0		0 hours	Field		0
9/21/2016	PW-2	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-2	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-3	Static Water Level	FALSE	352.3		0		0 feet msl	Field		0
9/21/2016	PW-3	pH	FALSE	5.38		0		0 S.U.	Field		0
9/21/2016	PW-3	Specific Conductance	FALSE	258		0		0 umhos/cm	Field		0
9/21/2016	PW-3	Total Dissolved Solids (TDS)	FALSE	210		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-3	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2016	PW-3	Sulfate	FALSE	22.2		3		3 mg/L	EPA300.0 R2.1	10/3/2016	3
9/21/2016	PW-3	Dissolved Chromium	FALSE	0.0131		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-3	Dissolved Manganese	FALSE	0.0026	J	0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-3	Temperature	FALSE	17.08		0		0 Degrees C	Field		0
9/21/2016	PW-3	Sample Time	FALSE	1135		0		0 hours	Field		0
9/21/2016	PW-3	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-3	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-4	Static Water Level	FALSE	345.61		0		0 feet msl	Field		0
9/21/2016	PW-4	pH	FALSE	6.06		0		0 S.U.	Field		0
9/21/2016	PW-4	Specific Conductance	FALSE	301		0		0 umhos/cm	Field		0
9/21/2016	PW-4	Total Dissolved Solids (TDS)	FALSE	299		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-4	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-4	Sulfate	FALSE	3.1		1		1 mg/L	EPA300.0 R2.1	10/4/2016	1
9/21/2016	PW-4	Dissolved Chromium	FALSE	0.0158		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-4	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-4	Temperature	FALSE	17.71		0		0 Degrees C	Field		0
9/21/2016	PW-4	Sample Time	FALSE	1225		0		0 hours	Field		0
9/21/2016	PW-4	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-4	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-5	Static Water Level	FALSE	346.66		0		0 feet msl	Field		0
9/21/2016	PW-5	pH	FALSE	6.08		0		0 S.U.	Field		0
9/21/2016	PW-5	Specific Conductance	FALSE	772		0		0 umhos/cm	Field		0
9/21/2016	PW-5	Total Dissolved Solids (TDS)	FALSE	267		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-5	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-5	Sulfate	FALSE	187		20		20 mg/L	EPA300.0 R2.1	10/4/2016	20
9/21/2016	PW-5	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-5	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-5	Temperature	FALSE	16.96		0		0 Degrees C	Field		0
9/21/2016	PW-5	Sample Time	FALSE	1040		0		0 hours	Field		0
9/21/2016	PW-5	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-5	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-6	Static Water Level	FALSE	349.92		0		0 feet msl	Field		0
9/21/2016	PW-6	pH	FALSE	6.16		0		0 S.U.	Field		0
9/21/2016	PW-6	Specific Conductance	FALSE	428		0		0 umhos/cm	Field		0
9/21/2016	PW-6	Total Dissolved Solids (TDS)	FALSE	361		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-6	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-6	Sulfate	FALSE	71.6		20		20 mg/L	EPA300.0 R2.1	10/4/2016	20
9/21/2016	PW-6	Dissolved Chromium	FALSE	0.0098	J	0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-6	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-6	Temperature	FALSE	16.82		0		0 Degrees C	Field		0
9/21/2016	PW-6	Sample Time	FALSE	1320		0		0 hours	Field		0
9/21/2016	PW-6	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-6	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-7	Static Water Level	FALSE	347.08		0		0 feet msl	Field		0
9/21/2016	PW-7	pH	FALSE	6.19		0		0 S.U.	Field		0
9/21/2016	PW-7	Specific Conductance	FALSE	300		0		0 umhos/cm	Field		0
9/21/2016	PW-7	Total Dissolved Solids (TDS)	FALSE	247		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-7	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-7	Sulfate	FALSE	69.3		20		20 mg/L	EPA300.0 R2.1	10/4/2016	20

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2016	PW-7	Dissolved Chromium	FALSE	0.0109		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-7	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-7	Temperature	FALSE	16.64		0		0 Degrees C	Field		0
9/21/2016	PW-7	Sample Time	FALSE	1140		0		0 hours	Field		0
9/21/2016	PW-7	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-7	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-8	Static Water Level	FALSE	347.58		0		0 feet msl	Field		0
9/21/2016	PW-8	pH	FALSE	6.12		0		0 S.U.	Field		0
9/21/2016	PW-8	Specific Conductance	FALSE	624		0		0 umhos/cm	Field		0
9/21/2016	PW-8	Total Dissolved Solids (TDS)	FALSE	495		10		10 mg/L	SM22 2540C-2011	9/28/2016	1
9/21/2016	PW-8	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-8	Sulfate	FALSE	130		20		20 mg/L	EPA300.0 R2.1	10/4/2016	20
9/21/2016	PW-8	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-8	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	9/26/2016	1
9/21/2016	PW-8	Temperature	FALSE	17.03		0		0 Degrees C	Field		0
9/21/2016	PW-8	Sample Time	FALSE	1235		0		0 hours	Field		0
9/21/2016	PW-8	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
9/21/2016	PW-8	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	9/28/2016	1
5/11/2017	FIELD BLANK	Sample Time	FALSE	1310		0		0 hours			0
5/11/2017	FIELD BLANK	Sulfate	TRUE	0		0.5		1 mg/L	EPA300.0 R2.1	5/22/2017	1
5/11/2017	FIELD BLANK	Total Dissolved Solids (TDS)	FALSE	46		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	FIELD BLANK	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	5/15/2017	1
5/11/2017	FIELD BLANK	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/15/2017	1
5/11/2017	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	FIELD BLANK	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	FIELD BLANK	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-1	Static Water Level	FALSE	359.14		0		0 feet msl			0
5/11/2017	PW-1	pH	FALSE	5.93		0		0 S.U.			0
5/11/2017	PW-1	Specific Conductance	FALSE	961		0		0 umhos/cm			0
5/11/2017	PW-1	Temperature	FALSE	18.54		0		0 Degrees C			0
5/11/2017	PW-1	Sample Time	FALSE	1620		0		0 hours			0
5/11/2017	PW-1	Sulfate	FALSE	134		25		50 mg/L	EPA300.0 R2.1	5/22/2017	1
5/11/2017	PW-1	Total Dissolved Solids (TDS)	FALSE	730		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-1	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-1	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-1	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-1	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-1	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-2	Static Water Level	FALSE	356.43		0		0 feet msl			0
5/11/2017	PW-2	pH	FALSE	5.94		0		0 S.U.			0
5/11/2017	PW-2	Specific Conductance	FALSE	70		0		0 umhos/cm			0
5/11/2017	PW-2	Temperature	FALSE	18.96		0		0 Degrees C			0
5/11/2017	PW-2	Sample Time	FALSE	1345		0		0 hours			0
5/11/2017	PW-2	Sulfate	FALSE	0.6 J		0.5		1 mg/L	EPA300.0 R2.1	5/22/2017	1
5/11/2017	PW-2	Total Dissolved Solids (TDS)	FALSE	94 ,B		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-2	Dissolved Chromium	FALSE	0.012		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-2	Dissolved Manganese	FALSE	0.0096 J		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-2	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-2	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/11/2017	PW-2	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-3	Static Water Level	FALSE	351.86		0		0 feet msl			0
5/11/2017	PW-3	pH	FALSE	5.2		0		0 S.U.			0
5/11/2017	PW-3	Specific Conductance	FALSE	270		0		0 umhos/cm			0
5/11/2017	PW-3	Temperature	FALSE	17.26		0		0 Degrees C			0
5/11/2017	PW-3	Sample Time	FALSE	1215		0		0 hours			0
5/11/2017	PW-3	Sulfate	FALSE	81.5		5		10 mg/L	EPA300.0 R2.1	5/22/2017	10
5/11/2017	PW-3	Total Dissolved Solids (TDS)	FALSE	233		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-3	Dissolved Chromium	FALSE	0.0143		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-3	Dissolved Manganese	FALSE	0.005 J		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-3	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-3	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-3	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-4	Static Water Level	FALSE	346.84		0		0 feet msl			0
5/11/2017	PW-4	pH	FALSE	5.61		0		0 S.U.			0
5/11/2017	PW-4	Specific Conductance	FALSE	325		0		0 umhos/cm			0
5/11/2017	PW-4	Temperature	FALSE	17.42		0		0 Degrees C			0
5/11/2017	PW-4	Sample Time	FALSE	1235		0		0 hours			0
5/11/2017	PW-4	Sulfate	FALSE	2		0.5		1 mg/L	EPA300.0 R2.1	5/22/2017	1
5/11/2017	PW-4	Total Dissolved Solids (TDS)	FALSE	270		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-4	Dissolved Chromium	FALSE	0.0191		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-4	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-4	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-4	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-4	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-4 DUP	pH	FALSE	5.61		0		0 S.U.			0
5/11/2017	PW-4 DUP	Specific Conductance	FALSE	325		0		0 umhos/cm			0
5/11/2017	PW-4 DUP	Temperature	FALSE	17.42		0		0 Degrees C			0
5/11/2017	PW-4 DUP	Sample Time	FALSE	1240		0		0 hours			0
5/11/2017	PW-4 DUP	Sulfate	FALSE	1.8		0.5		1 mg/L	EPA300.0 R2.1	5/23/2017	1
5/11/2017	PW-4 DUP	Total Dissolved Solids (TDS)	FALSE	271		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-4 DUP	Dissolved Chromium	FALSE	0.0199		0.004		0.01 mg/L	SW6010C	5/15/2017	1
5/11/2017	PW-4 DUP	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/15/2017	1
5/11/2017	PW-4 DUP	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-4 DUP	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-4 DUP	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-5	Static Water Level	FALSE	348.03		0		0 feet msl			0
5/11/2017	PW-5	pH	FALSE	5.95		0		0 S.U.			0
5/11/2017	PW-5	Specific Conductance	FALSE	720		0		0 umhos/cm			0
5/11/2017	PW-5	Temperature	FALSE	17.14		0		0 Degrees C			0
5/11/2017	PW-5	Sample Time	FALSE	1400		0		0 hours			0
5/11/2017	PW-5	Sulfate	FALSE	134		10		20 mg/L	EPA300.0 R2.1	5/22/2017	20
5/11/2017	PW-5	Total Dissolved Solids (TDS)	FALSE	553		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-5	Dissolved Chromium	FALSE	0.0041 J		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-5	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-5	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-5	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-5	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-6	Static Water Level	FALSE	346.03		0		0 feet msl			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/11/2017	PW-6	pH	FALSE	6.03		0		0 S.U.			0
5/11/2017	PW-6	Specific Conductance	FALSE	438		0		0 umhos/cm			0
5/11/2017	PW-6	Temperature	FALSE	17.33		0		0 Degrees C			0
5/11/2017	PW-6	Sample Time	FALSE	1525		0		0 hours			0
5/11/2017	PW-6	Sulfate	FALSE	73.9		10		20 mg/L	EPA300.0 R2.1	5/22/2017	20
5/11/2017	PW-6	Total Dissolved Solids (TDS)	FALSE	354		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-6	Dissolved Chromium	FALSE	0.0101		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-6	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-6	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-6	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-6	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-7	Static Water Level	FALSE	348.71		0		0 feet msl			0
5/11/2017	PW-7	pH	FALSE	6.21		0		0 S.U.			0
5/11/2017	PW-7	Specific Conductance	FALSE	316		0		0 umhos/cm			0
5/11/2017	PW-7	Temperature	FALSE	16.73		0		0 Degrees C			0
5/11/2017	PW-7	Sample Time	FALSE	1415		0		0 hours			0
5/11/2017	PW-7	Sulfate	FALSE	70.3		10		20 mg/L	EPA300.0 R2.1	5/22/2017	20
5/11/2017	PW-7	Total Dissolved Solids (TDS)	FALSE	249		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-7	Dissolved Chromium	FALSE	0.0102		0.004		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-7	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/16/2017	1
5/11/2017	PW-7	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-7	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-7	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-8	Static Water Level	FALSE	348.95		0		0 feet msl			0
5/11/2017	PW-8	pH	FALSE	5.71		0		0 S.U.			0
5/11/2017	PW-8	Specific Conductance	FALSE	667		0		0 umhos/cm			0
5/11/2017	PW-8	Temperature	FALSE	16.98		0		0 Degrees C			0
5/11/2017	PW-8	Sample Time	FALSE	1450		0		0 hours			0
5/11/2017	PW-8	Sulfate	FALSE	127		10		20 mg/L	EPA300.0 R2.1	5/22/2017	20
5/11/2017	PW-8	Total Dissolved Solids (TDS)	FALSE	505		10		10 mg/L	SM22 2540C-2011	5/15/2017	1
5/11/2017	PW-8	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	5/15/2017	1
5/11/2017	PW-8	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	5/15/2017	1
5/11/2017	PW-8	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-8	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
5/11/2017	PW-8	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	5/17/2017	1
8/2/2017	FIELD BLANK	Sulfate	TRUE	0		0.5		1 mg/L	EPA300.0 R2.1	8/14/2017	1
8/2/2017	FIELD BLANK	Sample Time	FALSE	855		0		0 hours	FIELD		0
8/2/2017	FIELD BLANK	Total Dissolved Solids (TDS)	FALSE	13		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	FIELD BLANK	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	8/9/2017	1
8/2/2017	FIELD BLANK	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/9/2017	1
8/2/2017	FIELD BLANK	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	FIELD BLANK	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	FIELD BLANK	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-1	Sulfate	FALSE	136		25		50 mg/L	EPA300.0 R2.1	8/11/2017	50
8/2/2017	PW-1	Static Water Level	FALSE	357.69		0		0 feet msl	FIELD		0
8/2/2017	PW-1	pH	FALSE	6.23		0		0 S.U.	FIELD		0
8/2/2017	PW-1	Specific Conductance	FALSE	875		0		0 umhos/cm	FIELD		0
8/2/2017	PW-1	Temperature	FALSE	18.7		0		0 Degrees C	FIELD		0
8/2/2017	PW-1	Sample Time	FALSE	1000		0		0 hours	FIELD		0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/2/2017	PW-1	Total Dissolved Solids (TDS)	FALSE	689		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-1	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-1	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-1	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-1	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-1	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-1 DUP	Sulfate	FALSE	129		10		20 mg/L	EPA300.0 R2.1	8/14/2017	20
8/2/2017	PW-1 DUP	pH	FALSE	6.23		0		0 S.U.	FIELD		0
8/2/2017	PW-1 DUP	Specific Conductance	FALSE	875		0		0 umhos/cm	FIELD		0
8/2/2017	PW-1 DUP	Temperature	FALSE	18.72		0		0 Degrees C	FIELD		0
8/2/2017	PW-1 DUP	Sample Time	FALSE	1005		0		0 hours	FIELD		0
8/2/2017	PW-1 DUP	Total Dissolved Solids (TDS)	FALSE	700		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-1 DUP	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	8/9/2017	1
8/2/2017	PW-1 DUP	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/9/2017	1
8/2/2017	PW-1 DUP	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-1 DUP	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-1 DUP	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-2	Sulfate	FALSE	1 J		0.5		1 mg/L	EPA300.0 R2.1	8/11/2017	1
8/2/2017	PW-2	Static Water Level	FALSE	356.23		0		0 feet msl	FIELD		0
8/2/2017	PW-2	pH	FALSE	4.85		0		0 S.U.	FIELD		0
8/2/2017	PW-2	Specific Conductance	FALSE	73		0		0 umhos/cm	FIELD		0
8/2/2017	PW-2	Temperature	FALSE	19.13		0		0 Degrees C	FIELD		0
8/2/2017	PW-2	Sample Time	FALSE	1100		0		0 hours	FIELD		0
8/2/2017	PW-2	Total Dissolved Solids (TDS)	FALSE	108		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-2	Dissolved Chromium	FALSE	0.0161		0.004		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-2	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-2	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-2	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-2	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-3	Sulfate	FALSE	92		5		10 mg/L	EPA300.0 R2.1	8/11/2017	10
8/2/2017	PW-3	Static Water Level	FALSE	351.15		0		0 feet msl	FIELD		0
8/2/2017	PW-3	pH	FALSE	4.81		0		0 S.U.	FIELD		0
8/2/2017	PW-3	Specific Conductance	FALSE	286		0		0 umhos/cm	FIELD		0
8/2/2017	PW-3	Temperature	FALSE	17.35		0		0 Degrees C	FIELD		0
8/2/2017	PW-3	Sample Time	FALSE	1045		0		0 hours	FIELD		0
8/2/2017	PW-3	Total Dissolved Solids (TDS)	FALSE	257		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-3	Dissolved Chromium	FALSE	0.0138		0.004		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-3	Dissolved Manganese	FALSE	0.0062 J		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-3	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-3	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-3	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-4	Sulfate	FALSE	1.9		0.5		1 mg/L	EPA300.0 R2.1	8/11/2017	1
8/2/2017	PW-4	Static Water Level	FALSE	344.8		0		0 feet msl	FIELD		0
8/2/2017	PW-4	pH	FALSE	5.63		0		0 S.U.	FIELD		0
8/2/2017	PW-4	Specific Conductance	FALSE	331		0		0 umhos/cm	FIELD		0
8/2/2017	PW-4	Temperature	FALSE	18.1		0		0 Degrees C	FIELD		0
8/2/2017	PW-4	Sample Time	FALSE	1235		0		0 hours	FIELD		0
8/2/2017	PW-4	Total Dissolved Solids (TDS)	FALSE	290		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-4	Dissolved Chromium	FALSE	0.0178		0.004		0.01 mg/L	SW6010C	8/8/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/2/2017	PW-4	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-4	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-4	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-4	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-5	Sulfate	FALSE	158		10		20 mg/L	EPA300.0 R2.1	8/11/2017	20
8/2/2017	PW-5	Static Water Level	FALSE	345.83		0		0 feet msl	FIELD		0
8/2/2017	PW-5	pH	FALSE	5.93		0		0 S.U.	FIELD		0
8/2/2017	PW-5	Specific Conductance	FALSE	719		0		0 umhos/cm	FIELD		0
8/2/2017	PW-5	Temperature	FALSE	17.43		0		0 Degrees C	FIELD		0
8/2/2017	PW-5	Sample Time	FALSE	1050		0		0 hours	FIELD		0
8/2/2017	PW-5	Total Dissolved Solids (TDS)	FALSE	556		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-5	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-5	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-5	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-5	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-5	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-6	Sulfate	FALSE	71.7		10		20 mg/L	EPA300.0 R2.1	8/11/2017	20
8/2/2017	PW-6	Static Water Level	FALSE	343.08		0		0 feet msl	FIELD		0
8/2/2017	PW-6	pH	FALSE	5.84		0		0 S.U.	FIELD		0
8/2/2017	PW-6	Specific Conductance	FALSE	471		0		0 umhos/cm	FIELD		0
8/2/2017	PW-6	Temperature	FALSE	17.4		0		0 Degrees C	FIELD		0
8/2/2017	PW-6	Sample Time	FALSE	1235		0		0 hours	FIELD		0
8/2/2017	PW-6	Total Dissolved Solids (TDS)	FALSE	427		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-6	Dissolved Chromium	FALSE	0.0082 J		0.004		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-6	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-6	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-6	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-6	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-7	Sulfate	FALSE	71.2		10		20 mg/L	EPA300.0 R2.1	8/11/2017	20
8/2/2017	PW-7	Static Water Level	FALSE	346.56		0		0 feet msl	FIELD		0
8/2/2017	PW-7	pH	FALSE	5.91		0		0 S.U.	FIELD		0
8/2/2017	PW-7	Specific Conductance	FALSE	309		0		0 umhos/cm	FIELD		0
8/2/2017	PW-7	Temperature	FALSE	16.93		0		0 Degrees C	FIELD		0
8/2/2017	PW-7	Sample Time	FALSE	1245		0		0 hours	FIELD		0
8/2/2017	PW-7	Total Dissolved Solids (TDS)	FALSE	251		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-7	Dissolved Chromium	FALSE	0.0098 J		0.004		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-7	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/8/2017	1
8/2/2017	PW-7	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-7	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-7	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-8	Sulfate	FALSE	121		10		20 mg/L	EPA300.0 R2.1	8/14/2017	20
8/2/2017	PW-8	Static Water Level	FALSE	347.17		0		0 feet msl	FIELD		0
8/2/2017	PW-8	pH	FALSE	6.14		0		0 S.U.	FIELD		0
8/2/2017	PW-8	Specific Conductance	FALSE	639		0		0 umhos/cm	FIELD		0
8/2/2017	PW-8	Temperature	FALSE	18.2		0		0 Degrees C	FIELD		0
8/2/2017	PW-8	Sample Time	FALSE	1355		0		0 hours	FIELD		0
8/2/2017	PW-8	Total Dissolved Solids (TDS)	FALSE	539		10		10 mg/L	SM22 2540C-2011	8/4/2017	1
8/2/2017	PW-8	Dissolved Chromium	TRUE	0		0.004		0.01 mg/L	SW6010C	8/9/2017	1
8/2/2017	PW-8	Dissolved Manganese	TRUE	0		0.002		0.01 mg/L	SW6010C	8/9/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/2/2017	PW-8	Total Organic Carbon (TOC)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-8	Total Organic Carbon (Max)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1
8/2/2017	PW-8	Total Organic Carbon (Min)	TRUE	0		1		1 mg/L	SW9060A	8/10/2017	1