

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2013	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	FIELD BLANK	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	FIELD BLANK	Ammonia as N	TRUE	0		0.01		0.05 mg/L		3/15/2013	0
3/11/2013	FIELD BLANK	Chloride	TRUE	0		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		3/26/2013	0
3/11/2013	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		3/13/2013	0
3/11/2013	FIELD BLANK	Sample Time	FALSE	1100		0		0 hours		3/11/2013	0
3/11/2013	MW-1	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-1	Barium, Dissolved	FALSE	0.023		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-1	Cadmium, Dissolved	FALSE	0.0003 J		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-1	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-1	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-1	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-1	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-1	Manganese, Dissolved	FALSE	0.08		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-1	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-1	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-1	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-1	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-1	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-1	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-1	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		3/14/2013	0
3/11/2013	MW-1	Chloride	FALSE	1.88		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-1	Hardness	FALSE	13.68		3		10 mg/L		3/26/2013	0
3/11/2013	MW-1	Nitrate	FALSE	0.16		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-1	Sulfate	FALSE	1.39		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-1	Total Dissolved Solids (TDS)	FALSE	29.5		10		10 mg/L		3/13/2013	0
3/11/2013	MW-1	Conductivity	FALSE	47		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-1	Groundwater Elevation	FALSE	216.86		0		0 Feet		3/11/2013	0
3/11/2013	MW-1	pH	FALSE	6.03		0		0 S.U.		3/11/2013	0
3/11/2013	MW-1	Sample Time	FALSE	1520		0		0 hours		3/11/2013	0
3/11/2013	MW-1	Temperature	FALSE	14.4		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-1	Turbidity	FALSE	29.8		0		0 NTU		3/11/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2013	MW-11 DUP	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-11 DUP	Barium, Dissolved	FALSE	0.005	J	0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-11 DUP	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-11 DUP	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-11 DUP	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-11 DUP	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-11 DUP	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-11 DUP	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-11 DUP	Manganese, Dissolved	FALSE	0.3		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-11 DUP	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-11 DUP	Molybdenum, Dissolved	FALSE	0.002	J	0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-11 DUP	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-11 DUP	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-11 DUP	Vanadium, Dissolved	FALSE	0.006		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-11 DUP	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-11 DUP	Ammonia as N	FALSE	0.01	J	0.01		0.05 mg/L		3/15/2013	0
3/11/2013	MW-11 DUP	Chloride	FALSE	8.12		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-11 DUP	Hardness	FALSE	126.54		3		10 mg/L		3/26/2013	0
3/11/2013	MW-11 DUP	Nitrate	FALSE	0.04	J	0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-11 DUP	Sulfate	FALSE	5.91		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-11 DUP	Total Dissolved Solids (TDS)	FALSE	154.5		10		10 mg/L		3/13/2013	0
3/11/2013	MW-11 DUP	Conductivity	FALSE	213		0		0 uS/cm		3/12/2013	0
3/11/2013	MW-11 DUP	pH	FALSE	6.72		0		0 S.U.		3/12/2013	0
3/11/2013	MW-11 DUP	Sample Time	FALSE	1238		0		0 hours		3/11/2013	0
3/11/2013	MW-11 DUP	Temperature	FALSE	15.09		0		0 Degrees C		3/12/2013	0
3/11/2013	MW-11 DUP	Turbidity	FALSE	688		0		0 NTU		3/12/2013	0
3/11/2013	MW-12	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-12	Barium, Dissolved	FALSE	0.139		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-12	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-12	Chromium, Dissolved	FALSE	0.001	J	0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-12	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-12	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-12	Iron, Dissolved	FALSE	2.05		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-12	Lead, Dissolved	FALSE	0.003	J	0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-12	Manganese, Dissolved	FALSE	0.43		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-12	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-12	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-12	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-12	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-12	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-12	Zinc, Dissolved	FALSE	0.01	J	0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-12	Ammonia as N	FALSE	0.07		0.01		0.05 mg/L		3/15/2013	0
3/11/2013	MW-12	Chloride	FALSE	12.32		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-12	Hardness	FALSE	164.16		3		10 mg/L		3/26/2013	0
3/11/2013	MW-12	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-12	Sulfate	FALSE	158.08		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-12	Total Dissolved Solids (TDS)	FALSE	295.5		10		10 mg/L		3/13/2013	0
3/11/2013	MW-12	Conductivity	FALSE	420		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-12	Groundwater Elevation	FALSE	203.71		0		0 Feet		3/11/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2013	MW-12	pH	FALSE	5.94		0		0 S.U.		3/11/2013	0
3/11/2013	MW-12	Sample Time	FALSE	1255		0		0 hours		3/11/2013	0
3/11/2013	MW-12	Temperature	FALSE	14.77		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-12	Turbidity	FALSE	8.48		0		0 NTU		3/11/2013	0
3/11/2013	MW-13	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-13	Barium, Dissolved	FALSE	0.11		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-13	Cadmium, Dissolved	FALSE	0.0006 J		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-13	Iron, Dissolved	FALSE	3.23		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-13	Manganese, Dissolved	FALSE	1.84		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-13	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-13	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-13	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-13	Zinc, Dissolved	FALSE	0.015 J		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-13	Ammonia as N	FALSE	0.05		0.01		0.05 mg/L		3/15/2013	0
3/11/2013	MW-13	Chloride	FALSE	25.41		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-13	Hardness	FALSE	266.76		3		10 mg/L		3/26/2013	0
3/11/2013	MW-13	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-13	Sulfate	FALSE	215.71		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-13	Total Dissolved Solids (TDS)	FALSE	411		10		10 mg/L		3/13/2013	0
3/11/2013	MW-13	Conductivity	FALSE	568		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-13	Groundwater Elevation	FALSE	212.45		0		0 Feet		3/11/2013	0
3/11/2013	MW-13	pH	FALSE	5.69		0		0 S.U.		3/11/2013	0
3/11/2013	MW-13	Sample Time	FALSE	1350		0		0 hours		3/11/2013	0
3/11/2013	MW-13	Temperature	FALSE	13.18		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-13	Turbidity	FALSE	40.3		0		0 NTU		3/11/2013	0
3/11/2013	MW-2	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-2	Barium, Dissolved	FALSE	0.081		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-2	Cadmium, Dissolved	FALSE	0.0003 J		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-2	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-2	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-2	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-2	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-2	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-2	Manganese, Dissolved	FALSE	0.59		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-2	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-2	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-2	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-2	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-2	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-2	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-2	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		3/14/2013	0
3/11/2013	MW-2	Chloride	FALSE	11.65		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-2	Hardness	FALSE	184.68		3		10 mg/L		3/26/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2013	MW-2	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-2	Sulfate	FALSE	171.18		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-2	Total Dissolved Solids (TDS)	FALSE	324		10		10 mg/L		3/13/2013	0
3/11/2013	MW-2	Conductivity	FALSE	432		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-2	Groundwater Elevation	FALSE	214.93		0		0 Feet		3/11/2013	0
3/11/2013	MW-2	pH	FALSE	5.74		0		0 S.U.		3/11/2013	0
3/11/2013	MW-2	Sample Time	FALSE	1145		0		0 hours		3/11/2013	0
3/11/2013	MW-2	Temperature	FALSE	12.33		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-2	Turbidity	FALSE	21.8		0		0 NTU		3/11/2013	0
3/11/2013	MW-3	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-3	Barium, Dissolved	FALSE	0.11		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-3	Cadmium, Dissolved	FALSE	0.0003 J		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-3	Copper, Dissolved	FALSE	0.003 J		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-3	Iron, Dissolved	FALSE	0.09 J		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-3	Manganese, Dissolved	FALSE	0.56		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-3	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-3	Zinc, Dissolved	FALSE	0.01 J		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-3	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		3/14/2013	0
3/11/2013	MW-3	Chloride	FALSE	4.16		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-3	Hardness	FALSE	46.17		3		10 mg/L		3/26/2013	0
3/11/2013	MW-3	Nitrate	FALSE	0.01 J		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-3	Sulfate	FALSE	37.43		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-3	Total Dissolved Solids (TDS)	FALSE	151.5		10		10 mg/L		3/13/2013	0
3/11/2013	MW-3	Conductivity	FALSE	147		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-3	Groundwater Elevation	FALSE	211.94		0		0 Feet		3/11/2013	0
3/11/2013	MW-3	pH	FALSE	5.67		0		0 S.U.		3/11/2013	0
3/11/2013	MW-3	Sample Time	FALSE	1610		0		0 hours		3/11/2013	0
3/11/2013	MW-3	Temperature	FALSE	15.08		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-3	Turbidity	FALSE	64.1		0		0 NTU		3/11/2013	0
3/11/2013	MW-4	Arsenic, Dissolved	TRUE	0		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-4	Barium, Dissolved	FALSE	0.095		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-4	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-4	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-4	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-4	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-4	Iron, Dissolved	FALSE	7.42		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-4	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-4	Manganese, Dissolved	FALSE	11.78		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-4	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-4	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-4	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-4	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2013	MW-4	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/11/2013	MW-4	Zinc, Dissolved	FALSE	0.057		0.01	0.03	mg/L		4/15/2013	0
3/11/2013	MW-4	Ammonia as N	FALSE	0.16		0.01	0.05	mg/L		3/14/2013	0
3/11/2013	MW-4	Chloride	FALSE	12.2		0.05	0.25	mg/L		3/19/2013	0
3/11/2013	MW-4	Hardness	FALSE	2009.25		3	10	mg/L		3/26/2013	0
3/11/2013	MW-4	Nitrate	TRUE	0		0.01	0.05	mg/L		3/13/2013	0
3/11/2013	MW-4	Sulfate	FALSE	1285.8		0.06	0.3	mg/L		3/19/2013	0
3/11/2013	MW-4	Total Dissolved Solids (TDS)	FALSE	2017		10	10	mg/L		3/13/2013	0
3/11/2013	MW-4	Conductivity	FALSE	2200		0	0	uS/cm		3/11/2013	0
3/11/2013	MW-4	Groundwater Elevation	FALSE	212.6		0	0	Feet		3/11/2013	0
3/11/2013	MW-4	pH	FALSE	5.78		0	0	S.U.		3/11/2013	0
3/11/2013	MW-4	Sample Time	FALSE	1155		0	0	hours		3/11/2013	0
3/11/2013	MW-4	Temperature	FALSE	15.66		0	0	Degrees C		3/11/2013	0
3/11/2013	MW-4	Turbidity	FALSE	50		0	0	NTU		3/11/2013	0
3/11/2013	MW-5	Arsenic, Dissolved	TRUE	0		0.003	0.01	mg/L		4/24/2013	0
3/11/2013	MW-5	Barium, Dissolved	FALSE	0.125		0.003	0.015	mg/L		4/26/2013	0
3/11/2013	MW-5	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/25/2013	0
3/11/2013	MW-5	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/11/2013	MW-5	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		3/12/2013	0
3/11/2013	MW-5	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/11/2013	MW-5	Iron, Dissolved	FALSE	6.46		0.05	0.25	mg/L		4/15/2013	0
3/11/2013	MW-5	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/11/2013	MW-5	Manganese, Dissolved	FALSE	1.02		0.02	0.05	mg/L		4/15/2013	0
3/11/2013	MW-5	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		4/4/2013	0
3/11/2013	MW-5	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/11/2013	MW-5	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		4/24/2013	0
3/11/2013	MW-5	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/26/2013	0
3/11/2013	MW-5	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/11/2013	MW-5	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		4/15/2013	0
3/11/2013	MW-5	Ammonia as N	FALSE	0.52		0.01	0.05	mg/L		3/14/2013	0
3/11/2013	MW-5	Chloride	FALSE	8.72		0.05	0.25	mg/L		3/19/2013	0
3/11/2013	MW-5	Hardness	FALSE	205.2		3	10	mg/L		3/26/2013	0
3/11/2013	MW-5	Nitrate	TRUE	0		0.01	0.05	mg/L		3/13/2013	0
3/11/2013	MW-5	Sulfate	FALSE	8.03		0.06	0.3	mg/L		3/19/2013	0
3/11/2013	MW-5	Total Dissolved Solids (TDS)	FALSE	204.5		10	10	mg/L		3/13/2013	0
3/11/2013	MW-5	Conductivity	FALSE	352		0	0	uS/cm		3/11/2013	0
3/11/2013	MW-5	Groundwater Elevation	FALSE	212.85		0	0	Feet		3/11/2013	0
3/11/2013	MW-5	pH	FALSE	6.53		0	0	S.U.		3/11/2013	0
3/11/2013	MW-5	Sample Time	FALSE	1345		0	0	hours		3/11/2013	0
3/11/2013	MW-5	Temperature	FALSE	15.52		0	0	Degrees C		3/11/2013	0
3/11/2013	MW-5	Turbidity	FALSE	80.7		0	0	NTU		3/11/2013	0
3/11/2013	MW-6	Arsenic, Dissolved	TRUE	0		0.003	0.01	mg/L		4/24/2013	0
3/11/2013	MW-6	Barium, Dissolved	FALSE	0.073		0.003	0.015	mg/L		4/26/2013	0
3/11/2013	MW-6	Cadmium, Dissolved	FALSE	0.0005	J	0.0003	0.0015	mg/L		4/25/2013	0
3/11/2013	MW-6	Chromium, Dissolved	FALSE	0.002	J	0.001	0.005	mg/L		4/26/2013	0
3/11/2013	MW-6	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		3/12/2013	0
3/11/2013	MW-6	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/11/2013	MW-6	Iron, Dissolved	FALSE	0.06	J	0.05	0.25	mg/L		4/15/2013	0
3/11/2013	MW-6	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/11/2013	MW-6	Manganese, Dissolved	FALSE	1.8		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-6	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-6	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-6	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-6	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-6	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-6	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-6	Ammonia as N	FALSE	0.02	J	0.01		0.05 mg/L		3/14/2013	0
3/11/2013	MW-6	Chloride	FALSE	6.57		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-6	Hardness	FALSE	177.84		3		10 mg/L		3/26/2013	0
3/11/2013	MW-6	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-6	Sulfate	FALSE	164.38		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-6	Total Dissolved Solids (TDS)	FALSE	285.5		10		10 mg/L		3/13/2013	0
3/11/2013	MW-6	Conductivity	FALSE	373		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-6	Groundwater Elevation	FALSE	214.51		0		0 Feet		3/11/2013	0
3/11/2013	MW-6	pH	FALSE	5.7		0		0 S.U.		3/11/2013	0
3/11/2013	MW-6	Sample Time	FALSE	1545		0		0 hours		3/11/2013	0
3/11/2013	MW-6	Temperature	FALSE	16.13		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-6	Turbidity	FALSE	31.4		0		0 NTU		3/11/2013	0
3/11/2013	MW-8	Arsenic, Dissolved	FALSE	0.042		0.003		0.01 mg/L		4/24/2013	0
3/11/2013	MW-8	Barium, Dissolved	FALSE	0.579		0.003		0.015 mg/L		4/26/2013	0
3/11/2013	MW-8	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0
3/11/2013	MW-8	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-8	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/11/2013	MW-8	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/11/2013	MW-8	Iron, Dissolved	FALSE	1.44		0.05		0.25 mg/L		4/15/2013	0
3/11/2013	MW-8	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-8	Manganese, Dissolved	FALSE	1.48		0.02		0.05 mg/L		4/15/2013	0
3/11/2013	MW-8	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/11/2013	MW-8	Molybdenum, Dissolved	FALSE	0.039		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-8	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/11/2013	MW-8	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/11/2013	MW-8	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/11/2013	MW-8	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/11/2013	MW-8	Ammonia as N	FALSE	1.07		0.01		0.05 mg/L		3/15/2013	0
3/11/2013	MW-8	Chloride	FALSE	13.21		0.05		0.25 mg/L		3/19/2013	0
3/11/2013	MW-8	Hardness	FALSE	453.15		3		10 mg/L		3/26/2013	0
3/11/2013	MW-8	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/11/2013	MW-8	Sulfate	FALSE	120.33		0.06		0.3 mg/L		3/19/2013	0
3/11/2013	MW-8	Total Dissolved Solids (TDS)	FALSE	611.5		10		10 mg/L		3/13/2013	0
3/11/2013	MW-8	Conductivity	FALSE	943		0		0 uS/cm		3/11/2013	0
3/11/2013	MW-8	Groundwater Elevation	FALSE	233.08		0		0 Feet		3/11/2013	0
3/11/2013	MW-8	pH	FALSE	7.18		0		0 S.U.		3/11/2013	0
3/11/2013	MW-8	Sample Time	FALSE	1635		0		0 hours		3/11/2013	0
3/11/2013	MW-8	Temperature	FALSE	13.48		0		0 Degrees C		3/11/2013	0
3/11/2013	MW-8	Turbidity	FALSE	78.2		0		0 NTU		3/11/2013	0
3/12/2013	MW-10	Arsenic, Dissolved	FALSE	0.004	J	0.003		0.01 mg/L		4/24/2013	0
3/12/2013	MW-10	Barium, Dissolved	FALSE	0.176		0.003		0.015 mg/L		4/26/2013	0
3/12/2013	MW-10	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/12/2013	MW-10	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/12/2013	MW-10	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		3/12/2013	0
3/12/2013	MW-10	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/12/2013	MW-10	Iron, Dissolved	FALSE	6.02		0.05	0.25	mg/L		4/15/2013	0
3/12/2013	MW-10	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/12/2013	MW-10	Manganese, Dissolved	FALSE	4.1		0.02	0.05	mg/L		4/15/2013	0
3/12/2013	MW-10	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		4/4/2013	0
3/12/2013	MW-10	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/12/2013	MW-10	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		4/24/2013	0
3/12/2013	MW-10	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/26/2013	0
3/12/2013	MW-10	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/12/2013	MW-10	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		4/15/2013	0
3/12/2013	MW-10	Ammonia as N	FALSE	0.78		0.01	0.05	mg/L		3/15/2013	0
3/12/2013	MW-10	Chloride	FALSE	12.32		0.05	0.25	mg/L		3/19/2013	0
3/12/2013	MW-10	Hardness	FALSE	198.36		3	10	mg/L		3/26/2013	0
3/12/2013	MW-10	Nitrate	TRUE	0		0.01	0.05	mg/L		3/13/2013	0
3/12/2013	MW-10	Sulfate	FALSE	24.6		0.06	0.3	mg/L		3/19/2013	0
3/12/2013	MW-10	Total Dissolved Solids (TDS)	FALSE	267		10	10	mg/L		3/13/2013	0
3/12/2013	MW-10	Conductivity	FALSE	461		0	0	uS/cm		3/12/2013	0
3/12/2013	MW-10	Groundwater Elevation	FALSE	234.8		0	0	Feet		3/12/2013	0
3/12/2013	MW-10	pH	FALSE	6.58		0	0	S.U.		3/12/2013	0
3/12/2013	MW-10	Sample Time	FALSE	1320		0	0	hours		3/12/2013	0
3/12/2013	MW-10	Temperature	FALSE	14.9		0	0	Degrees C		3/12/2013	0
3/12/2013	MW-10	Turbidity	FALSE	67.9		0	0	NTU		3/12/2013	0
3/12/2013	MW-11	Arsenic, Dissolved	TRUE	0		0.003	0.01	mg/L		4/24/2013	0
3/12/2013	MW-11	Barium, Dissolved	FALSE	0.007 J		0.003	0.015	mg/L		4/26/2013	0
3/12/2013	MW-11	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/25/2013	0
3/12/2013	MW-11	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/12/2013	MW-11	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		3/12/2013	0
3/12/2013	MW-11	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/26/2013	0
3/12/2013	MW-11	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		4/15/2013	0
3/12/2013	MW-11	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/25/2013	0
3/12/2013	MW-11	Manganese, Dissolved	FALSE	0.3		0.02	0.05	mg/L		4/15/2013	0
3/12/2013	MW-11	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		4/4/2013	0
3/12/2013	MW-11	Molybdenum, Dissolved	FALSE	0.002 J		0.001	0.005	mg/L		4/25/2013	0
3/12/2013	MW-11	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		4/24/2013	0
3/12/2013	MW-11	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/26/2013	0
3/12/2013	MW-11	Vanadium, Dissolved	FALSE	0.006		0.001	0.005	mg/L		4/25/2013	0
3/12/2013	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		4/15/2013	0
3/12/2013	MW-11	Ammonia as N	FALSE	0.01 J		0.01	0.05	mg/L		3/15/2013	0
3/12/2013	MW-11	Chloride	FALSE	8.12		0.05	0.25	mg/L		3/19/2013	0
3/12/2013	MW-11	Hardness	FALSE	119.7		3	10	mg/L		3/26/2013	0
3/12/2013	MW-11	Nitrate	FALSE	0.05		0.01	0.05	mg/L		3/13/2013	0
3/12/2013	MW-11	Sulfate	FALSE	5.9		0.06	0.3	mg/L		3/19/2013	0
3/12/2013	MW-11	Total Dissolved Solids (TDS)	FALSE	148.5		10	10	mg/L		3/13/2013	0
3/12/2013	MW-11	Conductivity	FALSE	213		0	0	uS/cm		3/12/2013	0
3/12/2013	MW-11	Groundwater Elevation	FALSE	300.02		0	0	Feet		3/12/2013	0
3/12/2013	MW-11	pH	FALSE	6.71		0	0	S.U.		3/12/2013	0
3/12/2013	MW-11	Sample Time	FALSE	1235		0	0	hours		3/12/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/12/2013	MW-11	Temperature	FALSE	15.03		0		0 Degrees C		3/12/2013	0
3/12/2013	MW-11	Turbidity	FALSE	664		0		0 NTU		3/12/2013	0
3/12/2013	MW-7	Arsenic, Dissolved	FALSE	0.206		0.003		0.01 mg/L		4/25/2013	0
3/12/2013	MW-7	Barium, Dissolved	FALSE	0.4		0.003		0.015 mg/L		4/26/2013	0
3/12/2013	MW-7	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		4/25/2013	0
3/12/2013	MW-7	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/12/2013	MW-7	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/12/2013	0
3/12/2013	MW-7	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		4/26/2013	0
3/12/2013	MW-7	Iron, Dissolved	FALSE	0.21	J	0.05		0.25 mg/L		4/15/2013	0
3/12/2013	MW-7	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		4/25/2013	0
3/12/2013	MW-7	Manganese, Dissolved	FALSE	1.36		0.02		0.05 mg/L		4/15/2013	0
3/12/2013	MW-7	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		4/4/2013	0
3/12/2013	MW-7	Molybdenum, Dissolved	FALSE	0.106		0.001		0.005 mg/L		4/25/2013	0
3/12/2013	MW-7	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		4/24/2013	0
3/12/2013	MW-7	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		4/26/2013	0
3/12/2013	MW-7	Vanadium, Dissolved	FALSE	0.017		0.001		0.005 mg/L		4/25/2013	0
3/12/2013	MW-7	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/15/2013	0
3/12/2013	MW-7	Ammonia as N	FALSE	0.45		0.01		0.05 mg/L		3/15/2013	0
3/12/2013	MW-7	Chloride	FALSE	4.62		0.05		0.25 mg/L		3/19/2013	0
3/12/2013	MW-7	Hardness	FALSE	273.6		3		10 mg/L		3/26/2013	0
3/12/2013	MW-7	Nitrate	TRUE	0		0.01		0.05 mg/L		3/13/2013	0
3/12/2013	MW-7	Sulfate	FALSE	60.82		0.06		0.3 mg/L		3/19/2013	0
3/12/2013	MW-7	Total Dissolved Solids (TDS)	FALSE	330		10		10 mg/L		3/13/2013	0
3/12/2013	MW-7	Conductivity	FALSE	544		0		0 uS/cm		3/12/2013	0
3/12/2013	MW-7	Groundwater Elevation	FALSE	233.92		0		0 Feet		3/12/2013	0
3/12/2013	MW-7	pH	FALSE	7.95		0		0 S.U.		3/12/2013	0
3/12/2013	MW-7	Sample Time	FALSE	1025		0		0 hours		3/12/2013	0
3/12/2013	MW-7	Temperature	FALSE	14.52		0		0 Degrees C		3/12/2013	0
3/12/2013	MW-7	Turbidity	FALSE	22.3		0		0 NTU		3/12/2013	0
6/4/2013	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	FIELD BLANK	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/12/2013	0
6/4/2013	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	FIELD BLANK	Ammonia as N	FALSE	0.01	J	0.01		0.05 mg/L		6/25/2013	0
6/4/2013	FIELD BLANK	Chloride	TRUE	0		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		7/1/2013	0
6/4/2013	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		6/26/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		6/7/2013	0
6/4/2013	FIELD BLANK	Sample Time	FALSE	1025		0		0 hours		6/4/2013	0
6/4/2013	MW-1	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-1	Barium, Dissolved	FALSE	0.017		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-1	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-1	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-1	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-1	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-1	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-1	Manganese, Dissolved	FALSE	0.13		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-1	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-1	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-1	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-1	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-1	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-1	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-1	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		6/21/2013	0
6/4/2013	MW-1	Chloride	FALSE	1.91		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-1	Hardness	FALSE	29.07		3		10 mg/L		7/1/2013	0
6/4/2013	MW-1	Nitrate	FALSE	0.14		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-1	Sulfate	FALSE	1.63		0.06		0.3 mg/L		6/26/2013	0
6/4/2013	MW-1	Total Dissolved Solids (TDS)	FALSE	48.5		10		10 mg/L		6/7/2013	0
6/4/2013	MW-1	Conductivity	FALSE	47		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-1	Groundwater Elevation	FALSE	215.1		0		0 Feet		6/4/2013	0
6/4/2013	MW-1	pH	FALSE	5.92		0		0 S.U.		6/4/2013	0
6/4/2013	MW-1	Sample Time	FALSE	1320		0		0 hours		6/4/2013	0
6/4/2013	MW-1	Temperature	FALSE	15.85		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-1	Turbidity	FALSE	3.18		0		0 NTU		6/4/2013	0
6/4/2013	MW-10	Arsenic, Dissolved	FALSE	0.005 J		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-10	Barium, Dissolved	FALSE	0.176		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-10	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-10	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-10	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-10	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-10	Iron, Dissolved	FALSE	12.34		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-10	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-10	Manganese, Dissolved	FALSE	4.66		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-10	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-10	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-10	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-10	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-10	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-10	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-10	Ammonia as N	FALSE	1.04		0.01		0.05 mg/L		6/25/2013	0
6/4/2013	MW-10	Chloride	FALSE	13.55		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-10	Hardness	FALSE	194.94		3		10 mg/L		7/1/2013	0
6/4/2013	MW-10	Nitrate	TRUE	0		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-10	Sulfate	FALSE	25.31		0.06		0.3 mg/L		6/26/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-10	Total Dissolved Solids (TDS)	FALSE	284.5		10		10 mg/L		6/7/2013	0
6/4/2013	MW-10	Conductivity	FALSE	470		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-10	Groundwater Elevation	FALSE	233.3		0		0 Feet		6/4/2013	0
6/4/2013	MW-10	pH	FALSE	7.33		0		0 S.U.		6/4/2013	0
6/4/2013	MW-10	Sample Time	FALSE	1550		0		0 hours		6/4/2013	0
6/4/2013	MW-10	Temperature	FALSE	16.38		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-10	Turbidity	FALSE	48		0		0 NTU		6/4/2013	0
6/4/2013	MW-11	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-11	Barium, Dissolved	FALSE	0.008 J		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-11	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-11	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-11	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-11	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-11	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-11	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-11	Manganese, Dissolved	FALSE	0.22		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-11	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-11	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-11	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-11	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-11	Vanadium, Dissolved	FALSE	0.005		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-11	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-11	Ammonia as N	FALSE	0.02 J		0.01		0.05 mg/L		6/25/2013	0
6/4/2013	MW-11	Chloride	FALSE	8.78		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-11	Hardness	FALSE	107.73		3		10 mg/L		7/1/2013	0
6/4/2013	MW-11	Nitrate	FALSE	0.04 J		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-11	Sulfate	FALSE	7.09		0.06		0.3 mg/L		6/26/2013	0
6/4/2013	MW-11	Total Dissolved Solids (TDS)	FALSE	152.5		10		10 mg/L		6/7/2013	0
6/4/2013	MW-11	Conductivity	FALSE	199		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-11	Groundwater Elevation	FALSE	301.7		0		0 Feet		6/4/2013	0
6/4/2013	MW-11	pH	FALSE	6.31		0		0 S.U.		6/4/2013	0
6/4/2013	MW-11	Sample Time	FALSE	1155		0		0 hours		6/4/2013	0
6/4/2013	MW-11	Temperature	FALSE	15.84		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-11	Turbidity	FALSE	61.4		0		0 NTU		6/4/2013	0
6/4/2013	MW-11 DUP	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-11 DUP	Barium, Dissolved	FALSE	0.011 J		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-11 DUP	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-11 DUP	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-11 DUP	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-11 DUP	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-11 DUP	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-11 DUP	Lead, Dissolved	FALSE	0.001 J		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-11 DUP	Manganese, Dissolved	FALSE	0.22		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-11 DUP	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-11 DUP	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-11 DUP	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-11 DUP	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-11 DUP	Vanadium, Dissolved	FALSE	0.006		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-11 DUP	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-11 DUP	Ammonia as N	FALSE	0.01	J	0.01	0.05	mg/L		6/25/2013	0
6/4/2013	MW-11 DUP	Chloride	FALSE	8.79		0.05	0.25	mg/L		6/26/2013	0
6/4/2013	MW-11 DUP	Hardness	FALSE	109.44		3	10	mg/L		7/1/2013	0
6/4/2013	MW-11 DUP	Nitrate	FALSE	0.04	J	0.01	0.05	mg/L		6/6/2013	0
6/4/2013	MW-11 DUP	Sulfate	FALSE	7.07		0.06	0.3	mg/L		6/26/2013	0
6/4/2013	MW-11 DUP	Total Dissolved Solids (TDS)	FALSE	153.5		10	10	mg/L		6/7/2013	0
6/4/2013	MW-11 DUP	Conductivity	FALSE	199		0	0	uS/cm		6/4/2013	0
6/4/2013	MW-11 DUP	pH	FALSE	6.31		0	0	S.U.		6/4/2013	0
6/4/2013	MW-11 DUP	Sample Time	FALSE	1200		0	0	hours		6/4/2013	0
6/4/2013	MW-11 DUP	Temperature	FALSE	15.84		0	0	Degrees C		6/4/2013	0
6/4/2013	MW-11 DUP	Turbidity	FALSE	59.01		0	0	NTU		6/4/2013	0
6/4/2013	MW-12	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0
6/4/2013	MW-12	Barium, Dissolved	FALSE	0.125		0.003	0.015	mg/L		8/14/2013	0
6/4/2013	MW-12	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		8/7/2013	0
6/4/2013	MW-12	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		6/5/2013	0
6/4/2013	MW-12	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/4/2013	MW-12	Iron, Dissolved	FALSE	2.66		0.05	0.25	mg/L		8/8/2013	0
6/4/2013	MW-12	Lead, Dissolved	FALSE	0.001	J	0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-12	Manganese, Dissolved	FALSE	0.51		0.02	0.05	mg/L		8/8/2013	0
6/4/2013	MW-12	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
6/4/2013	MW-12	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-12	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0
6/4/2013	MW-12	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		8/13/2013	0
6/4/2013	MW-12	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/4/2013	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		8/8/2013	0
6/4/2013	MW-12	Ammonia as N	FALSE	0.06		0.01	0.05	mg/L		6/25/2013	0
6/4/2013	MW-12	Chloride	FALSE	13.11		0.05	0.25	mg/L		6/26/2013	0
6/4/2013	MW-12	Hardness	FALSE	160.74		3	10	mg/L		7/1/2013	0
6/4/2013	MW-12	Nitrate	TRUE	0		0.01	0.05	mg/L		6/6/2013	0
6/4/2013	MW-12	Sulfate	FALSE	147.71		0.06	0.3	mg/L		6/26/2013	0
6/4/2013	MW-12	Total Dissolved Solids (TDS)	FALSE	329		10	10	mg/L		6/7/2013	0
6/4/2013	MW-12	Conductivity	FALSE	416		0	0	uS/cm		6/4/2013	0
6/4/2013	MW-12	Groundwater Elevation	FALSE	202.33		0	0	Feet		6/4/2013	0
6/4/2013	MW-12	pH	FALSE	6.41		0	0	S.U.		6/4/2013	0
6/4/2013	MW-12	Sample Time	FALSE	1230		0	0	hours		6/4/2013	0
6/4/2013	MW-12	Temperature	FALSE	15.6		0	0	Degrees C		6/4/2013	0
6/4/2013	MW-12	Turbidity	FALSE	8		0	0	NTU		6/4/2013	0
6/4/2013	MW-13	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0
6/4/2013	MW-13	Barium, Dissolved	FALSE	0.122		0.003	0.015	mg/L		8/14/2013	0
6/4/2013	MW-13	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		8/7/2013	0
6/4/2013	MW-13	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-13	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		6/5/2013	0
6/4/2013	MW-13	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/4/2013	MW-13	Iron, Dissolved	FALSE	13.07		0.05	0.25	mg/L		8/8/2013	0
6/4/2013	MW-13	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-13	Manganese, Dissolved	FALSE	2.74		0.02	0.05	mg/L		8/8/2013	0
6/4/2013	MW-13	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
6/4/2013	MW-13	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-13	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			8/1/2013	0
6/4/2013	MW-13	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/13/2013	0
6/4/2013	MW-13	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/7/2013	0
6/4/2013	MW-13	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/8/2013	0
6/4/2013	MW-13	Ammonia as N	FALSE	0.02 J		0.01	0.05 mg/L			6/25/2013	0
6/4/2013	MW-13	Chloride	FALSE	71.1		0.05	0.25 mg/L			6/26/2013	0
6/4/2013	MW-13	Hardness	FALSE	277.02		3	10 mg/L			7/1/2013	0
6/4/2013	MW-13	Nitrate	TRUE	0		0.01	0.05 mg/L			6/6/2013	0
6/4/2013	MW-13	Sulfate	FALSE	204.16		0.06	0.3 mg/L			6/26/2013	0
6/4/2013	MW-13	Total Dissolved Solids (TDS)	FALSE	483		10	10 mg/L			6/7/2013	0
6/4/2013	MW-13	Conductivity	FALSE	644		0	0 uS/cm			6/4/2013	0
6/4/2013	MW-13	Groundwater Elevation	FALSE	207.27		0	0 Feet			6/4/2013	0
6/4/2013	MW-13	pH	FALSE	6.49		0	0 S.U.			6/4/2013	0
6/4/2013	MW-13	Sample Time	FALSE	1415		0	0 hours			6/4/2013	0
6/4/2013	MW-13	Temperature	FALSE	13.82		0	0 Degrees C			6/4/2013	0
6/4/2013	MW-13	Turbidity	FALSE	74		0	0 NTU			6/4/2013	0
6/4/2013	MW-2	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			8/1/2013	0
6/4/2013	MW-2	Barium, Dissolved	FALSE	0.037		0.003	0.015 mg/L			8/14/2013	0
6/4/2013	MW-2	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/7/2013	0
6/4/2013	MW-2	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/8/2013	0
6/4/2013	MW-2	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			6/5/2013	0
6/4/2013	MW-2	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/7/2013	0
6/4/2013	MW-2	Iron, Dissolved	FALSE	0.08 J		0.05	0.25 mg/L			8/8/2013	0
6/4/2013	MW-2	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			8/8/2013	0
6/4/2013	MW-2	Manganese, Dissolved	FALSE	0.76		0.02	0.05 mg/L			8/8/2013	0
6/4/2013	MW-2	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			6/27/2013	0
6/4/2013	MW-2	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/8/2013	0
6/4/2013	MW-2	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			8/1/2013	0
6/4/2013	MW-2	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/13/2013	0
6/4/2013	MW-2	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/7/2013	0
6/4/2013	MW-2	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/8/2013	0
6/4/2013	MW-2	Ammonia as N	FALSE	0.01 J		0.01	0.05 mg/L			6/21/2013	0
6/4/2013	MW-2	Chloride	FALSE	13.1		0.05	0.25 mg/L			6/26/2013	0
6/4/2013	MW-2	Hardness	FALSE	181.26		3	10 mg/L			7/1/2013	0
6/4/2013	MW-2	Nitrate	TRUE	0		0.01	0.05 mg/L			6/6/2013	0
6/4/2013	MW-2	Sulfate	FALSE	166.79		0.06	0.3 mg/L			6/26/2013	0
6/4/2013	MW-2	Total Dissolved Solids (TDS)	FALSE	322		10	10 mg/L			6/7/2013	0
6/4/2013	MW-2	Conductivity	FALSE	420		0	0 uS/cm			6/4/2013	0
6/4/2013	MW-2	Groundwater Elevation	FALSE	211.68		0	0 Feet			6/4/2013	0
6/4/2013	MW-2	pH	FALSE	7.51		0	0 S.U.			6/4/2013	0
6/4/2013	MW-2	Sample Time	FALSE	1305		0	0 hours			6/4/2013	0
6/4/2013	MW-2	Temperature	FALSE	15.2		0	0 Degrees C			6/4/2013	0
6/4/2013	MW-2	Turbidity	FALSE	2.19		0	0 NTU			6/4/2013	0
6/4/2013	MW-3	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			8/1/2013	0
6/4/2013	MW-3	Barium, Dissolved	FALSE	0.118		0.003	0.015 mg/L			8/14/2013	0
6/4/2013	MW-3	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/7/2013	0
6/4/2013	MW-3	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/8/2013	0
6/4/2013	MW-3	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			6/5/2013	0
6/4/2013	MW-3	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/7/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-3	Iron, Dissolved	FALSE	0.14	J	0.05	0.25	mg/L		8/8/2013	0
6/4/2013	MW-3	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-3	Manganese, Dissolved	FALSE	0.67		0.02	0.05	mg/L		8/8/2013	0
6/4/2013	MW-3	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
6/4/2013	MW-3	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-3	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0
6/4/2013	MW-3	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		8/13/2013	0
6/4/2013	MW-3	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/4/2013	MW-3	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		8/8/2013	0
6/4/2013	MW-3	Ammonia as N	FALSE	0.01	J	0.01	0.05	mg/L		6/21/2013	0
6/4/2013	MW-3	Chloride	FALSE	4.79		0.05	0.25	mg/L		6/26/2013	0
6/4/2013	MW-3	Hardness	FALSE	42.75		3	10	mg/L		7/1/2013	0
6/4/2013	MW-3	Nitrate	FALSE	0.05		0.01	0.05	mg/L		6/6/2013	0
6/4/2013	MW-3	Sulfate	FALSE	37.62		0.06	0.3	mg/L		6/26/2013	0
6/4/2013	MW-3	Total Dissolved Solids (TDS)	FALSE	119		10	10	mg/L		6/7/2013	0
6/4/2013	MW-3	Conductivity	FALSE	135		0	0	uS/cm		6/4/2013	0
6/4/2013	MW-3	Groundwater Elevation	FALSE	209.19		0	0	Feet		6/4/2013	0
6/4/2013	MW-3	pH	FALSE	5.26		0	0	S.U.		6/4/2013	0
6/4/2013	MW-3	Sample Time	FALSE	1440		0	0	hours		6/4/2013	0
6/4/2013	MW-3	Temperature	FALSE	15.2		0	0	Degrees C		6/4/2013	0
6/4/2013	MW-3	Turbidity	FALSE	2.67		0	0	NTU		6/4/2013	0
6/4/2013	MW-4	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0
6/4/2013	MW-4	Barium, Dissolved	FALSE	0.062		0.003	0.015	mg/L		8/14/2013	0
6/4/2013	MW-4	Cadmium, Dissolved	FALSE	0.0003	J	0.0003	0.0015	mg/L		8/7/2013	0
6/4/2013	MW-4	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-4	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		6/5/2013	0
6/4/2013	MW-4	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/4/2013	MW-4	Iron, Dissolved	FALSE	5.14		0.05	0.25	mg/L		8/8/2013	0
6/4/2013	MW-4	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-4	Manganese, Dissolved	FALSE	10.67		0.02	0.05	mg/L		8/8/2013	0
6/4/2013	MW-4	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
6/4/2013	MW-4	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/4/2013	MW-4	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0
6/4/2013	MW-4	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		8/13/2013	0
6/4/2013	MW-4	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/4/2013	MW-4	Zinc, Dissolved	FALSE	0.056		0.01	0.03	mg/L		8/8/2013	0
6/4/2013	MW-4	Ammonia as N	FALSE	0.15		0.01	0.05	mg/L		6/21/2013	0
6/4/2013	MW-4	Chloride	FALSE	14.99		0.05	0.25	mg/L		6/26/2013	0
6/4/2013	MW-4	Hardness	FALSE	1573.2		3	10	mg/L		7/1/2013	0
6/4/2013	MW-4	Nitrate	TRUE	0		0.01	0.05	mg/L		6/6/2013	0
6/4/2013	MW-4	Sulfate	FALSE	1343.49		0.06	0.3	mg/L		6/26/2013	0
6/4/2013	MW-4	Total Dissolved Solids (TDS)	FALSE	2336		10	10	mg/L		6/7/2013	0
6/4/2013	MW-4	Conductivity	FALSE	2230		0	0	uS/cm		6/4/2013	0
6/4/2013	MW-4	Groundwater Elevation	FALSE	211.19		0	0	Feet		6/4/2013	0
6/4/2013	MW-4	pH	FALSE	5.7		0	0	S.U.		6/4/2013	0
6/4/2013	MW-4	Sample Time	FALSE	1125		0	0	hours		6/4/2013	0
6/4/2013	MW-4	Temperature	FALSE	16.45		0	0	Degrees C		6/4/2013	0
6/4/2013	MW-4	Turbidity	FALSE	22.8		0	0	NTU		6/4/2013	0
6/4/2013	MW-5	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		8/1/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-5	Barium, Dissolved	FALSE	0.131		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-5	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-5	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-5	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-5	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-5	Iron, Dissolved	FALSE	8.5		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-5	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-5	Manganese, Dissolved	FALSE	1.18		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-5	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-5	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-5	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-5	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-5	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-5	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-5	Ammonia as N	FALSE	0.7		0.01		0.05 mg/L		6/21/2013	0
6/4/2013	MW-5	Chloride	FALSE	9.58		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-5	Hardness	FALSE	153.9		3		10 mg/L		7/1/2013	0
6/4/2013	MW-5	Nitrate	TRUE	0		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-5	Sulfate	FALSE	3.21		0.06		0.3 mg/L		6/26/2013	0
6/4/2013	MW-5	Total Dissolved Solids (TDS)	FALSE	216.5		10		10 mg/L		6/7/2013	0
6/4/2013	MW-5	Conductivity	FALSE	342		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-5	Groundwater Elevation	FALSE	212.5		0		0 Feet		6/4/2013	0
6/4/2013	MW-5	pH	FALSE	6.48		0		0 S.U.		6/4/2013	0
6/4/2013	MW-5	Sample Time	FALSE	1245		0		0 hours		6/4/2013	0
6/4/2013	MW-5	Temperature	FALSE	16.32		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-5	Turbidity	FALSE	23.5		0		0 NTU		6/4/2013	0
6/4/2013	MW-6	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-6	Barium, Dissolved	FALSE	0.036		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-6	Cadmium, Dissolved	FALSE	0.0004 J		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-6	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-6	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-6	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-6	Iron, Dissolved	FALSE	0.11 J		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-6	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-6	Manganese, Dissolved	FALSE	1.76		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-6	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-6	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-6	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-6	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-6	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-6	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-6	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		6/21/2013	0
6/4/2013	MW-6	Chloride	FALSE	7.08		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-6	Hardness	FALSE	160.74		3		10 mg/L		7/1/2013	0
6/4/2013	MW-6	Nitrate	TRUE	0		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-6	Sulfate	FALSE	161.68		0.06		0.3 mg/L		6/26/2013	0
6/4/2013	MW-6	Total Dissolved Solids (TDS)	FALSE	316.5		10		10 mg/L		6/7/2013	0
6/4/2013	MW-6	Conductivity	FALSE	358		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-6	Groundwater Elevation	FALSE	212.79		0		0 Feet		6/4/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-6	pH	FALSE	5.71		0		0 S.U.		6/4/2013	0
6/4/2013	MW-6	Sample Time	FALSE	1325		0		0 hours		6/4/2013	0
6/4/2013	MW-6	Temperature	FALSE	17.1		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-6	Turbidity	FALSE	9.58		0		0 NTU		6/4/2013	0
6/4/2013	MW-7	Arsenic, Dissolved	FALSE	0.232		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-7	Barium, Dissolved	FALSE	0.401		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-7	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-7	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-7	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-7	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-7	Iron, Dissolved	FALSE	0.78		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-7	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-7	Manganese, Dissolved	FALSE	1.54		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-7	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-7	Molybdenum, Dissolved	FALSE	0.12		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-7	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-7	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-7	Vanadium, Dissolved	FALSE	0.012		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-7	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-7	Ammonia as N	FALSE	0.49		0.01		0.05 mg/L		6/21/2013	0
6/4/2013	MW-7	Chloride	FALSE	4.94		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-7	Hardness	FALSE	280.44		3		10 mg/L		7/1/2013	0
6/4/2013	MW-7	Nitrate	TRUE	0		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-7	Sulfate	FALSE	59.02		0.06		0.3 mg/L		6/26/2013	0
6/4/2013	MW-7	Total Dissolved Solids (TDS)	FALSE	348.5		10		10 mg/L		6/7/2013	0
6/4/2013	MW-7	Conductivity	FALSE	544		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-7	Groundwater Elevation	FALSE	232.93		0		0 Feet		6/4/2013	0
6/4/2013	MW-7	pH	FALSE	7.71		0		0 S.U.		6/4/2013	0
6/4/2013	MW-7	Sample Time	FALSE	1410		0		0 hours		6/4/2013	0
6/4/2013	MW-7	Temperature	FALSE	15.98		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-7	Turbidity	FALSE	11.7		0		0 NTU		6/4/2013	0
6/4/2013	MW-8	Arsenic, Dissolved	FALSE	0.035		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-8	Barium, Dissolved	FALSE	0.65		0.003		0.015 mg/L		8/14/2013	0
6/4/2013	MW-8	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/4/2013	MW-8	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-8	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/5/2013	0
6/4/2013	MW-8	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-8	Iron, Dissolved	FALSE	2.44		0.05		0.25 mg/L		8/8/2013	0
6/4/2013	MW-8	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-8	Manganese, Dissolved	FALSE	1.42		0.02		0.05 mg/L		8/8/2013	0
6/4/2013	MW-8	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/4/2013	MW-8	Molybdenum, Dissolved	FALSE	0.021		0.001		0.005 mg/L		8/8/2013	0
6/4/2013	MW-8	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/1/2013	0
6/4/2013	MW-8	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/4/2013	MW-8	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/4/2013	MW-8	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/4/2013	MW-8	Ammonia as N	FALSE	1.41		0.01		0.05 mg/L		6/25/2013	0
6/4/2013	MW-8	Chloride	FALSE	14.97		0.05		0.25 mg/L		6/26/2013	0
6/4/2013	MW-8	Hardness	FALSE	487.35		3		10 mg/L		7/1/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/4/2013	MW-8	Nitrate	TRUE	0		0.01		0.05 mg/L		6/6/2013	0
6/4/2013	MW-8	Sulfate	FALSE	115.57		0.06		0.3 mg/L		6/26/2013	0
6/4/2013	MW-8	Total Dissolved Solids (TDS)	FALSE	639		10		10 mg/L		6/7/2013	0
6/4/2013	MW-8	Conductivity	FALSE	947		0		0 uS/cm		6/4/2013	0
6/4/2013	MW-8	Groundwater Elevation	FALSE	231.4		0		0 Feet		6/4/2013	0
6/4/2013	MW-8	pH	FALSE	7.32		0		0 S.U.		6/4/2013	0
6/4/2013	MW-8	Sample Time	FALSE	1515		0		0 hours		6/4/2013	0
6/4/2013	MW-8	Temperature	FALSE	14.36		0		0 Degrees C		6/4/2013	0
6/4/2013	MW-8	Turbidity	FALSE	7.49		0		0 NTU		6/4/2013	0
6/20/2013	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/12/2013	0
6/20/2013	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		8/14/2013	0
6/20/2013	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/20/2013	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/20/2013	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/21/2013	0
6/20/2013	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/20/2013	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		8/8/2013	0
6/20/2013	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/20/2013	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		8/8/2013	0
6/20/2013	FIELD BLANK	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/20/2013	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/12/2013	0
6/20/2013	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/12/2013	0
6/20/2013	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/20/2013	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/20/2013	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/20/2013	FIELD BLANK	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		7/9/2013	0
6/20/2013	FIELD BLANK	Chloride	TRUE	0		0.05		0.25 mg/L		7/11/2013	0
6/20/2013	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		7/3/2013	0
6/20/2013	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		6/21/2013	0
6/20/2013	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		7/11/2013	0
6/20/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		6/26/2013	0
6/20/2013	FIELD BLANK	Sample Time	FALSE	1520		0		0 hours		6/20/2013	0
6/20/2013	W-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		8/12/2013	0
6/20/2013	W-3	Barium, Dissolved	FALSE	0.209		0.003		0.015 mg/L		8/14/2013	0
6/20/2013	W-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/7/2013	0
6/20/2013	W-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/20/2013	W-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		6/21/2013	0
6/20/2013	W-3	Copper, Dissolved	FALSE	0.004 J		0.001		0.005 mg/L		8/7/2013	0
6/20/2013	W-3	Iron, Dissolved	FALSE	0.09 J		0.05		0.25 mg/L		8/8/2013	0
6/20/2013	W-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/8/2013	0
6/20/2013	W-3	Manganese, Dissolved	FALSE	5.42		0.02		0.05 mg/L		8/8/2013	0
6/20/2013	W-3	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		6/27/2013	0
6/20/2013	W-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/12/2013	0
6/20/2013	W-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		8/12/2013	0
6/20/2013	W-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/13/2013	0
6/20/2013	W-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/7/2013	0
6/20/2013	W-3	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/8/2013	0
6/20/2013	W-3	Ammonia as N	FALSE	0.25		0.01		0.05 mg/L		7/9/2013	0
6/20/2013	W-3	Chloride	FALSE	11.44		0.05		0.25 mg/L		7/11/2013	0
6/20/2013	W-3	Hardness	FALSE	342		3		10 mg/L		7/3/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/20/2013	W-3	Nitrate	FALSE	0.02	J	0.01	0.05	mg/L		6/21/2013	0
6/20/2013	W-3	Sulfate	FALSE	44.23		0.06	0.3	mg/L		7/11/2013	0
6/20/2013	W-3	Total Dissolved Solids (TDS)	FALSE	415.5		10	10	mg/L		6/26/2013	0
6/20/2013	W-3	Conductivity	FALSE	600		0	0	UMHOS		6/20/2013	0
6/20/2013	W-3	Groundwater Elevation	FALSE	242.91		0	0	Feet		6/20/2013	0
6/20/2013	W-3	pH	FALSE	6.05		0	0	S.U.		6/20/2013	0
6/20/2013	W-3	Sample Time	FALSE	1110		0	0	hours		6/20/2013	0
6/20/2013	W-3	Temperature	FALSE	16.69		0	0	Degrees C		6/20/2013	0
6/20/2013	W-3	Turbidity	FALSE	514		0	0	NTU		6/20/2013	0
6/20/2013	W-3 DUP	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		8/12/2013	0
6/20/2013	W-3 DUP	Barium, Dissolved	FALSE	0.193		0.003	0.015	mg/L		8/14/2013	0
6/20/2013	W-3 DUP	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		8/7/2013	0
6/20/2013	W-3 DUP	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/20/2013	W-3 DUP	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		6/21/2013	0
6/20/2013	W-3 DUP	Copper, Dissolved	FALSE	0.004	J	0.001	0.005	mg/L		8/7/2013	0
6/20/2013	W-3 DUP	Iron, Dissolved	FALSE	0.08	J	0.05	0.25	mg/L		8/8/2013	0
6/20/2013	W-3 DUP	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		8/8/2013	0
6/20/2013	W-3 DUP	Manganese, Dissolved	FALSE	6.43		0.02	0.05	mg/L		8/8/2013	0
6/20/2013	W-3 DUP	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
6/20/2013	W-3 DUP	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		8/12/2013	0
6/20/2013	W-3 DUP	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		8/12/2013	0
6/20/2013	W-3 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		8/13/2013	0
6/20/2013	W-3 DUP	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/7/2013	0
6/20/2013	W-3 DUP	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		8/8/2013	0
6/20/2013	W-3 DUP	Ammonia as N	FALSE	0.22		0.01	0.05	mg/L		7/9/2013	0
6/20/2013	W-3 DUP	Chloride	FALSE	11.18		0.05	0.25	mg/L		7/11/2013	0
6/20/2013	W-3 DUP	Hardness	FALSE	342		3	10	mg/L		7/3/2013	0
6/20/2013	W-3 DUP	Nitrate	FALSE	0.02	J	0.01	0.05	mg/L		6/21/2013	0
6/20/2013	W-3 DUP	Sulfate	FALSE	43.46		0.06	0.3	mg/L		7/11/2013	0
6/20/2013	W-3 DUP	Total Dissolved Solids (TDS)	FALSE	396		10	10	mg/L		6/26/2013	0
6/20/2013	W-3 DUP	Conductivity	FALSE	603		0	0	UMHOS		6/20/2013	0
6/20/2013	W-3 DUP	pH	FALSE	6.04		0	0	S.U.		6/20/2013	0
6/20/2013	W-3 DUP	Sample Time	FALSE	1115		0	0	hours		6/20/2013	0
6/20/2013	W-3 DUP	Temperature	FALSE	16.76		0	0	Degrees C		6/20/2013	0
6/20/2013	W-3 DUP	Turbidity	FALSE	500		0	0	NTU		6/20/2013	0
7/30/2013	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		9/11/2013	0
7/30/2013	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003	0.015	mg/L		9/9/2013	0
7/30/2013	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		9/10/2013	0
7/30/2013	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		9/10/2013	0
7/30/2013	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		7/31/2013	0
7/30/2013	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		9/10/2013	0
7/30/2013	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		9/11/2013	0
7/30/2013	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		9/10/2013	0
7/30/2013	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02	0.05	mg/L		9/11/2013	0
7/30/2013	FIELD BLANK	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		8/13/2013	0
7/30/2013	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		9/12/2013	0
7/30/2013	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		9/11/2013	0
7/30/2013	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		9/16/2013	0
7/30/2013	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		9/12/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/30/2013	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/30/2013	FIELD BLANK	Ammonia as N	FALSE	0.01	J	0.01		0.05 mg/L		8/9/2013	0
7/30/2013	FIELD BLANK	Chloride	TRUE	0		0.05		0.25 mg/L		8/9/2013	0
7/30/2013	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		8/30/2013	0
7/30/2013	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		8/1/2013	0
7/30/2013	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		8/9/2013	0
7/30/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		8/6/2013	0
7/30/2013	FIELD BLANK	Sample Time	FALSE	1400		0		0 hours		7/30/2013	0
7/30/2013	MW-1	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-1	Barium, Dissolved	FALSE	0.016		0.003		0.015 mg/L		9/9/2013	0
7/30/2013	MW-1	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/30/2013	MW-1	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/31/2013	0
7/30/2013	MW-1	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-1	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		9/11/2013	0
7/30/2013	MW-1	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-1	Manganese, Dissolved	FALSE	0.09		0.02		0.05 mg/L		9/11/2013	0
7/30/2013	MW-1	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/30/2013	MW-1	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	MW-1	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-1	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/30/2013	MW-1	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	MW-1	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/30/2013	MW-1	Ammonia as N	FALSE	0.01	J	0.01		0.05 mg/L		8/8/2013	0
7/30/2013	MW-1	Chloride	FALSE	2.34		0.05		0.25 mg/L		8/9/2013	0
7/30/2013	MW-1	Hardness	FALSE	13.68		3		10 mg/L		8/29/2013	0
7/30/2013	MW-1	Nitrate	FALSE	0.06		0.01		0.05 mg/L		8/1/2013	0
7/30/2013	MW-1	Sulfate	FALSE	1.32		0.06		0.3 mg/L		8/9/2013	0
7/30/2013	MW-1	Total Dissolved Solids (TDS)	FALSE	51		10		10 mg/L		8/6/2013	0
7/30/2013	MW-1	Conductivity	FALSE	51		0		0 UMHOS		7/30/2013	0
7/30/2013	MW-1	Groundwater Elevation	FALSE	215.88		0		0 Feet		7/30/2013	0
7/30/2013	MW-1	pH	FALSE	5.82		0		0 S.U.		7/30/2013	0
7/30/2013	MW-1	Sample Time	FALSE	1145		0		0 hours		7/30/2013	0
7/30/2013	MW-1	Temperature	FALSE	17.55		0		0 Degrees C		7/30/2013	0
7/30/2013	MW-1	Turbidity	FALSE	2.56		0		0 NTU		7/30/2013	0
7/30/2013	MW-10	Arsenic, Dissolved	FALSE	0.003	J	0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-10	Barium, Dissolved	FALSE	0.98		0.003		0.015 mg/L		9/9/2013	0
7/30/2013	MW-10	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/30/2013	MW-10	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-10	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/31/2013	0
7/30/2013	MW-10	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-10	Iron, Dissolved	FALSE	13.15		0.05		0.25 mg/L		9/11/2013	0
7/30/2013	MW-10	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-10	Manganese, Dissolved	FALSE	4.37		0.02		0.05 mg/L		9/11/2013	0
7/30/2013	MW-10	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/30/2013	MW-10	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	MW-10	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-10	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/30/2013	MW-10	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/30/2013	MW-10	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/30/2013	MW-10	Ammonia as N	FALSE	0.91		0.01		0.05 mg/L		8/8/2013	0
7/30/2013	MW-10	Chloride	FALSE	13.25		0.05		0.25 mg/L		8/9/2013	0
7/30/2013	MW-10	Hardness	FALSE	196.65		3		10 mg/L		8/29/2013	0
7/30/2013	MW-10	Nitrate	TRUE	0		0.01		0.05 mg/L		8/1/2013	0
7/30/2013	MW-10	Sulfate	FALSE	20.78		0.06		0.3 mg/L		8/9/2013	0
7/30/2013	MW-10	Total Dissolved Solids (TDS)	FALSE	283		10		10 mg/L		8/6/2013	0
7/30/2013	MW-10	Conductivity	FALSE	512		0		0 UMHOS		7/30/2013	0
7/30/2013	MW-10	Groundwater Elevation	FALSE	234.32		0		0 Feet		7/30/2013	0
7/30/2013	MW-10	pH	FALSE	6.33		0		0 S.U.		7/30/2013	0
7/30/2013	MW-10	Sample Time	FALSE	1615		0		0 hours		7/30/2013	0
7/30/2013	MW-10	Temperature	FALSE	16.9		0		0 Degrees C		7/30/2013	0
7/30/2013	MW-10	Turbidity	FALSE	140		0		0 NTU		7/30/2013	0
7/30/2013	MW-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-3	Barium, Dissolved	FALSE	0.448		0.003		0.015 mg/L		9/9/2013	0
7/30/2013	MW-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/30/2013	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/31/2013	0
7/30/2013	MW-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-3	Iron, Dissolved	FALSE	0.22 J		0.05		0.25 mg/L		9/11/2013	0
7/30/2013	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-3	Manganese, Dissolved	FALSE	0.57		0.02		0.05 mg/L		9/11/2013	0
7/30/2013	MW-3	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/30/2013	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/30/2013	MW-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	MW-3	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/30/2013	MW-3	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		8/8/2013	0
7/30/2013	MW-3	Chloride	FALSE	4.05		0.05		0.25 mg/L		8/9/2013	0
7/30/2013	MW-3	Hardness	FALSE	39.33		3		10 mg/L		8/29/2013	0
7/30/2013	MW-3	Nitrate	TRUE	0		0.01		0.05 mg/L		8/1/2013	0
7/30/2013	MW-3	Sulfate	FALSE	31.12		0.06		0.3 mg/L		8/9/2013	0
7/30/2013	MW-3	Total Dissolved Solids (TDS)	FALSE	125		10		10 mg/L		8/6/2013	0
7/30/2013	MW-3	Conductivity	FALSE	141		0		0 UMHOS		7/30/2013	0
7/30/2013	MW-3	Groundwater Elevation	FALSE	210.6		0		0 Feet		7/30/2013	0
7/30/2013	MW-3	pH	FALSE	5.31		0		0 S.U.		7/30/2013	0
7/30/2013	MW-3	Sample Time	FALSE	1320		0		0 hours		7/30/2013	0
7/30/2013	MW-3	Temperature	FALSE	19.16		0		0 Degrees C		7/30/2013	0
7/30/2013	MW-3	Turbidity	FALSE	21.5		0		0 NTU		7/30/2013	0
7/30/2013	MW-4	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	MW-4	Barium, Dissolved	FALSE	0.075		0.003		0.015 mg/L		9/9/2013	0
7/30/2013	MW-4	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/30/2013	MW-4	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-4	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/31/2013	0
7/30/2013	MW-4	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-4	Iron, Dissolved	FALSE	8.98		0.05		0.25 mg/L		9/11/2013	0
7/30/2013	MW-4	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	MW-4	Manganese, Dissolved	FALSE	10.25		0.02		0.05 mg/L		9/11/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/30/2013	MW-4	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			8/13/2013	0
7/30/2013	MW-4	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-4	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-4	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			9/16/2013	0
7/30/2013	MW-4	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-4	Zinc, Dissolved	FALSE	0.061		0.01	0.03 mg/L			9/13/2013	0
7/30/2013	MW-4	Ammonia as N	FALSE	0.16		0.01	0.05 mg/L			8/8/2013	0
7/30/2013	MW-4	Chloride	FALSE	14.32		0.05	0.25 mg/L			8/9/2013	0
7/30/2013	MW-4	Hardness	FALSE	1393.65		3	10 mg/L			8/29/2013	0
7/30/2013	MW-4	Nitrate	TRUE	0		0.01	0.05 mg/L			8/1/2013	0
7/30/2013	MW-4	Sulfate	FALSE	1162.61		0.06	0.3 mg/L			8/9/2013	0
7/30/2013	MW-4	Total Dissolved Solids (TDS)	FALSE	2254.5		10	10 mg/L			8/6/2013	0
7/30/2013	MW-4	Conductivity	FALSE	2360		0	0 UMHOS			7/30/2013	0
7/30/2013	MW-4	Groundwater Elevation	FALSE	212.5		0	0 Feet			7/30/2013	0
7/30/2013	MW-4	pH	FALSE	7.17		0	0 S.U.			7/30/2013	0
7/30/2013	MW-4	Sample Time	FALSE	1225		0	0 hours			7/30/2013	0
7/30/2013	MW-4	Temperature	FALSE	17.53		0	0 Degrees C			7/30/2013	0
7/30/2013	MW-4	Turbidity	FALSE	18.1		0	0 NTU			7/30/2013	0
7/30/2013	MW-4 DUP	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-4 DUP	Barium, Dissolved	FALSE	0.067		0.003	0.015 mg/L			9/9/2013	0
7/30/2013	MW-4 DUP	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			9/10/2013	0
7/30/2013	MW-4 DUP	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-4 DUP	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/31/2013	0
7/30/2013	MW-4 DUP	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-4 DUP	Iron, Dissolved	FALSE	8.46		0.05	0.25 mg/L			9/11/2013	0
7/30/2013	MW-4 DUP	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-4 DUP	Manganese, Dissolved	FALSE	9.56		0.02	0.05 mg/L			9/11/2013	0
7/30/2013	MW-4 DUP	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			8/13/2013	0
7/30/2013	MW-4 DUP	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-4 DUP	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-4 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			9/16/2013	0
7/30/2013	MW-4 DUP	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-4 DUP	Zinc, Dissolved	FALSE	0.053		0.01	0.03 mg/L			9/13/2013	0
7/30/2013	MW-4 DUP	Ammonia as N	FALSE	0.18		0.01	0.05 mg/L			8/8/2013	0
7/30/2013	MW-4 DUP	Chloride	FALSE	14.06		0.05	0.25 mg/L			8/9/2013	0
7/30/2013	MW-4 DUP	Hardness	FALSE	1376.55		3	10 mg/L			8/30/2013	0
7/30/2013	MW-4 DUP	Nitrate	TRUE	0		0.01	0.05 mg/L			8/1/2013	0
7/30/2013	MW-4 DUP	Sulfate	FALSE	1172.7		0.06	0.3 mg/L			8/9/2013	0
7/30/2013	MW-4 DUP	Total Dissolved Solids (TDS)	FALSE	2242.5		10	10 mg/L			8/6/2013	0
7/30/2013	MW-4 DUP	Conductivity	FALSE	2350		0	0 UMHOS			7/30/2013	0
7/30/2013	MW-4 DUP	pH	FALSE	7.17		0	0 S.U.			7/30/2013	0
7/30/2013	MW-4 DUP	Sample Time	FALSE	1230		0	0 hours			7/30/2013	0
7/30/2013	MW-4 DUP	Temperature	FALSE	17.52		0	0 Degrees C			7/30/2013	0
7/30/2013	MW-4 DUP	Turbidity	FALSE	19.2		0	0 NTU			7/30/2013	0
7/30/2013	MW-5	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-5	Barium, Dissolved	FALSE	0.491		0.003	0.015 mg/L			9/9/2013	0
7/30/2013	MW-5	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			9/10/2013	0
7/30/2013	MW-5	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-5	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/31/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/30/2013	MW-5	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-5	Iron, Dissolved	FALSE	9.74		0.05	0.25 mg/L			9/11/2013	0
7/30/2013	MW-5	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-5	Manganese, Dissolved	FALSE	1.12		0.02	0.05 mg/L			9/11/2013	0
7/30/2013	MW-5	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			8/13/2013	0
7/30/2013	MW-5	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-5	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-5	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			9/16/2013	0
7/30/2013	MW-5	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-5	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			9/13/2013	0
7/30/2013	MW-5	Ammonia as N	FALSE	0.68		0.01	0.05 mg/L			8/8/2013	0
7/30/2013	MW-5	Chloride	FALSE	9.31		0.05	0.25 mg/L			8/9/2013	0
7/30/2013	MW-5	Hardness	FALSE	165.87		3	10 mg/L			8/29/2013	0
7/30/2013	MW-5	Nitrate	TRUE	0		0.01	0.05 mg/L			8/1/2013	0
7/30/2013	MW-5	Sulfate	FALSE	3.42		0.06	0.3 mg/L			8/9/2013	0
7/30/2013	MW-5	Total Dissolved Solids (TDS)	FALSE	226		10	10 mg/L			8/6/2013	0
7/30/2013	MW-5	Conductivity	FALSE	369		0	0 UMHOS			7/30/2013	0
7/30/2013	MW-5	Groundwater Elevation	FALSE	212.97		0	0 Feet			7/30/2013	0
7/30/2013	MW-5	pH	FALSE	7.83		0	0 S.U.			7/30/2013	0
7/30/2013	MW-5	Sample Time	FALSE	1500		0	0 hours			7/30/2013	0
7/30/2013	MW-5	Temperature	FALSE	17.65		0	0 Degrees C			7/30/2013	0
7/30/2013	MW-5	Turbidity	FALSE	9.79		0	0 NTU			7/30/2013	0
7/30/2013	MW-6	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-6	Barium, Dissolved	FALSE	0.012 J		0.003	0.015 mg/L			9/9/2013	0
7/30/2013	MW-6	Cadmium, Dissolved	FALSE	0.0005 J		0.0003	0.0015 mg/L			9/10/2013	0
7/30/2013	MW-6	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-6	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/31/2013	0
7/30/2013	MW-6	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-6	Iron, Dissolved	FALSE	0.05 J		0.05	0.25 mg/L			9/11/2013	0
7/30/2013	MW-6	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			9/10/2013	0
7/30/2013	MW-6	Manganese, Dissolved	FALSE	1.76		0.02	0.05 mg/L			9/11/2013	0
7/30/2013	MW-6	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			8/13/2013	0
7/30/2013	MW-6	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-6	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			9/11/2013	0
7/30/2013	MW-6	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			9/16/2013	0
7/30/2013	MW-6	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			9/12/2013	0
7/30/2013	MW-6	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			9/13/2013	0
7/30/2013	MW-6	Ammonia as N	FALSE	0.02 J		0.01	0.05 mg/L			8/8/2013	0
7/30/2013	MW-6	Chloride	FALSE	6.77		0.05	0.25 mg/L			8/9/2013	0
7/30/2013	MW-6	Hardness	FALSE	160.74		3	10 mg/L			8/29/2013	0
7/30/2013	MW-6	Nitrate	TRUE	0		0.01	0.05 mg/L			8/1/2013	0
7/30/2013	MW-6	Sulfate	FALSE	150.95		0.06	0.3 mg/L			8/9/2013	0
7/30/2013	MW-6	Total Dissolved Solids (TDS)	FALSE	332		10	10 mg/L			8/6/2013	0
7/30/2013	MW-6	Conductivity	FALSE	391		0	0 UMHOS			7/30/2013	0
7/30/2013	MW-6	Groundwater Elevation	FALSE	213.54		0	0 Feet			7/30/2013	0
7/30/2013	MW-6	pH	FALSE	7.23		0	0 S.U.			7/30/2013	0
7/30/2013	MW-6	Sample Time	FALSE	1605		0	0 hours			7/30/2013	0
7/30/2013	MW-6	Temperature	FALSE	16.71		0	0 Degrees C			7/30/2013	0
7/30/2013	MW-6	Turbidity	FALSE	18.2		0	0 NTU			7/30/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/30/2013	W-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	W-3	Barium, Dissolved	FALSE	0.1		0.003		0.015 mg/L		9/9/2013	0
7/30/2013	W-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/30/2013	W-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	W-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/31/2013	0
7/30/2013	W-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	W-3	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		9/11/2013	0
7/30/2013	W-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/30/2013	W-3	Manganese, Dissolved	FALSE	1.73		0.02		0.05 mg/L		9/11/2013	0
7/30/2013	W-3	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/30/2013	W-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	W-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/30/2013	W-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/30/2013	W-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/30/2013	W-3	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/30/2013	W-3	Ammonia as N	FALSE	0.19		0.01		0.05 mg/L		8/9/2013	0
7/30/2013	W-3	Chloride	FALSE	16.21		0.05		0.25 mg/L		8/9/2013	0
7/30/2013	W-3	Hardness	FALSE	273.6		3		10 mg/L		8/30/2013	0
7/30/2013	W-3	Nitrate	FALSE	0.38		0.01		0.05 mg/L		8/1/2013	0
7/30/2013	W-3	Sulfate	FALSE	46.66		0.06		0.3 mg/L		8/9/2013	0
7/30/2013	W-3	Total Dissolved Solids (TDS)	FALSE	308.5		10		10 mg/L		8/6/2013	0
7/30/2013	W-3	Conductivity	FALSE	511		0		0 UMHOS		7/30/2013	0
7/30/2013	W-3	Groundwater Elevation	FALSE	251.33		0		0 Feet		7/30/2013	0
7/30/2013	W-3	pH	FALSE	5.61		0		0 S.U.		7/30/2013	0
7/30/2013	W-3	Sample Time	FALSE	1500		0		0 hours		7/30/2013	0
7/30/2013	W-3	Temperature	FALSE	18.87		0		0 Degrees C		7/30/2013	0
7/31/2013	MW-11	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-11	Barium, Dissolved	FALSE	0.008 J		0.003		0.015 mg/L		9/9/2013	0
7/31/2013	MW-11	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/31/2013	MW-11	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-11	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		8/1/2013	0
7/31/2013	MW-11	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-11	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		9/11/2013	0
7/31/2013	MW-11	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-11	Manganese, Dissolved	FALSE	0.15		0.02		0.05 mg/L		9/11/2013	0
7/31/2013	MW-11	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/31/2013	MW-11	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-11	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-11	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/31/2013	MW-11	Vanadium, Dissolved	FALSE	0.008		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-11	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/31/2013	MW-11	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		8/9/2013	0
7/31/2013	MW-11	Chloride	FALSE	8.66		0.05		0.25 mg/L		8/9/2013	0
7/31/2013	MW-11	Hardness	FALSE	104.31		3		10 mg/L		8/29/2013	0
7/31/2013	MW-11	Nitrate	FALSE	0.05		0.01		0.05 mg/L		8/1/2013	0
7/31/2013	MW-11	Sulfate	FALSE	6.48		0.06		0.3 mg/L		8/9/2013	0
7/31/2013	MW-11	Total Dissolved Solids (TDS)	FALSE	161		10		10 mg/L		8/6/2013	0
7/31/2013	MW-11	Conductivity	FALSE	216		0		0 UMHOS		7/31/2013	0
7/31/2013	MW-11	Groundwater Elevation	FALSE	302.62		0		0 Feet		7/31/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/31/2013	MW-11	pH	FALSE	7.19		0		0 S.U.		7/31/2013	0
7/31/2013	MW-11	Sample Time	FALSE	1255		0		0 hours		7/31/2013	0
7/31/2013	MW-11	Temperature	FALSE	15.31		0		0 Degrees C		7/31/2013	0
7/31/2013	MW-11	Turbidity	FALSE	24.2		0		0 NTU		7/31/2013	0
7/31/2013	MW-12	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-12	Barium, Dissolved	FALSE	0.115		0.003		0.015 mg/L		9/9/2013	0
7/31/2013	MW-12	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/31/2013	MW-12	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-12	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		8/1/2013	0
7/31/2013	MW-12	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-12	Iron, Dissolved	FALSE	2.97		0.05		0.25 mg/L		9/11/2013	0
7/31/2013	MW-12	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-12	Manganese, Dissolved	FALSE	0.55		0.02		0.05 mg/L		9/11/2013	0
7/31/2013	MW-12	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/31/2013	MW-12	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-12	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-12	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/31/2013	MW-12	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-12	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/31/2013	MW-12	Ammonia as N	FALSE	0.06		0.01		0.05 mg/L		8/9/2013	0
7/31/2013	MW-12	Chloride	FALSE	13.56		0.05		0.25 mg/L		8/9/2013	0
7/31/2013	MW-12	Hardness	FALSE	172.71		3		10 mg/L		8/30/2013	0
7/31/2013	MW-12	Nitrate	TRUE	0		0.01		0.05 mg/L		8/1/2013	0
7/31/2013	MW-12	Sulfate	FALSE	148.52		0.06		0.3 mg/L		8/9/2013	0
7/31/2013	MW-12	Total Dissolved Solids (TDS)	FALSE	343		10		10 mg/L		8/6/2013	0
7/31/2013	MW-12	Conductivity	FALSE	458		0		0 UMHOS		7/31/2013	0
7/31/2013	MW-12	Groundwater Elevation	FALSE	202.68		0		0 Feet		7/31/2013	0
7/31/2013	MW-12	pH	FALSE	5.68		0		0 S.U.		7/31/2013	0
7/31/2013	MW-12	Sample Time	FALSE	1215		0		0 hours		7/31/2013	0
7/31/2013	MW-12	Temperature	FALSE	16.41		0		0 Degrees C		7/31/2013	0
7/31/2013	MW-12	Turbidity	FALSE	9.4		0		0 NTU		7/31/2013	0
7/31/2013	MW-13	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-13	Barium, Dissolved	FALSE	0.104		0.003		0.015 mg/L		9/9/2013	0
7/31/2013	MW-13	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/31/2013	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		8/1/2013	0
7/31/2013	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-13	Iron, Dissolved	FALSE	13.06		0.05		0.25 mg/L		9/11/2013	0
7/31/2013	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-13	Manganese, Dissolved	FALSE	1.96		0.02		0.05 mg/L		9/11/2013	0
7/31/2013	MW-13	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/31/2013	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-13	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/31/2013	MW-13	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-13	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/31/2013	MW-13	Ammonia as N	FALSE	0.18		0.01		0.05 mg/L		8/9/2013	0
7/31/2013	MW-13	Chloride	FALSE	59.81		0.05		0.25 mg/L		8/9/2013	0
7/31/2013	MW-13	Hardness	FALSE	234.27		3		10 mg/L		8/30/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/31/2013	MW-13	Nitrate	TRUE	0		0.01		0.05 mg/L		8/1/2013	0
7/31/2013	MW-13	Sulfate	FALSE	154.56		0.06		0.3 mg/L		8/9/2013	0
7/31/2013	MW-13	Total Dissolved Solids (TDS)	FALSE	414.5		10		10 mg/L		8/6/2013	0
7/31/2013	MW-13	Conductivity	FALSE	628		0		0 UMHOS		7/31/2013	0
7/31/2013	MW-13	Groundwater Elevation	FALSE	207.95		0		0 Feet		7/31/2013	0
7/31/2013	MW-13	pH	FALSE	5.62		0		0 S.U.		7/31/2013	0
7/31/2013	MW-13	Sample Time	FALSE	1330		0		0 hours		7/31/2013	0
7/31/2013	MW-13	Temperature	FALSE	15.32		0		0 Degrees C		7/31/2013	0
7/31/2013	MW-13	Turbidity	FALSE	9.7		0		0 NTU		7/31/2013	0
7/31/2013	MW-2	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-2	Barium, Dissolved	FALSE	0.016		0.003		0.015 mg/L		9/9/2013	0
7/31/2013	MW-2	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/31/2013	MW-2	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-2	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		8/1/2013	0
7/31/2013	MW-2	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-2	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		9/11/2013	0
7/31/2013	MW-2	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-2	Manganese, Dissolved	FALSE	0.69		0.02		0.05 mg/L		9/11/2013	0
7/31/2013	MW-2	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/31/2013	MW-2	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-2	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-2	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0
7/31/2013	MW-2	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-2	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		9/13/2013	0
7/31/2013	MW-2	Ammonia as N	FALSE	0.01		0.01		0.05 mg/L		8/8/2013	0
7/31/2013	MW-2	Chloride	FALSE	13.86		0.05		0.25 mg/L		8/9/2013	0
7/31/2013	MW-2	Hardness	FALSE	174.42		3		10 mg/L		8/29/2013	0
7/31/2013	MW-2	Nitrate	TRUE	0		0.01		0.05 mg/L		8/1/2013	0
7/31/2013	MW-2	Sulfate	FALSE	149.07		0.06		0.3 mg/L		8/9/2013	0
7/31/2013	MW-2	Total Dissolved Solids (TDS)	FALSE	352		10		10 mg/L		8/6/2013	0
7/31/2013	MW-2	Conductivity	FALSE	443		0		0 UMHOS		7/31/2013	0
7/31/2013	MW-2	Groundwater Elevation	FALSE	158.13		0		0 Feet		7/31/2013	0
7/31/2013	MW-2	pH	FALSE	5.59		0		0 S.U.		7/31/2013	0
7/31/2013	MW-2	Sample Time	FALSE	1255		0		0 hours		7/31/2013	0
7/31/2013	MW-2	Temperature	FALSE	17.02		0		0 Degrees C		7/31/2013	0
7/31/2013	MW-2	Turbidity	FALSE	1.19		0		0 NTU		7/31/2013	0
7/31/2013	MW-7	Arsenic, Dissolved	FALSE	0.222		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-7	Barium, Dissolved	FALSE	0.406		0.003		0.015 mg/L		9/9/2013	0
7/31/2013	MW-7	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		9/10/2013	0
7/31/2013	MW-7	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-7	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		8/1/2013	0
7/31/2013	MW-7	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-7	Iron, Dissolved	FALSE	0.93		0.05		0.25 mg/L		9/11/2013	0
7/31/2013	MW-7	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		9/10/2013	0
7/31/2013	MW-7	Manganese, Dissolved	FALSE	1.57		0.02		0.05 mg/L		9/11/2013	0
7/31/2013	MW-7	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		8/13/2013	0
7/31/2013	MW-7	Molybdenum, Dissolved	FALSE	0.13		0.001		0.005 mg/L		9/12/2013	0
7/31/2013	MW-7	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		9/11/2013	0
7/31/2013	MW-7	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		9/16/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/31/2013	MW-7	Vanadium, Dissolved	FALSE	0.022		0.001	0.005	mg/L		9/12/2013	0
7/31/2013	MW-7	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		9/13/2013	0
7/31/2013	MW-7	Ammonia as N	FALSE	0.44		0.01	0.05	mg/L		8/8/2013	0
7/31/2013	MW-7	Chloride	FALSE	4.63		0.05	0.25	mg/L		8/9/2013	0
7/31/2013	MW-7	Hardness	FALSE	273.6		3	10	mg/L		8/29/2013	0
7/31/2013	MW-7	Nitrate	FALSE	0.02	J	0.01	0.05	mg/L		8/1/2013	0
7/31/2013	MW-7	Sulfate	FALSE	50.8		0.06	0.3	mg/L		8/9/2013	0
7/31/2013	MW-7	Total Dissolved Solids (TDS)	FALSE	352		10	10	mg/L		8/6/2013	0
7/31/2013	MW-7	Conductivity	FALSE	565		0	0	UMHOS		7/31/2013	0
7/31/2013	MW-7	Groundwater Elevation	FALSE	233.6		0	0	Feet		7/31/2013	0
7/31/2013	MW-7	pH	FALSE	7.86		0	0	S.U.		7/31/2013	0
7/31/2013	MW-7	Sample Time	FALSE	1100		0	0	hours		7/31/2013	0
7/31/2013	MW-7	Temperature	FALSE	15.64		0	0	Degrees C		7/31/2013	0
7/31/2013	MW-7	Turbidity	FALSE	4.93		0	0	NTU		7/31/2013	0
7/31/2013	MW-8	Arsenic, Dissolved	FALSE	0.032		0.002	0.01	mg/L		9/11/2013	0
7/31/2013	MW-8	Barium, Dissolved	FALSE	0.359		0.003	0.015	mg/L		9/9/2013	0
7/31/2013	MW-8	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		9/10/2013	0
7/31/2013	MW-8	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		9/10/2013	0
7/31/2013	MW-8	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		8/1/2013	0
7/31/2013	MW-8	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		9/10/2013	0
7/31/2013	MW-8	Iron, Dissolved	FALSE	2.33		0.05	0.25	mg/L		9/11/2013	0
7/31/2013	MW-8	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		9/10/2013	0
7/31/2013	MW-8	Manganese, Dissolved	FALSE	1.22		0.02	0.05	mg/L		9/11/2013	0
7/31/2013	MW-8	Mercury, Dissolved	TRUE	0		0.0002	0.001	mg/L		8/13/2013	0
7/31/2013	MW-8	Molybdenum, Dissolved	FALSE	0.011		0.001	0.005	mg/L		9/12/2013	0
7/31/2013	MW-8	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		9/11/2013	0
7/31/2013	MW-8	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		9/16/2013	0
7/31/2013	MW-8	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		9/12/2013	0
7/31/2013	MW-8	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		9/13/2013	0
7/31/2013	MW-8	Ammonia as N	FALSE	1.37		0.01	0.05	mg/L		8/8/2013	0
7/31/2013	MW-8	Chloride	FALSE	14.15		0.05	0.25	mg/L		8/9/2013	0
7/31/2013	MW-8	Hardness	FALSE	513		3	10	mg/L		8/29/2013	0
7/31/2013	MW-8	Nitrate	TRUE	0		0.01	0.05	mg/L		8/1/2013	0
7/31/2013	MW-8	Sulfate	FALSE	111.33		0.06	0.3	mg/L		8/9/2013	0
7/31/2013	MW-8	Total Dissolved Solids (TDS)	FALSE	665.5		10	10	mg/L		8/6/2013	0
7/31/2013	MW-8	Conductivity	FALSE	1051		0	0	UMHOS		7/31/2013	0
7/31/2013	MW-8	Groundwater Elevation	FALSE	231.86		0	0	Feet		7/31/2013	0
7/31/2013	MW-8	pH	FALSE	7.89		0	0	S.U.		7/31/2013	0
7/31/2013	MW-8	Sample Time	FALSE	1140		0	0	hours		7/31/2013	0
7/31/2013	MW-8	Temperature	FALSE	14.87		0	0	Degrees C		7/31/2013	0
7/31/2013	MW-8	Turbidity	FALSE	8.71		0	0	NTU		7/31/2013	0
12/4/2013	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		12/19/2013	0
12/4/2013	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003	0.015	mg/L		1/30/2014	0
12/4/2013	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		1/29/2014	0
12/4/2013	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		1/29/2014	0
12/4/2013	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		12/5/2014	0
12/4/2013	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		1/29/2014	0
12/4/2013	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		12/31/2013	0
12/4/2013	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		1/29/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	FIELD BLANK	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	FIELD BLANK	Ammonia as N	TRUE	0		0.01		0.05 mg/L		12/13/2013	0
12/4/2013	FIELD BLANK	Chloride	FALSE	0.06 J		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		12/18/2013	0
12/4/2013	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		12/11/2013	0
12/4/2013	FIELD BLANK	Sample Time	FALSE	1020		0		0 hours			0
12/4/2013	MW-1	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-1	Barium, Dissolved	FALSE	0.013 J		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-1	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-1	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-1	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-1	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-1	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-1	Manganese, Dissolved	FALSE	0.09		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-1	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-1	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-1	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-1	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-1	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-1	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-1	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		12/10/2013	0
12/4/2013	MW-1	Chloride	FALSE	2.34		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-1	Hardness	FALSE	22.23		3		10 mg/L		12/18/2013	0
12/4/2013	MW-1	Nitrate	FALSE	0.12		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-1	Sulfate	FALSE	1.74		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-1	Total Dissolved Solids (TDS)	FALSE	31.5		10		10 mg/L		12/11/2013	0
12/4/2013	MW-1	Conductivity	FALSE	50		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-1	Groundwater Elevation	FALSE	215.86		0		0 Feet		12/4/2013	0
12/4/2013	MW-1	pH	FALSE	5.45		0		0 S.U.		12/4/2013	0
12/4/2013	MW-1	Sample Time	FALSE	1325		0		0 hours			0
12/4/2013	MW-1	Temperature	FALSE	16.76		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-1	Turbidity	FALSE	2.82		0		0 NTU		12/4/2013	0
12/4/2013	MW-10	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-10	Barium, Dissolved	FALSE	0.096		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-10	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-10	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-10	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-10	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-10	Iron, Dissolved	FALSE	10.9		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-10	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-10	Manganese, Dissolved	FALSE	7.37		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-10	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-10	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-10	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-10	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-10	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-10	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-10	Ammonia as N	FALSE	0.76		0.01		0.05 mg/L		12/13/2013	0
12/4/2013	MW-10	Chloride	FALSE	13.45		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-10	Hardness	FALSE	253.08		3		10 mg/L		12/18/2013	0
12/4/2013	MW-10	Nitrate	TRUE	0		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-10	Sulfate	FALSE	23.14		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-10	Total Dissolved Solids (TDS)	FALSE	280.5		10		10 mg/L		12/11/2013	0
12/4/2013	MW-10	Conductivity	FALSE	521		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-10	Groundwater Elevation	FALSE	234.4		0		0 Feet		12/4/2013	0
12/4/2013	MW-10	pH	FALSE	6.35		0		0 S.U.		12/4/2013	0
12/4/2013	MW-10	Sample Time	FALSE	1300		0		0 hours			0
12/4/2013	MW-10	Temperature	FALSE	14.96		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-10	Turbidity	FALSE	8.25		0		0 NTU		12/4/2013	0
12/4/2013	MW-11	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-11	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-11	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-11	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-11	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-11	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-11	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-11	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-11	Manganese, Dissolved	FALSE	0.02		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-11	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-11	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-11	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-11	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-11	Vanadium, Dissolved	FALSE	0.006		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-11	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-11	Ammonia as N	TRUE	0		0.01		0.05 mg/L		12/13/2013	0
12/4/2013	MW-11	Chloride	FALSE	8.82		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-11	Hardness	FALSE	107.73		3		10 mg/L		12/18/2013	0
12/4/2013	MW-11	Nitrate	FALSE	0.05		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-11	Sulfate	FALSE	6.51		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-11	Total Dissolved Solids (TDS)	FALSE	132		10		10 mg/L		12/11/2013	0
12/4/2013	MW-11	Conductivity	FALSE	210		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-11	Groundwater Elevation	FALSE	302.72		0		0 Feet		12/4/2013	0
12/4/2013	MW-11	pH	FALSE	6.01		0		0 S.U.		12/4/2013	0
12/4/2013	MW-11	Sample Time	FALSE	1115		0		0 hours			0
12/4/2013	MW-11	Temperature	FALSE	14.62		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-11	Turbidity	FALSE	23.6		0		0 NTU		12/4/2013	0
12/4/2013	MW-11 DUP	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-11 DUP	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-11 DUP	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-11 DUP	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-11 DUP	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			12/5/2014	0
12/4/2013	MW-11 DUP	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-11 DUP	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			12/31/2013	0
12/4/2013	MW-11 DUP	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-11 DUP	Manganese, Dissolved	FALSE	0.02 J		0.02	0.05 mg/L			12/31/2013	0
12/4/2013	MW-11 DUP	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			12/18/2013	0
12/4/2013	MW-11 DUP	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			1/28/2014	0
12/4/2013	MW-11 DUP	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			12/19/2013	0
12/4/2013	MW-11 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			1/29/2014	0
12/4/2013	MW-11 DUP	Vanadium, Dissolved	FALSE	0.006		0.001	0.005 mg/L			1/28/2014	0
12/4/2013	MW-11 DUP	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/27/2013	0
12/4/2013	MW-11 DUP	Ammonia as N	TRUE	0		0.01	0.05 mg/L			12/13/2013	0
12/4/2013	MW-11 DUP	Chloride	FALSE	8.84		0.05	0.25 mg/L			12/26/2013	0
12/4/2013	MW-11 DUP	Hardness	FALSE	106.02		3	10 mg/L			12/18/2013	0
12/4/2013	MW-11 DUP	Nitrate	FALSE	0.05		0.01	0.05 mg/L			12/6/2013	0
12/4/2013	MW-11 DUP	Sulfate	FALSE	6.55		0.06	0.3 mg/L			12/26/2013	0
12/4/2013	MW-11 DUP	Total Dissolved Solids (TDS)	FALSE	166.5		10	10 mg/L			12/11/2013	0
12/4/2013	MW-11 DUP	Conductivity	FALSE	210		0	0 UMHOS			12/4/2013	0
12/4/2013	MW-11 DUP	pH	FALSE	6.01		0	0 S.U.			12/4/2013	0
12/4/2013	MW-11 DUP	Sample Time	FALSE	1120		0	0 hours				0
12/4/2013	MW-11 DUP	Temperature	FALSE	14.63		0	0 Degrees C			12/4/2013	0
12/4/2013	MW-11 DUP	Turbidity	FALSE	21		0	0 NTU			12/4/2013	0
12/4/2013	MW-12	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			12/19/2013	0
12/4/2013	MW-12	Barium, Dissolved	FALSE	0.1		0.003	0.015 mg/L			1/30/2014	0
12/4/2013	MW-12	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			1/29/2014	0
12/4/2013	MW-12	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			12/5/2014	0
12/4/2013	MW-12	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-12	Iron, Dissolved	FALSE	3.36		0.05	0.25 mg/L			12/31/2013	0
12/4/2013	MW-12	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-12	Manganese, Dissolved	FALSE	0.54		0.02	0.05 mg/L			12/31/2013	0
12/4/2013	MW-12	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			12/18/2013	0
12/4/2013	MW-12	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			1/28/2014	0
12/4/2013	MW-12	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			12/19/2013	0
12/4/2013	MW-12	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			1/29/2014	0
12/4/2013	MW-12	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			1/28/2014	0
12/4/2013	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/27/2013	0
12/4/2013	MW-12	Ammonia as N	FALSE	0.06		0.01	0.05 mg/L			12/13/2013	0
12/4/2013	MW-12	Chloride	FALSE	14.94		0.05	0.25 mg/L			12/26/2013	0
12/4/2013	MW-12	Hardness	FALSE	174.42		3	10 mg/L			12/18/2013	0
12/4/2013	MW-12	Nitrate	TRUE	0		0.01	0.05 mg/L			12/6/2013	0
12/4/2013	MW-12	Sulfate	FALSE	144.95		0.06	0.3 mg/L			12/26/2013	0
12/4/2013	MW-12	Total Dissolved Solids (TDS)	FALSE	320		10	10 mg/L			12/11/2013	0
12/4/2013	MW-12	Conductivity	FALSE	468		0	0 UMHOS			12/4/2013	0
12/4/2013	MW-12	Groundwater Elevation	FALSE	202.54		0	0 Feet			12/4/2013	0
12/4/2013	MW-12	pH	FALSE	5.89		0	0 S.U.			12/4/2013	0
12/4/2013	MW-12	Sample Time	FALSE	1040		0	0 hours				0
12/4/2013	MW-12	Temperature	FALSE	15.53		0	0 Degrees C			12/4/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-12	Turbidity	FALSE	2.62		0		0 NTU		12/4/2013	0
12/4/2013	MW-13	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-13	Barium, Dissolved	FALSE	0.157		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-13	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-13	Iron, Dissolved	FALSE	22.69		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-13	Manganese, Dissolved	FALSE	1.86		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-13	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-13	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-13	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-13	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-13	Ammonia as N	FALSE	0.33		0.01		0.05 mg/L		12/13/2013	0
12/4/2013	MW-13	Chloride	FALSE	77.3		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-13	Hardness	FALSE	283.86		3		10 mg/L		12/18/2013	0
12/4/2013	MW-13	Nitrate	TRUE	0		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-13	Sulfate	FALSE	136.74		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-13	Total Dissolved Solids (TDS)	FALSE	406		10		10 mg/L		12/11/2013	0
12/4/2013	MW-13	Conductivity	FALSE	630		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-13	Groundwater Elevation	FALSE	208.82		0		0 Feet		12/4/2013	0
12/4/2013	MW-13	pH	FALSE	5.8		0		0 S.U.		12/4/2013	0
12/4/2013	MW-13	Sample Time	FALSE	1205		0		0 hours			0
12/4/2013	MW-13	Temperature	FALSE	15.21		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-13	Turbidity	FALSE	8.4		0		0 NTU		12/4/2013	0
12/4/2013	MW-2	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-2	Barium, Dissolved	FALSE	0.029		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-2	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-2	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-2	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-2	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-2	Iron, Dissolved	FALSE	0.07 J		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-2	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-2	Manganese, Dissolved	FALSE	0.68		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-2	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-2	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-2	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-2	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-2	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-2	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-2	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		12/10/2013	0
12/4/2013	MW-2	Chloride	FALSE	16.91		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-2	Hardness	FALSE	159.03		3		10 mg/L		12/18/2013	0
12/4/2013	MW-2	Nitrate	TRUE	0		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-2	Sulfate	FALSE	138.33		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-2	Total Dissolved Solids (TDS)	FALSE	277		10		10 mg/L		12/11/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-2	Conductivity	FALSE	430		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-2	Groundwater Elevation	FALSE	214.28		0		0 Feet		12/4/2013	0
12/4/2013	MW-2	pH	FALSE	5.77		0		0 S.U.		12/4/2013	0
12/4/2013	MW-2	Sample Time	FALSE	1110		0		0 hours			0
12/4/2013	MW-2	Temperature	FALSE	15.9		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-2	Turbidity	FALSE	1.11		0		0 NTU		12/4/2013	0
12/4/2013	MW-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-3	Barium, Dissolved	FALSE	0.091		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-3	Cadmium, Dissolved	FALSE	0.0004 J		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-3	Iron, Dissolved	FALSE	0.09 J		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-3	Manganese, Dissolved	FALSE	0.45		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-3	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-3	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-3	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		12/10/2013	0
12/4/2013	MW-3	Chloride	FALSE	4.81		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-3	Hardness	FALSE	42.75		3		10 mg/L		12/18/2013	0
12/4/2013	MW-3	Nitrate	FALSE	0.2		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-3	Sulfate	FALSE	31.61		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-3	Total Dissolved Solids (TDS)	FALSE	114.5		10		10 mg/L		12/11/2013	0
12/4/2013	MW-3	Conductivity	FALSE	150		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-3	Groundwater Elevation	FALSE	211.34		0		0 Feet		12/4/2013	0
12/4/2013	MW-3	pH	FALSE	4.92		0		0 S.U.		12/4/2013	0
12/4/2013	MW-3	Sample Time	FALSE	1220		0		0 hours			0
12/4/2013	MW-3	Temperature	FALSE	15.81		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-3	Turbidity	FALSE	1.79		0		0 NTU		12/4/2013	0
12/4/2013	MW-4	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-4	Barium, Dissolved	FALSE	0.053		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-4	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-4	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-4	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-4	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-4	Iron, Dissolved	FALSE	10.94		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-4	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-4	Manganese, Dissolved	FALSE	9.77		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-4	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-4	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-4	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-4	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-4	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-4	Zinc, Dissolved	FALSE	0.045		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-4	Ammonia as N	FALSE	0.24		0.01		0.05 mg/L		12/10/2013	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-4	Chloride	FALSE	14.48		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-4	Hardness	FALSE	1539		3		10 mg/L		12/18/2013	0
12/4/2013	MW-4	Nitrate	TRUE	0		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-4	Sulfate	FALSE	1142.74		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-4	Total Dissolved Solids (TDS)	FALSE	2012.5		10		10 mg/L		12/11/2013	0
12/4/2013	MW-4	Conductivity	FALSE	2240		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-4	Groundwater Elevation	FALSE	211.29		0		0 Feet		12/4/2013	0
12/4/2013	MW-4	pH	FALSE	5.71		0		0 S.U.		12/4/2013	0
12/4/2013	MW-4	Sample Time	FALSE	1115		0		0 hours			0
12/4/2013	MW-4	Temperature	FALSE	17.53		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-4	Turbidity	FALSE	15.58		0		0 NTU		12/4/2013	0
12/4/2013	MW-5	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-5	Barium, Dissolved	FALSE	0.074		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-5	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-5	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-5	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-5	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-5	Iron, Dissolved	FALSE	8.09		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-5	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-5	Manganese, Dissolved	FALSE	1.25		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-5	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-5	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-5	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-5	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-5	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-5	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-5	Ammonia as N	FALSE	0.66		0.01		0.05 mg/L		12/10/2013	0
12/4/2013	MW-5	Chloride	FALSE	9.38		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-5	Hardness	FALSE	150.48		3		10 mg/L		12/18/2013	0
12/4/2013	MW-5	Nitrate	TRUE	0		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-5	Sulfate	FALSE	4.7		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-5	Total Dissolved Solids (TDS)	FALSE	201.5		10		10 mg/L		12/11/2013	0
12/4/2013	MW-5	Conductivity	FALSE	367		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-5	Groundwater Elevation	FALSE	213.03		0		0 Feet		12/4/2013	0
12/4/2013	MW-5	pH	FALSE	6.5		0		0 S.U.		12/4/2013	0
12/4/2013	MW-5	Sample Time	FALSE	1230		0		0 hours			0
12/4/2013	MW-5	Temperature	FALSE	17.33		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-5	Turbidity	FALSE	11.25		0		0 NTU		12/4/2013	0
12/4/2013	MW-6	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-6	Barium, Dissolved	FALSE	0.044		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	MW-6	Cadmium, Dissolved	FALSE	0.0004 J		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	MW-6	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-6	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	MW-6	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-6	Iron, Dissolved	FALSE	0.05 J		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-6	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-6	Manganese, Dissolved	FALSE	2		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-6	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-6	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-6	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			12/19/2013	0
12/4/2013	MW-6	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			1/29/2014	0
12/4/2013	MW-6	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			1/28/2014	0
12/4/2013	MW-6	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/27/2013	0
12/4/2013	MW-6	Ammonia as N	FALSE	0.02 J		0.01	0.05 mg/L			12/10/2013	0
12/4/2013	MW-6	Chloride	FALSE	7.3		0.05	0.25 mg/L			12/26/2013	0
12/4/2013	MW-6	Hardness	FALSE	147.06		3	10 mg/L			12/18/2013	0
12/4/2013	MW-6	Nitrate	TRUE	0		0.01	0.05 mg/L			12/6/2013	0
12/4/2013	MW-6	Sulfate	FALSE	135.51		0.06	0.3 mg/L			12/26/2013	0
12/4/2013	MW-6	Total Dissolved Solids (TDS)	FALSE	266.5		10	10 mg/L			12/11/2013	0
12/4/2013	MW-6	Conductivity	FALSE	384		0	0 UMHOS			12/4/2013	0
12/4/2013	MW-6	Groundwater Elevation	FALSE	213.32		0	0 Feet			12/4/2013	0
12/4/2013	MW-6	pH	FALSE	5.76		0	0 S.U.			12/4/2013	0
12/4/2013	MW-6	Sample Time	FALSE	1315		0	0 hours				0
12/4/2013	MW-6	Temperature	FALSE	16.04		0	0 Degrees C			12/4/2013	0
12/4/2013	MW-6	Turbidity	FALSE	6.83		0	0 NTU			12/4/2013	0
12/4/2013	MW-7	Arsenic, Dissolved	FALSE	0.238		0.002	0.01 mg/L			12/20/2013	0
12/4/2013	MW-7	Barium, Dissolved	FALSE	0.249		0.003	0.015 mg/L			1/30/2014	0
12/4/2013	MW-7	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			1/29/2014	0
12/4/2013	MW-7	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-7	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			12/5/2014	0
12/4/2013	MW-7	Copper, Dissolved	FALSE	0.002 J		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-7	Iron, Dissolved	FALSE	0.77		0.05	0.25 mg/L			12/31/2013	0
12/4/2013	MW-7	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-7	Manganese, Dissolved	FALSE	1.66		0.02	0.05 mg/L			12/31/2013	0
12/4/2013	MW-7	Mercury, Dissolved	TRUE	0		0.0002	0.001 mg/L			12/18/2013	0
12/4/2013	MW-7	Molybdenum, Dissolved	FALSE	0.094		0.001	0.005 mg/L			1/31/2014	0
12/4/2013	MW-7	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			12/19/2013	0
12/4/2013	MW-7	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			1/29/2014	0
12/4/2013	MW-7	Vanadium, Dissolved	FALSE	0.014		0.001	0.005 mg/L			1/28/2014	0
12/4/2013	MW-7	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/27/2013	0
12/4/2013	MW-7	Ammonia as N	FALSE	0.42		0.01	0.05 mg/L			12/10/2013	0
12/4/2013	MW-7	Chloride	FALSE	4.87		0.05	0.25 mg/L			12/26/2013	0
12/4/2013	MW-7	Hardness	FALSE	256.5		3	10 mg/L			12/18/2013	0
12/4/2013	MW-7	Nitrate	FALSE	0.06		0.01	0.05 mg/L			12/6/2013	0
12/4/2013	MW-7	Sulfate	FALSE	59.05		0.06	0.3 mg/L			12/26/2013	0
12/4/2013	MW-7	Total Dissolved Solids (TDS)	FALSE	339		10	10 mg/L			12/11/2013	0
12/4/2013	MW-7	Conductivity	FALSE	560		0	0 UMHOS			12/4/2013	0
12/4/2013	MW-7	Groundwater Elevation	FALSE	233.44		0	0 Feet			12/4/2013	0
12/4/2013	MW-7	pH	FALSE	7.58		0	0 S.U.			12/4/2013	0
12/4/2013	MW-7	Sample Time	FALSE	1405		0	0 hours				0
12/4/2013	MW-7	Temperature	FALSE	15.46		0	0 Degrees C			12/4/2013	0
12/4/2013	MW-7	Turbidity	FALSE	17.17		0	0 NTU			12/4/2013	0
12/4/2013	MW-8	Arsenic, Dissolved	FALSE	0.036		0.002	0.01 mg/L			12/19/2013	0
12/4/2013	MW-8	Barium, Dissolved	FALSE	0.611		0.003	0.015 mg/L			1/30/2014	0
12/4/2013	MW-8	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			1/29/2014	0
12/4/2013	MW-8	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0
12/4/2013	MW-8	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			12/5/2014	0
12/4/2013	MW-8	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			1/29/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/4/2013	MW-8	Iron, Dissolved	FALSE	2.11		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	MW-8	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	MW-8	Manganese, Dissolved	FALSE	1.39		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	MW-8	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	MW-8	Molybdenum, Dissolved	FALSE	0.009		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-8	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	MW-8	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	MW-8	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	MW-8	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/27/2013	0
12/4/2013	MW-8	Ammonia as N	FALSE	1.3		0.01		0.05 mg/L		12/10/2013	0
12/4/2013	MW-8	Chloride	FALSE	14.34		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	MW-8	Hardness	FALSE	530.7		3		10 mg/L		12/18/2013	0
12/4/2013	MW-8	Nitrate	FALSE	0.01	J	0.01		0.05 mg/L		12/6/2013	0
12/4/2013	MW-8	Sulfate	FALSE	120.81		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	MW-8	Total Dissolved Solids (TDS)	FALSE	653.5		10		10 mg/L		12/11/2013	0
12/4/2013	MW-8	Conductivity	FALSE	1034		0		0 UMHOS		12/4/2013	0
12/4/2013	MW-8	Groundwater Elevation	FALSE	232.38		0		0 Feet		12/4/2013	0
12/4/2013	MW-8	pH	FALSE	7.02		0		0 S.U.		12/4/2013	0
12/4/2013	MW-8	Sample Time	FALSE	1415		0		0 hours			0
12/4/2013	MW-8	Temperature	FALSE	15.2		0		0 Degrees C		12/4/2013	0
12/4/2013	MW-8	Turbidity	FALSE	9.34		0		0 NTU		12/4/2013	0
12/4/2013	W-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	W-3	Barium, Dissolved	FALSE	0.053		0.003		0.015 mg/L		1/30/2014	0
12/4/2013	W-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		1/29/2014	0
12/4/2013	W-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	W-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		12/5/2014	0
12/4/2013	W-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	W-3	Iron, Dissolved	FALSE	3.14		0.05		0.25 mg/L		12/31/2013	0
12/4/2013	W-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		1/29/2014	0
12/4/2013	W-3	Manganese, Dissolved	FALSE	6.31		0.02		0.05 mg/L		12/31/2013	0
12/4/2013	W-3	Mercury, Dissolved	TRUE	0		0.0002		0.001 mg/L		12/18/2013	0
12/4/2013	W-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	W-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		12/19/2013	0
12/4/2013	W-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		1/29/2014	0
12/4/2013	W-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		1/28/2014	0
12/4/2013	W-3	Zinc, Dissolved	FALSE	0.012	J	0.01		0.03 mg/L		12/27/2013	0
12/4/2013	W-3	Ammonia as N	FALSE	0.21		0.01		0.05 mg/L		12/13/2013	0
12/4/2013	W-3	Chloride	FALSE	21.56		0.05		0.25 mg/L		12/26/2013	0
12/4/2013	W-3	Hardness	FALSE	164.16		3		10 mg/L		12/18/2013	0
12/4/2013	W-3	Nitrate	FALSE	0.1		0.01		0.05 mg/L		12/6/2013	0
12/4/2013	W-3	Sulfate	FALSE	21.95		0.06		0.3 mg/L		12/26/2013	0
12/4/2013	W-3	Total Dissolved Solids (TDS)	FALSE	252.5		10		10 mg/L		12/11/2013	0
12/4/2013	W-3	Conductivity	FALSE	454		0		0 UMHOS		12/4/2013	0
12/4/2013	W-3	Groundwater Elevation	FALSE	247.51		0		0 Feet		12/4/2013	0
12/4/2013	W-3	pH	FALSE	5.99		0		0 S.U.		12/4/2013	0
12/4/2013	W-3	Sample Time	FALSE	1340		0		0 hours			0
12/4/2013	W-3	Temperature	FALSE	15.73		0		0 Degrees C		12/4/2013	0
2/26/2014	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		4/3/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			3/31/2014	0
2/26/2014	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			3/28/2014	0
2/26/2014	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			3/5/2014	0
2/26/2014	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			4/9/2014	0
2/26/2014	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02	0.05 mg/L			4/8/2014	0
2/26/2014	FIELD BLANK	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			3/11/2014	0
2/26/2014	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			3/31/2014	0
2/26/2014	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			3/27/2014	0
2/26/2014	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001	0.003 mg/L			3/31/2014	0
2/26/2014	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			4/8/2014	0
2/26/2014	FIELD BLANK	Ammonia as N	FALSE	0.01 J		0.01	0.05 mg/L			3/7/2014	0
2/26/2014	FIELD BLANK	Chloride	TRUE	0		0.05	0.25 mg/L			3/5/2014	0
2/26/2014	FIELD BLANK	Hardness	TRUE	0		3	10 mg/L			3/10/2014	0
2/26/2014	FIELD BLANK	Nitrate	TRUE	0		0.01	0.05 mg/L			2/28/2014	0
2/26/2014	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3 mg/L			3/5/2014	0
2/26/2014	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10 mg/L			3/4/2014	0
2/26/2014	FIELD BLANK	Sample Time	FALSE	1130		0	0 hours			2/26/2014	0
2/26/2014	MW-1	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-1	Barium, Dissolved	FALSE	0.012 J		0.003	0.015 mg/L			4/1/2014	0
2/26/2014	MW-1	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			3/31/2014	0
2/26/2014	MW-1	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			3/28/2014	0
2/26/2014	MW-1	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			3/5/2014	0
2/26/2014	MW-1	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	MW-1	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			4/9/2014	0
2/26/2014	MW-1	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	MW-1	Manganese, Dissolved	FALSE	0.07		0.02	0.05 mg/L			4/8/2014	0
2/26/2014	MW-1	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			3/11/2014	0
2/26/2014	MW-1	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			3/31/2014	0
2/26/2014	MW-1	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-1	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			3/27/2014	0
2/26/2014	MW-1	Vanadium, Dissolved	TRUE	0		0.001	0.003 mg/L			3/31/2014	0
2/26/2014	MW-1	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			4/8/2014	0
2/26/2014	MW-1	Ammonia as N	FALSE	0.01 J,B		0.01	0.05 mg/L			3/5/2014	0
2/26/2014	MW-1	Chloride	FALSE	2.71		0.05	0.25 mg/L			3/5/2014	0
2/26/2014	MW-1	Hardness	FALSE	25.65		3	10 mg/L			3/10/2014	0
2/26/2014	MW-1	Nitrate	FALSE	0.1		0.01	0.05 mg/L			2/28/2014	0
2/26/2014	MW-1	Sulfate	FALSE	2.07		0.06	0.3 mg/L			3/5/2014	0
2/26/2014	MW-1	Total Dissolved Solids (TDS)	FALSE	42.5		10	10 mg/L			3/4/2014	0
2/26/2014	MW-1	Conductivity	FALSE	49		0	0 UMHOS			2/26/2014	0
2/26/2014	MW-1	Groundwater Elevation	FALSE	217.26		0	0 Feet			2/26/2014	0
2/26/2014	MW-1	pH	FALSE	6.01		0	0 S.U.			2/26/2014	0
2/26/2014	MW-1	Sample Time	FALSE	1555		0	0 hours			2/26/2014	0
2/26/2014	MW-1	Temperature	FALSE	13.79		0	0 Degrees C			2/26/2014	0
2/26/2014	MW-1	Turbidity	FALSE	4.03		0	0 NTU			2/26/2014	0
2/26/2014	MW-10	Arsenic, Dissolved	FALSE	0.003 J		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-10	Barium, Dissolved	FALSE	0.14		0.003	0.015 mg/L			4/3/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	MW-10	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		3/31/2014	0
2/26/2014	MW-10	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		3/28/2014	0
2/26/2014	MW-10	Chromium (hexavalent)	FALSE	0.016		0.005	0.005	mg/L		3/5/2014	0
2/26/2014	MW-10	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		3/27/2014	0
2/26/2014	MW-10	Iron, Dissolved	FALSE	12.94		0.05	0.25	mg/L		4/9/2014	0
2/26/2014	MW-10	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		3/27/2014	0
2/26/2014	MW-10	Manganese, Dissolved	FALSE	3.74		0.02	0.05	mg/L		4/8/2014	0
2/26/2014	MW-10	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		3/11/2014	0
2/26/2014	MW-10	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		3/31/2014	0
2/26/2014	MW-10	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		3/21/2014	0
2/26/2014	MW-10	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		3/27/2014	0
2/26/2014	MW-10	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		3/31/2014	0
2/26/2014	MW-10	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		4/8/2014	0
2/26/2014	MW-10	Ammonia as N	FALSE	0.92		0.01	0.05	mg/L		3/7/2014	0
2/26/2014	MW-10	Chloride	FALSE	13.4		0.05	0.25	mg/L		3/5/2014	0
2/26/2014	MW-10	Hardness	FALSE	225.72		3	10	mg/L		3/10/2014	0
2/26/2014	MW-10	Nitrate	TRUE	0		0.01	0.05	mg/L		2/28/2014	0
2/26/2014	MW-10	Sulfate	FALSE	26.02		0.06	0.3	mg/L		3/5/2014	0
2/26/2014	MW-10	Total Dissolved Solids (TDS)	FALSE	272.5		10	10	mg/L		3/4/2014	0
2/26/2014	MW-10	Conductivity	FALSE	501		0	0	UMHOS		2/26/2014	0
2/26/2014	MW-10	Groundwater Elevation	FALSE	234.9		0	0	Feet		2/26/2014	0
2/26/2014	MW-10	pH	FALSE	6.32		0	0	S.U.		2/26/2014	0
2/26/2014	MW-10	Sample Time	FALSE	1515		0	0	hours		2/26/2014	0
2/26/2014	MW-10	Temperature	FALSE	13.25		0	0	Degrees C		2/26/2014	0
2/26/2014	MW-10	Turbidity	FALSE	81.3		0	0	NTU		2/26/2014	0
2/26/2014	MW-12	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		3/21/2014	0
2/26/2014	MW-12	Barium, Dissolved	FALSE	0.038		0.003	0.015	mg/L		4/1/2014	0
2/26/2014	MW-12	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		3/31/2014	0
2/26/2014	MW-12	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		3/28/2014	0
2/26/2014	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		3/5/2014	0
2/26/2014	MW-12	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		3/27/2014	0
2/26/2014	MW-12	Iron, Dissolved	FALSE	1.96		0.05	0.25	mg/L		4/9/2014	0
2/26/2014	MW-12	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		3/27/2014	0
2/26/2014	MW-12	Manganese, Dissolved	FALSE	0.49		0.02	0.05	mg/L		4/8/2014	0
2/26/2014	MW-12	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		3/11/2014	0
2/26/2014	MW-12	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		3/31/2014	0
2/26/2014	MW-12	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		3/21/2014	0
2/26/2014	MW-12	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		3/27/2014	0
2/26/2014	MW-12	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		3/31/2014	0
2/26/2014	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		4/8/2014	0
2/26/2014	MW-12	Ammonia as N	FALSE	0.05		0.01	0.05	mg/L		3/7/2014	0
2/26/2014	MW-12	Chloride	FALSE	14.74		0.05	0.25	mg/L		3/5/2014	0
2/26/2014	MW-12	Hardness	FALSE	222.3		3	10	mg/L		3/10/2014	0
2/26/2014	MW-12	Nitrate	TRUE	0		0.01	0.05	mg/L		2/28/2014	0
2/26/2014	MW-12	Sulfate	FALSE	152.69		0.06	0.3	mg/L		3/5/2014	0
2/26/2014	MW-12	Total Dissolved Solids (TDS)	FALSE	309.5		10	10	mg/L		3/4/2014	0
2/26/2014	MW-12	Conductivity	FALSE	439		0	0	UMHOS		2/12/2014	0
2/26/2014	MW-12	Groundwater Elevation	FALSE	206.07		0	0	Feet		2/12/2014	0
2/26/2014	MW-12	pH	FALSE	5.76		0	0	S.U.		2/12/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	MW-12	Sample Time	FALSE	1130		0		0 hours		2/26/2014	0
2/26/2014	MW-12	Temperature	FALSE	14.27		0		0 Degrees C		2/12/2014	0
2/26/2014	MW-12	Turbidity	FALSE	7.19		0		0 NTU		2/26/2014	0
2/26/2014	MW-13	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-13	Barium, Dissolved	FALSE	0.067		0.003		0.015 mg/L		4/3/2014	0
2/26/2014	MW-13	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/26/2014	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/26/2014	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/26/2014	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-13	Iron, Dissolved	FALSE	1.04		0.05		0.25 mg/L		4/9/2014	0
2/26/2014	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-13	Manganese, Dissolved	FALSE	1.56		0.02		0.05 mg/L		4/8/2014	0
2/26/2014	MW-13	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/26/2014	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		3/31/2014	0
2/26/2014	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-13	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/26/2014	MW-13	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0
2/26/2014	MW-13	Zinc, Dissolved	FALSE	0.012 J		0.01		0.03 mg/L		4/8/2014	0
2/26/2014	MW-13	Ammonia as N	FALSE	0.02 J,B		0.01		0.05 mg/L		3/7/2014	0
2/26/2014	MW-13	Chloride	FALSE	19.31		0.05		0.25 mg/L		3/5/2014	0
2/26/2014	MW-13	Hardness	FALSE	249.66		3		10 mg/L		3/10/2014	0
2/26/2014	MW-13	Nitrate	TRUE	0		0.01		0.05 mg/L		2/28/2014	0
2/26/2014	MW-13	Sulfate	FALSE	202.32		0.06		0.3 mg/L		3/5/2014	0
2/26/2014	MW-13	Total Dissolved Solids (TDS)	FALSE	369		10		10 mg/L		3/4/2014	0
2/26/2014	MW-13	Conductivity	FALSE	538		0		0 UMHOS		2/26/2014	0
2/26/2014	MW-13	Groundwater Elevation	FALSE	211.77		0		0 Feet		2/26/2014	0
2/26/2014	MW-13	pH	FALSE	5.7		0		0 S.U.		2/26/2014	0
2/26/2014	MW-13	Sample Time	FALSE	1335		0		0 hours		2/26/2014	0
2/26/2014	MW-13	Temperature	FALSE	12.3		0		0 Degrees C		2/26/2014	0
2/26/2014	MW-13	Turbidity	FALSE	11.9		0		0 NTU		2/26/2014	0
2/26/2014	MW-2	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-2	Barium, Dissolved	FALSE	0.028		0.003		0.015 mg/L		4/1/2014	0
2/26/2014	MW-2	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/26/2014	MW-2	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/26/2014	MW-2	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/26/2014	MW-2	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-2	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		4/9/2014	0
2/26/2014	MW-2	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-2	Manganese, Dissolved	FALSE	0.61		0.02		0.05 mg/L		4/8/2014	0
2/26/2014	MW-2	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/26/2014	MW-2	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		3/31/2014	0
2/26/2014	MW-2	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-2	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/26/2014	MW-2	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0
2/26/2014	MW-2	Zinc, Dissolved	FALSE	0.011 J		0.01		0.03 mg/L		4/8/2014	0
2/26/2014	MW-2	Ammonia as N	FALSE	0.01 J,B		0.01		0.05 mg/L		3/5/2014	0
2/26/2014	MW-2	Chloride	FALSE	14.54		0.05		0.25 mg/L		3/5/2014	0
2/26/2014	MW-2	Hardness	FALSE	181.26		3		10 mg/L		3/10/2014	0
2/26/2014	MW-2	Nitrate	TRUE	0		0.01		0.05 mg/L		2/28/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	MW-2	Sulfate	FALSE	131.73		0.06		0.3 mg/L		3/5/2014	0
2/26/2014	MW-2	Total Dissolved Solids (TDS)	FALSE	264.5		10		10 mg/L		3/4/2014	0
2/26/2014	MW-2	Conductivity	FALSE	389		0		0 UMHOS		2/26/2014	0
2/26/2014	MW-2	Groundwater Elevation	FALSE	214.98		0		0 Feet		2/26/2014	0
2/26/2014	MW-2	pH	FALSE	5.8		0		0 S.U.		2/26/2014	0
2/26/2014	MW-2	Sample Time	FALSE	1225		0		0 hours		2/26/2014	0
2/26/2014	MW-2	Temperature	FALSE	12.01		0		0 Degrees C		2/26/2014	0
2/26/2014	MW-2	Turbidity	FALSE	6.14		0		0 NTU		2/26/2014	0
2/26/2014	MW-4	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-4	Barium, Dissolved	FALSE	0.059		0.003		0.015 mg/L		4/3/2014	0
2/26/2014	MW-4	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/26/2014	MW-4	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/26/2014	MW-4	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/26/2014	MW-4	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-4	Iron, Dissolved	FALSE	2.98		0.05		0.25 mg/L		4/9/2014	0
2/26/2014	MW-4	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-4	Manganese, Dissolved	FALSE	11.62		0.02		0.05 mg/L		4/8/2014	0
2/26/2014	MW-4	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/26/2014	MW-4	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		3/31/2014	0
2/26/2014	MW-4	Selenium, Dissolved	FALSE	0.002		0.002		0.01 mg/L		3/31/2014	0
2/26/2014	MW-4	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/26/2014	MW-4	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0
2/26/2014	MW-4	Zinc, Dissolved	FALSE	0.059		0.01		0.03 mg/L		4/8/2014	0
2/26/2014	MW-4	Ammonia as N	FALSE	0.13		0.01		0.05 mg/L		3/5/2014	0
2/26/2014	MW-4	Chloride	FALSE	13.82		0.05		0.25 mg/L		3/5/2014	0
2/26/2014	MW-4	Hardness	FALSE	1487.7		3		10 mg/L		3/10/2014	0
2/26/2014	MW-4	Nitrate	TRUE	0		0.01		0.05 mg/L		2/28/2014	0
2/26/2014	MW-4	Sulfate	FALSE	1415.19		0.06		0.3 mg/L		3/5/2014	0
2/26/2014	MW-4	Total Dissolved Solids (TDS)	FALSE	2346.5		10		10 mg/L		3/4/2014	0
2/26/2014	MW-4	Conductivity	FALSE	2480		0		0 UMHOS		2/26/2014	0
2/26/2014	MW-4	Groundwater Elevation	FALSE	211.45		0		0 Feet		2/26/2014	0
2/26/2014	MW-4	pH	FALSE	5.75		0		0 S.U.		2/26/2014	0
2/26/2014	MW-4	Sample Time	FALSE	1125		0		0 hours		2/26/2014	0
2/26/2014	MW-4	Temperature	FALSE	16		0		0 Degrees C		2/26/2014	0
2/26/2014	MW-4	Turbidity	FALSE	9.18		0		0 NTU		2/26/2014	0
2/26/2014	MW-4 DUP	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-4 DUP	Barium, Dissolved	FALSE	0.053		0.003		0.015 mg/L		4/3/2014	0
2/26/2014	MW-4 DUP	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/26/2014	MW-4 DUP	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/26/2014	MW-4 DUP	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/26/2014	MW-4 DUP	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-4 DUP	Iron, Dissolved	FALSE	2.89		0.05		0.25 mg/L		4/9/2014	0
2/26/2014	MW-4 DUP	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-4 DUP	Manganese, Dissolved	FALSE	11.33		0.02		0.05 mg/L		4/8/2014	0
2/26/2014	MW-4 DUP	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/26/2014	MW-4 DUP	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		3/31/2014	0
2/26/2014	MW-4 DUP	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		3/31/2014	0
2/26/2014	MW-4 DUP	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/26/2014	MW-4 DUP	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	MW-4 DUP	Zinc, Dissolved	FALSE	0.056		0.01		0.03 mg/L		4/8/2014	0
2/26/2014	MW-4 DUP	Ammonia as N	FALSE	0.14		0.01		0.05 mg/L		3/5/2014	0
2/26/2014	MW-4 DUP	Chloride	FALSE	13.81		0.05		0.25 mg/L		3/5/2014	0
2/26/2014	MW-4 DUP	Hardness	FALSE	1521.9		3		10 mg/L		3/10/2014	0
2/26/2014	MW-4 DUP	Nitrate	FALSE	0.01		0.01		0.05 mg/L		2/28/2014	0
2/26/2014	MW-4 DUP	Sulfate	FALSE	1439.94		0.06		0.3 mg/L		3/5/2014	0
2/26/2014	MW-4 DUP	Total Dissolved Solids (TDS)	FALSE	2337		10		10 mg/L		3/4/2014	0
2/26/2014	MW-4 DUP	Conductivity	FALSE	2480		0		0 UMHOS		2/26/2014	0
2/26/2014	MW-4 DUP	pH	FALSE	5.75		0		0 S.U.		2/26/2014	0
2/26/2014	MW-4 DUP	Sample Time	FALSE	1130		0		0 hours		2/26/2014	0
2/26/2014	MW-4 DUP	Temperature	FALSE	16		0		0 Degrees C		2/26/2014	0
2/26/2014	MW-4 DUP	Turbidity	FALSE	9.18		0		0 NTU		2/26/2014	0
2/26/2014	MW-5	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-5	Barium, Dissolved	FALSE	0.038		0.003		0.015 mg/L		4/1/2014	0
2/26/2014	MW-5	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/26/2014	MW-5	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/26/2014	MW-5	Chromium (hexavalent)	FALSE	0.007		0.005		0.005 mg/L		3/5/2014	0
2/26/2014	MW-5	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-5	Iron, Dissolved	FALSE	8.9		0.05		0.25 mg/L		4/9/2014	0
2/26/2014	MW-5	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-5	Manganese, Dissolved	FALSE	1.19		0.02		0.05 mg/L		4/8/2014	0
2/26/2014	MW-5	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/26/2014	MW-5	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		3/31/2014	0
2/26/2014	MW-5	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-5	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/26/2014	MW-5	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0
2/26/2014	MW-5	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		4/8/2014	0
2/26/2014	MW-5	Ammonia as N	FALSE	0.64		0.01		0.05 mg/L		3/5/2014	0
2/26/2014	MW-5	Chloride	FALSE	9.25		0.05		0.25 mg/L		3/5/2014	0
2/26/2014	MW-5	Hardness	FALSE	150.48		3		10 mg/L		3/10/2014	0
2/26/2014	MW-5	Nitrate	TRUE	0		0.01		0.05 mg/L		2/28/2014	0
2/26/2014	MW-5	Sulfate	FALSE	6.59		0.06		0.3 mg/L		3/5/2014	0
2/26/2014	MW-5	Total Dissolved Solids (TDS)	FALSE	211		10		10 mg/L		3/4/2014	0
2/26/2014	MW-5	Conductivity	FALSE	357		0		0 UMHOS		2/26/2014	0
2/26/2014	MW-5	Groundwater Elevation	FALSE	211.77		0		0 Feet		2/26/2014	0
2/26/2014	MW-5	pH	FALSE	6.47		0		0 S.U.		2/26/2014	0
2/26/2014	MW-5	Sample Time	FALSE	1225		0		0 hours		2/26/2014	0
2/26/2014	MW-5	Temperature	FALSE	14.84		0		0 Degrees C		2/26/2014	0
2/26/2014	MW-5	Turbidity	FALSE	10		0		0 NTU		2/26/2014	0
2/26/2014	MW-6	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/26/2014	MW-6	Barium, Dissolved	FALSE	0.034		0.003		0.015 mg/L		4/1/2014	0
2/26/2014	MW-6	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/26/2014	MW-6	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/26/2014	MW-6	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/26/2014	MW-6	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-6	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		4/9/2014	0
2/26/2014	MW-6	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/26/2014	MW-6	Manganese, Dissolved	FALSE	1.76		0.02		0.05 mg/L		4/8/2014	0
2/26/2014	MW-6	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	MW-6	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			3/31/2014	0
2/26/2014	MW-6	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-6	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			3/27/2014	0
2/26/2014	MW-6	Vanadium, Dissolved	TRUE	0		0.001	0.003 mg/L			3/31/2014	0
2/26/2014	MW-6	Zinc, Dissolved	FALSE	0.01 J		0.01	0.03 mg/L			4/8/2014	0
2/26/2014	MW-6	Ammonia as N	FALSE	0.01 J,B		0.01	0.05 mg/L			3/5/2014	0
2/26/2014	MW-6	Chloride	FALSE	6.76		0.05	0.25 mg/L			3/5/2014	0
2/26/2014	MW-6	Hardness	FALSE	153.9		3	10 mg/L			3/10/2014	0
2/26/2014	MW-6	Nitrate	TRUE	0		0.01	0.05 mg/L			2/28/2014	0
2/26/2014	MW-6	Sulfate	FALSE	153.43		0.06	0.3 mg/L			3/5/2014	0
2/26/2014	MW-6	Total Dissolved Solids (TDS)	FALSE	267		10	10 mg/L			3/4/2014	0
2/26/2014	MW-6	Conductivity	FALSE	377		0	0 UMHOS			2/26/2014	0
2/26/2014	MW-6	Groundwater Elevation	FALSE	214.77		0	0 Feet			2/26/2014	0
2/26/2014	MW-6	pH	FALSE	5.76		0	0 S.U.			2/26/2014	0
2/26/2014	MW-6	Sample Time	FALSE	1310		0	0 hours			2/26/2014	0
2/26/2014	MW-6	Temperature	FALSE	15		0	0 Degrees C			2/26/2014	0
2/26/2014	MW-6	Turbidity	FALSE	5.17		0	0 NTU			2/26/2014	0
2/26/2014	MW-7	Arsenic, Dissolved	FALSE	0.211		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-7	Barium, Dissolved	FALSE	0.34		0.003	0.015 mg/L			4/1/2014	0
2/26/2014	MW-7	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			3/31/2014	0
2/26/2014	MW-7	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			3/28/2014	0
2/26/2014	MW-7	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			3/5/2014	0
2/26/2014	MW-7	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	MW-7	Iron, Dissolved	FALSE	0.64		0.05	0.25 mg/L			4/9/2014	0
2/26/2014	MW-7	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	MW-7	Manganese, Dissolved	FALSE	1.5		0.02	0.05 mg/L			4/8/2014	0
2/26/2014	MW-7	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			3/11/2014	0
2/26/2014	MW-7	Molybdenum, Dissolved	FALSE	0.107		0.001	0.005 mg/L			3/31/2014	0
2/26/2014	MW-7	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-7	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			3/27/2014	0
2/26/2014	MW-7	Vanadium, Dissolved	FALSE	0.021		0.001	0.003 mg/L			3/31/2014	0
2/26/2014	MW-7	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			4/8/2014	0
2/26/2014	MW-7	Ammonia as N	FALSE	0.46		0.01	0.05 mg/L			3/5/2014	0
2/26/2014	MW-7	Chloride	FALSE	4.49		0.05	0.25 mg/L			3/5/2014	0
2/26/2014	MW-7	Hardness	FALSE	318.06		3	10 mg/L			3/10/2014	0
2/26/2014	MW-7	Nitrate	TRUE	0		0.01	0.05 mg/L			2/28/2014	0
2/26/2014	MW-7	Sulfate	FALSE	59.68		0.06	0.3 mg/L			3/5/2014	0
2/26/2014	MW-7	Total Dissolved Solids (TDS)	FALSE	363.5		10	10 mg/L			3/4/2014	0
2/26/2014	MW-7	Conductivity	FALSE	588		0	0 UMHOS			2/26/2014	0
2/26/2014	MW-7	Groundwater Elevation	FALSE	234.27		0	0 Feet			2/26/2014	0
2/26/2014	MW-7	pH	FALSE	7.61		0	0 S.U.			2/26/2014	0
2/26/2014	MW-7	Sample Time	FALSE	1450		0	0 hours			2/26/2014	0
2/26/2014	MW-7	Temperature	FALSE	14.42		0	0 Degrees C			2/26/2014	0
2/26/2014	MW-7	Turbidity	FALSE	12.3		0	0 NTU			2/26/2014	0
2/26/2014	MW-8	Arsenic, Dissolved	FALSE	0.024		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-8	Barium, Dissolved	FALSE	0.603		0.003	0.015 mg/L			4/1/2014	0
2/26/2014	MW-8	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			3/31/2014	0
2/26/2014	MW-8	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			3/28/2014	0
2/26/2014	MW-8	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			3/5/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/26/2014	MW-8	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	MW-8	Iron, Dissolved	FALSE	1.36		0.05	0.25 mg/L			4/9/2014	0
2/26/2014	MW-8	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/26/2014	MW-8	Manganese, Dissolved	FALSE	1.15		0.02	0.05 mg/L			4/8/2014	0
2/26/2014	MW-8	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			3/11/2014	0
2/26/2014	MW-8	Molybdenum, Dissolved	FALSE	0.014		0.001	0.005 mg/L			3/31/2014	0
2/26/2014	MW-8	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/26/2014	MW-8	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			3/27/2014	0
2/26/2014	MW-8	Vanadium, Dissolved	TRUE	0		0.001	0.003 mg/L			3/31/2014	0
2/26/2014	MW-8	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			4/8/2014	0
2/26/2014	MW-8	Ammonia as N	FALSE	1.17		0.01	0.05 mg/L			3/7/2014	0
2/26/2014	MW-8	Chloride	FALSE	13.95		0.05	0.25 mg/L			3/5/2014	0
2/26/2014	MW-8	Hardness	FALSE	589.95		3	10 mg/L			3/10/2014	0
2/26/2014	MW-8	Nitrate	TRUE	0		0.01	0.05 mg/L			2/28/2014	0
2/26/2014	MW-8	Sulfate	FALSE	104.41		0.06	0.3 mg/L			3/5/2014	0
2/26/2014	MW-8	Total Dissolved Solids (TDS)	FALSE	647.5		10	10 mg/L			3/4/2014	0
2/26/2014	MW-8	Conductivity	FALSE	1042		0	0 UMHOS			2/26/2014	0
2/26/2014	MW-8	Groundwater Elevation	FALSE	233.12		0	0 Feet			2/26/2014	0
2/26/2014	MW-8	pH	FALSE	7.35		0	0 S.U.			2/26/2014	0
2/26/2014	MW-8	Sample Time	FALSE	1430		0	0 hours			2/26/2014	0
2/26/2014	MW-8	Temperature	FALSE	12.67		0	0 Degrees C			2/26/2014	0
2/26/2014	MW-8	Turbidity	FALSE	14.8		0	0 NTU			2/26/2014	0
2/27/2014	MW-11	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/27/2014	MW-11	Barium, Dissolved	TRUE	0		0.003	0.015 mg/L			4/1/2014	0
2/27/2014	MW-11	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			3/31/2014	0
2/27/2014	MW-11	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			3/28/2014	0
2/27/2014	MW-11	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			3/5/2014	0
2/27/2014	MW-11	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/27/2014	MW-11	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			4/9/2014	0
2/27/2014	MW-11	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			3/27/2014	0
2/27/2014	MW-11	Manganese, Dissolved	FALSE	0.02 J		0.02	0.05 mg/L			4/8/2014	0
2/27/2014	MW-11	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			3/11/2014	0
2/27/2014	MW-11	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			3/31/2014	0
2/27/2014	MW-11	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			3/21/2014	0
2/27/2014	MW-11	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			3/27/2014	0
2/27/2014	MW-11	Vanadium, Dissolved	FALSE	0.009		0.001	0.003 mg/L			3/31/2014	0
2/27/2014	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			4/8/2014	0
2/27/2014	MW-11	Ammonia as N	FALSE	0.01 J,B		0.01	0.05 mg/L			3/7/2014	0
2/27/2014	MW-11	Chloride	FALSE	8.72		0.05	0.25 mg/L			3/5/2014	0
2/27/2014	MW-11	Hardness	FALSE	117.99		3	10 mg/L			3/10/2014	0
2/27/2014	MW-11	Nitrate	FALSE	0.04 J		0.01	0.05 mg/L			2/28/2014	0
2/27/2014	MW-11	Sulfate	FALSE	7.64		0.06	0.3 mg/L			3/5/2014	0
2/27/2014	MW-11	Total Dissolved Solids (TDS)	FALSE	147		10	10 mg/L			3/4/2014	0
2/27/2014	MW-11	Conductivity	FALSE	200		0	0 UMHOS			2/27/2014	0
2/27/2014	MW-11	Groundwater Elevation	FALSE	304.62		0	0 Feet			2/27/2014	0
2/27/2014	MW-11	pH	FALSE	6.4		0	0 S.U.			2/27/2014	0
2/27/2014	MW-11	Sample Time	FALSE	1155		0	0 hours			2/27/2014	0
2/27/2014	MW-11	Temperature	FALSE	14.56		0	0 Degrees C			2/27/2014	0
2/27/2014	MW-11	Turbidity	FALSE	7.6		0	0 NTU			2/27/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2014	MW-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/27/2014	MW-3	Barium, Dissolved	FALSE	0.054		0.003		0.015 mg/L		4/1/2014	0
2/27/2014	MW-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/27/2014	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/27/2014	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/27/2014	MW-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/27/2014	MW-3	Iron, Dissolved	FALSE	0.2 J		0.05		0.25 mg/L		4/9/2014	0
2/27/2014	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/27/2014	MW-3	Manganese, Dissolved	FALSE	0.53		0.02		0.05 mg/L		4/8/2014	0
2/27/2014	MW-3	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/27/2014	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		3/31/2014	0
2/27/2014	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/27/2014	MW-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/27/2014	MW-3	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0
2/27/2014	MW-3	Zinc, Dissolved	FALSE	0.01 J		0.01		0.03 mg/L		4/8/2014	0
2/27/2014	MW-3	Ammonia as N	FALSE	0.01 J,B		0.01		0.05 mg/L		3/5/2014	0
2/27/2014	MW-3	Chloride	FALSE	4.46		0.05		0.25 mg/L		3/5/2014	0
2/27/2014	MW-3	Hardness	FALSE	63.27		3		10 mg/L		3/10/2014	0
2/27/2014	MW-3	Nitrate	FALSE	0.05		0.01		0.05 mg/L		2/28/2014	0
2/27/2014	MW-3	Sulfate	FALSE	40.8		0.06		0.3 mg/L		3/5/2014	0
2/27/2014	MW-3	Total Dissolved Solids (TDS)	FALSE	120		10		10 mg/L		3/4/2014	0
2/27/2014	MW-3	Conductivity	FALSE	149		0		0 UMHOS		2/27/2014	0
2/27/2014	MW-3	Groundwater Elevation	FALSE	212.84		0		0 Feet		2/27/2014	0
2/27/2014	MW-3	pH	FALSE	4.99		0		0 S.U.		2/27/2014	0
2/27/2014	MW-3	Sample Time	FALSE	1115		0		0 hours		2/27/2014	0
2/27/2014	MW-3	Temperature	FALSE	11.93		0		0 Degrees C		2/27/2014	0
2/27/2014	MW-3	Turbidity	FALSE	2.44		0		0 NTU		2/27/2014	0
2/27/2014	W-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/27/2014	W-3	Barium, Dissolved	FALSE	0.102		0.003		0.015 mg/L		4/3/2014	0
2/27/2014	W-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		3/31/2014	0
2/27/2014	W-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		3/28/2014	0
2/27/2014	W-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		3/5/2014	0
2/27/2014	W-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/27/2014	W-3	Iron, Dissolved	FALSE	2.77		0.05		0.25 mg/L		4/9/2014	0
2/27/2014	W-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		3/27/2014	0
2/27/2014	W-3	Manganese, Dissolved	FALSE	5.31		0.02		0.05 mg/L		4/8/2014	0
2/27/2014	W-3	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		3/11/2014	0
2/27/2014	W-3	Molybdenum, Dissolved	FALSE	0.002 J		0.001		0.005 mg/L		3/31/2014	0
2/27/2014	W-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		3/21/2014	0
2/27/2014	W-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		3/27/2014	0
2/27/2014	W-3	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		3/31/2014	0
2/27/2014	W-3	Zinc, Dissolved	FALSE	0.021 J		0.01		0.03 mg/L		4/8/2014	0
2/27/2014	W-3	Ammonia as N	FALSE	0.08		0.01		0.05 mg/L		3/7/2014	0
2/27/2014	W-3	Chloride	FALSE	19.42		0.05		0.25 mg/L		3/5/2014	0
2/27/2014	W-3	Hardness	FALSE	212.04		3		10 mg/L		3/10/2014	0
2/27/2014	W-3	Nitrate	FALSE	0.98		0.01		0.05 mg/L		2/28/2014	0
2/27/2014	W-3	Sulfate	FALSE	20.65		0.06		0.3 mg/L		3/5/2014	0
2/27/2014	W-3	Total Dissolved Solids (TDS)	FALSE	297.5		10		10 mg/L		3/4/2014	0
2/27/2014	W-3	Conductivity	FALSE	479		0		0 UMHOS		2/27/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2014	W-3	Groundwater Elevation	FALSE	248.86		0		0 Feet		2/27/2014	0
2/27/2014	W-3	pH	FALSE	6.55		0		0 S.U.		2/27/2014	0
2/27/2014	W-3	Sample Time	FALSE	1215		0		0 hours		2/27/2014	0
2/27/2014	W-3	Temperature	FALSE	12.19		0		0 Degrees C		2/27/2014	0
2/27/2014	W-3	Turbidity	FALSE	273		0		0 NTU		2/27/2014	0
5/20/2014	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	FIELD BLANK	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		6/19/2014	0
5/20/2014	FIELD BLANK	Ammonia as N	FALSE	0.01 J		0.01		0.05 mg/L		6/5/2014	0
5/20/2014	FIELD BLANK	Chloride	TRUE	0		0.05		0.25 mg/L		6/12/2014	0
5/20/2014	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		6/2/2014	0
5/20/2014	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		5/21/2014	0
5/20/2014	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		6/12/2014	0
5/20/2014	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		5/27/2014	0
5/20/2014	FIELD BLANK	Sample Time	FALSE	1100		0		0 hours		5/20/2014	0
5/20/2014	MW-1	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-1	Barium, Dissolved	FALSE	0.017		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	MW-1	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	MW-1	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	MW-1	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-1	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	MW-1	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-1	Manganese, Dissolved	FALSE	0.13		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	MW-1	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	MW-1	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-1	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-1	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	MW-1	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	MW-1	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		6/19/2014	0
5/20/2014	MW-1	Ammonia as N	FALSE	0.02 J,B		0.01		0.05 mg/L		5/30/2014	0
5/20/2014	MW-1	Chloride	FALSE	2.55		0.05		0.25 mg/L		6/12/2014	0
5/20/2014	MW-1	Hardness	FALSE	18.81		3		10 mg/L		6/2/2014	0
5/20/2014	MW-1	Nitrate	FALSE	0.07		0.01		0.05 mg/L		5/21/2014	0
5/20/2014	MW-1	Sulfate	FALSE	2.17		0.06		0.3 mg/L		6/12/2014	0
5/20/2014	MW-1	Total Dissolved Solids (TDS)	FALSE	38.5		10		10 mg/L		5/27/2014	0
5/20/2014	MW-1	Conductivity	FALSE	50		0		0 UMHOS		5/20/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-1	Groundwater Elevation	FALSE	217.36		0		0 Feet		5/20/2014	0
5/20/2014	MW-1	pH	FALSE	5.57		0		0 S.U.		5/20/2014	0
5/20/2014	MW-1	Sample Time	FALSE	1125		0		0 hours		5/20/2014	0
5/20/2014	MW-1	Temperature	FALSE	16.1		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-1	Turbidity	FALSE	1.94		0		0 NTU		5/20/2014	0
5/20/2014	MW-10	Arsenic, Dissolved	FALSE	0.004 J		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-10	Barium, Dissolved	FALSE	0.127		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	MW-10	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	MW-10	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-10	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	MW-10	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-10	Iron, Dissolved	FALSE	13.6		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	MW-10	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-10	Manganese, Dissolved	FALSE	3.69		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	MW-10	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	MW-10	Molybdenum, Dissolved	FALSE	0.001 J		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-10	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-10	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	MW-10	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	MW-10	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		6/19/2014	0
5/20/2014	MW-10	Ammonia as N	FALSE	1.23		0.01		0.05 mg/L		5/30/2014	0
5/20/2014	MW-10	Chloride	FALSE	13.32		0.05		0.25 mg/L		6/12/2014	0
5/20/2014	MW-10	Hardness	FALSE	239.4		3		10 mg/L		6/2/2014	0
5/20/2014	MW-10	Nitrate	FALSE	0.04 J		0.01		0.05 mg/L		5/21/2014	0
5/20/2014	MW-10	Sulfate	FALSE	24.06		0.06		0.3 mg/L		6/12/2014	0
5/20/2014	MW-10	Total Dissolved Solids (TDS)	FALSE	289.5		10		10 mg/L		5/27/2014	0
5/20/2014	MW-10	Conductivity	FALSE	508		0		0 UMHOS		5/20/2014	0
5/20/2014	MW-10	Groundwater Elevation	FALSE	234.58		0		0 Feet		5/20/2014	0
5/20/2014	MW-10	pH	FALSE	6.26		0		0 S.U.		5/20/2014	0
5/20/2014	MW-10	Sample Time	FALSE	1610		0		0 hours		5/20/2014	0
5/20/2014	MW-10	Temperature	FALSE	15.08		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-10	Turbidity	FALSE	65		0		0 NTU		5/20/2014	0
5/20/2014	MW-11	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-11	Barium, Dissolved	FALSE	0.004 J		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	MW-11	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	MW-11	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-11	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	MW-11	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-11	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	MW-11	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-11	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	MW-11	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	MW-11	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-11	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-11	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	MW-11	Vanadium, Dissolved	FALSE	0.009		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	MW-11	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		6/19/2014	0
5/20/2014	MW-11	Ammonia as N	FALSE	0.01 J,B		0.01		0.05 mg/L		6/5/2014	0
5/20/2014	MW-11	Chloride	FALSE	8.52		0.05		0.25 mg/L		6/12/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-11	Hardness	FALSE	119.7		3		10 mg/L		6/2/2014	0
5/20/2014	MW-11	Nitrate	FALSE	0.03	J	0.01		0.05 mg/L		5/21/2014	0
5/20/2014	MW-11	Sulfate	FALSE	7.82		0.06		0.3 mg/L		6/12/2014	0
5/20/2014	MW-11	Total Dissolved Solids (TDS)	FALSE	133.5		10		10 mg/L		5/27/2014	0
5/20/2014	MW-11	Conductivity	FALSE	192		0		0 UMHOS		5/20/2014	0
5/20/2014	MW-11	Groundwater Elevation	FALSE	306.67		0		0 Feet		5/20/2014	0
5/20/2014	MW-11	pH	FALSE	6.47		0		0 S.U.		5/20/2014	0
5/20/2014	MW-11	Sample Time	FALSE	1350		0		0 hours		5/20/2014	0
5/20/2014	MW-11	Temperature	FALSE	17.06		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-11	Turbidity	FALSE	8.15		0		0 NTU		5/20/2014	0
5/20/2014	MW-12	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-12	Barium, Dissolved	FALSE	0.134		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	MW-12	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	MW-12	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-12	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	MW-12	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-12	Iron, Dissolved	FALSE	1.78		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	MW-12	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-12	Manganese, Dissolved	FALSE	0.53		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	MW-12	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	MW-12	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-12	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-12	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	MW-12	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	MW-12	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		6/19/2014	0
5/20/2014	MW-12	Ammonia as N	FALSE	0.05		0.01		0.05 mg/L		6/5/2014	0
5/20/2014	MW-12	Chloride	FALSE	14.44		0.05		0.25 mg/L		6/12/2014	0
5/20/2014	MW-12	Hardness	FALSE	118.1		3		10 mg/L		6/2/2014	0
5/20/2014	MW-12	Nitrate	FALSE	0.01	J	0.01		0.05 mg/L		5/21/2014	0
5/20/2014	MW-12	Sulfate	FALSE	152.75		0.06		0.3 mg/L		6/12/2014	0
5/20/2014	MW-12	Total Dissolved Solids (TDS)	FALSE	305.5		10		10 mg/L		5/27/2014	0
5/20/2014	MW-12	Conductivity	FALSE	430		0		0 UMHOS		5/20/2014	0
5/20/2014	MW-12	Groundwater Elevation	FALSE	206.61		0		0 Feet		5/20/2014	0
5/20/2014	MW-12	pH	FALSE	5.63		0		0 S.U.		5/20/2014	0
5/20/2014	MW-12	Sample Time	FALSE	1200		0		0 hours		5/20/2014	0
5/20/2014	MW-12	Temperature	FALSE	15.74		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-12	Turbidity	FALSE	11.9		0		0 NTU		5/20/2014	0
5/20/2014	MW-13	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-13	Barium, Dissolved	FALSE	0.056		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	MW-13	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-13	Iron, Dissolved	FALSE	0.94		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-13	Manganese, Dissolved	FALSE	1.75		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	MW-13	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-13	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		6/11/2014	0
5/20/2014	MW-13	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		6/12/2014	0
5/20/2014	MW-13	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		6/19/2014	0
5/20/2014	MW-13	Ammonia as N	FALSE	0.02	J,B	0.01	0.05	mg/L		6/5/2014	0
5/20/2014	MW-13	Chloride	FALSE	21.1		0.05	0.25	mg/L		6/12/2014	0
5/20/2014	MW-13	Hardness	FALSE	235.98		3	10	mg/L		6/2/2014	0
5/20/2014	MW-13	Nitrate	TRUE	0		0.01	0.05	mg/L		5/21/2014	0
5/20/2014	MW-13	Sulfate	FALSE	185.25		0.06	0.3	mg/L		6/12/2014	0
5/20/2014	MW-13	Total Dissolved Solids (TDS)	FALSE	368.5		10	10	mg/L		5/27/2014	0
5/20/2014	MW-13	Conductivity	FALSE	497		0	0	UMHOS		5/20/2014	0
5/20/2014	MW-13	Groundwater Elevation	FALSE	213.82		0	0	Feet		5/20/2014	0
5/20/2014	MW-13	pH	FALSE	5.45		0	0	S.U.		5/20/2014	0
5/20/2014	MW-13	Sample Time	FALSE	1330		0	0	hours		5/20/2014	0
5/20/2014	MW-13	Temperature	FALSE	13.2		0	0	Degrees C		5/20/2014	0
5/20/2014	MW-13	Turbidity	FALSE	9.7		0	0	NTU		5/20/2014	0
5/20/2014	MW-2	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-2	Barium, Dissolved	FALSE	0.042		0.003	0.015	mg/L		6/16/2014	0
5/20/2014	MW-2	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		6/12/2014	0
5/20/2014	MW-2	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-2	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		5/28/2014	0
5/20/2014	MW-2	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-2	Iron, Dissolved	FALSE	0.09	J	0.05	0.25	mg/L		6/19/2014	0
5/20/2014	MW-2	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-2	Manganese, Dissolved	FALSE	0.61		0.02	0.05	mg/L		6/19/2014	0
5/20/2014	MW-2	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		6/2/2014	0
5/20/2014	MW-2	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-2	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-2	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		6/11/2014	0
5/20/2014	MW-2	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		6/12/2014	0
5/20/2014	MW-2	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		6/19/2014	0
5/20/2014	MW-2	Ammonia as N	FALSE	0.02	J,B	0.01	0.05	mg/L		5/30/2014	0
5/20/2014	MW-2	Chloride	FALSE	13.48		0.05	0.25	mg/L		6/12/2014	0
5/20/2014	MW-2	Hardness	FALSE	164.16		3	10	mg/L		6/2/2014	0
5/20/2014	MW-2	Nitrate	TRUE	0		0.01	0.05	mg/L		5/21/2014	0
5/20/2014	MW-2	Sulfate	FALSE	126.69		0.06	0.3	mg/L		6/12/2014	0
5/20/2014	MW-2	Total Dissolved Solids (TDS)	FALSE	262.5		10	10	mg/L		5/27/2014	0
5/20/2014	MW-2	Conductivity	FALSE	372		0	0	UMHOS		5/20/2014	0
5/20/2014	MW-2	Groundwater Elevation	FALSE	215.2		0	0	Feet		5/20/2014	0
5/20/2014	MW-2	pH	FALSE	5.75		0	0	S.U.		5/20/2014	0
5/20/2014	MW-2	Sample Time	FALSE	1235		0	0	hours		5/20/2014	0
5/20/2014	MW-2	Temperature	FALSE	13.9		0	0	Degrees C		5/20/2014	0
5/20/2014	MW-2	Turbidity	FALSE	4.19		0	0	NTU		5/20/2014	0
5/20/2014	MW-3	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-3	Barium, Dissolved	FALSE	0.091		0.003	0.015	mg/L		6/16/2014	0
5/20/2014	MW-3	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		6/12/2014	0
5/20/2014	MW-3	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-3	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		5/28/2014	0
5/20/2014	MW-3	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-3	Iron, Dissolved	FALSE	0.31		0.05	0.25	mg/L		6/19/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-3	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			6/12/2014	0
5/20/2014	MW-3	Manganese, Dissolved	FALSE	0.62		0.02	0.05 mg/L			6/19/2014	0
5/20/2014	MW-3	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			6/2/2014	0
5/20/2014	MW-3	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			6/12/2014	0
5/20/2014	MW-3	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			6/13/2014	0
5/20/2014	MW-3	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			6/11/2014	0
5/20/2014	MW-3	Vanadium, Dissolved	TRUE	0		0.001	0.003 mg/L			6/12/2014	0
5/20/2014	MW-3	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			6/19/2014	0
5/20/2014	MW-3	Ammonia as N	FALSE	0.02 J,B		0.01	0.05 mg/L			5/30/2014	0
5/20/2014	MW-3	Chloride	FALSE	3.99		0.05	0.25 mg/L			6/12/2014	0
5/20/2014	MW-3	Hardness	FALSE	42.75		3	10 mg/L			6/2/2014	0
5/20/2014	MW-3	Nitrate	FALSE	0.01 J		0.01	0.05 mg/L			5/21/2014	0
5/20/2014	MW-3	Sulfate	FALSE	41.67		0.06	0.3 mg/L			6/12/2014	0
5/20/2014	MW-3	Total Dissolved Solids (TDS)	FALSE	117.5		10	10 mg/L			5/27/2014	0
5/20/2014	MW-3	Conductivity	FALSE	149		0	0 UMHOS			5/20/2014	0
5/20/2014	MW-3	Groundwater Elevation	FALSE	213.09		0	0 Feet			5/20/2014	0
5/20/2014	MW-3	pH	FALSE	5.28		0	0 S.U.			5/20/2014	0
5/20/2014	MW-3	Sample Time	FALSE	1210		0	0 hours			5/20/2014	0
5/20/2014	MW-3	Temperature	FALSE	15.23		0	0 Degrees C			5/20/2014	0
5/20/2014	MW-3	Turbidity	FALSE	8.27		0	0 NTU			5/20/2014	0
5/20/2014	MW-4	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			6/13/2014	0
5/20/2014	MW-4	Barium, Dissolved	FALSE	0.028		0.003	0.015 mg/L			6/16/2014	0
5/20/2014	MW-4	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			6/12/2014	0
5/20/2014	MW-4	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			6/13/2014	0
5/20/2014	MW-4	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			5/28/2014	0
5/20/2014	MW-4	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			6/13/2014	0
5/20/2014	MW-4	Iron, Dissolved	FALSE	21.09		0.05	0.25 mg/L			6/20/2014	0
5/20/2014	MW-4	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			6/12/2014	0
5/20/2014	MW-4	Manganese, Dissolved	FALSE	9.41		0.02	0.05 mg/L			6/19/2014	0
5/20/2014	MW-4	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			6/2/2014	0
5/20/2014	MW-4	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			6/12/2014	0
5/20/2014	MW-4	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			6/13/2014	0
5/20/2014	MW-4	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			6/11/2014	0
5/20/2014	MW-4	Vanadium, Dissolved	TRUE	0		0.001	0.003 mg/L			6/12/2014	0
5/20/2014	MW-4	Zinc, Dissolved	FALSE	0.037		0.01	0.03 mg/L			6/19/2014	0
5/20/2014	MW-4	Ammonia as N	FALSE	0.36		0.01	0.05 mg/L			5/30/2014	0
5/20/2014	MW-4	Chloride	FALSE	13.45		0.05	0.25 mg/L			6/12/2014	0
5/20/2014	MW-4	Hardness	FALSE	1812.6		3	10 mg/L			6/2/2014	0
5/20/2014	MW-4	Nitrate	FALSE	0.04 J		0.01	0.05 mg/L			5/21/2014	0
5/20/2014	MW-4	Sulfate	FALSE	1129.96		0.06	0.3 mg/L			6/12/2014	0
5/20/2014	MW-4	Total Dissolved Solids (TDS)	FALSE	1964		10	10 mg/L			5/27/2014	0
5/20/2014	MW-4	Conductivity	FALSE	2140		0	0 UMHOS			5/20/2014	0
5/20/2014	MW-4	Groundwater Elevation	FALSE	213.57		0	0 Feet			5/20/2014	0
5/20/2014	MW-4	pH	FALSE	5.69		0	0 S.U.			5/20/2014	0
5/20/2014	MW-4	Sample Time	FALSE	1130		0	0 hours			5/20/2014	0
5/20/2014	MW-4	Temperature	FALSE	16.45		0	0 Degrees C			5/20/2014	0
5/20/2014	MW-4	Turbidity	FALSE	11		0	0 NTU			5/20/2014	0
5/20/2014	MW-4 DUP	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			6/13/2014	0
5/20/2014	MW-4 DUP	Barium, Dissolved	FALSE	0.027		0.003	0.015 mg/L			6/16/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-4 DUP	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		6/12/2014	0
5/20/2014	MW-4 DUP	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-4 DUP	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		5/28/2014	0
5/20/2014	MW-4 DUP	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-4 DUP	Iron, Dissolved	FALSE	21.22		0.05	0.25	mg/L		6/20/2014	0
5/20/2014	MW-4 DUP	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-4 DUP	Manganese, Dissolved	FALSE	9.16		0.02	0.05	mg/L		6/19/2014	0
5/20/2014	MW-4 DUP	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		6/2/2014	0
5/20/2014	MW-4 DUP	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-4 DUP	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-4 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		6/11/2014	0
5/20/2014	MW-4 DUP	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		6/12/2014	0
5/20/2014	MW-4 DUP	Zinc, Dissolved	FALSE	0.039		0.01	0.03	mg/L		6/19/2014	0
5/20/2014	MW-4 DUP	Ammonia as N	FALSE	0.38		0.01	0.05	mg/L		5/30/2014	0
5/20/2014	MW-4 DUP	Chloride	FALSE	13.38		0.05	0.25	mg/L		6/12/2014	0
5/20/2014	MW-4 DUP	Hardness	FALSE	1436.4		3	10	mg/L		6/2/2014	0
5/20/2014	MW-4 DUP	Nitrate	FALSE	0.04 J		0.01	0.05	mg/L		5/21/2014	0
5/20/2014	MW-4 DUP	Sulfate	FALSE	1124.92		0.06	0.3	mg/L		6/12/2014	0
5/20/2014	MW-4 DUP	Total Dissolved Solids (TDS)	FALSE	2031.5		10	10	mg/L		5/27/2014	0
5/20/2014	MW-4 DUP	Conductivity	FALSE	2140		0	0	UMHOS		5/20/2014	0
5/20/2014	MW-4 DUP	pH	FALSE	5.69		0	0	S.U.		5/20/2014	0
5/20/2014	MW-4 DUP	Sample Time	FALSE	1135		0	0	hours		5/20/2014	0
5/20/2014	MW-4 DUP	Temperature	FALSE	16.4		0	0	Degrees C		5/20/2014	0
5/20/2014	MW-4 DUP	Turbidity	FALSE	11.4		0	0	NTU		5/20/2014	0
5/20/2014	MW-5	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-5	Barium, Dissolved	FALSE	0.134		0.003	0.015	mg/L		6/16/2014	0
5/20/2014	MW-5	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		6/12/2014	0
5/20/2014	MW-5	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-5	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		5/28/2014	0
5/20/2014	MW-5	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-5	Iron, Dissolved	FALSE	8.33		0.05	0.25	mg/L		6/19/2014	0
5/20/2014	MW-5	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-5	Manganese, Dissolved	FALSE	1.27		0.02	0.05	mg/L		6/19/2014	0
5/20/2014	MW-5	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		6/2/2014	0
5/20/2014	MW-5	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-5	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-5	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		6/11/2014	0
5/20/2014	MW-5	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		6/12/2014	0
5/20/2014	MW-5	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		6/19/2014	0
5/20/2014	MW-5	Ammonia as N	FALSE	0.56		0.01	0.05	mg/L		5/30/2014	0
5/20/2014	MW-5	Chloride	FALSE	9.12		0.05	0.25	mg/L		6/12/2014	0
5/20/2014	MW-5	Hardness	FALSE	172.71		3	10	mg/L		6/2/2014	0
5/20/2014	MW-5	Nitrate	FALSE	0.02 J		0.01	0.05	mg/L		5/21/2014	0
5/20/2014	MW-5	Sulfate	FALSE	9.12		0.06	0.3	mg/L		6/12/2014	0
5/20/2014	MW-5	Total Dissolved Solids (TDS)	FALSE	204.5		10	10	mg/L		5/27/2014	0
5/20/2014	MW-5	Conductivity	FALSE	367		0	0	UMHOS		5/20/2014	0
5/20/2014	MW-5	Groundwater Elevation	FALSE	214.27		0	0	Feet		5/20/2014	0
5/20/2014	MW-5	pH	FALSE	6.42		0	0	S.U.		5/20/2014	0
5/20/2014	MW-5	Sample Time	FALSE	1240		0	0	hours		5/20/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-5	Temperature	FALSE	15.52		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-5	Turbidity	FALSE	25.2		0		0 NTU		5/20/2014	0
5/20/2014	MW-6	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-6	Barium, Dissolved	FALSE	0.048		0.003	0.015	mg/L		6/16/2014	0
5/20/2014	MW-6	Cadmium, Dissolved	FALSE	0.0004 J		0.0003	0.0015	mg/L		6/12/2014	0
5/20/2014	MW-6	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-6	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		5/28/2014	0
5/20/2014	MW-6	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-6	Iron, Dissolved	FALSE	0.09 J		0.05	0.25	mg/L		6/19/2014	0
5/20/2014	MW-6	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-6	Manganese, Dissolved	FALSE	1.7		0.02	0.05	mg/L		6/19/2014	0
5/20/2014	MW-6	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		6/2/2014	0
5/20/2014	MW-6	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-6	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-6	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		6/11/2014	0
5/20/2014	MW-6	Vanadium, Dissolved	TRUE	0		0.001	0.003	mg/L		6/12/2014	0
5/20/2014	MW-6	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		6/19/2014	0
5/20/2014	MW-6	Ammonia as N	FALSE	0.02 J,B		0.01	0.05	mg/L		5/30/2014	0
5/20/2014	MW-6	Chloride	FALSE	6.71		0.05	0.25	mg/L		6/12/2014	0
5/20/2014	MW-6	Hardness	FALSE	160.74		3	10	mg/L		6/2/2014	0
5/20/2014	MW-6	Nitrate	TRUE	0		0.01	0.05	mg/L		5/21/2014	0
5/20/2014	MW-6	Sulfate	FALSE	154.55		0.06	0.3	mg/L		6/12/2014	0
5/20/2014	MW-6	Total Dissolved Solids (TDS)	FALSE	271.5		10	10	mg/L		5/27/2014	0
5/20/2014	MW-6	Conductivity	FALSE	388		0	0	UMHOS		5/20/2014	0
5/20/2014	MW-6	Groundwater Elevation	FALSE	215.23		0	0	Feet		5/20/2014	0
5/20/2014	MW-6	pH	FALSE	5.73		0	0	S.U.		5/20/2014	0
5/20/2014	MW-6	Sample Time	FALSE	1405		0	0	hours		5/20/2014	0
5/20/2014	MW-6	Temperature	FALSE	16.39		0	0	Degrees C		5/20/2014	0
5/20/2014	MW-6	Turbidity	FALSE	5.56		0	0	NTU		5/20/2014	0
5/20/2014	MW-7	Arsenic, Dissolved	FALSE	0.276		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-7	Barium, Dissolved	FALSE	0.422		0.003	0.015	mg/L		6/16/2014	0
5/20/2014	MW-7	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		6/12/2014	0
5/20/2014	MW-7	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-7	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		5/28/2014	0
5/20/2014	MW-7	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		6/13/2014	0
5/20/2014	MW-7	Iron, Dissolved	FALSE	1.37		0.05	0.25	mg/L		6/19/2014	0
5/20/2014	MW-7	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		6/12/2014	0
5/20/2014	MW-7	Manganese, Dissolved	FALSE	1.62		0.02	0.05	mg/L		6/19/2014	0
5/20/2014	MW-7	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		6/2/2014	0
5/20/2014	MW-7	Molybdenum, Dissolved	FALSE	0.112		0.001	0.005	mg/L		6/18/2014	0
5/20/2014	MW-7	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		6/13/2014	0
5/20/2014	MW-7	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		6/11/2014	0
5/20/2014	MW-7	Vanadium, Dissolved	FALSE	0.021		0.001	0.003	mg/L		6/12/2014	0
5/20/2014	MW-7	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		6/19/2014	0
5/20/2014	MW-7	Ammonia as N	FALSE	0.51		0.01	0.05	mg/L		5/30/2014	0
5/20/2014	MW-7	Chloride	FALSE	4.51		0.05	0.25	mg/L		6/12/2014	0
5/20/2014	MW-7	Hardness	FALSE	290.7		3	10	mg/L		6/2/2014	0
5/20/2014	MW-7	Nitrate	TRUE	0		0.01	0.05	mg/L		5/21/2014	0
5/20/2014	MW-7	Sulfate	FALSE	59.31		0.06	0.3	mg/L		6/12/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	MW-7	Total Dissolved Solids (TDS)	FALSE	353		10		10 mg/L		5/27/2014	0
5/20/2014	MW-7	Conductivity	FALSE	594		0		0 UMHOS		5/20/2014	0
5/20/2014	MW-7	Groundwater Elevation	FALSE	234.19		0		0 Feet		5/20/2014	0
5/20/2014	MW-7	pH	FALSE	7.58		0		0 S.U.		5/20/2014	0
5/20/2014	MW-7	Sample Time	FALSE	1500		0		0 hours		5/20/2014	0
5/20/2014	MW-7	Temperature	FALSE	15		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-7	Turbidity	FALSE	8.97		0		0 NTU		5/20/2014	0
5/20/2014	MW-8	Arsenic, Dissolved	FALSE	0.029		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-8	Barium, Dissolved	FALSE	0.932		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	MW-8	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	MW-8	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-8	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	MW-8	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	MW-8	Iron, Dissolved	FALSE	2.12		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	MW-8	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-8	Manganese, Dissolved	FALSE	1.18		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	MW-8	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	MW-8	Molybdenum, Dissolved	FALSE	0.021		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	MW-8	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	MW-8	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	MW-8	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	MW-8	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		6/19/2014	0
5/20/2014	MW-8	Ammonia as N	FALSE	0.98		0.01		0.05 mg/L		5/30/2014	0
5/20/2014	MW-8	Chloride	FALSE	13.47		0.05		0.25 mg/L		6/12/2014	0
5/20/2014	MW-8	Hardness	FALSE	632.7		3		10 mg/L		6/2/2014	0
5/20/2014	MW-8	Nitrate	TRUE	0		0.01		0.05 mg/L		5/21/2014	0
5/20/2014	MW-8	Sulfate	FALSE	91.93		0.06		0.3 mg/L		6/12/2014	0
5/20/2014	MW-8	Total Dissolved Solids (TDS)	FALSE	653		10		10 mg/L		5/27/2014	0
5/20/2014	MW-8	Conductivity	FALSE	992		0		0 UMHOS		5/20/2014	0
5/20/2014	MW-8	Groundwater Elevation	FALSE	232.78		0		0 Feet		5/20/2014	0
5/20/2014	MW-8	pH	FALSE	7.31		0		0 S.U.		5/20/2014	0
5/20/2014	MW-8	Sample Time	FALSE	1550		0		0 hours		5/20/2014	0
5/20/2014	MW-8	Temperature	FALSE	13.19		0		0 Degrees C		5/20/2014	0
5/20/2014	MW-8	Turbidity	FALSE	3.57		0		0 NTU		5/20/2014	0
5/20/2014	W-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	W-3	Barium, Dissolved	FALSE	0.111		0.003		0.015 mg/L		6/16/2014	0
5/20/2014	W-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		6/12/2014	0
5/20/2014	W-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	W-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		5/28/2014	0
5/20/2014	W-3	Copper, Dissolved	FALSE	0.002 J		0.001		0.005 mg/L		6/13/2014	0
5/20/2014	W-3	Iron, Dissolved	FALSE	2.18		0.05		0.25 mg/L		6/19/2014	0
5/20/2014	W-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	W-3	Manganese, Dissolved	FALSE	3.72		0.02		0.05 mg/L		6/19/2014	0
5/20/2014	W-3	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		6/2/2014	0
5/20/2014	W-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		6/12/2014	0
5/20/2014	W-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		6/13/2014	0
5/20/2014	W-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		6/11/2014	0
5/20/2014	W-3	Vanadium, Dissolved	TRUE	0		0.001		0.003 mg/L		6/12/2014	0
5/20/2014	W-3	Zinc, Dissolved	FALSE	0.014 J		0.01		0.03 mg/L		6/19/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/20/2014	W-3	Ammonia as N	FALSE	0.16		0.01	0.05 mg/L			6/5/2014	0
5/20/2014	W-3	Chloride	FALSE	15.67		0.05	0.25 mg/L			6/12/2014	0
5/20/2014	W-3	Hardness	FALSE	177.84		3	10 mg/L			6/2/2014	0
5/20/2014	W-3	Nitrate	FALSE	0.14		0.01	0.05 mg/L			5/21/2014	0
5/20/2014	W-3	Sulfate	FALSE	40.3		0.06	0.3 mg/L			6/12/2014	0
5/20/2014	W-3	Total Dissolved Solids (TDS)	FALSE	252.5		10	10 mg/L			5/27/2014	0
5/20/2014	W-3	Conductivity	FALSE	461		0	0 UMHOS			5/20/2014	0
5/20/2014	W-3	Groundwater Elevation	FALSE	248.51		0	0 Feet			5/20/2014	0
5/20/2014	W-3	pH	FALSE	5.96		0	0 S.U.			5/20/2014	0
5/20/2014	W-3	Sample Time	FALSE	1630		0	0 hours			5/20/2014	0
5/20/2014	W-3	Temperature	FALSE	16.33		0	0 Degrees C			5/20/2014	0
5/20/2014	W-3	Turbidity	FALSE	229		0	0 NTU			5/20/2014	0
7/16/2014	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003	0.015 mg/L			8/19/2014	0
7/16/2014	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/18/2014	0
7/16/2014	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/24/2014	0
7/16/2014	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			8/13/2014	0
7/16/2014	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02	0.05 mg/L			8/12/2014	0
7/16/2014	FIELD BLANK	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			7/21/2014	0
7/16/2014	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/19/2014	0
7/16/2014	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/12/2014	0
7/16/2014	FIELD BLANK	Ammonia as N	FALSE	0.01 J		0.01	0.05 mg/L			8/5/2014	0
7/16/2014	FIELD BLANK	Chloride	TRUE	0		0.05	0.25 mg/L			7/23/2014	0
7/16/2014	FIELD BLANK	Hardness	TRUE	0		3	10 mg/L			7/30/2014	0
7/16/2014	FIELD BLANK	Nitrate	TRUE	0		0.01	0.05 mg/L			7/17/2014	0
7/16/2014	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3 mg/L			7/23/2014	0
7/16/2014	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0 H		10	10 mg/L			7/24/2014	0
7/16/2014	FIELD BLANK	Sample Time	FALSE	1600		0	0 hours				0
7/16/2014	MW-1	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-1	Barium, Dissolved	FALSE	0.026		0.003	0.015 mg/L			8/19/2014	0
7/16/2014	MW-1	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/18/2014	0
7/16/2014	MW-1	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-1	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/24/2014	0
7/16/2014	MW-1	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-1	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			8/13/2014	0
7/16/2014	MW-1	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-1	Manganese, Dissolved	FALSE	0.1		0.02	0.05 mg/L			8/12/2014	0
7/16/2014	MW-1	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			7/21/2014	0
7/16/2014	MW-1	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-1	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-1	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/19/2014	0
7/16/2014	MW-1	Vanadium, Dissolved	FALSE	0.002 J		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-1	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/12/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-1	Ammonia as N	FALSE	0.01	J	0.01		0.05 mg/L		7/23/2014	0
7/16/2014	MW-1	Chloride	FALSE	2.2		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	MW-1	Hardness	FALSE	22.23		3		10 mg/L		7/30/2014	0
7/16/2014	MW-1	Nitrate	FALSE	0.14		0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-1	Sulfate	FALSE	1.9		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-1	Total Dissolved Solids (TDS)	FALSE	46	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-1	Conductivity	FALSE	50		0		0 UMHOS		7/16/2014	0
7/16/2014	MW-1	Groundwater Elevation	FALSE	215.66		0		0 Feet		7/16/2014	0
7/16/2014	MW-1	pH	FALSE	5.98		0		0 S.U.		7/16/2014	0
7/16/2014	MW-1	Sample Time	FALSE	1100		0		0 hours			0
7/16/2014	MW-1	Temperature	FALSE	16.41		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-1	Turbidity	FALSE	1.78		0		0 NTU		7/16/2014	0
7/16/2014	MW-10	Arsenic, Dissolved	FALSE	0.006	J	0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-10	Barium, Dissolved	FALSE	0.209		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-10	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-10	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-10	Chromium (hexavalent)	TRUE	0		0.025		0.025 mg/L		7/24/2014	0
7/16/2014	MW-10	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-10	Iron, Dissolved	FALSE	11.31		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-10	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-10	Manganese, Dissolved	FALSE	3.14		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-10	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-10	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-10	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-10	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	MW-10	Vanadium, Dissolved	FALSE	0.001	J	0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-10	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	MW-10	Ammonia as N	FALSE	1.08		0.01		0.05 mg/L		7/29/2014	0
7/16/2014	MW-10	Chloride	FALSE	13.36		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	MW-10	Hardness	FALSE	225.72		3		10 mg/L		7/30/2014	0
7/16/2014	MW-10	Nitrate	FALSE	0.03	J	0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-10	Sulfate	FALSE	24.72		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-10	Total Dissolved Solids (TDS)	FALSE	294	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-10	Conductivity	FALSE	491		0		0 UMHOS		7/16/2014	0
7/16/2014	MW-10	Groundwater Elevation	FALSE	233.85		0		0 Feet		7/16/2014	0
7/16/2014	MW-10	pH	FALSE	6.47		0		0 S.U.		7/16/2014	0
7/16/2014	MW-10	Sample Time	FALSE	1430		0		0 hours			0
7/16/2014	MW-10	Temperature	FALSE	15.94		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-10	Turbidity	FALSE	59.8		0		0 NTU		7/16/2014	0
7/16/2014	MW-11	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-11	Barium, Dissolved	FALSE	0.008	J	0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-11	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-11	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-11	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/24/2014	0
7/16/2014	MW-11	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-11	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-11	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-11	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-11	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-11	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-11	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-11	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/19/2014	0
7/16/2014	MW-11	Vanadium, Dissolved	FALSE	0.011		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/12/2014	0
7/16/2014	MW-11	Ammonia as N	TRUE	0		0.01	0.05 mg/L			7/29/2014	0
7/16/2014	MW-11	Chloride	FALSE	8.36		0.05	0.25 mg/L			7/23/2014	0
7/16/2014	MW-11	Hardness	FALSE	109.44		3	10 mg/L			7/30/2014	0
7/16/2014	MW-11	Nitrate	FALSE	0.04 J		0.01	0.05 mg/L			7/17/2014	0
7/16/2014	MW-11	Sulfate	FALSE	7.84		0.06	0.3 mg/L			7/23/2014	0
7/16/2014	MW-11	Total Dissolved Solids (TDS)	FALSE	141 H		10	10 mg/L			7/24/2014	0
7/16/2014	MW-11	Conductivity	FALSE	180		0	0 UMHOS			7/16/2014	0
7/16/2014	MW-11	Groundwater Elevation	FALSE	306.39		0	0 Feet			7/16/2014	0
7/16/2014	MW-11	pH	FALSE	6.72		0	0 S.U.			7/16/2014	0
7/16/2014	MW-11	Sample Time	FALSE	1350		0	0 hours				0
7/16/2014	MW-11	Temperature	FALSE	16.57		0	0 Degrees C			7/16/2014	0
7/16/2014	MW-11	Turbidity	FALSE	7.02		0	0 NTU			7/16/2014	0
7/16/2014	MW-12	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-12	Barium, Dissolved	FALSE	0.154		0.003	0.015 mg/L			8/19/2014	0
7/16/2014	MW-12	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/18/2014	0
7/16/2014	MW-12	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/24/2014	0
7/16/2014	MW-12	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-12	Iron, Dissolved	FALSE	2.36		0.05	0.25 mg/L			8/13/2014	0
7/16/2014	MW-12	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-12	Manganese, Dissolved	FALSE	0.47		0.02	0.05 mg/L			8/12/2014	0
7/16/2014	MW-12	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			7/21/2014	0
7/16/2014	MW-12	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-12	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-12	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/19/2014	0
7/16/2014	MW-12	Vanadium, Dissolved	FALSE	0.001 J		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/12/2014	0
7/16/2014	MW-12	Ammonia as N	FALSE	0.06		0.01	0.05 mg/L			8/5/2014	0
7/16/2014	MW-12	Chloride	FALSE	14.34		0.05	0.25 mg/L			7/23/2014	0
7/16/2014	MW-12	Hardness	FALSE	177.84		3	10 mg/L			7/30/2014	0
7/16/2014	MW-12	Nitrate	TRUE	0		0.01	0.05 mg/L			7/17/2014	0
7/16/2014	MW-12	Sulfate	FALSE	142.6		0.06	0.3 mg/L			7/23/2014	0
7/16/2014	MW-12	Total Dissolved Solids (TDS)	FALSE	303 H		10	10 mg/L			7/24/2014	0
7/16/2014	MW-12	Conductivity	FALSE	406		0	0 UMHOS			7/16/2014	0
7/16/2014	MW-12	Groundwater Elevation	FALSE	201.83		0	0 Feet			7/16/2014	0
7/16/2014	MW-12	pH	FALSE	6.25		0	0 S.U.			7/16/2014	0
7/16/2014	MW-12	Sample Time	FALSE	1220		0	0 hours				0
7/16/2014	MW-12	Temperature	FALSE	15.2		0	0 Degrees C			7/16/2014	0
7/16/2014	MW-12	Turbidity	FALSE	9.15		0	0 NTU			7/16/2014	0
7/16/2014	MW-13	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-13	Barium, Dissolved	FALSE	0.31		0.003	0.015 mg/L			8/19/2014	0
7/16/2014	MW-13	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/18/2014	0
7/16/2014	MW-13	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-13	Chromium (hexavalent)	TRUE	0		0.025	0.025 mg/L			7/24/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-13	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-13	Iron, Dissolved	FALSE	21		0.05	0.25 mg/L			8/13/2014	0
7/16/2014	MW-13	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-13	Manganese, Dissolved	FALSE	1.74		0.02	0.05 mg/L			8/12/2014	0
7/16/2014	MW-13	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			7/21/2014	0
7/16/2014	MW-13	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-13	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-13	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/19/2014	0
7/16/2014	MW-13	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-13	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/12/2014	0
7/16/2014	MW-13	Ammonia as N	FALSE	0.34		0.01	0.05 mg/L			8/5/2014	0
7/16/2014	MW-13	Chloride	FALSE	82.01		0.05	0.25 mg/L			7/23/2014	0
7/16/2014	MW-13	Hardness	FALSE	239.4		3	10 mg/L			7/30/2014	0
7/16/2014	MW-13	Nitrate	TRUE	0		0.01	0.05 mg/L			7/17/2014	0
7/16/2014	MW-13	Sulfate	FALSE	153.45		0.06	0.3 mg/L			7/23/2014	0
7/16/2014	MW-13	Total Dissolved Solids (TDS)	FALSE	439 H		10	10 mg/L			7/24/2014	0
7/16/2014	MW-13	Conductivity	FALSE	640		0	0 UMHOS			7/16/2014	0
7/16/2014	MW-13	Groundwater Elevation	FALSE	206.22		0	0 Feet			7/16/2014	0
7/16/2014	MW-13	pH	FALSE	6.1		0	0 S.U.			7/16/2014	0
7/16/2014	MW-13	Sample Time	FALSE	1410		0	0 hours				0
7/16/2014	MW-13	Temperature	FALSE	14.89		0	0 Degrees C			7/16/2014	0
7/16/2014	MW-13	Turbidity	FALSE	6.94		0	0 NTU			7/16/2014	0
7/16/2014	MW-2	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-2	Barium, Dissolved	FALSE	0.056		0.003	0.015 mg/L			8/19/2014	0
7/16/2014	MW-2	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			8/18/2014	0
7/16/2014	MW-2	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-2	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			7/24/2014	0
7/16/2014	MW-2	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-2	Iron, Dissolved	FALSE	0.06 J		0.05	0.25 mg/L			8/13/2014	0
7/16/2014	MW-2	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-2	Manganese, Dissolved	FALSE	0.53		0.02	0.05 mg/L			8/12/2014	0
7/16/2014	MW-2	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			7/21/2014	0
7/16/2014	MW-2	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-2	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			7/22/2014	0
7/16/2014	MW-2	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			8/19/2014	0
7/16/2014	MW-2	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			8/18/2014	0
7/16/2014	MW-2	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			8/12/2014	0
7/16/2014	MW-2	Ammonia as N	FALSE	0.01 J		0.01	0.05 mg/L			7/23/2014	0
7/16/2014	MW-2	Chloride	FALSE	13.52		0.05	0.25 mg/L			7/23/2014	0
7/16/2014	MW-2	Hardness	FALSE	153.9		3	10 mg/L			7/30/2014	0
7/16/2014	MW-2	Nitrate	TRUE	0		0.01	0.05 mg/L			7/17/2014	0
7/16/2014	MW-2	Sulfate	FALSE	121.81		0.06	0.3 mg/L			7/23/2014	0
7/16/2014	MW-2	Total Dissolved Solids (TDS)	FALSE	268 H		10	10 mg/L			7/24/2014	0
7/16/2014	MW-2	Conductivity	FALSE	358		0	0 UMHOS			7/16/2014	0
7/16/2014	MW-2	Groundwater Elevation	FALSE	211.3		0	0 Feet			7/16/2014	0
7/16/2014	MW-2	pH	FALSE	6.12		0	0 S.U.			7/16/2014	0
7/16/2014	MW-2	Sample Time	FALSE	1300		0	0 hours				0
7/16/2014	MW-2	Temperature	FALSE	16.34		0	0 Degrees C			7/16/2014	0
7/16/2014	MW-2	Turbidity	FALSE	6.11		0	0 NTU			7/16/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-3	Barium, Dissolved	FALSE	0.116		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/24/2014	0
7/16/2014	MW-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-3	Iron, Dissolved	FALSE	0.29		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-3	Manganese, Dissolved	FALSE	0.45		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-3	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	MW-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-3	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	MW-3	Ammonia as N	FALSE	0.01	J	0.01		0.05 mg/L		7/23/2014	0
7/16/2014	MW-3	Chloride	FALSE	4.3		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	MW-3	Hardness	FALSE	44.46		3		10 mg/L		7/30/2014	0
7/16/2014	MW-3	Nitrate	FALSE	0.09		0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-3	Sulfate	FALSE	37.25		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-3	Total Dissolved Solids (TDS)	FALSE	115	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-3	Conductivity	FALSE	136		0		0 UMHOS		7/16/2014	0
7/16/2014	MW-3	Groundwater Elevation	FALSE	208.94		0		0 Feet		7/16/2014	0
7/16/2014	MW-3	pH	FALSE	5.24		0		0 S.U.		7/16/2014	0
7/16/2014	MW-3	Sample Time	FALSE	1500		0		0 hours			0
7/16/2014	MW-3	Temperature	FALSE	16.9		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-3	Turbidity	FALSE	1.73		0		0 NTU		7/16/2014	0
7/16/2014	MW-4	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-4	Barium, Dissolved	FALSE	0.045		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-4	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-4	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-4	Chromium (hexavalent)	TRUE	0		0.05		0.05 mg/L		7/24/2014	0
7/16/2014	MW-4	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-4	Iron, Dissolved	FALSE	11.24		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-4	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-4	Manganese, Dissolved	FALSE	7.87		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-4	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-4	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-4	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-4	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	MW-4	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-4	Zinc, Dissolved	FALSE	0.031		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	MW-4	Ammonia as N	FALSE	0.27		0.01		0.05 mg/L		7/29/2014	0
7/16/2014	MW-4	Chloride	FALSE	13.28		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	MW-4	Hardness	FALSE	1487.1		3		10 mg/L		7/30/2014	0
7/16/2014	MW-4	Nitrate	TRUE	0		0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-4	Sulfate	FALSE	1079.03		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-4	Total Dissolved Solids (TDS)	FALSE	1971	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-4	Conductivity	FALSE	1900		0		0 UMHOS		7/16/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-4	Groundwater Elevation	FALSE	211.7		0		0 Feet		7/16/2014	0
7/16/2014	MW-4	pH	FALSE	5.8		0		0 S.U.		7/16/2014	0
7/16/2014	MW-4	Sample Time	FALSE	1200		0		0 hours			0
7/16/2014	MW-4	Temperature	FALSE	17.51		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-4	Turbidity	FALSE	9.7		0		0 NTU		7/16/2014	0
7/16/2014	MW-5	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-5	Barium, Dissolved	FALSE	0.16		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-5	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-5	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-5	Chromium (hexavalent)	TRUE	0		0.05		0.05 mg/L		7/24/2014	0
7/16/2014	MW-5	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-5	Iron, Dissolved	FALSE	8.99		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-5	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-5	Manganese, Dissolved	FALSE	1.07		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-5	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-5	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-5	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-5	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	MW-5	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-5	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	MW-5	Ammonia as N	FALSE	0.68		0.01		0.05 mg/L		7/29/2014	0
7/16/2014	MW-5	Chloride	FALSE	9.19		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	MW-5	Hardness	FALSE	167.58		3		10 mg/L		7/30/2014	0
7/16/2014	MW-5	Nitrate	TRUE	0		0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-5	Sulfate	FALSE	3.91		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-5	Total Dissolved Solids (TDS)	FALSE	211	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-5	Conductivity	FALSE	352		0		0 UMHOS		7/16/2014	0
7/16/2014	MW-5	Groundwater Elevation	FALSE	211.89		0		0 Feet		7/16/2014	0
7/16/2014	MW-5	pH	FALSE	6.53		0		0 S.U.		7/16/2014	0
7/16/2014	MW-5	Sample Time	FALSE	1200		0		0 hours			0
7/16/2014	MW-5	Temperature	FALSE	16.27		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-5	Turbidity	FALSE	5.88		0		0 NTU		7/16/2014	0
7/16/2014	MW-6	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-6	Barium, Dissolved	FALSE	0.06		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-6	Cadmium, Dissolved	FALSE	0.0004	J	0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-6	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-6	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/24/2014	0
7/16/2014	MW-6	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-6	Iron, Dissolved	FALSE	0.09	J	0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-6	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-6	Manganese, Dissolved	FALSE	1.92		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-6	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-6	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-6	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-6	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	MW-6	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-6	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	MW-6	Ammonia as N	FALSE	0.02	J	0.01		0.05 mg/L		7/29/2014	0
7/16/2014	MW-6	Chloride	FALSE	6.77		0.05		0.25 mg/L		7/23/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-6	Hardness	FALSE	162.45		3		10 mg/L		7/30/2014	0
7/16/2014	MW-6	Nitrate	TRUE	0		0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-6	Sulfate	FALSE	154.31		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-6	Total Dissolved Solids (TDS)	FALSE	289	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-6	Conductivity	FALSE	375		0		0 UMHOS		7/16/2014	0
7/16/2014	MW-6	Groundwater Elevation	FALSE	211.69		0		0 Feet		7/16/2014	0
7/16/2014	MW-6	pH	FALSE	5.85		0		0 S.U.		7/16/2014	0
7/16/2014	MW-6	Sample Time	FALSE	1245		0		0 hours			0
7/16/2014	MW-6	Temperature	FALSE	16.22		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-6	Turbidity	FALSE	2.93		0		0 NTU		7/16/2014	0
7/16/2014	MW-7	Arsenic, Dissolved	FALSE	0.27		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-7	Barium, Dissolved	FALSE	0.624		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-7	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-7	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/24/2014	0
7/16/2014	MW-7	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7	Iron, Dissolved	FALSE	1.22		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-7	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7	Manganese, Dissolved	FALSE	1.56		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-7	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-7	Molybdenum, Dissolved	FALSE	0.105		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-7	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	MW-7	Vanadium, Dissolved	FALSE	0.02		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	MW-7	Ammonia as N	FALSE	0.52		0.01		0.05 mg/L		7/29/2014	0
7/16/2014	MW-7	Chloride	FALSE	4.46		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	MW-7	Hardness	FALSE	304.38		3		10 mg/L		7/30/2014	0
7/16/2014	MW-7	Nitrate	FALSE	0.03	J	0.01		0.05 mg/L		7/17/2014	0
7/16/2014	MW-7	Sulfate	FALSE	56.23		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	MW-7	Total Dissolved Solids (TDS)	FALSE	354	H	10		10 mg/L		7/24/2014	0
7/16/2014	MW-7	Conductivity	FALSE	532		0		0 UMHOS		7/16/2014	0
7/16/2014	MW-7	Groundwater Elevation	FALSE	232.77		0		0 Feet		7/16/2014	0
7/16/2014	MW-7	pH	FALSE	7.54		0		0 S.U.		7/16/2014	0
7/16/2014	MW-7	Sample Time	FALSE	1255		0		0 hours			0
7/16/2014	MW-7	Temperature	FALSE	15.68		0		0 Degrees C		7/16/2014	0
7/16/2014	MW-7	Turbidity	FALSE	7.2		0		0 NTU		7/16/2014	0
7/16/2014	MW-7 DUP	Arsenic, Dissolved	FALSE	0.272		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	MW-7 DUP	Barium, Dissolved	FALSE	0.651		0.003		0.015 mg/L		8/19/2014	0
7/16/2014	MW-7 DUP	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		8/18/2014	0
7/16/2014	MW-7 DUP	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7 DUP	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		7/24/2014	0
7/16/2014	MW-7 DUP	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7 DUP	Iron, Dissolved	FALSE	1.24		0.05		0.25 mg/L		8/13/2014	0
7/16/2014	MW-7 DUP	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7 DUP	Manganese, Dissolved	FALSE	1.6		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	MW-7 DUP	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	MW-7 DUP	Molybdenum, Dissolved	FALSE	0.102		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	MW-7 DUP	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	MW-7 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		8/19/2014	0
7/16/2014	MW-7 DUP	Vanadium, Dissolved	FALSE	0.018		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	MW-7 DUP	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		8/12/2014	0
7/16/2014	MW-7 DUP	Ammonia as N	FALSE	0.52		0.01	0.05	mg/L		7/29/2014	0
7/16/2014	MW-7 DUP	Chloride	FALSE	4.44		0.05	0.25	mg/L		7/23/2014	0
7/16/2014	MW-7 DUP	Hardness	FALSE	300.96		3	10	mg/L		7/30/2014	0
7/16/2014	MW-7 DUP	Nitrate	FALSE	0.03	J	0.01	0.05	mg/L		7/17/2014	0
7/16/2014	MW-7 DUP	Sulfate	FALSE	54.13		0.06	0.3	mg/L		7/23/2014	0
7/16/2014	MW-7 DUP	Total Dissolved Solids (TDS)	FALSE	347	H	10	10	mg/L		7/24/2014	0
7/16/2014	MW-7 DUP	Conductivity	FALSE	531		0	0	UMHOS		7/16/2014	0
7/16/2014	MW-7 DUP	pH	FALSE	7.53		0	0	S.U.		7/16/2014	0
7/16/2014	MW-7 DUP	Sample Time	FALSE	1300		0	0	hours			0
7/16/2014	MW-7 DUP	Temperature	FALSE	15.69		0	0	Degrees C		7/16/2014	0
7/16/2014	MW-7 DUP	Turbidity	FALSE	8.01		0	0	NTU		7/16/2014	0
7/16/2014	MW-8	Arsenic, Dissolved	FALSE	0.029		0.002	0.01	mg/L		7/22/2014	0
7/16/2014	MW-8	Barium, Dissolved	FALSE	1.537		0.003	0.015	mg/L		8/19/2014	0
7/16/2014	MW-8	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		8/18/2014	0
7/16/2014	MW-8	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	MW-8	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		7/24/2014	0
7/16/2014	MW-8	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	MW-8	Iron, Dissolved	FALSE	2.46		0.05	0.25	mg/L		8/13/2014	0
7/16/2014	MW-8	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	MW-8	Manganese, Dissolved	FALSE	1.38		0.02	0.05	mg/L		8/12/2014	0
7/16/2014	MW-8	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		7/21/2014	0
7/16/2014	MW-8	Molybdenum, Dissolved	FALSE	0.017		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	MW-8	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		7/22/2014	0
7/16/2014	MW-8	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		8/19/2014	0
7/16/2014	MW-8	Vanadium, Dissolved	FALSE	0.002	J	0.001	0.005	mg/L		8/18/2014	0
7/16/2014	MW-8	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		8/12/2014	0
7/16/2014	MW-8	Ammonia as N	FALSE	1.36		0.01	0.05	mg/L		7/29/2014	0
7/16/2014	MW-8	Chloride	FALSE	13.15		0.05	0.25	mg/L		7/23/2014	0
7/16/2014	MW-8	Hardness	FALSE	598.5		3	10	mg/L		7/30/2014	0
7/16/2014	MW-8	Nitrate	TRUE	0		0.01	0.05	mg/L		7/17/2014	0
7/16/2014	MW-8	Sulfate	FALSE	125.29		0.06	0.3	mg/L		7/23/2014	0
7/16/2014	MW-8	Total Dissolved Solids (TDS)	FALSE	700	H	10	10	mg/L		7/24/2014	0
7/16/2014	MW-8	Conductivity	FALSE	1095		0	0	UMHOS		7/16/2014	0
7/16/2014	MW-8	Groundwater Elevation	FALSE	230.95		0	0	Feet		7/16/2014	0
7/16/2014	MW-8	pH	FALSE	7.39		0	0	S.U.		7/16/2014	0
7/16/2014	MW-8	Sample Time	FALSE	1345		0	0	hours			0
7/16/2014	MW-8	Temperature	FALSE	14.28		0	0	Degrees C		7/16/2014	0
7/16/2014	MW-8	Turbidity	FALSE	3.1		0	0	NTU		7/16/2014	0
7/16/2014	W-3	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		7/22/2014	0
7/16/2014	W-3	Barium, Dissolved	FALSE	0.055		0.003	0.015	mg/L		8/19/2014	0
7/16/2014	W-3	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		8/18/2014	0
7/16/2014	W-3	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	W-3	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		7/24/2014	0
7/16/2014	W-3	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		8/18/2014	0
7/16/2014	W-3	Iron, Dissolved	FALSE	10.62		0.05	0.25	mg/L		8/13/2014	0
7/16/2014	W-3	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		8/18/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/16/2014	W-3	Manganese, Dissolved	FALSE	7.89		0.02		0.05 mg/L		8/12/2014	0
7/16/2014	W-3	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		7/21/2014	0
7/16/2014	W-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	W-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		7/22/2014	0
7/16/2014	W-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		8/19/2014	0
7/16/2014	W-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		8/18/2014	0
7/16/2014	W-3	Zinc, Dissolved	FALSE	0.011 J		0.01		0.03 mg/L		8/12/2014	0
7/16/2014	W-3	Ammonia as N	FALSE	0.17		0.01		0.05 mg/L		8/5/2014	0
7/16/2014	W-3	Chloride	FALSE	21.28		0.05		0.25 mg/L		7/23/2014	0
7/16/2014	W-3	Hardness	FALSE	171		3		10 mg/L		7/30/2014	0
7/16/2014	W-3	Nitrate	FALSE	0.09		0.01		0.05 mg/L		7/17/2014	0
7/16/2014	W-3	Sulfate	FALSE	9.17		0.06		0.3 mg/L		7/23/2014	0
7/16/2014	W-3	Total Dissolved Solids (TDS)	FALSE	238 H		10		10 mg/L		7/24/2014	0
7/16/2014	W-3	Conductivity	FALSE	446		0		0 UMHOS		7/16/2014	0
7/16/2014	W-3	Groundwater Elevation	FALSE	251.81		0		0 Feet		7/16/2014	0
7/16/2014	W-3	pH	FALSE	6.03		0		0 S.U.		7/16/2014	0
7/16/2014	W-3	Sample Time	FALSE	1500		0		0 hours			0
7/16/2014	W-3	Temperature	FALSE	16.55		0		0 Degrees C		7/16/2014	0
10/1/2014	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	FIELD BLANK	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/24/2014	0
10/1/2014	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		11/13/2014	0
10/1/2014	FIELD BLANK	Ammonia as N	FALSE	0.02 J		0.01		0.05 mg/L		10/21/2014	0
10/1/2014	FIELD BLANK	Chloride	TRUE	0		0.05		0.25 mg/L		10/20/2014	0
10/1/2014	FIELD BLANK	Hardness	TRUE	0		3		10 mg/L		10/23/2014	0
10/1/2014	FIELD BLANK	Nitrate	TRUE	0		0.01		0.05 mg/L		10/3/2014	0
10/1/2014	FIELD BLANK	Sulfate	TRUE	0		0.06		0.3 mg/L		10/20/2014	0
10/1/2014	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10		10 mg/L		10/7/2014	0
10/1/2014	FIELD BLANK	Sample Time	FALSE	1030		0		0 hours			0
10/1/2014	MW-1	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-1	Barium, Dissolved	FALSE	0.014 J		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-1	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-1	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-1	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-1	Iron, Dissolved	FALSE	0.47		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-1	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-1	Manganese, Dissolved	FALSE	0.15		0.02		0.05 mg/L		11/19/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-1	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		10/10/2014	0
10/1/2014	MW-1	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/24/2014	0
10/1/2014	MW-1	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-1	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/24/2014	0
10/1/2014	MW-1	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-1	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/1/2014	MW-1	Ammonia as N	TRUE	0		0.01	0.05	mg/L		10/9/2014	0
10/1/2014	MW-1	Chloride	FALSE	2.32		0.05	0.25	mg/L		10/20/2014	0
10/1/2014	MW-1	Hardness	FALSE	27.36		3	10	mg/L		10/23/2014	0
10/1/2014	MW-1	Nitrate	FALSE	0.17		0.01	0.05	mg/L		10/3/2014	0
10/1/2014	MW-1	Sulfate	FALSE	2.32		0.06	0.3	mg/L		10/20/2014	0
10/1/2014	MW-1	Total Dissolved Solids (TDS)	FALSE	42		10	10	mg/L		10/7/2014	0
10/1/2014	MW-1	Conductivity	FALSE	52		0	0	UMHOS		10/1/2014	0
10/1/2014	MW-1	Groundwater Elevation	FALSE	207.13		0	0	Feet		10/1/2014	0
10/1/2014	MW-1	pH	FALSE	6		0	0	S.U.		10/1/2014	0
10/1/2014	MW-1	Sample Time	FALSE	1100		0	0	hours			0
10/1/2014	MW-1	Temperature	FALSE	17.9		0	0	Degrees C		10/1/2014	0
10/1/2014	MW-1	Turbidity	FALSE	2.6		0	0	NTU		10/1/2014	0
10/1/2014	MW-10	Arsenic, Dissolved	FALSE	0.003	J	0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-10	Barium, Dissolved	FALSE	0.224		0.003	0.015	mg/L		10/23/2014	0
10/1/2014	MW-10	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/23/2014	0
10/1/2014	MW-10	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-10	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/8/2014	0
10/1/2014	MW-10	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-10	Iron, Dissolved	FALSE	14.78		0.05	0.25	mg/L		11/19/2014	0
10/1/2014	MW-10	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-10	Manganese, Dissolved	FALSE	3.17		0.02	0.05	mg/L		11/19/2014	0
10/1/2014	MW-10	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		10/10/2014	0
10/1/2014	MW-10	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/24/2014	0
10/1/2014	MW-10	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-10	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/24/2014	0
10/1/2014	MW-10	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-10	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/1/2014	MW-10	Ammonia as N	FALSE	1.16		0.01	0.05	mg/L		10/21/2014	0
10/1/2014	MW-10	Chloride	FALSE	14.1		0.05	0.25	mg/L		10/20/2014	0
10/1/2014	MW-10	Hardness	FALSE	239.4		3	10	mg/L		10/23/2014	0
10/1/2014	MW-10	Nitrate	TRUE	0		0.01	0.05	mg/L		10/3/2014	0
10/1/2014	MW-10	Sulfate	FALSE	24.26		0.06	0.3	mg/L		10/20/2014	0
10/1/2014	MW-10	Total Dissolved Solids (TDS)	FALSE	302.5		10	10	mg/L		10/7/2014	0
10/1/2014	MW-10	Conductivity	FALSE	523		0	0	UMHOS		10/1/2014	0
10/1/2014	MW-10	Groundwater Elevation	FALSE	233.9		0	0	Feet		10/1/2014	0
10/1/2014	MW-10	pH	FALSE	6.24		0	0	S.U.		10/1/2014	0
10/1/2014	MW-10	Sample Time	FALSE	1525		0	0	hours			0
10/1/2014	MW-10	Temperature	FALSE	16.91		0	0	Degrees C		10/1/2014	0
10/1/2014	MW-10	Turbidity	FALSE	20.7		0	0	NTU		10/1/2014	0
10/1/2014	MW-11	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-11	Barium, Dissolved	FALSE	0.024		0.003	0.015	mg/L		10/23/2014	0
10/1/2014	MW-11	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/23/2014	0
10/1/2014	MW-11	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-11	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			10/8/2014	0
10/1/2014	MW-11	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-11	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			11/19/2014	0
10/1/2014	MW-11	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-11	Manganese, Dissolved	TRUE	0		0.02	0.05 mg/L			11/19/2014	0
10/1/2014	MW-11	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			10/10/2014	0
10/1/2014	MW-11	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			10/24/2014	0
10/1/2014	MW-11	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	MW-11	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/24/2014	0
10/1/2014	MW-11	Vanadium, Dissolved	FALSE	0.009		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			11/13/2014	0
10/1/2014	MW-11	Ammonia as N	FALSE	0.02 J,B		0.01	0.05 mg/L			10/21/2014	0
10/1/2014	MW-11	Chloride	FALSE	9.08		0.05	0.25 mg/L			10/20/2014	0
10/1/2014	MW-11	Hardness	FALSE	99.18		3	10 mg/L			10/23/2014	0
10/1/2014	MW-11	Nitrate	FALSE	0.04 J		0.01	0.05 mg/L			10/3/2014	0
10/1/2014	MW-11	Sulfate	FALSE	8.44		0.06	0.3 mg/L			10/20/2014	0
10/1/2014	MW-11	Total Dissolved Solids (TDS)	FALSE	129.5		10	10 mg/L			10/7/2014	0
10/1/2014	MW-11	Conductivity	FALSE	204		0	0 UMHOS			10/1/2014	0
10/1/2014	MW-11	Groundwater Elevation	FALSE	304.29		0	0 Feet			10/1/2014	0
10/1/2014	MW-11	pH	FALSE	6.42		0	0 S.U.			10/1/2014	0
10/1/2014	MW-11	Sample Time	FALSE	1315		0	0 hours				0
10/1/2014	MW-11	Temperature	FALSE	16.01		0	0 Degrees C			10/1/2014	0
10/1/2014	MW-11	Turbidity	FALSE	7.4		0	0 NTU			10/1/2014	0
10/1/2014	MW-12	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	MW-12	Barium, Dissolved	FALSE	0.142		0.003	0.015 mg/L			10/23/2014	0
10/1/2014	MW-12	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			10/23/2014	0
10/1/2014	MW-12	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			10/8/2014	0
10/1/2014	MW-12	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-12	Iron, Dissolved	FALSE	3.04		0.05	0.25 mg/L			11/19/2014	0
10/1/2014	MW-12	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-12	Manganese, Dissolved	FALSE	0.54		0.02	0.05 mg/L			11/19/2014	0
10/1/2014	MW-12	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			10/10/2014	0
10/1/2014	MW-12	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			10/24/2014	0
10/1/2014	MW-12	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	MW-12	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/24/2014	0
10/1/2014	MW-12	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			11/13/2014	0
10/1/2014	MW-12	Ammonia as N	FALSE	0.08 ,B		0.01	0.05 mg/L			10/21/2014	0
10/1/2014	MW-12	Chloride	FALSE	15.47		0.05	0.25 mg/L			10/20/2014	0
10/1/2014	MW-12	Hardness	FALSE	184.68		3	10 mg/L			10/23/2014	0
10/1/2014	MW-12	Nitrate	TRUE	0		0.01	0.05 mg/L			10/3/2014	0
10/1/2014	MW-12	Sulfate	FALSE	163.34		0.06	0.3 mg/L			10/20/2014	0
10/1/2014	MW-12	Total Dissolved Solids (TDS)	FALSE	294.5		10	10 mg/L			10/7/2014	0
10/1/2014	MW-12	Conductivity	FALSE	418		0	0 UMHOS			10/1/2014	0
10/1/2014	MW-12	Groundwater Elevation	FALSE	201.33		0	0 Feet			10/1/2014	0
10/1/2014	MW-12	pH	FALSE	5.77		0	0 S.U.			10/1/2014	0
10/1/2014	MW-12	Sample Time	FALSE	1105		0	0 hours				0
10/1/2014	MW-12	Temperature	FALSE	15.82		0	0 Degrees C			10/1/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-12	Turbidity	FALSE	4.68		0		0 NTU		10/1/2014	0
10/1/2014	MW-13	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-13	Barium, Dissolved	FALSE	0.239		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-13	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-13	Iron, Dissolved	FALSE	31.72		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-13	Manganese, Dissolved	FALSE	1.42		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	MW-13	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-13	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/24/2014	0
10/1/2014	MW-13	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-13	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		11/13/2014	0
10/1/2014	MW-13	Ammonia as N	FALSE	0.49		0.01		0.05 mg/L		10/21/2014	0
10/1/2014	MW-13	Chloride	FALSE	113.83		0.05		0.25 mg/L		10/20/2014	0
10/1/2014	MW-13	Hardness	FALSE	266.76		3		10 mg/L		10/23/2014	0
10/1/2014	MW-13	Nitrate	TRUE	0		0.01		0.05 mg/L		10/3/2014	0
10/1/2014	MW-13	Sulfate	FALSE	153.8		0.06		0.3 mg/L		10/20/2014	0
10/1/2014	MW-13	Total Dissolved Solids (TDS)	FALSE	481.5		10		10 mg/L		10/7/2014	0
10/1/2014	MW-13	Conductivity	FALSE	678		0		0 UMHOS		10/1/2014	0
10/1/2014	MW-13	Groundwater Elevation	FALSE	206.22		0		0 Feet		10/1/2014	0
10/1/2014	MW-13	pH	FALSE	5.79		0		0 S.U.		10/1/2014	0
10/1/2014	MW-13	Sample Time	FALSE	1240		0		0 hours			0
10/1/2014	MW-13	Temperature	FALSE	15.47		0		0 Degrees C		10/1/2014	0
10/1/2014	MW-13	Turbidity	FALSE	6.78		0		0 NTU		10/1/2014	0
10/1/2014	MW-2	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-2	Barium, Dissolved	FALSE	0.032		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-2	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-2	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-2	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-2	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-2	Iron, Dissolved	FALSE	0.17 J		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-2	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-2	Manganese, Dissolved	FALSE	0.59		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	MW-2	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	MW-2	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	MW-2	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-2	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/24/2014	0
10/1/2014	MW-2	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-2	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		11/13/2014	0
10/1/2014	MW-2	Ammonia as N	TRUE	0		0.01		0.05 mg/L		10/9/2014	0
10/1/2014	MW-2	Chloride	FALSE	15.24		0.05		0.25 mg/L		10/20/2014	0
10/1/2014	MW-2	Hardness	FALSE	160.74		3		10 mg/L		10/23/2014	0
10/1/2014	MW-2	Nitrate	TRUE	0		0.01		0.05 mg/L		10/3/2014	0
10/1/2014	MW-2	Sulfate	FALSE	143.51		0.06		0.3 mg/L		10/20/2014	0
10/1/2014	MW-2	Total Dissolved Solids (TDS)	FALSE	272		10		10 mg/L		10/7/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-2	Conductivity	FALSE	366		0		0 UMHOS		10/1/2014	0
10/1/2014	MW-2	Groundwater Elevation	FALSE	211.28		0		0 Feet		10/1/2014	0
10/1/2014	MW-2	pH	FALSE	5.73		0		0 S.U.		10/1/2014	0
10/1/2014	MW-2	Sample Time	FALSE	1150		0		0 hours			0
10/1/2014	MW-2	Temperature	FALSE	16.91		0		0 Degrees C		10/1/2014	0
10/1/2014	MW-2	Turbidity	FALSE	0.61		0		0 NTU		10/1/2014	0
10/1/2014	MW-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-3	Barium, Dissolved	FALSE	0.052		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-3	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3	Iron, Dissolved	FALSE	0.95		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3	Manganese, Dissolved	FALSE	0.64		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	MW-3	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-3	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/24/2014	0
10/1/2014	MW-3	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		11/13/2014	0
10/1/2014	MW-3	Ammonia as N	FALSE	0.03 J,B		0.01		0.05 mg/L		10/9/2014	0
10/1/2014	MW-3	Chloride	FALSE	4.72		0.05		0.25 mg/L		10/20/2014	0
10/1/2014	MW-3	Hardness	FALSE	51.3		3		10 mg/L		10/23/2014	0
10/1/2014	MW-3	Nitrate	TRUE	0		0.01		0.05 mg/L		10/3/2014	0
10/1/2014	MW-3	Sulfate	FALSE	42.79		0.06		0.3 mg/L		10/20/2014	0
10/1/2014	MW-3	Total Dissolved Solids (TDS)	FALSE	113		10		10 mg/L		10/7/2014	0
10/1/2014	MW-3	Conductivity	FALSE	155		0		0 UMHOS		10/1/2014	0
10/1/2014	MW-3	Groundwater Elevation	FALSE	208.96		0		0 Feet		10/1/2014	0
10/1/2014	MW-3	pH	FALSE	5.26		0		0 S.U.		10/1/2014	0
10/1/2014	MW-3	Sample Time	FALSE	1145		0		0 hours			0
10/1/2014	MW-3	Temperature	FALSE	17.07		0		0 Degrees C		10/1/2014	0
10/1/2014	MW-3	Turbidity	FALSE	1.78		0		0 NTU		10/1/2014	0
10/1/2014	MW-3 DUP	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-3 DUP	Barium, Dissolved	FALSE	0.058		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-3 DUP	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Iron, Dissolved	FALSE	0.48		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-3 DUP	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Manganese, Dissolved	FALSE	0.59		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	MW-3 DUP	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	MW-3 DUP	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	MW-3 DUP	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-3 DUP	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/24/2014	0
10/1/2014	MW-3 DUP	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Zinc, Dissolved	FALSE	0.012 J		0.01		0.03 mg/L		11/13/2014	0
10/1/2014	MW-3 DUP	Ammonia as N	FALSE	0.03 J,B		0.01		0.05 mg/L		10/9/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-3 DUP	Chloride	FALSE	4.71		0.05		0.25 mg/L		10/20/2014	0
10/1/2014	MW-3 DUP	Hardness	FALSE	53.01		3		10 mg/L		10/23/2014	0
10/1/2014	MW-3 DUP	Nitrate	TRUE	0		0.01		0.05 mg/L		10/3/2014	0
10/1/2014	MW-3 DUP	Sulfate	FALSE	38.38		0.06		0.3 mg/L		10/20/2014	0
10/1/2014	MW-3 DUP	Total Dissolved Solids (TDS)	FALSE	127.5		10		10 mg/L		10/7/2014	0
10/1/2014	MW-3 DUP	Conductivity	FALSE	155		0		0 UMHOS		10/1/2014	0
10/1/2014	MW-3 DUP	pH	FALSE	5.26		0		0 S.U.		10/1/2014	0
10/1/2014	MW-3 DUP	Sample Time	FALSE	1150		0		0 hours			0
10/1/2014	MW-3 DUP	Temperature	FALSE	17.07		0		0 Degrees C		10/1/2014	0
10/1/2014	MW-3 DUP	Turbidity	FALSE	1.78		0		0 NTU		10/1/2014	0
10/1/2014	MW-4	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-4	Barium, Dissolved	FALSE	0.054		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-4	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-4	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-4	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-4	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-4	Iron, Dissolved	FALSE	13.05		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-4	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-4	Manganese, Dissolved	FALSE	7.74		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	MW-4	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	MW-4	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	MW-4	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-4	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/24/2014	0
10/1/2014	MW-4	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-4	Zinc, Dissolved	FALSE	0.046		0.01		0.03 mg/L		11/13/2014	0
10/1/2014	MW-4	Ammonia as N	FALSE	0.31		0.01		0.05 mg/L		10/9/2014	0
10/1/2014	MW-4	Chloride	FALSE	14.4		0.05		0.25 mg/L		10/20/2014	0
10/1/2014	MW-4	Hardness	FALSE	1248.3		3		10 mg/L		10/23/2014	0
10/1/2014	MW-4	Nitrate	TRUE	0		0.01		0.05 mg/L		10/3/2014	0
10/1/2014	MW-4	Sulfate	FALSE	1075.46		0.06		0.3 mg/L		10/20/2014	0
10/1/2014	MW-4	Total Dissolved Solids (TDS)	FALSE	1791.5		10		10 mg/L		10/7/2014	0
10/1/2014	MW-4	Conductivity	FALSE	2060		0		0 UMHOS		10/1/2014	0
10/1/2014	MW-4	Groundwater Elevation	FALSE	211.29		0		0 Feet		10/1/2014	0
10/1/2014	MW-4	pH	FALSE	5.68		0		0 S.U.		10/1/2014	0
10/1/2014	MW-4	Sample Time	FALSE	1225		0		0 hours			0
10/1/2014	MW-4	Temperature	FALSE	19.05		0		0 Degrees C		10/1/2014	0
10/1/2014	MW-4	Turbidity	FALSE	9.63		0		0 NTU		10/1/2014	0
10/1/2014	MW-5	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0
10/1/2014	MW-5	Barium, Dissolved	FALSE	0.122		0.003		0.015 mg/L		10/23/2014	0
10/1/2014	MW-5	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/23/2014	0
10/1/2014	MW-5	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-5	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/8/2014	0
10/1/2014	MW-5	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-5	Iron, Dissolved	FALSE	6.6		0.05		0.25 mg/L		11/19/2014	0
10/1/2014	MW-5	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/23/2014	0
10/1/2014	MW-5	Manganese, Dissolved	FALSE	1.31		0.02		0.05 mg/L		11/19/2014	0
10/1/2014	MW-5	Mercury, Dissolved	TRUE	0		2.00E-05		0.0001 mg/L		10/10/2014	0
10/1/2014	MW-5	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/24/2014	0
10/1/2014	MW-5	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/22/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-5	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/24/2014	0
10/1/2014	MW-5	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-5	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/1/2014	MW-5	Ammonia as N	FALSE	0.44		0.01	0.05	mg/L		10/9/2014	0
10/1/2014	MW-5	Chloride	FALSE	10.15		0.05	0.25	mg/L		10/20/2014	0
10/1/2014	MW-5	Hardness	FALSE	167.58		3	10	mg/L		10/23/2014	0
10/1/2014	MW-5	Nitrate	TRUE	0		0.01	0.05	mg/L		10/3/2014	0
10/1/2014	MW-5	Sulfate	FALSE	6.95		0.06	0.3	mg/L		10/20/2014	0
10/1/2014	MW-5	Total Dissolved Solids (TDS)	FALSE	218.5		10	10	mg/L		10/7/2014	0
10/1/2014	MW-5	Conductivity	FALSE	352		0	0	UMHOS		10/1/2014	0
10/1/2014	MW-5	Groundwater Elevation	FALSE	212.07		0	0	Feet		10/1/2014	0
10/1/2014	MW-5	pH	FALSE	6.41		0	0	S.U.		10/1/2014	0
10/1/2014	MW-5	Sample Time	FALSE	1425		0	0	hours			0
10/1/2014	MW-5	Temperature	FALSE	18.01		0	0	Degrees C		10/1/2014	0
10/1/2014	MW-5	Turbidity	FALSE	12.9		0	0	NTU		10/1/2014	0
10/1/2014	MW-6	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-6	Barium, Dissolved	FALSE	0.04		0.003	0.015	mg/L		10/23/2014	0
10/1/2014	MW-6	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/23/2014	0
10/1/2014	MW-6	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-6	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/8/2014	0
10/1/2014	MW-6	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-6	Iron, Dissolved	FALSE	0.13 J		0.05	0.25	mg/L		11/19/2014	0
10/1/2014	MW-6	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-6	Manganese, Dissolved	FALSE	2.2		0.02	0.05	mg/L		11/19/2014	0
10/1/2014	MW-6	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		10/10/2014	0
10/1/2014	MW-6	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/24/2014	0
10/1/2014	MW-6	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-6	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/24/2014	0
10/1/2014	MW-6	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-6	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/1/2014	MW-6	Ammonia as N	FALSE	0.03 J,B		0.01	0.05	mg/L		10/21/2014	0
10/1/2014	MW-6	Chloride	FALSE	8.3		0.05	0.25	mg/L		10/20/2014	0
10/1/2014	MW-6	Hardness	FALSE	155.61		3	10	mg/L		10/23/2014	0
10/1/2014	MW-6	Nitrate	TRUE	0		0.01	0.05	mg/L		10/3/2014	0
10/1/2014	MW-6	Sulfate	FALSE	165.83		0.06	0.3	mg/L		10/20/2014	0
10/1/2014	MW-6	Total Dissolved Solids (TDS)	FALSE	272.1		10	10	mg/L		10/7/2014	0
10/1/2014	MW-6	Conductivity	FALSE	397		0	0	UMHOS		10/1/2014	0
10/1/2014	MW-6	Groundwater Elevation	FALSE	210.89		0	0	Feet		10/1/2014	0
10/1/2014	MW-6	pH	FALSE	5.78		0	0	S.U.		10/1/2014	0
10/1/2014	MW-6	Sample Time	FALSE	1310		0	0	hours			0
10/1/2014	MW-6	Temperature	FALSE	17.6		0	0	Degrees C		10/1/2014	0
10/1/2014	MW-6	Turbidity	FALSE	7.74		0	0	NTU		10/1/2014	0
10/1/2014	MW-7	Arsenic, Dissolved	FALSE	0.224		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	MW-7	Barium, Dissolved	FALSE	0.587		0.003	0.015	mg/L		10/23/2014	0
10/1/2014	MW-7	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/23/2014	0
10/1/2014	MW-7	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-7	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/8/2014	0
10/1/2014	MW-7	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	MW-7	Iron, Dissolved	FALSE	1.14		0.05	0.25	mg/L		11/19/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	MW-7	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-7	Manganese, Dissolved	FALSE	1.61		0.02	0.05 mg/L			11/19/2014	0
10/1/2014	MW-7	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			10/10/2014	0
10/1/2014	MW-7	Molybdenum, Dissolved	FALSE	0.118		0.001	0.005 mg/L			10/24/2014	0
10/1/2014	MW-7	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	MW-7	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/24/2014	0
10/1/2014	MW-7	Vanadium, Dissolved	FALSE	0.012		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-7	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			11/13/2014	0
10/1/2014	MW-7	Ammonia as N	FALSE	0.49		0.01	0.05 mg/L			10/21/2014	0
10/1/2014	MW-7	Chloride	FALSE	5.08		0.05	0.25 mg/L			10/20/2014	0
10/1/2014	MW-7	Hardness	FALSE	297.54		3	10 mg/L			10/23/2014	0
10/1/2014	MW-7	Nitrate	FALSE	0.02 J		0.01	0.05 mg/L			10/3/2014	0
10/1/2014	MW-7	Sulfate	FALSE	55.54		0.06	0.3 mg/L			10/20/2014	0
10/1/2014	MW-7	Total Dissolved Solids (TDS)	FALSE	342		10	10 mg/L			10/7/2014	0
10/1/2014	MW-7	Conductivity	FALSE	603		0	0 UMHOS			10/1/2014	0
10/1/2014	MW-7	Groundwater Elevation	FALSE	232.5		0	0 Feet			10/1/2014	0
10/1/2014	MW-7	pH	FALSE	7.32		0	0 S.U.			10/1/2014	0
10/1/2014	MW-7	Sample Time	FALSE	1425		0	0 hours				0
10/1/2014	MW-7	Temperature	FALSE	16.68		0	0 Degrees C			10/1/2014	0
10/1/2014	MW-7	Turbidity	FALSE	17.2		0	0 NTU			10/1/2014	0
10/1/2014	MW-8	Arsenic, Dissolved	FALSE	0.049		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	MW-8	Barium, Dissolved	FALSE	0.794		0.003	0.015 mg/L			10/23/2014	0
10/1/2014	MW-8	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			10/23/2014	0
10/1/2014	MW-8	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-8	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			10/8/2014	0
10/1/2014	MW-8	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-8	Iron, Dissolved	FALSE	3.29		0.05	0.25 mg/L			11/19/2014	0
10/1/2014	MW-8	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-8	Manganese, Dissolved	FALSE	1.47		0.02	0.05 mg/L			11/19/2014	0
10/1/2014	MW-8	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001 mg/L			10/10/2014	0
10/1/2014	MW-8	Molybdenum, Dissolved	FALSE	0.044		0.001	0.005 mg/L			10/24/2014	0
10/1/2014	MW-8	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	MW-8	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/24/2014	0
10/1/2014	MW-8	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/23/2014	0
10/1/2014	MW-8	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			11/13/2014	0
10/1/2014	MW-8	Ammonia as N	FALSE	1.17		0.01	0.05 mg/L			10/21/2014	0
10/1/2014	MW-8	Chloride	FALSE	13.91		0.05	0.25 mg/L			10/20/2014	0
10/1/2014	MW-8	Hardness	FALSE	564.3		3	10 mg/L			10/23/2014	0
10/1/2014	MW-8	Nitrate	FALSE	0.02 J		0.01	0.05 mg/L			10/3/2014	0
10/1/2014	MW-8	Sulfate	FALSE	131.37		0.06	0.3 mg/L			10/20/2014	0
10/1/2014	MW-8	Total Dissolved Solids (TDS)	FALSE	701		10	10 mg/L			10/7/2014	0
10/1/2014	MW-8	Conductivity	FALSE	1095		0	0 UMHOS			10/1/2014	0
10/1/2014	MW-8	Groundwater Elevation	FALSE	231.43		0	0 Feet			10/1/2014	0
10/1/2014	MW-8	pH	FALSE	7.2		0	0 S.U.			10/1/2014	0
10/1/2014	MW-8	Sample Time	FALSE	1315		0	0 hours				0
10/1/2014	MW-8	Temperature	FALSE	15.9		0	0 Degrees C			10/1/2014	0
10/1/2014	MW-8	Turbidity	FALSE	2.08		0	0 NTU			10/1/2014	0
10/1/2014	W-3	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			10/22/2014	0
10/1/2014	W-3	Barium, Dissolved	FALSE	0.045		0.003	0.015 mg/L			10/23/2014	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/1/2014	W-3	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/23/2014	0
10/1/2014	W-3	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	W-3	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/8/2014	0
10/1/2014	W-3	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	W-3	Iron, Dissolved	FALSE	10.58		0.05	0.25	mg/L		11/19/2014	0
10/1/2014	W-3	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	W-3	Manganese, Dissolved	FALSE	7.6		0.02	0.05	mg/L		11/19/2014	0
10/1/2014	W-3	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		10/10/2014	0
10/1/2014	W-3	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/24/2014	0
10/1/2014	W-3	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/22/2014	0
10/1/2014	W-3	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/24/2014	0
10/1/2014	W-3	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/23/2014	0
10/1/2014	W-3	Zinc, Dissolved	FALSE	0.041		0.01	0.03	mg/L		11/13/2014	0
10/1/2014	W-3	Ammonia as N	FALSE	0.2		0.01	0.05	mg/L		10/21/2014	0
10/1/2014	W-3	Chloride	FALSE	24.36		0.05	0.25	mg/L		10/20/2014	0
10/1/2014	W-3	Hardness	FALSE	177.84		3	10	mg/L		10/23/2014	0
10/1/2014	W-3	Nitrate	FALSE	0.11		0.01	0.05	mg/L		10/3/2014	0
10/1/2014	W-3	Sulfate	FALSE	10		0.06	0.3	mg/L		10/20/2014	0
10/1/2014	W-3	Total Dissolved Solids (TDS)	FALSE	252		10	10	mg/L		10/7/2014	0
10/1/2014	W-3	Conductivity	FALSE	450		0	0	UMHOS		10/1/2014	0
10/1/2014	W-3	Groundwater Elevation	FALSE	241.06		0	0	Feet		10/1/2014	0
10/1/2014	W-3	pH	FALSE	6.04		0	0	S.U.		10/1/2014	0
10/1/2014	W-3	Sample Time	FALSE	1520		0	0	hours			0
10/1/2014	W-3	Temperature	FALSE	16.61		0	0	Degrees C		10/1/2014	0
10/1/2014	W-3	Turbidity	FALSE	57.1		0	0	NTU		10/1/2014	0
2/3/2015	MW-14	Arsenic, Dissolved	FALSE	0.002	J	0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-14	Barium, Dissolved	FALSE	0.151		0.003	0.015	mg/L		2/13/2015	0
2/3/2015	MW-14	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		2/11/2015	0
2/3/2015	MW-14	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-14	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		2/11/2015	0
2/3/2015	MW-14	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		2/12/2015	0
2/3/2015	MW-14	Iron, Dissolved	FALSE	5.66		0.05	0.25	mg/L		2/11/2015	0
2/3/2015	MW-14	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-14	Manganese, Dissolved	FALSE	1.12		0.02	0.05	mg/L		2/12/2015	0
2/3/2015	MW-14	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		2/5/2015	0
2/3/2015	MW-14	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		2/16/2015	0
2/3/2015	MW-14	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-14	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		2/23/2015	0
2/3/2015	MW-14	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		2/19/2015	0
2/3/2015	MW-14	Zinc, Dissolved	FALSE	0.012	J	0.01	0.03	mg/L		2/4/2015	0
2/3/2015	MW-14	Ammonia as N	FALSE	0.16		0.01	0.05	mg/L		2/24/2015	0
2/3/2015	MW-14	Chloride	FALSE	9.09		0.05	0.25	mg/L		2/12/2015	0
2/3/2015	MW-14	Hardness	FALSE	150.48		3	10	mg/L		2/23/2015	0
2/3/2015	MW-14	Nitrate	TRUE	0		0.01	0.05	mg/L		2/4/2015	0
2/3/2015	MW-14	Sulfate	FALSE	1.53		0.06	0.3	mg/L		2/12/2015	0
2/3/2015	MW-14	Total Dissolved Solids (TDS)	FALSE	240		10	10	mg/L		2/4/2015	0
2/3/2015	MW-14	Arsenic, Total	FALSE	0.002	J	0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-14	Barium, Total	FALSE	0.166		0.003	0.015	mg/L		2/13/2015	0
2/3/2015	MW-14	Boron, Dissolved	TRUE	0		0.02	0.1	mg/L		2/19/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/3/2015	MW-14	Boron, Total	TRUE	0		0.02		0.1 mg/L		2/19/2015	0
2/3/2015	MW-14	Cadmium, Total	TRUE	0		0.0003	0.0015	mg/L		2/11/2015	0
2/3/2015	MW-14	Chromium, Total	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-14	Copper, Total	TRUE	0		0.001	0.005	mg/L		2/12/2015	0
2/3/2015	MW-14	Iron, Total	FALSE	7.39		0.05	0.25	mg/L		2/11/2015	0
2/3/2015	MW-14	Lead, Total	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-14	Manganese, Total	FALSE	1.15		0.02	0.05	mg/L		2/12/2015	0
2/3/2015	MW-14	Mercury, Total	TRUE	0		2.00E-05	0.0001	mg/L		2/5/2015	0
2/3/2015	MW-14	Molybdenum, Total	TRUE	0		0.001	0.005	mg/L		2/16/2015	0
2/3/2015	MW-14	Selenium, Total	TRUE	0		0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-14	Silver, Total	TRUE	0		0.0001	0.0004	mg/L		2/23/2015	0
2/3/2015	MW-14	Vanadium, Total	TRUE	0		0.001	0.005	mg/L		2/19/2015	0
2/3/2015	MW-14	Zinc, Total	FALSE	0.016	J	0.01	0.03	mg/L		2/4/2015	0
2/3/2015	MW-15	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-15	Barium, Dissolved	FALSE	0.099		0.003	0.015	mg/L		2/13/2015	0
2/3/2015	MW-15	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		2/11/2015	0
2/3/2015	MW-15	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-15	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		2/11/2015	0
2/3/2015	MW-15	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		2/12/2015	0
2/3/2015	MW-15	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		2/11/2015	0
2/3/2015	MW-15	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-15	Manganese, Dissolved	FALSE	0.53		0.02	0.05	mg/L		2/12/2015	0
2/3/2015	MW-15	Mercury, Dissolved	TRUE	0		2.00E-05	0.0001	mg/L		2/5/2015	0
2/3/2015	MW-15	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		2/16/2015	0
2/3/2015	MW-15	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-15	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		2/23/2015	0
2/3/2015	MW-15	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		2/19/2015	0
2/3/2015	MW-15	Zinc, Dissolved	FALSE	0.013	J	0.01	0.03	mg/L		2/4/2015	0
2/3/2015	MW-15	Ammonia as N	FALSE	0.03	J	0.01	0.05	mg/L		2/24/2015	0
2/3/2015	MW-15	Chloride	FALSE	10.64		0.05	0.25	mg/L		2/12/2015	0
2/3/2015	MW-15	Hardness	FALSE	95.76		3	10	mg/L		2/23/2015	0
2/3/2015	MW-15	Nitrate	TRUE	0		0.01	0.05	mg/L		2/4/2015	0
2/3/2015	MW-15	Sulfate	FALSE	14.97		0.06	0.3	mg/L		2/12/2015	0
2/3/2015	MW-15	Total Dissolved Solids (TDS)	FALSE	166.5		10	10	mg/L		2/4/2015	0
2/3/2015	MW-15	Arsenic, Total	TRUE	0		0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-15	Barium, Total	FALSE	0.107		0.003	0.015	mg/L		2/13/2015	0
2/3/2015	MW-15	Boron, Dissolved	TRUE	0		0.02	0.1	mg/L		2/19/2015	0
2/3/2015	MW-15	Boron, Total	TRUE	0		0.02	0.1	mg/L		2/19/2015	0
2/3/2015	MW-15	Cadmium, Total	TRUE	0		0.0003	0.0015	mg/L		2/11/2015	0
2/3/2015	MW-15	Chromium, Total	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-15	Copper, Total	FALSE	0.001	J	0.001	0.005	mg/L		2/12/2015	0
2/3/2015	MW-15	Iron, Total	FALSE	0.2	J	0.05	0.25	mg/L		2/11/2015	0
2/3/2015	MW-15	Lead, Total	TRUE	0		0.001	0.005	mg/L		2/11/2015	0
2/3/2015	MW-15	Manganese, Total	FALSE	0.55		0.02	0.05	mg/L		2/12/2015	0
2/3/2015	MW-15	Mercury, Total	TRUE	0		2.00E-05	0.0001	mg/L		2/5/2015	0
2/3/2015	MW-15	Molybdenum, Total	TRUE	0		0.001	0.005	mg/L		2/16/2015	0
2/3/2015	MW-15	Selenium, Total	TRUE	0		0.002	0.01	mg/L		2/5/2015	0
2/3/2015	MW-15	Silver, Total	TRUE	0		0.0001	0.0004	mg/L		2/23/2015	0
2/3/2015	MW-15	Vanadium, Total	TRUE	0		0.001	0.005	mg/L		2/19/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/3/2015	MW-15	Zinc, Total	FALSE	0.017	J	0.01	0.03	mg/L		2/4/2015	0
10/21/2015	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003	0.015	mg/L		10/27/2015	0
10/21/2015	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0
10/21/2015	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		12/7/2015	0
10/21/2015	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02	0.05	mg/L		12/7/2015	0
10/21/2015	FIELD BLANK	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/21/2015	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/21/2015	FIELD BLANK	Ammonia as N	TRUE	0		0.01	0.05	mg/L		11/13/2015	0
10/21/2015	FIELD BLANK	Chloride	TRUE	0		0.05	0.25	mg/L		11/10/2015	0
10/21/2015	FIELD BLANK	Hardness	TRUE	0		3	10	mg/L		11/30/2015	0
10/21/2015	FIELD BLANK	Nitrate	TRUE	0		0.01	0.05	mg/L		10/23/2015	0
10/21/2015	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		11/10/2015	0
10/21/2015	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		10/26/2015	0
10/21/2015	FIELD BLANK	Sample Time	FALSE	1015		0	0	hours		11/30/2015	0
10/21/2015	MW-10	Arsenic, Dissolved	FALSE	0.003	J	0.002	0.01	mg/L		10/26/2015	0
10/21/2015	MW-10	Barium, Dissolved	FALSE	0.09		0.003	0.015	mg/L		10/27/2015	0
10/21/2015	MW-10	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/21/2015	MW-10	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-10	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0
10/21/2015	MW-10	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-10	Iron, Dissolved	FALSE	18.23		0.05	0.25	mg/L		12/7/2015	0
10/21/2015	MW-10	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-10	Manganese, Dissolved	FALSE	3.29		0.02	0.05	mg/L		12/7/2015	0
10/21/2015	MW-10	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001	mg/L		10/26/2015	0
10/21/2015	MW-10	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	MW-10	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	MW-10	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/21/2015	MW-10	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	MW-10	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/21/2015	MW-10	Ammonia as N	FALSE	1.44		0.01	0.05	mg/L		11/12/2015	0
10/21/2015	MW-10	Chloride	FALSE	13.5		0.05	0.25	mg/L		11/10/2015	0
10/21/2015	MW-10	Hardness	FALSE	249.66		3	10	mg/L		11/30/2015	0
10/21/2015	MW-10	Nitrate	TRUE	0		0.01	0.05	mg/L		10/23/2015	0
10/21/2015	MW-10	Sulfate	FALSE	19.52		0.06	0.3	mg/L		11/10/2015	0
10/21/2015	MW-10	Total Dissolved Solids (TDS)	FALSE	286.5		10	10	mg/L		10/26/2015	0
10/21/2015	MW-10	Conductivity	FALSE	543		0	0	UMHOS		10/21/2015	0
10/21/2015	MW-10	Groundwater Elevation	FALSE	234.22		0	0	Feet		10/21/2015	0
10/21/2015	MW-10	Oxidation Reduction Potential	FALSE	-81		0	0	mv		10/21/2015	0
10/21/2015	MW-10	pH	FALSE	6.33		0	0	S.U.		10/21/2015	0
10/21/2015	MW-10	Sample Time	FALSE	1135		0	0	hours		11/30/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-10	Temperature	FALSE	16.34		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-10	Turbidity	FALSE	53		0		0 NTU		10/21/2015	0
10/21/2015	MW-14	Arsenic, Dissolved	FALSE	0.003	J	0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-14	Barium, Dissolved	FALSE	0.097		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-14	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-14	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-14	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-14	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-14	Iron, Dissolved	FALSE	9.62		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-14	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-14	Manganese, Dissolved	FALSE	0.84		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-14	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-14	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-14	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-14	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/21/2015	MW-14	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-14	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/21/2015	MW-14	Ammonia as N	FALSE	0.2		0.01		0.05 mg/L		11/13/2015	0
10/21/2015	MW-14	Chloride	FALSE	9.06		0.05		0.25 mg/L		11/10/2015	0
10/21/2015	MW-14	Hardness	FALSE	218.88		3		10 mg/L		11/30/2015	0
10/21/2015	MW-14	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0
10/21/2015	MW-14	Sulfate	FALSE	1.33		0.06		0.3 mg/L		11/10/2015	0
10/21/2015	MW-14	Total Dissolved Solids (TDS)	FALSE	236		10		10 mg/L		10/26/2015	0
10/21/2015	MW-14	Conductivity	FALSE	428		0		0 UMHOS		10/21/2015	0
10/21/2015	MW-14	Groundwater Elevation	FALSE	204.42		0		0 Feet		10/21/2015	0
10/21/2015	MW-14	Oxidation Reduction Potential	FALSE	-48		0		0 mv		10/21/2015	0
10/21/2015	MW-14	pH	FALSE	6.5		0		0 S.U.		10/21/2015	0
10/21/2015	MW-14	Sample Time	FALSE	1245		0		0 hours		11/30/2015	0
10/21/2015	MW-14	Temperature	FALSE	18.08		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-14	Turbidity	FALSE	5.83		0		0 NTU		10/21/2015	0
10/21/2015	MW-15	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-15	Barium, Dissolved	FALSE	0.064		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-15	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-15	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-15	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-15	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-15	Iron, Dissolved	TRUE	0		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-15	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-15	Manganese, Dissolved	FALSE	0.52		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-15	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-15	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-15	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-15	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/21/2015	MW-15	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-15	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/21/2015	MW-15	Ammonia as N	FALSE	0.02	J	0.01		0.05 mg/L		11/13/2015	0
10/21/2015	MW-15	Chloride	FALSE	10.48		0.05		0.25 mg/L		11/10/2015	0
10/21/2015	MW-15	Hardness	FALSE	102.6		3		10 mg/L		11/30/2015	0
10/21/2015	MW-15	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-15	Sulfate	FALSE	14.16		0.06		0.3 mg/L		11/10/2015	0
10/21/2015	MW-15	Total Dissolved Solids (TDS)	FALSE	181		10		10 mg/L		10/26/2015	0
10/21/2015	MW-15	Conductivity	FALSE	275		0		0 UMHOS		10/21/2015	0
10/21/2015	MW-15	Groundwater Elevation	FALSE	203.75		0		0 Feet		10/21/2015	0
10/21/2015	MW-15	Oxidation Reduction Potential	FALSE	160		0		0 mv		10/21/2015	0
10/21/2015	MW-15	pH	FALSE	5.68		0		0 S.U.		10/21/2015	0
10/21/2015	MW-15	Sample Time	FALSE	1325		0		0 hours		11/30/2015	0
10/21/2015	MW-15	Temperature	FALSE	17.9		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-15	Turbidity	FALSE	3.43		0		0 NTU		10/21/2015	0
10/21/2015	MW-16	Arsenic, Dissolved	FALSE	0.146		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-16	Barium, Dissolved	FALSE	0.159		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-16	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-16	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-16	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-16	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-16	Iron, Dissolved	FALSE	0.1 J		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-16	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-16	Manganese, Dissolved	FALSE	1.23		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-16	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-16	Molybdenum, Dissolved	FALSE	0.09		0.001		0.005 mg/L		10/28/2015	0
10/21/2015	MW-16	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-16	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/21/2015	MW-16	Vanadium, Dissolved	FALSE	0.002 J		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-16	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/21/2015	MW-16	Ammonia as N	FALSE	0.85		0.01		0.05 mg/L		11/13/2015	0
10/21/2015	MW-16	Chloride	FALSE	4.77		0.05		0.25 mg/L		11/10/2015	0
10/21/2015	MW-16	Hardness	FALSE	318.06		3		10 mg/L		11/30/2015	0
10/21/2015	MW-16	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0
10/21/2015	MW-16	Sulfate	FALSE	55.24		0.06		0.3 mg/L		11/10/2015	0
10/21/2015	MW-16	Total Dissolved Solids (TDS)	FALSE	318		10		10 mg/L		10/26/2015	0
10/21/2015	MW-16	Conductivity	FALSE	554		0		0 UMHOS		10/21/2015	0
10/21/2015	MW-16	Groundwater Elevation	FALSE	227.2		0		0 Feet		10/21/2015	0
10/21/2015	MW-16	Oxidation Reduction Potential	FALSE	-140		0		0 mv		10/21/2015	0
10/21/2015	MW-16	pH	FALSE	7.94		0		0 S.U.		10/21/2015	0
10/21/2015	MW-16	Sample Time	FALSE	1500		0		0 hours		11/30/2015	0
10/21/2015	MW-16	Temperature	FALSE	18.19		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-16	Turbidity	FALSE	38		0		0 NTU		10/21/2015	0
10/21/2015	MW-17	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-17	Barium, Dissolved	FALSE	0.052		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-17	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-17	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-17	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-17	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-17	Iron, Dissolved	FALSE	0.75		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-17	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-17	Manganese, Dissolved	FALSE	1.46		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-17	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-17	Molybdenum, Dissolved	FALSE	0.031		0.001		0.005 mg/L		10/28/2015	0
10/21/2015	MW-17	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-17	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/21/2015	MW-17	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	MW-17	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/21/2015	MW-17	Ammonia as N	FALSE	0.03	J	0.01	0.05	mg/L		11/13/2015	0
10/21/2015	MW-17	Chloride	FALSE	5.51		0.05	0.25	mg/L		11/10/2015	0
10/21/2015	MW-17	Hardness	FALSE	222.3		3	10	mg/L		11/30/2015	0
10/21/2015	MW-17	Nitrate	TRUE	0		0.01	0.05	mg/L		10/23/2015	0
10/21/2015	MW-17	Sulfate	FALSE	83.8		0.06	0.3	mg/L		11/10/2015	0
10/21/2015	MW-17	Total Dissolved Solids (TDS)	FALSE	280.5		10	10	mg/L		10/26/2015	0
10/21/2015	MW-17	Conductivity	FALSE	457		0	0	UMHOS		10/21/2015	0
10/21/2015	MW-17	Groundwater Elevation	FALSE	214.58		0	0	Feet		10/21/2015	0
10/21/2015	MW-17	Oxidation Reduction Potential	FALSE	-91		0	0	mv		10/21/2015	0
10/21/2015	MW-17	pH	FALSE	6.24		0	0	S.U.		10/21/2015	0
10/21/2015	MW-17	Sample Time	FALSE	1445		0	0	hours		11/30/2015	0
10/21/2015	MW-17	Temperature	FALSE	15.84		0	0	Degrees C		10/21/2015	0
10/21/2015	MW-17	Turbidity	FALSE	8.39		0	0	NTU		10/21/2015	0
10/21/2015	MW-17 DUP	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Barium, Dissolved	FALSE	0.056		0.003	0.015	mg/L		10/27/2015	0
10/21/2015	MW-17 DUP	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0
10/21/2015	MW-17 DUP	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Iron, Dissolved	FALSE	0.77		0.05	0.25	mg/L		12/7/2015	0
10/21/2015	MW-17 DUP	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Manganese, Dissolved	FALSE	1.53		0.02	0.05	mg/L		12/7/2015	0
10/21/2015	MW-17 DUP	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Molybdenum, Dissolved	FALSE	0.029		0.001	0.005	mg/L		10/28/2015	0
10/21/2015	MW-17 DUP	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/21/2015	MW-17 DUP	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	MW-17 DUP	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/21/2015	MW-17 DUP	Ammonia as N	FALSE	0.04	J	0.01	0.05	mg/L		11/13/2015	0
10/21/2015	MW-17 DUP	Chloride	FALSE	5.48		0.05	0.25	mg/L		11/10/2015	0
10/21/2015	MW-17 DUP	Hardness	FALSE	212.04		3	10	mg/L		11/30/2015	0
10/21/2015	MW-17 DUP	Nitrate	TRUE	0		0.01	0.05	mg/L		10/23/2015	0
10/21/2015	MW-17 DUP	Sulfate	FALSE	85.52		0.06	0.3	mg/L		11/10/2015	0
10/21/2015	MW-17 DUP	Total Dissolved Solids (TDS)	FALSE	294.5		10	10	mg/L		10/26/2015	0
10/21/2015	MW-17 DUP	Conductivity	FALSE	455		0	0	UMHOS		10/21/2015	0
10/21/2015	MW-17 DUP	Groundwater Elevation	FALSE	214.58		0	0	Feet		10/21/2015	0
10/21/2015	MW-17 DUP	Oxidation Reduction Potential	FALSE	-90		0	0	mv		10/21/2015	0
10/21/2015	MW-17 DUP	pH	FALSE	6.25		0	0	S.U.		10/21/2015	0
10/21/2015	MW-17 DUP	Sample Time	FALSE	1450		0	0	hours		11/30/2015	0
10/21/2015	MW-17 DUP	Temperature	FALSE	15.82		0	0	Degrees C		10/21/2015	0
10/21/2015	MW-17 DUP	Turbidity	FALSE	8.5		0	0	NTU		10/21/2015	0
10/21/2015	MW-18	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	MW-18	Barium, Dissolved	FALSE	0.101		0.003	0.015	mg/L		10/27/2015	0
10/21/2015	MW-18	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/21/2015	MW-18	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	MW-18	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-18	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/21/2015	MW-18	Iron, Dissolved	FALSE	12.68		0.05	0.25 mg/L			12/7/2015	0
10/21/2015	MW-18	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/21/2015	MW-18	Manganese, Dissolved	FALSE	1.42		0.02	0.05 mg/L			12/7/2015	0
10/21/2015	MW-18	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001 mg/L			10/26/2015	0
10/21/2015	MW-18	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/21/2015	MW-18	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/26/2015	0
10/21/2015	MW-18	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/28/2015	0
10/21/2015	MW-18	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/21/2015	MW-18	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/7/2015	0
10/21/2015	MW-18	Ammonia as N	FALSE	0.29		0.01	0.05 mg/L			11/13/2015	0
10/21/2015	MW-18	Chloride	FALSE	16.38		0.05	0.25 mg/L			11/10/2015	0
10/21/2015	MW-18	Hardness	FALSE	239.4		3	10 mg/L			11/30/2015	0
10/21/2015	MW-18	Nitrate	TRUE	0		0.01	0.05 mg/L			10/23/2015	0
10/21/2015	MW-18	Sulfate	FALSE	54.85		0.06	0.3 mg/L			11/10/2015	0
10/21/2015	MW-18	Total Dissolved Solids (TDS)	FALSE	342		10	10 mg/L			10/26/2015	0
10/21/2015	MW-18	Conductivity	FALSE	550		0	0 UMHOS			10/21/2015	0
10/21/2015	MW-18	Groundwater Elevation	FALSE	213.79		0	0 Feet			10/21/2015	0
10/21/2015	MW-18	Oxidation Reduction Potential	FALSE	-103		0	0 mv			10/21/2015	0
10/21/2015	MW-18	pH	FALSE	6.56		0	0 S.U.			10/21/2015	0
10/21/2015	MW-18	Sample Time	FALSE	1255		0	0 hours			11/30/2015	0
10/21/2015	MW-18	Temperature	FALSE	16.05		0	0 Degrees C			10/21/2015	0
10/21/2015	MW-18	Turbidity	FALSE	6.38		0	0 NTU			10/21/2015	0
10/21/2015	MW-4	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			10/26/2015	0
10/21/2015	MW-4	Barium, Dissolved	FALSE	0.054		0.003	0.015 mg/L			10/27/2015	0
10/21/2015	MW-4	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			10/26/2015	0
10/21/2015	MW-4	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/21/2015	MW-4	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			10/29/2015	0
10/21/2015	MW-4	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/21/2015	MW-4	Iron, Dissolved	FALSE	14.8		0.05	0.25 mg/L			12/7/2015	0
10/21/2015	MW-4	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/21/2015	MW-4	Manganese, Dissolved	FALSE	8.36		0.02	0.05 mg/L			12/7/2015	0
10/21/2015	MW-4	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001 mg/L			10/26/2015	0
10/21/2015	MW-4	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/21/2015	MW-4	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/26/2015	0
10/21/2015	MW-4	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/28/2015	0
10/21/2015	MW-4	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/21/2015	MW-4	Zinc, Dissolved	FALSE	0.036		0.01	0.03 mg/L			12/7/2015	0
10/21/2015	MW-4	Ammonia as N	FALSE	0.33		0.01	0.05 mg/L			11/12/2015	0
10/21/2015	MW-4	Chloride	FALSE	12.76		0.05	0.25 mg/L			11/10/2015	0
10/21/2015	MW-4	Hardness	FALSE	1470.6		3	10 mg/L			11/30/2015	0
10/21/2015	MW-4	Nitrate	TRUE	0		0.01	0.05 mg/L			10/23/2015	0
10/21/2015	MW-4	Sulfate	FALSE	1037.71		0.06	0.3 mg/L			11/10/2015	0
10/21/2015	MW-4	Total Dissolved Solids (TDS)	FALSE	1808		10	10 mg/L			10/26/2015	0
10/21/2015	MW-4	Conductivity	FALSE	2070		0	0 UMHOS			10/21/2015	0
10/21/2015	MW-4	Groundwater Elevation	FALSE	211.42		0	0 Feet			10/21/2015	0
10/21/2015	MW-4	Oxidation Reduction Potential	FALSE	-128		0	0 mv			10/21/2015	0
10/21/2015	MW-4	pH	FALSE	6.08		0	0 S.U.			10/21/2015	0
10/21/2015	MW-4	Sample Time	FALSE	1110		0	0 hours			11/30/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-4	Temperature	FALSE	18.02		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-4	Turbidity	FALSE	9.88		0		0 NTU		10/21/2015	0
10/21/2015	MW-5	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-5	Barium, Dissolved	FALSE	0.092		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-5	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-5	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-5	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-5	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-5	Iron, Dissolved	FALSE	5.79		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-5	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-5	Manganese, Dissolved	FALSE	1.74		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-5	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-5	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-5	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-5	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/21/2015	MW-5	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-5	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/21/2015	MW-5	Ammonia as N	FALSE	0.32		0.01		0.05 mg/L		11/12/2015	0
10/21/2015	MW-5	Chloride	FALSE	9.45		0.05		0.25 mg/L		11/16/2015	0
10/21/2015	MW-5	Hardness	FALSE	273.6		3		10 mg/L		11/30/2015	0
10/21/2015	MW-5	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0
10/21/2015	MW-5	Sulfate	FALSE	57.04		0.06		0.3 mg/L		11/10/2015	0
10/21/2015	MW-5	Total Dissolved Solids (TDS)	FALSE	304		10		10 mg/L		10/26/2015	0
10/21/2015	MW-5	Conductivity	FALSE	507		0		0 UMHOS		10/21/2015	0
10/21/2015	MW-5	Groundwater Elevation	FALSE	211.51		0		0 Feet		10/21/2015	0
10/21/2015	MW-5	Oxidation Reduction Potential	FALSE	-116		0		0 mv		10/21/2015	0
10/21/2015	MW-5	pH	FALSE	6.66		0		0 S.U.		10/21/2015	0
10/21/2015	MW-5	Sample Time	FALSE	1155		0		0 hours		11/30/2015	0
10/21/2015	MW-5	Temperature	FALSE	17.84		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-5	Turbidity	FALSE	4.49		0		0 NTU		10/21/2015	0
10/21/2015	MW-6	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-6	Barium, Dissolved	FALSE	0.028		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-6	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-6	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-6	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-6	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-6	Iron, Dissolved	FALSE	0.09		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-6	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-6	Manganese, Dissolved	FALSE	2.11		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-6	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-6	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-6	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-6	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/21/2015	MW-6	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-6	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/21/2015	MW-6	Ammonia as N	FALSE	0.02		0.01		0.05 mg/L		11/12/2015	0
10/21/2015	MW-6	Chloride	FALSE	6.54		0.05		0.25 mg/L		11/10/2015	0
10/21/2015	MW-6	Hardness	FALSE	205.2		3		10 mg/L		11/30/2015	0
10/21/2015	MW-6	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-6	Sulfate	FALSE	159.52		0.06		0.3 mg/L		11/10/2015	0
10/21/2015	MW-6	Total Dissolved Solids (TDS)	FALSE	275.5		10		10 mg/L		10/26/2015	0
10/21/2015	MW-6	Conductivity	FALSE	404		0		0 UMHOS		10/21/2015	0
10/21/2015	MW-6	Groundwater Elevation	FALSE	211.24		0		0 Feet		10/21/2015	0
10/21/2015	MW-6	Oxidation Reduction Potential	FALSE	143		0		0 mv		10/21/2015	0
10/21/2015	MW-6	pH	FALSE	5.72		0		0 S.U.		10/21/2015	0
10/21/2015	MW-6	Sample Time	FALSE	1410		0		0 hours		11/30/2015	0
10/21/2015	MW-6	Temperature	FALSE	16.21		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-6	Turbidity	FALSE	6.7		0		0 NTU		10/21/2015	0
10/21/2015	MW-7	Arsenic, Dissolved	FALSE	0.19		0.002		0.01 mg/L		11/10/2015	0
10/21/2015	MW-7	Barium, Dissolved	FALSE	0.369		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-7	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-7	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-7	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-7	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-7	Iron, Dissolved	FALSE	1.2		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-7	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-7	Manganese, Dissolved	FALSE	1.58		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-7	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-7	Molybdenum, Dissolved	FALSE	0.051		0.001		0.005 mg/L		10/28/2015	0
10/21/2015	MW-7	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-7	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/21/2015	MW-7	Vanadium, Dissolved	FALSE	0.014		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-7	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/21/2015	MW-7	Ammonia as N	FALSE	0.4		0.01		0.05 mg/L		11/12/2015	0
10/21/2015	MW-7	Chloride	FALSE	4.35		0.05		0.25 mg/L		11/10/2015	0
10/21/2015	MW-7	Hardness	FALSE	273.6		3		10 mg/L		11/30/2015	0
10/21/2015	MW-7	Nitrate	FALSE	0.03		0.01		0.05 mg/L		10/23/2015	0
10/21/2015	MW-7	Sulfate	FALSE	52.5		0.06		0.3 mg/L		11/10/2015	0
10/21/2015	MW-7	Total Dissolved Solids (TDS)	FALSE	374		10		10 mg/L		10/26/2015	0
10/21/2015	MW-7	Conductivity	FALSE	627		0		0 UMHOS		10/21/2015	0
10/21/2015	MW-7	Groundwater Elevation	FALSE	233.43		0		0 Feet		10/21/2015	0
10/21/2015	MW-7	Oxidation Reduction Potential	FALSE	-144		0		0 mv		10/21/2015	0
10/21/2015	MW-7	pH	FALSE	7.59		0		0 S.U.		10/21/2015	0
10/21/2015	MW-7	Sample Time	FALSE	1410		0		0 hours		11/30/2015	0
10/21/2015	MW-7	Temperature	FALSE	16.3		0		0 Degrees C		10/21/2015	0
10/21/2015	MW-7	Turbidity	FALSE	18.6		0		0 NTU		10/21/2015	0
10/21/2015	MW-8	Arsenic, Dissolved	FALSE	0.042		0.002		0.01 mg/L		10/26/2015	0
10/21/2015	MW-8	Barium, Dissolved	FALSE	0.614		0.003		0.015 mg/L		10/27/2015	0
10/21/2015	MW-8	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/21/2015	MW-8	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-8	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/21/2015	MW-8	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-8	Iron, Dissolved	FALSE	2.66		0.05		0.25 mg/L		12/7/2015	0
10/21/2015	MW-8	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/21/2015	MW-8	Manganese, Dissolved	FALSE	1.32		0.02		0.05 mg/L		12/7/2015	0
10/21/2015	MW-8	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/21/2015	MW-8	Molybdenum, Dissolved	FALSE	0.017		0.001		0.005 mg/L		10/27/2015	0
10/21/2015	MW-8	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/21/2015	MW-8	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/21/2015	MW-8	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	MW-8	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/21/2015	MW-8	Ammonia as N	FALSE	1.3		0.01	0.05	mg/L		11/12/2015	0
10/21/2015	MW-8	Chloride	FALSE	11.49		0.05	0.25	mg/L		11/10/2015	0
10/21/2015	MW-8	Hardness	FALSE	598.5		3	10	mg/L		11/30/2015	0
10/21/2015	MW-8	Nitrate	TRUE	0		0.01	0.05	mg/L		10/23/2015	0
10/21/2015	MW-8	Sulfate	FALSE	76.6		0.06	0.3	mg/L		11/10/2015	0
10/21/2015	MW-8	Total Dissolved Solids (TDS)	FALSE	680.5		10	10	mg/L		10/26/2015	0
10/21/2015	MW-8	Conductivity	FALSE	1134		0	0	UMHOS		10/21/2015	0
10/21/2015	MW-8	Groundwater Elevation	FALSE	232.17		0	0	Feet		10/21/2015	0
10/21/2015	MW-8	Oxidation Reduction Potential	FALSE	-169		0	0	mv		10/21/2015	0
10/21/2015	MW-8	pH	FALSE	7.22		0	0	S.U.		10/21/2015	0
10/21/2015	MW-8	Sample Time	FALSE	1220		0	0	hours		11/30/2015	0
10/21/2015	MW-8	Temperature	FALSE	16.85		0	0	Degrees C		10/21/2015	0
10/21/2015	MW-8	Turbidity	FALSE	4.05		0	0	NTU		10/21/2015	0
10/21/2015	W-3	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	W-3	Barium, Dissolved	FALSE	0.056		0.003	0.015	mg/L		10/27/2015	0
10/21/2015	W-3	Cadmium, Dissolved	FALSE	0.0004 J		0.0003	0.0015	mg/L		10/26/2015	0
10/21/2015	W-3	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	W-3	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0
10/21/2015	W-3	Copper, Dissolved	FALSE	0.003 J		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	W-3	Iron, Dissolved	FALSE	0.12 J		0.05	0.25	mg/L		12/7/2015	0
10/21/2015	W-3	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/21/2015	W-3	Manganese, Dissolved	FALSE	5.12		0.02	0.05	mg/L		12/7/2015	0
10/21/2015	W-3	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001	mg/L		10/26/2015	0
10/21/2015	W-3	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	W-3	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/21/2015	W-3	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/21/2015	W-3	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/21/2015	W-3	Zinc, Dissolved	FALSE	0.019 J		0.01	0.03	mg/L		12/7/2015	0
10/21/2015	W-3	Ammonia as N	FALSE	0.13		0.01	0.05	mg/L		11/13/2015	0
10/21/2015	W-3	Chloride	FALSE	20.88		0.05	0.25	mg/L		11/10/2015	0
10/21/2015	W-3	Hardness	FALSE	201.78		3	10	mg/L		11/30/2015	0
10/21/2015	W-3	Nitrate	FALSE	0.05		0.01	0.05	mg/L		10/23/2015	0
10/21/2015	W-3	Sulfate	FALSE	34.65		0.06	0.3	mg/L		11/10/2015	0
10/21/2015	W-3	Total Dissolved Solids (TDS)	FALSE	251.5		10	10	mg/L		10/26/2015	0
10/21/2015	W-3	Conductivity	FALSE	451		0	0	UMHOS		10/21/2015	0
10/21/2015	W-3	Groundwater Elevation	FALSE	252.42		0	0	Feet		10/21/2015	0
10/21/2015	W-3	Oxidation Reduction Potential	FALSE	47		0	0	mv		10/21/2015	0
10/21/2015	W-3	pH	FALSE	5.88		0	0	S.U.		10/21/2015	0
10/21/2015	W-3	Sample Time	FALSE	1100		0	0	hours		11/30/2015	0
10/21/2015	W-3	Temperature	FALSE	15.73		0	0	Degrees C		10/21/2015	0
10/21/2015	W-3	Turbidity	FALSE	173		0	0	NTU		10/21/2015	0
10/22/2015	MW-1	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/22/2015	MW-1	Barium, Dissolved	FALSE	0.009 J		0.003	0.015	mg/L		10/27/2015	0
10/22/2015	MW-1	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/22/2015	MW-1	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/22/2015	MW-1	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/22/2015	MW-1	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/22/2015	MW-1	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			12/7/2015	0
10/22/2015	MW-1	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/22/2015	MW-1	Manganese, Dissolved	FALSE	0.1		0.02	0.05 mg/L			12/7/2015	0
10/22/2015	MW-1	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001 mg/L			10/26/2015	0
10/22/2015	MW-1	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/22/2015	MW-1	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/26/2015	0
10/22/2015	MW-1	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/28/2015	0
10/22/2015	MW-1	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/22/2015	MW-1	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/7/2015	0
10/22/2015	MW-1	Ammonia as N	TRUE	0		0.01	0.05 mg/L			11/12/2015	0
10/22/2015	MW-1	Chloride	FALSE	1.71		0.05	0.25 mg/L			11/10/2015	0
10/22/2015	MW-1	Hardness	FALSE	17.1		3	10 mg/L			11/30/2015	0
10/22/2015	MW-1	Nitrate	FALSE	0.16		0.01	0.05 mg/L			10/23/2015	0
10/22/2015	MW-1	Sulfate	FALSE	1.66		0.06	0.3 mg/L			11/10/2015	0
10/22/2015	MW-1	Total Dissolved Solids (TDS)	FALSE	39		10	10 mg/L			10/26/2015	0
10/22/2015	MW-1	Conductivity	FALSE	53		0	0 UMHOS			10/22/2015	0
10/22/2015	MW-1	Groundwater Elevation	FALSE	215.4		0	0 Feet			10/22/2015	0
10/22/2015	MW-1	Oxidation Reduction Potential	FALSE	85		0	0 mv			10/22/2015	0
10/22/2015	MW-1	pH	FALSE	5.99		0	0 S.U.			10/22/2015	0
10/22/2015	MW-1	Sample Time	FALSE	1220		0	0 hours			11/30/2015	0
10/22/2015	MW-1	Temperature	FALSE	18.29		0	0 Degrees C			10/22/2015	0
10/22/2015	MW-1	Turbidity	FALSE	1.66		0	0 NTU			10/22/2015	0
10/22/2015	MW-11	Arsenic, Dissolved	TRUE	0		0.002	0.01 mg/L			10/26/2015	0
10/22/2015	MW-11	Barium, Dissolved	TRUE	0		0.003	0.015 mg/L			10/27/2015	0
10/22/2015	MW-11	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			10/26/2015	0
10/22/2015	MW-11	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/22/2015	MW-11	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L			10/29/2015	0
10/22/2015	MW-11	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/22/2015	MW-11	Iron, Dissolved	FALSE	0.06 J		0.05	0.25 mg/L			12/7/2015	0
10/22/2015	MW-11	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			10/26/2015	0
10/22/2015	MW-11	Manganese, Dissolved	TRUE	0		0.02	0.05 mg/L			12/7/2015	0
10/22/2015	MW-11	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001 mg/L			10/26/2015	0
10/22/2015	MW-11	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			10/27/2015	0
10/22/2015	MW-11	Selenium, Dissolved	TRUE	0		0.002	0.01 mg/L			10/26/2015	0
10/22/2015	MW-11	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			10/28/2015	0
10/22/2015	MW-11	Vanadium, Dissolved	FALSE	0.009		0.001	0.005 mg/L			10/27/2015	0
10/22/2015	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.03 mg/L			12/7/2015	0
10/22/2015	MW-11	Ammonia as N	TRUE	0		0.01	0.05 mg/L			11/12/2015	0
10/22/2015	MW-11	Chloride	FALSE	8.58		0.05	0.25 mg/L			11/10/2015	0
10/22/2015	MW-11	Hardness	FALSE	129.96		3	10 mg/L			11/30/2015	0
10/22/2015	MW-11	Nitrate	FALSE	0.03 J		0.01	0.05 mg/L			10/23/2015	0
10/22/2015	MW-11	Sulfate	FALSE	6.95		0.06	0.3 mg/L			11/10/2015	0
10/22/2015	MW-11	Total Dissolved Solids (TDS)	FALSE	118		10	10 mg/L			10/26/2015	0
10/22/2015	MW-11	Conductivity	FALSE	213		0	0 UMHOS			10/22/2015	0
10/22/2015	MW-11	Groundwater Elevation	FALSE	302.28		0	0 Feet			10/22/2015	0
10/22/2015	MW-11	Oxidation Reduction Potential	FALSE	158		0	0 mv			10/22/2015	0
10/22/2015	MW-11	pH	FALSE	6.21		0	0 S.U.			10/22/2015	0
10/22/2015	MW-11	Sample Time	FALSE	1300		0	0 hours			11/30/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/22/2015	MW-11	Temperature	FALSE	15.25		0		0 Degrees C		10/22/2015	0
10/22/2015	MW-11	Turbidity	FALSE	12.2		0		0 NTU		10/22/2015	0
10/22/2015	MW-12	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-12	Barium, Dissolved	FALSE	0.047		0.003		0.015 mg/L		10/27/2015	0
10/22/2015	MW-12	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/22/2015	MW-12	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-12	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/22/2015	MW-12	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-12	Iron, Dissolved	FALSE	2.76		0.05		0.25 mg/L		12/7/2015	0
10/22/2015	MW-12	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-12	Manganese, Dissolved	FALSE	0.46		0.02		0.05 mg/L		12/7/2015	0
10/22/2015	MW-12	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/22/2015	MW-12	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-12	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-12	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/22/2015	MW-12	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-12	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/22/2015	MW-12	Ammonia as N	FALSE	0.04		0.01		0.05 mg/L		11/12/2015	0
10/22/2015	MW-12	Chloride	FALSE	17.37		0.05		0.25 mg/L		11/10/2015	0
10/22/2015	MW-12	Hardness	FALSE	177.84		3		10 mg/L		11/30/2015	0
10/22/2015	MW-12	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0
10/22/2015	MW-12	Sulfate	FALSE	126.77		0.06		0.3 mg/L		11/10/2015	0
10/22/2015	MW-12	Total Dissolved Solids (TDS)	FALSE	260.5		10		10 mg/L		10/26/2015	0
10/22/2015	MW-12	Conductivity	FALSE	402		0		0 UMHOS		10/22/2015	0
10/22/2015	MW-12	Groundwater Elevation	FALSE	201.49		0		0 Feet		10/22/2015	0
10/22/2015	MW-12	Oxidation Reduction Potential	FALSE	-43		0		0 mv		10/22/2015	0
10/22/2015	MW-12	pH	FALSE	5.68		0		0 S.U.		10/22/2015	0
10/22/2015	MW-12	Sample Time	FALSE	1050		0		0 hours		11/30/2015	0
10/22/2015	MW-12	Temperature	FALSE	14.98		0		0 Degrees C		10/22/2015	0
10/22/2015	MW-12	Turbidity	FALSE	8.04		0		0 NTU		10/22/2015	0
10/22/2015	MW-13	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-13	Barium, Dissolved	FALSE	0.181		0.003		0.015 mg/L		10/27/2015	0
10/22/2015	MW-13	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/22/2015	MW-13	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-13	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/22/2015	MW-13	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-13	Iron, Dissolved	FALSE	26.33		0.05		0.25 mg/L		12/7/2015	0
10/22/2015	MW-13	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-13	Manganese, Dissolved	FALSE	1.06		0.02		0.05 mg/L		12/7/2015	0
10/22/2015	MW-13	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/22/2015	MW-13	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-13	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-13	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/22/2015	MW-13	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-13	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/22/2015	MW-13	Ammonia as N	FALSE	0.4		0.01		0.05 mg/L		11/13/2015	0
10/22/2015	MW-13	Chloride	FALSE	73.65		0.05		0.25 mg/L		11/10/2015	0
10/22/2015	MW-13	Hardness	FALSE	222.3		3		10 mg/L		11/30/2015	0
10/22/2015	MW-13	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/22/2015	MW-13	Sulfate	FALSE	116.42		0.06		0.3 mg/L		11/10/2015	0
10/22/2015	MW-13	Total Dissolved Solids (TDS)	FALSE	379		10		10 mg/L		10/26/2015	0
10/22/2015	MW-13	Conductivity	FALSE	606		0		0 UMHOS		10/22/2015	0
10/22/2015	MW-13	Groundwater Elevation	FALSE	207.07		0		0 Feet		10/22/2015	0
10/22/2015	MW-13	Oxidation Reduction Potential	FALSE	-33		0		0 mv		10/22/2015	0
10/22/2015	MW-13	pH	FALSE	5.75		0		0 S.U.		10/22/2015	0
10/22/2015	MW-13	Sample Time	FALSE	1135		0		0 hours		11/30/2015	0
10/22/2015	MW-13	Temperature	FALSE	15.14		0		0 Degrees C		10/22/2015	0
10/22/2015	MW-13	Turbidity	FALSE	8.77		0		0 NTU		10/22/2015	0
10/22/2015	MW-2	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-2	Barium, Dissolved	FALSE	0.03		0.003		0.015 mg/L		10/27/2015	0
10/22/2015	MW-2	Cadmium, Dissolved	FALSE	0.0003 J		0.0003		0.0015 mg/L		10/26/2015	0
10/22/2015	MW-2	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-2	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/22/2015	MW-2	Copper, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-2	Iron, Dissolved	FALSE	0.08 J		0.05		0.25 mg/L		12/7/2015	0
10/22/2015	MW-2	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-2	Manganese, Dissolved	FALSE	0.61		0.02		0.05 mg/L		12/7/2015	0
10/22/2015	MW-2	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/22/2015	MW-2	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-2	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-2	Silver, Dissolved	TRUE	0		0.0001		0.0004 mg/L		10/28/2015	0
10/22/2015	MW-2	Vanadium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-2	Zinc, Dissolved	TRUE	0		0.01		0.03 mg/L		12/7/2015	0
10/22/2015	MW-2	Ammonia as N	TRUE	0		0.01		0.05 mg/L		11/12/2015	0
10/22/2015	MW-2	Chloride	FALSE	19.94		0.05		0.25 mg/L		11/16/2015	0
10/22/2015	MW-2	Hardness	FALSE	184.68		3		10 mg/L		11/30/2015	0
10/22/2015	MW-2	Nitrate	TRUE	0		0.01		0.05 mg/L		10/23/2015	0
10/22/2015	MW-2	Sulfate	FALSE	100.94		0.06		0.3 mg/L		11/10/2015	0
10/22/2015	MW-2	Total Dissolved Solids (TDS)	FALSE	235.5		10		10 mg/L		10/26/2015	0
10/22/2015	MW-2	Conductivity	FALSE	363		0		0 UMHOS		10/22/2015	0
10/22/2015	MW-2	Groundwater Elevation	FALSE	209.77		0		0 Feet		10/22/2015	0
10/22/2015	MW-2	Oxidation Reduction Potential	FALSE	131		0		0 mv		10/22/2015	0
10/22/2015	MW-2	pH	FALSE	5.59		0		0 S.U.		10/22/2015	0
10/22/2015	MW-2	Sample Time	FALSE	1040		0		0 hours		11/30/2015	0
10/22/2015	MW-2	Temperature	FALSE	16.37		0		0 Degrees C		10/22/2015	0
10/22/2015	MW-2	Turbidity	FALSE	1.12		0		0 NTU		10/22/2015	0
10/22/2015	MW-3	Arsenic, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0
10/22/2015	MW-3	Barium, Dissolved	FALSE	0.054		0.003		0.015 mg/L		10/27/2015	0
10/22/2015	MW-3	Cadmium, Dissolved	TRUE	0		0.0003		0.0015 mg/L		10/26/2015	0
10/22/2015	MW-3	Chromium, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L		10/29/2015	0
10/22/2015	MW-3	Copper, Dissolved	FALSE	0.001 J		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-3	Iron, Dissolved	FALSE	2.36		0.05		0.25 mg/L		12/7/2015	0
10/22/2015	MW-3	Lead, Dissolved	TRUE	0		0.001		0.005 mg/L		10/26/2015	0
10/22/2015	MW-3	Manganese, Dissolved	FALSE	0.68		0.02		0.05 mg/L		12/7/2015	0
10/22/2015	MW-3	Mercury, Dissolved	TRUE	0		5.00E-05		0.0001 mg/L		10/26/2015	0
10/22/2015	MW-3	Molybdenum, Dissolved	TRUE	0		0.001		0.005 mg/L		10/27/2015	0
10/22/2015	MW-3	Selenium, Dissolved	TRUE	0		0.002		0.01 mg/L		10/26/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/22/2015	MW-3	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/22/2015	MW-3	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/22/2015	MW-3	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/22/2015	MW-3	Ammonia as N	FALSE	0.04	J	0.01	0.05	mg/L		11/12/2015	0
10/22/2015	MW-3	Chloride	FALSE	3.57		0.05	0.25	mg/L		11/10/2015	0
10/22/2015	MW-3	Hardness	FALSE	44.46		3	10	mg/L		11/30/2015	0
10/22/2015	MW-3	Nitrate	TRUE	0		0.01	0.05	mg/L		10/23/2015	0
10/22/2015	MW-3	Sulfate	FALSE	38.75		0.06	0.3	mg/L		11/10/2015	0
10/22/2015	MW-3	Total Dissolved Solids (TDS)	FALSE	116.5		10	10	mg/L		10/26/2015	0
10/22/2015	MW-3	Conductivity	FALSE	145		0	0	UMHOS		10/22/2015	0
10/22/2015	MW-3	Groundwater Elevation	FALSE	209.46		0	0	Feet		10/22/2015	0
10/22/2015	MW-3	Oxidation Reduction Potential	FALSE	5		0	0	mv		10/22/2015	0
10/22/2015	MW-3	pH	FALSE	5.17		0	0	S.U.		10/22/2015	0
10/22/2015	MW-3	Sample Time	FALSE	1255		0	0	hours		11/30/2015	0
10/22/2015	MW-3	Temperature	FALSE	17.68		0	0	Degrees C		10/22/2015	0
10/22/2015	MW-3	Turbidity	FALSE	0.8		0	0	NTU		10/22/2015	0
10/22/2015	MW-9	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/22/2015	MW-9	Barium, Dissolved	FALSE	0.042		0.003	0.015	mg/L		10/27/2015	0
10/22/2015	MW-9	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/22/2015	MW-9	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/22/2015	MW-9	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0
10/22/2015	MW-9	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/22/2015	MW-9	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		12/7/2015	0
10/22/2015	MW-9	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/22/2015	MW-9	Manganese, Dissolved	TRUE	0		0.02	0.05	mg/L		12/7/2015	0
10/22/2015	MW-9	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001	mg/L		10/26/2015	0
10/22/2015	MW-9	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/22/2015	MW-9	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/22/2015	MW-9	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/22/2015	MW-9	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/22/2015	MW-9	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/22/2015	MW-9	Ammonia as N	FALSE	0.02	J	0.01	0.05	mg/L		11/12/2015	0
10/22/2015	MW-9	Chloride	FALSE	6.72		0.05	0.25	mg/L		11/10/2015	0
10/22/2015	MW-9	Hardness	FALSE	61.56		3	10	mg/L		11/30/2015	0
10/22/2015	MW-9	Nitrate	FALSE	0.11		0.01	0.05	mg/L		10/23/2015	0
10/22/2015	MW-9	Sulfate	FALSE	11.68		0.06	0.3	mg/L		11/10/2015	0
10/22/2015	MW-9	Total Dissolved Solids (TDS)	FALSE	82.5		10	10	mg/L		10/26/2015	0
10/22/2015	MW-9	Conductivity	FALSE	120		0	0	UMHOS		10/22/2015	0
10/22/2015	MW-9	Groundwater Elevation	FALSE	318.2		0	0	Feet		10/22/2015	0
10/22/2015	MW-9	Oxidation Reduction Potential	FALSE	146		0	0	mv		10/22/2015	0
10/22/2015	MW-9	pH	FALSE	6.11		0	0	S.U.		10/22/2015	0
10/22/2015	MW-9	Sample Time	FALSE	1150		0	0	hours		11/30/2015	0
10/22/2015	MW-9	Temperature	FALSE	14.68		0	0	Degrees C		10/22/2015	0
10/22/2015	MW-9	Turbidity	FALSE	9.5		0	0	NTU		10/22/2015	0
10/22/2015	VPDES	Arsenic, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/22/2015	VPDES	Barium, Dissolved	FALSE	0.063		0.003	0.015	mg/L		10/27/2015	0
10/22/2015	VPDES	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		10/26/2015	0
10/22/2015	VPDES	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/22/2015	VPDES	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L		10/29/2015	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/22/2015	VPDES	Copper, Dissolved	FALSE	0.002	J	0.001	0.005	mg/L		10/26/2015	0
10/22/2015	VPDES	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		12/7/2015	0
10/22/2015	VPDES	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		10/26/2015	0
10/22/2015	VPDES	Manganese, Dissolved	FALSE	0.74		0.02	0.05	mg/L		12/7/2015	0
10/22/2015	VPDES	Mercury, Dissolved	TRUE	0		5.00E-05	0.0001	mg/L		10/26/2015	0
10/22/2015	VPDES	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/22/2015	VPDES	Selenium, Dissolved	TRUE	0		0.002	0.01	mg/L		10/26/2015	0
10/22/2015	VPDES	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		10/28/2015	0
10/22/2015	VPDES	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		10/27/2015	0
10/22/2015	VPDES	Zinc, Dissolved	TRUE	0		0.01	0.03	mg/L		12/7/2015	0
10/22/2015	VPDES	Ammonia as N	FALSE	0.01	J	0.01	0.05	mg/L		11/13/2015	0
10/22/2015	VPDES	Chloride	FALSE	3.57		0.05	0.25	mg/L		11/10/2015	0
10/22/2015	VPDES	Hardness	FALSE	218.88		3	10	mg/L		11/30/2015	0
10/22/2015	VPDES	Nitrate	FALSE	0.13		0.01	0.05	mg/L		10/23/2015	0
10/22/2015	VPDES	Sulfate	FALSE	57.81		0.06	0.3	mg/L		11/10/2015	0
10/22/2015	VPDES	Total Dissolved Solids (TDS)	FALSE	253.5		10	10	mg/L		10/26/2015	0
10/22/2015	VPDES	Conductivity	FALSE	378		0	0	UMHOS		10/22/2015	0
10/22/2015	VPDES	Groundwater Elevation	FALSE	0		0	0	Feet		10/22/2015	0
10/22/2015	VPDES	Oxidation Reduction Potential	FALSE	129		0	0	mv		10/22/2015	0
10/22/2015	VPDES	pH	FALSE	5.89		0	0	S.U.		10/22/2015	0
10/22/2015	VPDES	Sample Time	FALSE	1340		0	0	hours		11/30/2015	0
10/22/2015	VPDES	Temperature	FALSE	16.37		0	0	Degrees C		10/22/2015	0
10/22/2015	VPDES	Turbidity	FALSE	5.46		0	0	NTU		10/22/2015	0
3/30/2016	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	FIELD BLANK	Barium, Dissolved	TRUE	0		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	FIELD BLANK	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	FIELD BLANK	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	FIELD BLANK	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	FIELD BLANK	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	FIELD BLANK	Ammonia as N	TRUE	0		0.01	0.05	mg/L		4/20/2016	0
3/30/2016	FIELD BLANK	Chloride	TRUE	0		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	FIELD BLANK	Hardness	TRUE	0		3	10	mg/L		5/11/2016	0
3/30/2016	FIELD BLANK	Nitrate	TRUE	0		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	FIELD BLANK	Sulfate	TRUE	0		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	FIELD BLANK	Total Dissolved Solids (TDS)	TRUE	0		10	10	mg/L		4/1/2016	0
3/30/2016	FIELD BLANK	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/12/2016	0
3/30/2016	FIELD BLANK	Sample Time	FALSE	1100		0	0	hours	Field		0
3/30/2016	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A	3/31/2016	1
3/30/2016	MW-1	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-1	Barium, Dissolved	FALSE	0.012	J	0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-1	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-1	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-1	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-1	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-1	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-1	Manganese, Dissolved	FALSE	0.04 J		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-1	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-1	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-1	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-1	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-1	Zinc, Dissolved	FALSE	0.01 J		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-1	Ammonia as N	TRUE	0		0.01	0.05 mg/L			4/14/2016	0
3/30/2016	MW-1	Chloride	FALSE	2.57		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-1	Hardness	FALSE	23.94		3	10 mg/L			5/11/2016	0
3/30/2016	MW-1	Nitrate	FALSE	0.06		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-1	Sulfate	FALSE	1.34		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-1	Total Dissolved Solids (TDS)	FALSE	27		10	10 mg/L			4/1/2016	0
3/30/2016	MW-1	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-1	Conductivity	FALSE	50		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-1	Groundwater Elevation	FALSE	216.56		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-1	Oxidation Reduction Potential	FALSE	123		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-1	pH	FALSE	5.79		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-1	Sample Time	FALSE	1420		0	0 hours	Field			0
3/30/2016	MW-1	Temperature	FALSE	15.41		0	0 Degrees C	Field		3/30/2016	0
3/30/2016	MW-1	Turbidity	FALSE	2.81		0	0 NTU	Field			0
3/30/2016	MW-1	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A			1
3/30/2016	MW-1 DUP	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-1 DUP	Barium, Dissolved	FALSE	0.014 J		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-1 DUP	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-1 DUP	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-1 DUP	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-1 DUP	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-1 DUP	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-1 DUP	Manganese, Dissolved	FALSE	0.04 J		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-1 DUP	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-1 DUP	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-1 DUP	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-1 DUP	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-1 DUP	Zinc, Dissolved	TRUE	0		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-1 DUP	Ammonia as N	TRUE	0		0.01	0.05 mg/L			4/14/2016	0
3/30/2016	MW-1 DUP	Chloride	FALSE	2.64		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-1 DUP	Hardness	FALSE	20.52		3	10 mg/L			5/11/2016	0
3/30/2016	MW-1 DUP	Nitrate	FALSE	0.06		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-1 DUP	Sulfate	FALSE	1.38		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-1 DUP	Total Dissolved Solids (TDS)	FALSE	27		10	10 mg/L			4/1/2016	0
3/30/2016	MW-1 DUP	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/12/2016	0
3/30/2016	MW-1 DUP	Conductivity	FALSE	50		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-1 DUP	Groundwater Elevation	FALSE	216.56		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-1 DUP	Oxidation Reduction Potential	FALSE	122		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-1 DUP	pH	FALSE	5.77		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-1 DUP	Sample Time	FALSE	1425		0	0 hours	Field			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-1 DUP	Temperature	FALSE	15.34		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	MW-1 DUP	Turbidity	FALSE	2.79		0	0	NTU	Field		0
3/30/2016	MW-1 DUP	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	MW-10	Arsenic, Dissolved	FALSE	0.003	J	0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-10	Barium, Dissolved	FALSE	0.084		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-10	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-10	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-10	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-10	Iron, Dissolved	FALSE	18.06		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-10	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-10	Manganese, Dissolved	FALSE	3.2		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-10	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-10	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-10	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	MW-10	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	MW-10	Zinc, Dissolved	TRUE	0		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	MW-10	Ammonia as N	FALSE	1.83		0.01	0.05	mg/L		4/14/2016	0
3/30/2016	MW-10	Chloride	FALSE	13.1		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	MW-10	Hardness	FALSE	249.66		3	10	mg/L		5/11/2016	0
3/30/2016	MW-10	Nitrate	TRUE	0		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	MW-10	Sulfate	FALSE	17.22		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	MW-10	Total Dissolved Solids (TDS)	FALSE	290		10	10	mg/L		4/1/2016	0
3/30/2016	MW-10	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-10	Conductivity	FALSE	544		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	MW-10	Groundwater Elevation	FALSE	234.4		0	0	Feet	Field	3/30/2016	0
3/30/2016	MW-10	Oxidation Reduction Potential	FALSE	-202		0	0	mV	Field	3/30/2016	0
3/30/2016	MW-10	pH	FALSE	6.2		0	0	S.U.	Field	3/30/2016	0
3/30/2016	MW-10	Sample Time	FALSE	1155		0	0	hours	Field		0
3/30/2016	MW-10	Temperature	FALSE	14.47		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	MW-10	Turbidity	FALSE	89.7		0	0	NTU	Field		0
3/30/2016	MW-10	Chromium (hexavalent)	TRUE	0		0.05	0.05	mg/L	SW7196A		1
3/30/2016	MW-11	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-11	Barium, Dissolved	TRUE	0		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-11	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-11	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-11	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-11	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-11	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-11	Manganese, Dissolved	TRUE	0		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-11	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-11	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-11	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	MW-11	Vanadium, Dissolved	FALSE	0.008		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	MW-11	Ammonia as N	TRUE	0		0.01	0.05	mg/L		4/20/2016	0
3/30/2016	MW-11	Chloride	FALSE	8.42		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	MW-11	Hardness	FALSE	111.15		3	10	mg/L		5/11/2016	0
3/30/2016	MW-11	Nitrate	FALSE	0.03	J	0.01	0.05	mg/L		3/31/2016	0
3/30/2016	MW-11	Sulfate	FALSE	6.08		0.06	0.3	mg/L		4/21/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-11	Total Dissolved Solids (TDS)	FALSE	136.5		10		10 mg/L		4/1/2016	0
3/30/2016	MW-11	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-11	Conductivity	FALSE	210		0		0 UMHOS	Field	3/30/2016	0
3/30/2016	MW-11	Groundwater Elevation	FALSE	305.65		0		0 Feet	Field	3/30/2016	0
3/30/2016	MW-11	Oxidation Reduction Potential	FALSE	132		0		0 mV	Field	3/30/2016	0
3/30/2016	MW-11	pH	FALSE	6.28		0		0 S.U.	Field	3/30/2016	0
3/30/2016	MW-11	Sample Time	FALSE	1530		0		0 hours	Field		0
3/30/2016	MW-11	Temperature	FALSE	16.64		0		0 Degrees C	Field	3/30/2016	0
3/30/2016	MW-11	Turbidity	FALSE	7.01		0		0 NTU	Field		0
3/30/2016	MW-11	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	MW-12	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-12	Barium, Dissolved	FALSE	0.088		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-12	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-12	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-12	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-12	Iron, Dissolved	FALSE	1.99		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-12	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-12	Manganese, Dissolved	FALSE	0.5		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-12	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-12	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-12	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	MW-12	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	MW-12	Ammonia as N	FALSE	0.04		0.01	0.05	mg/L		4/20/2016	0
3/30/2016	MW-12	Chloride	FALSE	16.48		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	MW-12	Hardness	FALSE	177.84		3	10	mg/L		5/11/2016	0
3/30/2016	MW-12	Nitrate	TRUE	0		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	MW-12	Sulfate	FALSE	127.39		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	MW-12	Total Dissolved Solids (TDS)	FALSE	251		10	10	mg/L		4/1/2016	0
3/30/2016	MW-12	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-12	Conductivity	FALSE	398		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	MW-12	Groundwater Elevation	FALSE	203.15		0	0	Feet	Field	3/30/2016	0
3/30/2016	MW-12	Oxidation Reduction Potential	FALSE	-25		0	0	mV	Field	3/30/2016	0
3/30/2016	MW-12	pH	FALSE	6.31		0	0	S.U.	Field	3/30/2016	0
3/30/2016	MW-12	Sample Time	FALSE	1235		0	0	hours	Field		0
3/30/2016	MW-12	Temperature	FALSE	15.49		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	MW-12	Turbidity	FALSE	9.81		0	0	NTU	Field		0
3/30/2016	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	MW-13	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-13	Barium, Dissolved	FALSE	0.084		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-13	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-13	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-13	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-13	Iron, Dissolved	FALSE	6.08		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-13	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-13	Manganese, Dissolved	FALSE	1.67		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-13	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-13	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-13	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-13	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-13	Zinc, Dissolved	FALSE	0.012 J		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-13	Ammonia as N	FALSE	0.08		0.01	0.05 mg/L			4/20/2016	0
3/30/2016	MW-13	Chloride	FALSE	27.44		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-13	Hardness	FALSE	205.2		3	10 mg/L			5/11/2016	0
3/30/2016	MW-13	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-13	Sulfate	FALSE	195.39		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-13	Total Dissolved Solids (TDS)	FALSE	361.5		10	10 mg/L			4/1/2016	0
3/30/2016	MW-13	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-13	Conductivity	FALSE	525		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-13	Groundwater Elevation	FALSE	209.44		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-13	Oxidation Reduction Potential	FALSE	5		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-13	pH	FALSE	5.99		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-13	Sample Time	FALSE	1335		0	0 hours	Field			0
3/30/2016	MW-13	Temperature	FALSE	13.5		0	0 Degrees C	Field		3/30/2016	0
3/30/2016	MW-13	Turbidity	FALSE	8.2		0	0 NTU	Field			0
3/30/2016	MW-13	Chromium (hexavalent)	TRUE	0		0.025	0.025 mg/L	SW7196A			1
3/30/2016	MW-14	Arsenic, Dissolved	FALSE	0.003 J		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-14	Barium, Dissolved	FALSE	0.088		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-14	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-14	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-14	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-14	Iron, Dissolved	FALSE	9.2		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-14	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-14	Manganese, Dissolved	FALSE	0.73		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-14	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-14	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-14	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-14	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-14	Zinc, Dissolved	FALSE	0.01 J		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-14	Ammonia as N	FALSE	0.15		0.01	0.05 mg/L			4/20/2016	0
3/30/2016	MW-14	Chloride	FALSE	8.02		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-14	Hardness	FALSE	147.06		3	10 mg/L			5/11/2016	0
3/30/2016	MW-14	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-14	Sulfate	FALSE	1.26		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-14	Total Dissolved Solids (TDS)	FALSE	226		10	10 mg/L			4/1/2016	0
3/30/2016	MW-14	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-14	Conductivity	FALSE	415		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-14	Groundwater Elevation	FALSE	205.68		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-14	Oxidation Reduction Potential	FALSE	-22		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-14	pH	FALSE	6.24		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-14	Sample Time	FALSE	1400		0	0 hours	Field			0
3/30/2016	MW-14	Temperature	FALSE	16.9		0	0 Degrees C	Field		3/30/2016	0
3/30/2016	MW-14	Turbidity	FALSE	1.3		0	0 NTU	Field			0
3/30/2016	MW-14	Chromium (hexavalent)	TRUE	0		0.025	0.025 mg/L	SW7196A			1
3/30/2016	MW-15	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-15	Barium, Dissolved	FALSE	0.064		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-15	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-15	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-15	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-15	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-15	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-15	Manganese, Dissolved	FALSE	0.49		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-15	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-15	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-15	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-15	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-15	Zinc, Dissolved	FALSE	0.011 J		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-15	Ammonia as N	FALSE	0.02 J		0.01	0.05 mg/L			4/20/2016	0
3/30/2016	MW-15	Chloride	FALSE	9.69		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-15	Hardness	FALSE	88.92		3	10 mg/L			5/11/2016	0
3/30/2016	MW-15	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-15	Sulfate	FALSE	10.87		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-15	Total Dissolved Solids (TDS)	FALSE	158		10	10 mg/L			4/1/2016	0
3/30/2016	MW-15	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-15	Conductivity	FALSE	260		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-15	Groundwater Elevation	FALSE	206.4		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-15	Oxidation Reduction Potential	FALSE	103		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-15	pH	FALSE	5.62		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-15	Sample Time	FALSE	1305		0	0 hours	Field			0
3/30/2016	MW-15	Temperature	FALSE	16.87		0	0 Degrees C	Field		3/30/2016	0
3/30/2016	MW-15	Turbidity	FALSE	3.04		0	0 NTU	Field			0
3/30/2016	MW-15	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A			1
3/30/2016	MW-17	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-17	Barium, Dissolved	FALSE	0.057		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-17	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-17	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-17	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-17	Iron, Dissolved	FALSE	0.83		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-17	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-17	Manganese, Dissolved	FALSE	1.54		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-17	Molybdenum, Dissolved	FALSE	0.032		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-17	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-17	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-17	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-17	Zinc, Dissolved	TRUE	0		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-17	Ammonia as N	FALSE	0.02 J		0.01	0.05 mg/L			4/20/2016	0
3/30/2016	MW-17	Chloride	FALSE	5.55		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-17	Hardness	FALSE	198.36		3	10 mg/L			5/11/2016	0
3/30/2016	MW-17	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-17	Sulfate	FALSE	85.02		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-17	Total Dissolved Solids (TDS)	FALSE	269.5		10	10 mg/L			4/1/2016	0
3/30/2016	MW-17	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-17	Conductivity	FALSE	446		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-17	Groundwater Elevation	FALSE	215.97		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-17	Oxidation Reduction Potential	FALSE	-154		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-17	pH	FALSE	5.99		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-17	Sample Time	FALSE	1440		0	0 hours	Field			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-17	Temperature	FALSE	16.09		0		0 Degrees C	Field	3/30/2016	0
3/30/2016	MW-17	Turbidity	FALSE	0.8		0		0 NTU	Field		0
3/30/2016	MW-17	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L		SW7196A		1
3/30/2016	MW-18	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-18	Barium, Dissolved	FALSE	0.165		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-18	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-18	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-18	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-18	Iron, Dissolved	FALSE	15.22		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-18	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-18	Manganese, Dissolved	FALSE	1.59		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-18	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-18	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-18	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-18	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-18	Zinc, Dissolved	TRUE	0		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-18	Ammonia as N	FALSE	0.28		0.01	0.05 mg/L			4/20/2016	0
3/30/2016	MW-18	Chloride	FALSE	15.2		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-18	Hardness	FALSE	232.56		3	10 mg/L			5/11/2016	0
3/30/2016	MW-18	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-18	Sulfate	FALSE	54.4		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-18	Total Dissolved Solids (TDS)	FALSE	314.5		10	10 mg/L			4/1/2016	0
3/30/2016	MW-18	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-18	Conductivity	FALSE	518		0	0 UMHOS		Field	3/30/2016	0
3/30/2016	MW-18	Groundwater Elevation	FALSE	214.07		0	0 Feet		Field	3/30/2016	0
3/30/2016	MW-18	Oxidation Reduction Potential	FALSE	-114		0	0 mV		Field	3/30/2016	0
3/30/2016	MW-18	pH	FALSE	6.39		0	0 S.U.		Field	3/30/2016	0
3/30/2016	MW-18	Sample Time	FALSE	1540		0	0 hours		Field		0
3/30/2016	MW-18	Temperature	FALSE	15.79		0	0 Degrees C		Field	3/30/2016	0
3/30/2016	MW-18	Turbidity	FALSE	5.01		0	0 NTU		Field		0
3/30/2016	MW-18	Chromium (hexavalent)	TRUE	0		0.05	0.05 mg/L		SW7196A		1
3/30/2016	MW-2	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-2	Barium, Dissolved	FALSE	0.028		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-2	Cadmium, Dissolved	FALSE	0.0009 J		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-2	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-2	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-2	Iron, Dissolved	TRUE	0		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-2	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-2	Manganese, Dissolved	FALSE	0.55		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-2	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-2	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-2	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-2	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-2	Zinc, Dissolved	FALSE	0.01 J		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-2	Ammonia as N	TRUE	0		0.01	0.05 mg/L			4/14/2016	0
3/30/2016	MW-2	Chloride	FALSE	16.09		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-2	Hardness	FALSE	129.96		3	10 mg/L			5/11/2016	0
3/30/2016	MW-2	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-2	Sulfate	FALSE	98.92		0.06	0.3 mg/L			4/21/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-2	Total Dissolved Solids (TDS)	FALSE	206.5		10		10 mg/L		4/1/2016	0
3/30/2016	MW-2	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-2	Conductivity	FALSE	327		0		0 UMHOS	Field	3/30/2016	0
3/30/2016	MW-2	Groundwater Elevation	FALSE	211.89		0		0 Feet	Field	3/30/2016	0
3/30/2016	MW-2	Oxidation Reduction Potential	FALSE	-6		0		0 mV	Field	3/30/2016	0
3/30/2016	MW-2	pH	FALSE	6.31		0		0 S.U.	Field	3/30/2016	0
3/30/2016	MW-2	Sample Time	FALSE	1135		0		0 hours	Field		0
3/30/2016	MW-2	Temperature	FALSE	13.06		0		0 Degrees C	Field	3/30/2016	0
3/30/2016	MW-2	Turbidity	FALSE	2.35		0		0 NTU	Field		0
3/30/2016	MW-2	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	MW-3	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-3	Barium, Dissolved	FALSE	0.059		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-3	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-3	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-3	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-3	Iron, Dissolved	FALSE	1.01		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-3	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-3	Manganese, Dissolved	FALSE	0.49		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-3	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-3	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-3	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	MW-3	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	MW-3	Zinc, Dissolved	FALSE	0.013 J		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	MW-3	Ammonia as N	FALSE	0.01 J		0.01	0.05	mg/L		4/14/2016	0
3/30/2016	MW-3	Chloride	FALSE	3.97		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	MW-3	Hardness	FALSE	42.75		3	10	mg/L		5/11/2016	0
3/30/2016	MW-3	Nitrate	FALSE	0.01 J		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	MW-3	Sulfate	FALSE	33.83		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	MW-3	Total Dissolved Solids (TDS)	FALSE	113		10	10	mg/L		4/1/2016	0
3/30/2016	MW-3	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-3	Conductivity	FALSE	145		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	MW-3	Groundwater Elevation	FALSE	211.74		0	0	Feet	Field	3/30/2016	0
3/30/2016	MW-3	Oxidation Reduction Potential	FALSE	52		0	0	mV	Field	3/30/2016	0
3/30/2016	MW-3	pH	FALSE	5.51		0	0	S.U.	Field	3/30/2016	0
3/30/2016	MW-3	Sample Time	FALSE	1550		0	0	hours	Field		0
3/30/2016	MW-3	Temperature	FALSE	13.6		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	MW-3	Turbidity	FALSE	3.6		0	0	NTU	Field		0
3/30/2016	MW-3	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	MW-4	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-4	Barium, Dissolved	FALSE	0.055		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-4	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-4	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-4	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-4	Iron, Dissolved	FALSE	7.96		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-4	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-4	Manganese, Dissolved	FALSE	10.94		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-4	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-4	Selenium, Dissolved	FALSE	0.004 J		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-4	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-4	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-4	Zinc, Dissolved	FALSE	0.045		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-4	Ammonia as N	FALSE	0.22		0.01	0.05 mg/L			4/14/2016	0
3/30/2016	MW-4	Chloride	FALSE	10.3		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-4	Hardness	FALSE	1744.2		3	10 mg/L			5/11/2016	0
3/30/2016	MW-4	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-4	Sulfate	FALSE	1204.09		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-4	Total Dissolved Solids (TDS)	FALSE	2008		10	10 mg/L			4/1/2016	0
3/30/2016	MW-4	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-4	Conductivity	FALSE	2090		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-4	Groundwater Elevation	FALSE	211.97		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-4	Oxidation Reduction Potential	FALSE	-71		0	0 mV	Field		3/30/2016	0
3/30/2016	MW-4	pH	FALSE	5.77		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-4	Sample Time	FALSE	1520		0	0 hours	Field			0
3/30/2016	MW-4	Temperature	FALSE	17.17		0	0 Degrees C	Field		3/30/2016	0
3/30/2016	MW-4	Turbidity	FALSE	12.5		0	0 NTU	Field			0
3/30/2016	MW-4	Chromium (hexavalent)	TRUE	0		0.025	0.025 mg/L	SW7196A			1
3/30/2016	MW-5	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-5	Barium, Dissolved	FALSE	0.096		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-5	Cadmium, Dissolved	TRUE	0		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-5	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-5	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-5	Iron, Dissolved	FALSE	4.26		0.05	0.25 mg/L			5/11/2016	0
3/30/2016	MW-5	Lead, Dissolved	TRUE	0		0.001	0.005 mg/L			4/14/2016	0
3/30/2016	MW-5	Manganese, Dissolved	FALSE	1.83		0.02	0.05 mg/L			5/10/2016	0
3/30/2016	MW-5	Molybdenum, Dissolved	TRUE	0		0.001	0.005 mg/L			4/19/2016	0
3/30/2016	MW-5	Selenium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-5	Silver, Dissolved	TRUE	0		0.0001	0.0004 mg/L			4/18/2016	0
3/30/2016	MW-5	Vanadium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/18/2016	0
3/30/2016	MW-5	Zinc, Dissolved	TRUE	0		0.01	0.025 mg/L			5/10/2016	0
3/30/2016	MW-5	Ammonia as N	FALSE	0.34		0.01	0.05 mg/L			4/14/2016	0
3/30/2016	MW-5	Chloride	FALSE	9.12		0.05	0.25 mg/L			4/21/2016	0
3/30/2016	MW-5	Hardness	FALSE	273.6		3	10 mg/L			5/11/2016	0
3/30/2016	MW-5	Nitrate	TRUE	0		0.01	0.05 mg/L			3/31/2016	0
3/30/2016	MW-5	Sulfate	FALSE	68.39		0.06	0.3 mg/L			4/21/2016	0
3/30/2016	MW-5	Total Dissolved Solids (TDS)	FALSE	331.5		10	10 mg/L			4/1/2016	0
3/30/2016	MW-5	Mercury, Total	TRUE	0		0.0002	0.0002 mg/L			4/11/2016	0
3/30/2016	MW-5	Conductivity	FALSE	523		0	0 UMHOS	Field		3/30/2016	0
3/30/2016	MW-5	Groundwater Elevation	FALSE	212.77		0	0 Feet	Field		3/30/2016	0
3/30/2016	MW-5	pH	FALSE	6.31		0	0 S.U.	Field		3/30/2016	0
3/30/2016	MW-5	Sample Time	FALSE	1630		0	0 hours	Field			0
3/30/2016	MW-5	Temperature	FALSE	15.37		0	0 Degrees C	Field		3/30/2016	0
3/30/2016	MW-5	Turbidity	FALSE	22.8		0	0 NTU	Field			0
3/30/2016	MW-5	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A			1
3/30/2016	MW-6	Arsenic, Dissolved	TRUE	0		0.001	0.005 mg/L			4/11/2016	0
3/30/2016	MW-6	Barium, Dissolved	FALSE	0.03		0.003	0.015 mg/L			4/19/2016	0
3/30/2016	MW-6	Cadmium, Dissolved	FALSE	0.0006 J		0.0003	0.0015 mg/L			4/13/2016	0
3/30/2016	MW-6	Chromium, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0
3/30/2016	MW-6	Copper, Dissolved	TRUE	0		0.001	0.005 mg/L			4/13/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-6	Iron, Dissolved	FALSE	0.08	J	0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-6	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-6	Manganese, Dissolved	FALSE	2		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-6	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-6	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-6	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	MW-6	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	MW-6	Zinc, Dissolved	FALSE	0.014	J	0.01	0.025	mg/L		5/10/2016	0
3/30/2016	MW-6	Ammonia as N	FALSE	0.01	J	0.01	0.05	mg/L		4/14/2016	0
3/30/2016	MW-6	Chloride	FALSE	6.05		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	MW-6	Hardness	FALSE	181.26		3	10	mg/L		5/11/2016	0
3/30/2016	MW-6	Nitrate	TRUE	0		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	MW-6	Sulfate	FALSE	176		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	MW-6	Total Dissolved Solids (TDS)	FALSE	273.5		10	10	mg/L		4/1/2016	0
3/30/2016	MW-6	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-6	Conductivity	FALSE	392		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	MW-6	Groundwater Elevation	FALSE	213.6		0	0	Feet	Field	3/30/2016	0
3/30/2016	MW-6	Oxidation Reduction Potential	FALSE	115		0	0	mV	Field	3/30/2016	0
3/30/2016	MW-6	pH	FALSE	5.79		0	0	S.U.	Field	3/30/2016	0
3/30/2016	MW-6	Sample Time	FALSE	1700		0	0	hours	Field		0
3/30/2016	MW-6	Temperature	FALSE	16.36		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	MW-6	Turbidity	FALSE	12.6		0	0	NTU	Field		0
3/30/2016	MW-6	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	MW-9	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-9	Barium, Dissolved	FALSE	0.008	J	0.003	0.015	mg/L		4/19/2016	0
3/30/2016	MW-9	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	MW-9	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-9	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	MW-9	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	MW-9	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	MW-9	Manganese, Dissolved	TRUE	0		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	MW-9	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	MW-9	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	MW-9	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	MW-9	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	MW-9	Zinc, Dissolved	TRUE	0		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	MW-9	Ammonia as N	TRUE	0		0.01	0.05	mg/L		4/14/2016	0
3/30/2016	MW-9	Chloride	FALSE	8.47		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	MW-9	Hardness	FALSE	22.23		3	10	mg/L		5/11/2016	0
3/30/2016	MW-9	Nitrate	FALSE	0.21		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	MW-9	Sulfate	FALSE	26.93		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	MW-9	Total Dissolved Solids (TDS)	FALSE	111		10	10	mg/L		4/1/2016	0
3/30/2016	MW-9	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	MW-9	Conductivity	FALSE	149		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	MW-9	Groundwater Elevation	FALSE	315.82		0	0	Feet	Field	3/30/2016	0
3/30/2016	MW-9	Oxidation Reduction Potential	FALSE	186		0	0	mV	Field	3/30/2016	0
3/30/2016	MW-9	pH	FALSE	5.82		0	0	S.U.	Field	3/30/2016	0
3/30/2016	MW-9	Sample Time	FALSE	1635		0	0	hours	Field		0
3/30/2016	MW-9	Temperature	FALSE	15.8		0	0	Degrees C	Field	3/30/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	MW-9	Turbidity	FALSE	12.1		0	0	NTU	Field		0
3/30/2016	MW-9	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	VPDES	Arsenic, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	VPDES	Barium, Dissolved	FALSE	0.099		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	VPDES	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	VPDES	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	VPDES	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	VPDES	Iron, Dissolved	TRUE	0		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	VPDES	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	VPDES	Manganese, Dissolved	FALSE	0.95		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	VPDES	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	VPDES	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	VPDES	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	VPDES	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	VPDES	Zinc, Dissolved	TRUE	0		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	VPDES	Ammonia as N	FALSE	0.01	J	0.01	0.05	mg/L		4/20/2016	0
3/30/2016	VPDES	Chloride	FALSE	5.09		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	VPDES	Hardness	FALSE	167.58		3	10	mg/L		5/11/2016	0
3/30/2016	VPDES	Nitrate	FALSE	0.06		0.01	0.05	mg/L		3/31/2016	0
3/30/2016	VPDES	Sulfate	FALSE	56.99		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	VPDES	Total Dissolved Solids (TDS)	FALSE	210		10	10	mg/L		4/1/2016	0
3/30/2016	VPDES	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	VPDES	Conductivity	FALSE	342		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	VPDES	Oxidation Reduction Potential	FALSE	132		0	0	mV	Field	3/30/2016	0
3/30/2016	VPDES	pH	FALSE	6.05		0	0	S.U.	Field	3/30/2016	0
3/30/2016	VPDES	Sample Time	FALSE	1320		0	0	hours	Field		0
3/30/2016	VPDES	Temperature	FALSE	14.58		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	VPDES	Turbidity	FALSE	1.42		0	0	NTU	Field		0
3/30/2016	VPDES	Depth to Water	FALSE	7.43		0	0	Feet	Field	3/30/2016	0
3/30/2016	VPDES	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/30/2016	W-3	Arsenic, Dissolved	FALSE	0.002	J	0.001	0.005	mg/L		4/11/2016	0
3/30/2016	W-3	Barium, Dissolved	FALSE	0.054		0.003	0.015	mg/L		4/19/2016	0
3/30/2016	W-3	Cadmium, Dissolved	TRUE	0		0.0003	0.0015	mg/L		4/13/2016	0
3/30/2016	W-3	Chromium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	W-3	Copper, Dissolved	TRUE	0		0.001	0.005	mg/L		4/13/2016	0
3/30/2016	W-3	Iron, Dissolved	FALSE	1.63		0.05	0.25	mg/L		5/11/2016	0
3/30/2016	W-3	Lead, Dissolved	TRUE	0		0.001	0.005	mg/L		4/14/2016	0
3/30/2016	W-3	Manganese, Dissolved	FALSE	2.48		0.02	0.05	mg/L		5/10/2016	0
3/30/2016	W-3	Molybdenum, Dissolved	TRUE	0		0.001	0.005	mg/L		4/19/2016	0
3/30/2016	W-3	Selenium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/11/2016	0
3/30/2016	W-3	Silver, Dissolved	TRUE	0		0.0001	0.0004	mg/L		4/18/2016	0
3/30/2016	W-3	Vanadium, Dissolved	TRUE	0		0.001	0.005	mg/L		4/18/2016	0
3/30/2016	W-3	Zinc, Dissolved	FALSE	0.059		0.01	0.025	mg/L		5/10/2016	0
3/30/2016	W-3	Ammonia as N	FALSE	0.41		0.01	0.05	mg/L		4/20/2016	0
3/30/2016	W-3	Chloride	FALSE	16.77		0.05	0.25	mg/L		4/21/2016	0
3/30/2016	W-3	Hardness	FALSE	143.64		3	10	mg/L		5/11/2016	0
3/30/2016	W-3	Nitrate	FALSE	0.03	J	0.01	0.05	mg/L		3/31/2016	0
3/30/2016	W-3	Sulfate	FALSE	5.39		0.06	0.3	mg/L		4/21/2016	0
3/30/2016	W-3	Total Dissolved Solids (TDS)	FALSE	181		10	10	mg/L		4/1/2016	0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/30/2016	W-3	Mercury, Total	TRUE	0		0.0002	0.0002	mg/L		4/11/2016	0
3/30/2016	W-3	Conductivity	FALSE	336		0	0	UMHOS	Field	3/30/2016	0
3/30/2016	W-3	Groundwater Elevation	FALSE	263.56		0	0	Feet	Field	3/30/2016	0
3/30/2016	W-3	Oxidation Reduction Potential	FALSE	23		0	0	mV	Field	3/30/2016	0
3/30/2016	W-3	pH	FALSE	5.82		0	0	S.U.	Field	3/30/2016	0
3/30/2016	W-3	Sample Time	FALSE	1130		0	0	hours	Field		0
3/30/2016	W-3	Temperature	FALSE	15.35		0	0	Degrees C	Field	3/30/2016	0
3/30/2016	W-3	Turbidity	FALSE	44		0	0	NTU	Field		0
3/30/2016	W-3	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A		1
3/29/2017	FIELD BLANK	Chloride	TRUE	0		0.5	1	mg/L	EPA300.0 R2.1	3/31/2017	1
3/29/2017	FIELD BLANK	Nitrate	TRUE	0		0.1	0.1	mg/L	EPA300.0 R2.1	3/31/2017	1
3/29/2017	FIELD BLANK	Sulfate	TRUE	0		0.5	1	mg/L	EPA300.0 R2.1	3/31/2017	1
3/29/2017	FIELD BLANK	Ammonia as N	TRUE	0		0.1	0.1	mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	FIELD BLANK	Sample Time	FALSE	1035		0	0	hours	Field		0
3/29/2017	FIELD BLANK	Hardness	TRUE	0		0.141	0.166	mg/L	SM22 2340B-2011	3/31/2017	1
3/29/2017	FIELD BLANK	Total Dissolved Solids (TDS)	FALSE	18		10	10	mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	FIELD BLANK	Barium, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Cadmium, Dissolved	TRUE	0		0.002	0.004	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Chromium, Dissolved	TRUE	0		0.004	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Copper, Dissolved	TRUE	0		0.003	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Iron, Dissolved	TRUE	0		0.005	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Lead, Dissolved	TRUE	0		0.006	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Manganese, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Molybdenum, Dissolved	TRUE	0		0.05	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Selenium, Dissolved	TRUE	0		0.015	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Silver, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Vanadium, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Zinc, Dissolved	TRUE	0		0.01	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Calcium	TRUE	0		0.04	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Magnesium	TRUE	0		0.01	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	FIELD BLANK	Arsenic, Dissolved	TRUE	0		0.001	0.001	mg/L	SW6020A	4/3/2017	1
3/29/2017	FIELD BLANK	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A	4/4/2017	1
3/29/2017	FIELD BLANK	Mercury, Dissolved	TRUE	0		0.0002	0.0002	mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-1	Chloride	FALSE	2.8		0.5	1	mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-1	Nitrate	TRUE	0		0.1	0.1	mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-1	Sulfate	FALSE	2.5		0.5	1	mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-1	Ammonia as N	TRUE	0		0.1	0.1	mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-1	Conductivity	FALSE	48		0	0	UMHOS	Field		0
3/29/2017	MW-1	Groundwater Elevation	FALSE	215.53		0	0	Feet	Field		0
3/29/2017	MW-1	Oxidation Reduction Potential	FALSE	169		0	0	mV	Field		0
3/29/2017	MW-1	pH	FALSE	6.01		0	0	S.U.	Field		0
3/29/2017	MW-1	Sample Time	FALSE	1055		0	0	hours	Field		0
3/29/2017	MW-1	Temperature	FALSE	14.6		0	0	Degrees C	Field		0
3/29/2017	MW-1	Turbidity	FALSE	3.86		0	0	NTU	Field		0
3/29/2017	MW-1	Hardness	FALSE	16.6		0.705	0.83	mg/L	SM22 2340B-2011	3/31/2017	5
3/29/2017	MW-1	Total Dissolved Solids (TDS)	FALSE	24 B		10	10	mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-1	Barium, Dissolved	FALSE	0.0133		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Cadmium, Dissolved	TRUE	0		0.002	0.004	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Chromium, Dissolved	TRUE	0		0.004	0.01	mg/L	SW6010C	3/31/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-1	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Iron, Dissolved	FALSE	0.0125		0.005		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Manganese, Dissolved	FALSE	0.0245		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Selenium, Dissolved	TRUE	0		0.015		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Silver, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Vanadium, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Zinc, Dissolved	TRUE	0		0.01		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-1	Calcium	FALSE	3.19		0.2		0.25 mg/L	SW6010C	3/31/2017	5
3/29/2017	MW-1	Magnesium	FALSE	2.1		0.05		0.05 mg/L	SW6010C	3/31/2017	5
3/29/2017	MW-1	Arsenic, Dissolved	TRUE	0		0.001		0.001 mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-1	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-1	Mercury, Dissolved	TRUE	0		0.0002		0.0002 mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-10	Chloride	FALSE	13.6		5		10 mg/L	EPA300.0 R2.1	3/30/2017	10
3/29/2017	MW-10	Nitrate	TRUE	0		0.1		0.1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-10	Sulfate	FALSE	16.5		5		10 mg/L	EPA300.0 R2.1	3/30/2017	10
3/29/2017	MW-10	Ammonia as N	FALSE	1.6		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-10	Conductivity	FALSE	536		0		0 UMHOS	Field		0
3/29/2017	MW-10	Groundwater Elevation	FALSE	233.3		0		0 Feet	Field		0
3/29/2017	MW-10	Oxidation Reduction Potential	FALSE	-71		0		0 mV	Field		0
3/29/2017	MW-10	pH	FALSE	6.27		0		0 S.U.	Field		0
3/29/2017	MW-10	Sample Time	FALSE	1310		0		0 hours	Field		0
3/29/2017	MW-10	Temperature	FALSE	14.82		0		0 Degrees C	Field		0
3/29/2017	MW-10	Turbidity	FALSE	57.9		0		0 NTU	Field		0
3/29/2017	MW-10	Hardness	FALSE	179		2.58		3.2 mg/L	SM22 2340B-2011	3/31/2017	25
3/29/2017	MW-10	Total Dissolved Solids (TDS)	FALSE	287		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-10	Barium, Dissolved	FALSE	0.159		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Chromium, Dissolved	TRUE	0		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Iron, Dissolved	FALSE	20.9		0.05		0.1 mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-10	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Manganese, Dissolved	FALSE	3.2		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Selenium, Dissolved	TRUE	0		0.015		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Silver, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Vanadium, Dissolved	FALSE	0.0032		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Zinc, Dissolved	TRUE	0		0.01		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-10	Calcium	FALSE	29		1		1.25 mg/L	SW6010C	3/31/2017	25
3/29/2017	MW-10	Magnesium	FALSE	25.8		0.02		0.02 mg/L	SW6010C	3/31/2017	2
3/29/2017	MW-10	Arsenic, Dissolved	FALSE	0.00251		0.001		0.001 mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-10	Chromium (hexavalent)	FALSE	0.006		0.005		0.005 mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-10	Mercury, Dissolved	TRUE	0		0.0002		0.0002 mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-11	Chloride	FALSE	8.3		0.5		1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-11	Nitrate	FALSE	0.41		0.1		0.1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-11	Sulfate	FALSE	7.5		0.5		1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-11	Ammonia as N	TRUE	0		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-11	Conductivity	FALSE	200		0		0 UMHOS	Field		0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-11	Groundwater Elevation	FALSE	302.7		0		0 Feet	Field		0
3/29/2017	MW-11	Oxidation Reduction Potential	FALSE	142		0		0 mV	Field		0
3/29/2017	MW-11	pH	FALSE	6.4		0		0 S.U.	Field		0
3/29/2017	MW-11	Sample Time	FALSE	1325		0		0 hours	Field		0
3/29/2017	MW-11	Temperature	FALSE	15.72		0		0 Degrees C	Field		0
3/29/2017	MW-11	Turbidity	FALSE	12.5		0		0 NTU	Field		0
3/29/2017	MW-11	Hardness	FALSE	119		1.41	1.66 mg/L	SM22 2340B-2011		3/31/2017	10
3/29/2017	MW-11	Total Dissolved Solids (TDS)	FALSE	131		10	10 mg/L	SM22 2540C-2011		3/31/2017	1
3/29/2017	MW-11	Barium, Dissolved	FALSE	0.0032 J		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Cadmium, Dissolved	TRUE	0		0.002	0.004 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Chromium, Dissolved	TRUE	0		0.004	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Copper, Dissolved	FALSE	0.005 J		0.003	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Iron, Dissolved	TRUE	0		0.005	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Lead, Dissolved	TRUE	0		0.006	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Manganese, Dissolved	FALSE	0.0031 J		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Selenium, Dissolved	TRUE	0		0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Vanadium, Dissolved	FALSE	0.0095 J		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Zinc, Dissolved	TRUE	0		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-11	Calcium	FALSE	23		0.4	0.5 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-11	Magnesium	FALSE	14.9		0.1	0.1 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-11	Arsenic, Dissolved	TRUE	0		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-11	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-11	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	MW-12	Chloride	FALSE	18.2		5	10 mg/L	EPA300.0 R2.1		3/30/2017	10
3/29/2017	MW-12	Nitrate	TRUE	0		0.1	0.1 mg/L	EPA300.0 R2.1		3/30/2017	1
3/29/2017	MW-12	Sulfate	FALSE	116		10	20 mg/L	EPA300.0 R2.1		3/31/2017	20
3/29/2017	MW-12	Ammonia as N	TRUE	0		0.1	0.1 mg/L	EPA350.1 R2.0		3/31/2017	1
3/29/2017	MW-12	Conductivity	FALSE	380		0	0 UMHOS	Field			0
3/29/2017	MW-12	Groundwater Elevation	FALSE	201.33		0	0 Feet	Field			0
3/29/2017	MW-12	Oxidation Reduction Potential	FALSE	86		0	0 mV	Field			0
3/29/2017	MW-12	pH	FALSE	6		0	0 S.U.	Field			0
3/29/2017	MW-12	Sample Time	FALSE	1220		0	0 hours	Field			0
3/29/2017	MW-12	Temperature	FALSE	15.17		0	0 Degrees C	Field			0
3/29/2017	MW-12	Turbidity	FALSE	6.99		0	0 NTU	Field			0
3/29/2017	MW-12	Hardness	FALSE	165		1.41	1.66 mg/L	SM22 2340B-2011		3/31/2017	10
3/29/2017	MW-12	Total Dissolved Solids (TDS)	FALSE	268		10	10 mg/L	SM22 2540C-2011		3/31/2017	1
3/29/2017	MW-12	Barium, Dissolved	FALSE	0.0792		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Cadmium, Dissolved	TRUE	0		0.002	0.004 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Chromium, Dissolved	TRUE	0		0.004	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Copper, Dissolved	TRUE	0		0.003	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Iron, Dissolved	FALSE	3.66		0.005	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Lead, Dissolved	TRUE	0		0.006	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Manganese, Dissolved	FALSE	0.548		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Selenium, Dissolved	FALSE	0.0174 J		0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Vanadium, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-12	Zinc, Dissolved	TRUE	0		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-12	Calcium	FALSE	47.8		0.4	0.5 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-12	Magnesium	FALSE	11		0.1	0.1 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-12	Arsenic, Dissolved	TRUE	0		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-12	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-12	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	MW-13	Chloride	FALSE	72.9		10	20 mg/L	EPA300.0 R2.1		3/31/2017	20
3/29/2017	MW-13	Nitrate	FALSE	0.28		0.1	0.1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	MW-13	Sulfate	FALSE	126		10	20 mg/L	EPA300.0 R2.1		3/31/2017	20
3/29/2017	MW-13	Ammonia as N	FALSE	0.48		0.1	0.1 mg/L	EPA350.1 R2.0		3/31/2017	1
3/29/2017	MW-13	Conductivity	FALSE	595		0	0 UMHOS	Field			0
3/29/2017	MW-13	Groundwater Elevation	FALSE	206.9		0	0 Feet	Field			0
3/29/2017	MW-13	Oxidation Reduction Potential	FALSE	-23		0	0 mV	Field			0
3/29/2017	MW-13	pH	FALSE	5.71		0	0 S.U.	Field			0
3/29/2017	MW-13	Sample Time	FALSE	1145		0	0 hours	Field			0
3/29/2017	MW-13	Temperature	FALSE	14.48		0	0 Degrees C	Field			0
3/29/2017	MW-13	Turbidity	FALSE	12.8		0	0 NTU	Field			0
3/29/2017	MW-13	Hardness	FALSE	253		2.82	3.32 mg/L	SM22 2340B-2011		3/31/2017	20
3/29/2017	MW-13	Total Dissolved Solids (TDS)	FALSE	404		10	10 mg/L	SM22 2540C-2011		3/31/2017	1
3/29/2017	MW-13	Barium, Dissolved	FALSE	0.232		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Cadmium, Dissolved	FALSE	0.0023 J		0.002	0.004 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Chromium, Dissolved	TRUE	0		0.004	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Copper, Dissolved	TRUE	0		0.003	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Iron, Dissolved	FALSE	32		0.05	0.1 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-13	Lead, Dissolved	TRUE	0		0.006	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Manganese, Dissolved	FALSE	1.26		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Selenium, Dissolved	FALSE	0.0215 J		0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Vanadium, Dissolved	FALSE	0.0059 J		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Zinc, Dissolved	FALSE	0.0137		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-13	Calcium	FALSE	70.2		0.8	1 mg/L	SW6010C		3/31/2017	20
3/29/2017	MW-13	Magnesium	FALSE	18.8		0.2	0.2 mg/L	SW6010C		3/31/2017	20
3/29/2017	MW-13	Arsenic, Dissolved	TRUE	0		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-13	Chromium (hexavalent)	FALSE	0.006		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-13	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	MW-14	Chloride	FALSE	9.7		0.5	1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	MW-14	Nitrate	FALSE	0.1		0.1	0.1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	MW-14	Sulfate	FALSE	24		5	10 mg/L	EPA300.0 R2.1		3/31/2017	10
3/29/2017	MW-14	Ammonia as N	FALSE	0.18		0.1	0.1 mg/L	EPA350.1 R2.0		3/31/2017	1
3/29/2017	MW-14	Conductivity	FALSE	465		0	0 UMHOS	Field			0
3/29/2017	MW-14	Groundwater Elevation	FALSE	203.43		0	0 Feet	Field			0
3/29/2017	MW-14	Oxidation Reduction Potential	FALSE	-24		0	0 mV	Field			0
3/29/2017	MW-14	pH	FALSE	6.13		0	0 S.U.	Field			0
3/29/2017	MW-14	Sample Time	FALSE	1215		0	0 hours	Field			0
3/29/2017	MW-14	Temperature	FALSE	17.11		0	0 Degrees C	Field			0
3/29/2017	MW-14	Turbidity	FALSE	4.99		0	0 NTU	Field			0
3/29/2017	MW-14	Hardness	FALSE	209		1.41	1.66 mg/L	SM22 2340B-2011		3/31/2017	10
3/29/2017	MW-14	Total Dissolved Solids (TDS)	FALSE	273		10	10 mg/L	SM22 2540C-2011		3/31/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-14	Barium, Dissolved	FALSE	0.153		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Cadmium, Dissolved	TRUE	0		0.002	0.004 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Chromium, Dissolved	TRUE	0		0.004	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Copper, Dissolved	TRUE	0		0.003	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Iron, Dissolved	FALSE	13.2		0.005	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Lead, Dissolved	TRUE	0		0.006	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Manganese, Dissolved	FALSE	0.922		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Selenium, Dissolved	FALSE	0.0192 J		0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Vanadium, Dissolved	FALSE	0.0027 J		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Zinc, Dissolved	TRUE	0		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-14	Calcium	FALSE	62		0.4	0.5 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-14	Magnesium	FALSE	13.1		0.1	0.1 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-14	Arsenic, Dissolved	FALSE	0.00329		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-14	Chromium (hexavalent)	FALSE	0.006		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-14	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	MW-15	Chloride	FALSE	10.2		2.5	5 mg/L	EPA300.0 R2.1		3/31/2017	5
3/29/2017	MW-15	Nitrate	TRUE	0		0.1	0.1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	MW-15	Sulfate	FALSE	15.9		2.5	5 mg/L	EPA300.0 R2.1		3/31/2017	5
3/29/2017	MW-15	Ammonia as N	TRUE	0		0.1	0.1 mg/L	EPA350.1 R2.0		3/31/2017	1
3/29/2017	MW-15	Conductivity	FALSE	249		0	0 UMHOS	Field			0
3/29/2017	MW-15	Groundwater Elevation	FALSE	202.89		0	0 Feet	Field			0
3/29/2017	MW-15	Oxidation Reduction Potential	FALSE	-57		0	0 mV	Field			0
3/29/2017	MW-15	pH	FALSE	5.93		0	0 S.U.	Field			0
3/29/2017	MW-15	Sample Time	FALSE	1345		0	0 hours	Field			0
3/29/2017	MW-15	Temperature	FALSE	17.03		0	0 Degrees C	Field			0
3/29/2017	MW-15	Turbidity	FALSE	2.77		0	0 NTU	Field			0
3/29/2017	MW-15	Hardness	FALSE	117		1.41	1.66 mg/L	SM22 2340B-2011		3/31/2017	10
3/29/2017	MW-15	Total Dissolved Solids (TDS)	FALSE	175		10	10 mg/L	SM22 2540C-2011		3/31/2017	1
3/29/2017	MW-15	Barium, Dissolved	FALSE	0.0923		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Cadmium, Dissolved	TRUE	0		0.002	0.004 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Chromium, Dissolved	TRUE	0		0.004	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Copper, Dissolved	TRUE	0		0.003	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Iron, Dissolved	FALSE	0.0122		0.005	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Lead, Dissolved	TRUE	0		0.006	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Manganese, Dissolved	FALSE	0.549		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Selenium, Dissolved	TRUE	0		0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Vanadium, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Zinc, Dissolved	TRUE	0		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-15	Calcium	FALSE	29.6		0.4	0.5 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-15	Magnesium	FALSE	10.4		0.1	0.1 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-15	Arsenic, Dissolved	TRUE	0		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-15	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-15	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	MW-17	Chloride	FALSE	5.7		0.5	1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	MW-17	Nitrate	TRUE	0		0.1	0.1 mg/L	EPA300.0 R2.1		3/31/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-17	Sulfate	FALSE	84.8		5		10 mg/L	EPA300.0 R2.1	3/31/2017	10
3/29/2017	MW-17	Ammonia as N	TRUE	0		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-17	Conductivity	FALSE	420		0		0 UMHOS	Field		0
3/29/2017	MW-17	Groundwater Elevation	FALSE	207.95		0		0 Feet	Field		0
3/29/2017	MW-17	Oxidation Reduction Potential	FALSE	-162		0		0 mV	Field		0
3/29/2017	MW-17	pH	FALSE	6.21		0		0 S.U.	Field		0
3/29/2017	MW-17	Sample Time	FALSE	1255		0		0 hours	Field		0
3/29/2017	MW-17	Temperature	FALSE	15.73		0		0 Degrees C	Field		0
3/29/2017	MW-17	Turbidity	FALSE	4.8		0		0 NTU	Field		0
3/29/2017	MW-17	Hardness	FALSE	235		1.41		1.66 mg/L	SM22 2340B-2011	3/31/2017	10
3/29/2017	MW-17	Total Dissolved Solids (TDS)	FALSE	291		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-17	Barium, Dissolved	FALSE	0.0731		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Chromium, Dissolved	TRUE	0		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Iron, Dissolved	FALSE	0.749		0.005		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Manganese, Dissolved	FALSE	1.65		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Selenium, Dissolved	FALSE	0.0168		0.015		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Silver, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Vanadium, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Zinc, Dissolved	TRUE	0		0.01		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-17	Calcium	FALSE	66.3		0.4		0.5 mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-17	Magnesium	FALSE	16.8		0.1		0.1 mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-17	Arsenic, Dissolved	TRUE	0		0.001		0.001 mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-17	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-17	Mercury, Dissolved	TRUE	0		0.0002		0.0002 mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-18	Chloride	FALSE	14.3		5		10 mg/L	EPA300.0 R2.1	3/31/2017	10
3/29/2017	MW-18	Nitrate	TRUE	0		0.1		0.1 mg/L	EPA300.0 R2.1	3/31/2017	1
3/29/2017	MW-18	Sulfate	FALSE	46.1		5		10 mg/L	EPA300.0 R2.1	3/31/2017	10
3/29/2017	MW-18	Ammonia as N	FALSE	0.49		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-18	Conductivity	FALSE	450		0		0 UMHOS	Field		0
3/29/2017	MW-18	Groundwater Elevation	FALSE	212.08		0		0 Feet	Field		0
3/29/2017	MW-18	Oxidation Reduction Potential	FALSE	-67		0		0 mV	Field		0
3/29/2017	MW-18	pH	FALSE	6.35		0		0 S.U.	Field		0
3/29/2017	MW-18	Sample Time	FALSE	1405		0		0 hours	Field		0
3/29/2017	MW-18	Temperature	FALSE	15.9		0		0 Degrees C	Field		0
3/29/2017	MW-18	Turbidity	FALSE	3.67		0		0 NTU	Field		0
3/29/2017	MW-18	Hardness	FALSE	208		1.41		1.66 mg/L	SM22 2340B-2011	3/31/2017	10
3/29/2017	MW-18	Total Dissolved Solids (TDS)	FALSE	309		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-18	Barium, Dissolved	FALSE	0.178		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Chromium, Dissolved	TRUE	0		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Iron, Dissolved	FALSE	19.6		0.05		0.1 mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-18	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Manganese, Dissolved	FALSE	1.51		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-18	Selenium, Dissolved	FALSE	0.0175	J	0.015	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Silver, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Vanadium, Dissolved	FALSE	0.0031	J	0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Zinc, Dissolved	TRUE	0		0.01	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-18	Calcium	FALSE	58.6		0.4	0.5	mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-18	Magnesium	FALSE	14.9		0.1	0.1	mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-18	Arsenic, Dissolved	TRUE	0		0.001	0.001	mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-18	Chromium (hexavalent)	FALSE	0.005		0.005	0.005	mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-18	Mercury, Dissolved	TRUE	0		0.0002	0.0002	mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-2	Chloride	FALSE	14.5		10	10	mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-2	Nitrate	FALSE	0.35		0.1	0.1	mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-2	Sulfate	FALSE	96.3		10	20	mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-2	Ammonia as N	TRUE	0		0.1	0.1	mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-2	Conductivity	FALSE	318		0	0	UMHOS	Field		0
3/29/2017	MW-2	Groundwater Elevation	FALSE	204.43		0	0	Feet	Field		0
3/29/2017	MW-2	Oxidation Reduction Potential	FALSE	102		0	0	mV	Field		0
3/29/2017	MW-2	pH	FALSE	5.65		0	0	S.U.	Field		0
3/29/2017	MW-2	Sample Time	FALSE	1100		0	0	hours	Field		0
3/29/2017	MW-2	Temperature	FALSE	14.14		0	0	Degrees C	Field		0
3/29/2017	MW-2	Turbidity	FALSE	2.68		0	0	NTU	Field		0
3/29/2017	MW-2	Hardness	FALSE	152		0.705	0.83	mg/L	SM22 2340B-2011	3/31/2017	5
3/29/2017	MW-2	Total Dissolved Solids (TDS)	FALSE	220		10	10	mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-2	Barium, Dissolved	FALSE	0.0368		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Cadmium, Dissolved	TRUE	0		0.002	0.004	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Chromium, Dissolved	TRUE	0		0.004	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Copper, Dissolved	TRUE	0		0.003	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Iron, Dissolved	FALSE	0.0152		0.005	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Lead, Dissolved	TRUE	0		0.006	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Manganese, Dissolved	FALSE	0.507		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Molybdenum, Dissolved	TRUE	0		0.05	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Selenium, Dissolved	FALSE	0.0154	J	0.015	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Silver, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Vanadium, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Zinc, Dissolved	TRUE	0		0.01	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2	Calcium	FALSE	46.3		0.2	0.25	mg/L	SW6010C	3/31/2017	5
3/29/2017	MW-2	Magnesium	FALSE	8.93		0.05	0.05	mg/L	SW6010C	3/31/2017	5
3/29/2017	MW-2	Arsenic, Dissolved	TRUE	0		0.001	0.001	mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-2	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-2	Mercury, Dissolved	TRUE	0		0.0002	0.0002	mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-2 DUP	Chloride	FALSE	14.2		5	10	mg/L	EPA300.0 R2.1	3/31/2017	10
3/29/2017	MW-2 DUP	Nitrate	FALSE	0.3		0.1	0.1	mg/L	EPA300.0 R2.1	3/31/2017	1
3/29/2017	MW-2 DUP	Sulfate	FALSE	98.6		5	10	mg/L	EPA300.0 R2.1	3/31/2017	10
3/29/2017	MW-2 DUP	Ammonia as N	TRUE	0		0.1	0.1	mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-2 DUP	Conductivity	FALSE	320		0	0	UMHOS	Field		0
3/29/2017	MW-2 DUP	Oxidation Reduction Potential	FALSE	102		0	0	mV	Field		0
3/29/2017	MW-2 DUP	pH	FALSE	5.66		0	0	S.U.	Field		0
3/29/2017	MW-2 DUP	Sample Time	FALSE	1105		0	0	hours	Field		0
3/29/2017	MW-2 DUP	Temperature	FALSE	14.18		0	0	Degrees C	Field		0
3/29/2017	MW-2 DUP	Turbidity	FALSE	2.6		0	0	NTU	Field		0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-2 DUP	Hardness	FALSE	153		2.82		3.32 mg/L	SM22 2340B-2011	3/31/2017	20
3/29/2017	MW-2 DUP	Total Dissolved Solids (TDS)	FALSE	229		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-2 DUP	Barium, Dissolved	FALSE	0.0361		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Chromium, Dissolved	TRUE	0		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Iron, Dissolved	FALSE	0.0089 J		0.005		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Manganese, Dissolved	FALSE	0.492		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Selenium, Dissolved	TRUE	0		0.015		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Silver, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Vanadium, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Zinc, Dissolved	TRUE	0		0.01		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-2 DUP	Calcium	FALSE	46.5		0.8		1 mg/L	SW6010C	3/31/2017	20
3/29/2017	MW-2 DUP	Magnesium	FALSE	8.94		0.2		0.2 mg/L	SW6010C	3/31/2017	20
3/29/2017	MW-2 DUP	Arsenic, Dissolved	TRUE	0		0.001		0.001 mg/L	SW6020A	4/3/2017	1
3/29/2017	MW-2 DUP	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-2 DUP	Mercury, Dissolved	TRUE	0		0.0002		0.0002 mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-3	Chloride	FALSE	4.2		0.5		1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-3	Nitrate	FALSE	0.34		0.1		0.1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-3	Sulfate	FALSE	37.4		5		10 mg/L	EPA300.0 R2.1	3/30/2017	10
3/29/2017	MW-3	Ammonia as N	TRUE	0		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-3	Conductivity	FALSE	140		0		0 UMHOS	Field		0
3/29/2017	MW-3	Groundwater Elevation	FALSE	211.01		0		0 Feet	Field		0
3/29/2017	MW-3	Oxidation Reduction Potential	FALSE	164		0		0 mV	Field		0
3/29/2017	MW-3	pH	FALSE	5.02		0		0 S.U.	Field		0
3/29/2017	MW-3	Sample Time	FALSE	1100		0		0 hours	Field		0
3/29/2017	MW-3	Temperature	FALSE	14.16		0		0 Degrees C	Field		0
3/29/2017	MW-3	Turbidity	FALSE	3.14		0		0 NTU	Field		0
3/29/2017	MW-3	Hardness	FALSE	48.5		1.41		1.66 mg/L	SM22 2340B-2011	3/31/2017	10
3/29/2017	MW-3	Total Dissolved Solids (TDS)	FALSE	109		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-3	Barium, Dissolved	FALSE	0.0654		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Chromium, Dissolved	TRUE	0		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Iron, Dissolved	FALSE	0.0689		0.005		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Manganese, Dissolved	FALSE	0.546		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Selenium, Dissolved	TRUE	0		0.015		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Silver, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Vanadium, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Zinc, Dissolved	TRUE	0		0.01		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-3	Calcium	FALSE	12.1		0.4		0.5 mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-3	Magnesium	FALSE	4.44		0.1		0.1 mg/L	SW6010C	3/31/2017	10
3/29/2017	MW-3	Arsenic, Dissolved	TRUE	0		0.001		0.001 mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-3	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-3	Mercury, Dissolved	TRUE	0		0.0002		0.0002 mg/L	SW7470A	4/3/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-4	Chloride	FALSE	12.1		5		10 mg/L	EPA300.0 R2.1	3/30/2017	10
3/29/2017	MW-4	Nitrate	TRUE	0		0.1		0.1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-4	Sulfate	FALSE	928		50		100 mg/L	EPA300.0 R2.1	3/30/2017	100
3/29/2017	MW-4	Ammonia as N	FALSE	0.22		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-4	Conductivity	FALSE	1830		0		0 UMHOS	Field		0
3/29/2017	MW-4	Groundwater Elevation	FALSE	211.75		0		0 Feet	Field		0
3/29/2017	MW-4	Oxidation Reduction Potential	FALSE	51		0		0 mV	Field		0
3/29/2017	MW-4	pH	FALSE	6.25		0		0 S.U.	Field		0
3/29/2017	MW-4	Sample Time	FALSE	1500		0		0 hours	Field		0
3/29/2017	MW-4	Temperature	FALSE	17.6		0		0 Degrees C	Field		0
3/29/2017	MW-4	Turbidity	FALSE	29		0		0 NTU	Field		0
3/29/2017	MW-4	Hardness	FALSE	1320		7.05		8.3 mg/L	SM22 2340B-2011	3/31/2017	50
3/29/2017	MW-4	Total Dissolved Solids (TDS)	FALSE	1690		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-4	Barium, Dissolved	FALSE	0.0306		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Chromium, Dissolved	FALSE	0.0053 J		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Iron, Dissolved	FALSE	8.92		0.005		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Manganese, Dissolved	FALSE	8.44		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Molybdenum, Dissolved	TRUE	0		0.05		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Selenium, Dissolved	FALSE	0.026 J		0.015		0.05 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Silver, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Vanadium, Dissolved	TRUE	0		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Zinc, Dissolved	FALSE	0.0265		0.01		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-4	Calcium	FALSE	321		2		2.5 mg/L	SW6010C	3/31/2017	50
3/29/2017	MW-4	Magnesium	FALSE	125		0.5		0.5 mg/L	SW6010C	3/31/2017	50
3/29/2017	MW-4	Arsenic, Dissolved	FALSE	0.00102		0.001		0.001 mg/L	SW6020A	4/2/2017	1
3/29/2017	MW-4	Chromium (hexavalent)	TRUE	0		0.005		0.005 mg/L	SW7196A	4/4/2017	1
3/29/2017	MW-4	Mercury, Dissolved	TRUE	0		0.0002		0.0002 mg/L	SW7470A	4/3/2017	1
3/29/2017	MW-5	Chloride	FALSE	10		5		10 mg/L	EPA300.0 R2.1	3/30/2017	10
3/29/2017	MW-5	Nitrate	TRUE	0		0.1		0.1 mg/L	EPA300.0 R2.1	3/30/2017	1
3/29/2017	MW-5	Sulfate	FALSE	178		50		100 mg/L	EPA300.0 R2.1	3/30/2017	100
3/29/2017	MW-5	Ammonia as N	FALSE	0.23		0.1		0.1 mg/L	EPA350.1 R2.0	3/31/2017	1
3/29/2017	MW-5	Conductivity	FALSE	740		0		0 UMHOS	Field		0
3/29/2017	MW-5	Groundwater Elevation	FALSE	212.45		0		0 Feet	Field		0
3/29/2017	MW-5	Oxidation Reduction Potential	FALSE	-32		0		0 mV	Field		0
3/29/2017	MW-5	pH	FALSE	6.14		0		0 S.U.	Field		0
3/29/2017	MW-5	Sample Time	FALSE	1440		0		0 hours	Field		0
3/29/2017	MW-5	Temperature	FALSE	15.77		0		0 Degrees C	Field		0
3/29/2017	MW-5	Turbidity	FALSE	157		0		0 NTU	Field		0
3/29/2017	MW-5	Hardness	FALSE	460		7.05		8.3 mg/L	SM22 2340B-2011	3/31/2017	50
3/29/2017	MW-5	Total Dissolved Solids (TDS)	FALSE	522		10		10 mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	MW-5	Barium, Dissolved	FALSE	0.163		0.002		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-5	Cadmium, Dissolved	TRUE	0		0.002		0.004 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-5	Chromium, Dissolved	TRUE	0		0.004		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-5	Copper, Dissolved	TRUE	0		0.003		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-5	Iron, Dissolved	FALSE	4.46		0.005		0.01 mg/L	SW6010C	3/31/2017	1
3/29/2017	MW-5	Lead, Dissolved	TRUE	0		0.006		0.01 mg/L	SW6010C	3/31/2017	1

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	MW-5	Manganese, Dissolved	FALSE	2.66		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-5	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-5	Selenium, Dissolved	FALSE	0.0194	J	0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-5	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-5	Vanadium, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-5	Zinc, Dissolved	TRUE	0		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-5	Calcium	FALSE	92.7		2	2.5 mg/L	SW6010C		3/31/2017	50
3/29/2017	MW-5	Magnesium	FALSE	55.4		0.5	0.5 mg/L	SW6010C		3/31/2017	50
3/29/2017	MW-5	Arsenic, Dissolved	TRUE	0		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-5	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-5	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	MW-6	Chloride	FALSE	6.1		0.5	1 mg/L	EPA300.0 R2.1		3/30/2017	1
3/29/2017	MW-6	Nitrate	TRUE	0		0.1	0.1 mg/L	EPA300.0 R2.1		3/30/2017	1
3/29/2017	MW-6	Sulfate	FALSE	155		10	20 mg/L	EPA300.0 R2.1		3/30/2017	20
3/29/2017	MW-6	Ammonia as N	TRUE	0		0.1	0.1 mg/L	EPA350.1 R2.0		3/31/2017	1
3/29/2017	MW-6	Conductivity	FALSE	371		0	0 UMHOS	Field			0
3/29/2017	MW-6	Groundwater Elevation	FALSE	209.72		0	0 Feet	Field			0
3/29/2017	MW-6	Oxidation Reduction Potential	FALSE	110		0	0 mV	Field			0
3/29/2017	MW-6	pH	FALSE	6		0	0 S.U.	Field			0
3/29/2017	MW-6	Sample Time	FALSE	1200		0	0 hours	Field			0
3/29/2017	MW-6	Temperature	FALSE	16.59		0	0 Degrees C	Field			0
3/29/2017	MW-6	Turbidity	FALSE	9.75		0	0 NTU	Field			0
3/29/2017	MW-6	Hardness	FALSE	178		1.41	1.66 mg/L	SM22 2340B-2011		3/31/2017	10
3/29/2017	MW-6	Total Dissolved Solids (TDS)	FALSE	280		10	10 mg/L	SM22 2540C-2011		3/31/2017	1
3/29/2017	MW-6	Barium, Dissolved	FALSE	0.032		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Cadmium, Dissolved	TRUE	0		0.002	0.004 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Chromium, Dissolved	TRUE	0		0.004	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Copper, Dissolved	TRUE	0		0.003	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Iron, Dissolved	FALSE	0.144		0.005	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Lead, Dissolved	TRUE	0		0.006	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Manganese, Dissolved	FALSE	2.41		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Molybdenum, Dissolved	TRUE	0		0.05	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Selenium, Dissolved	TRUE	0		0.015	0.05 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Silver, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Vanadium, Dissolved	TRUE	0		0.002	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Zinc, Dissolved	TRUE	0		0.01	0.01 mg/L	SW6010C		3/31/2017	1
3/29/2017	MW-6	Calcium	FALSE	51		0.4	0.5 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-6	Magnesium	FALSE	12.3		0.1	0.1 mg/L	SW6010C		3/31/2017	10
3/29/2017	MW-6	Arsenic, Dissolved	TRUE	0		0.001	0.001 mg/L	SW6020A		4/2/2017	1
3/29/2017	MW-6	Chromium (hexavalent)	TRUE	0		0.005	0.005 mg/L	SW7196A		4/4/2017	1
3/29/2017	MW-6	Mercury, Dissolved	TRUE	0		0.0002	0.0002 mg/L	SW7470A		4/3/2017	1
3/29/2017	VPDES	Chloride	FALSE	4.3		0.5	1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	VPDES	Nitrate	TRUE	0		0.1	0.1 mg/L	EPA300.0 R2.1		3/31/2017	1
3/29/2017	VPDES	Sulfate	FALSE	52.3		5	10 mg/L	EPA300.0 R2.1		3/31/2017	10
3/29/2017	VPDES	Ammonia as N	TRUE	0		0.1	0.1 mg/L	EPA350.1 R2.0		3/31/2017	1
3/29/2017	VPDES	Conductivity	FALSE	349		0	0 UMHOS	Field			0
3/29/2017	VPDES	Oxidation Reduction Potential	FALSE	-150		0	0 mV	Field			0
3/29/2017	VPDES	pH	FALSE	6.25		0	0 S.U.	Field			0
3/29/2017	VPDES	Sample Time	FALSE	1505		0	0 hours	Field			0

Sample Date	Location ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/29/2017	VPDES	Temperature	FALSE	15.86		0		0 Degrees C	Field		0
3/29/2017	VPDES	Turbidity	FALSE	1.05		0		0 NTU	Field		0
3/29/2017	VPDES	Depth to Water	FALSE	10.07		0		0 Feet	Field		0
3/29/2017	VPDES	Hardness	FALSE	206		2.82	3.32	mg/L	SM22 2340B-2011	3/31/2017	20
3/29/2017	VPDES	Total Dissolved Solids (TDS)	FALSE	239		10	10	mg/L	SM22 2540C-2011	3/31/2017	1
3/29/2017	VPDES	Barium, Dissolved	FALSE	0.116		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Cadmium, Dissolved	TRUE	0		0.002	0.004	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Chromium, Dissolved	TRUE	0		0.004	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Copper, Dissolved	TRUE	0		0.003	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Iron, Dissolved	FALSE	0.058		0.005	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Lead, Dissolved	TRUE	0		0.006	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Manganese, Dissolved	FALSE	1.59		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Molybdenum, Dissolved	TRUE	0		0.05	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Selenium, Dissolved	FALSE	0.0214	J	0.015	0.05	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Silver, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Vanadium, Dissolved	TRUE	0		0.002	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Zinc, Dissolved	TRUE	0		0.01	0.01	mg/L	SW6010C	3/31/2017	1
3/29/2017	VPDES	Calcium	FALSE	61		0.8	1	mg/L	SW6010C	3/31/2017	20
3/29/2017	VPDES	Magnesium	FALSE	13.1		0.2	0.2	mg/L	SW6010C	3/31/2017	20
3/29/2017	VPDES	Arsenic, Dissolved	TRUE	0		0.001	0.001	mg/L	SW6020A	4/3/2017	1
3/29/2017	VPDES	Chromium (hexavalent)	TRUE	0		0.005	0.005	mg/L	SW7196A	4/4/2017	1
3/29/2017	VPDES	Mercury, Dissolved	TRUE	0		0.0002	0.0002	mg/L	SW7470A	4/3/2017	1

OFFICIAL COPY
Oct 23 2019